





Ergebnis: **376** (391.4)
 Serien: 94 94 92 96
 Zähler: 18 20 2 0 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2225 (29), 1889 (21), 1596 (26)
 beste Teiler 255.8 (25.) 348.7 (8.) 359.0 (38.)
 Trefferlage 1.60 mm links, 1.94 mm hoch
 Streuwert 7.18, horizontal: 6.60, vertikal: 7.72




Serie 1:
 10.0 ↑ 9.1 ↑ 10.2 ← 10.0 ↓ 9.8 →
 9.5 ↘ 9.9 ↑ 10.5 * 9.9 ↙ 9.3 ↖
 beste Teiler 348.7 (8.) 605.2 (3.) 752.0 (1.)
 Trefferlage 2.31 mm links, 2.83 mm hoch
 Streuwert 6.58, horizontal: 5.52, vertikal: 7.50



Serie 2:
 10.2 ↗ 10.0 ↑ 9.4 ↑ 9.6 ↖ 9.8 ←
 9.8 ↙ 10.0 ↘ 9.9 ← 10.4 * 9.8 ↑
 beste Teiler 456.8 (19.) 567.8 (11.) 746.7 (12.)
 Trefferlage 3.31 mm links, 1.32 mm hoch
 Streuwert 5.98, horizontal: 5.23, vertikal: 6.65



Serie 3:
 8.6 → 9.0 ← 9.3 ↗ 10.4 ↘ 10.6 *
 9.0 ↙ 10.1 ↑ 9.2 ↘ 8.2 ↓ 10.3 ↗
 beste Teiler 255.8 (25.) 477.6 (24.) 520.8 (30.)
 Trefferlage 0.74 mm links, 2.07 mm tief
 Streuwert 9.89, horizontal: 10.17, vertikal: 9.60





Serie 4:
 9.4 ↑ 10.2 ← 10.2 → 9.8 ↘ 9.6 ↗
 10.4 * 9.0 ↑ 10.5 * 10.1 ↗ 10.4 *
 beste Teiler 359.0 (38.) 431.0 (40.) 446.8 (36.)
 Trefferlage 0.04 mm links, 5.69 mm hoch
 Streuwert 5.05, horizontal: 4.52, vertikal: 5.54


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **366** (381.1)
 Serien: 93 93 91 89
 Zähler: 16 15 8 1 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 2497 (39), 2334 (25), 2112 (24)
 beste Teiler 383.8 (15.) 394.9 (5.) 400.5 (9.)
 Trefferlage 1.39 mm links, 2.21 mm tief
 Streuwert 8.95, horizontal: 9.20, vertikal: 8.69




Serie 1:
 9.2 ↘ 9.8 ← 8.5 ↙ 10.2 ↑ 10.5 *
 8.7 ↖ 10.4 * 9.0 ↘ 10.5 * 10.0 ↓
 beste Teiler 394.9 (5.) 400.5 (9.) 445.3 (7.)
 Trefferlage 4.92 mm links, 0.04 mm hoch
 Streuwert 8.03, horizontal: 6.12, vertikal: 9.57



Serie 2:
 10.1 ← 10.1 ↗ 9.1 ↑ 9.9 ↘ 10.5 *
 9.7 ↑ 8.9 ↓ 9.3 ← 10.0 ↓ 9.6 ←
 beste Teiler 383.8 (15.) 649.9 (11.) 662.6 (12.)
 Trefferlage 2.63 mm links, 0.02 mm tief
 Streuwert 7.56, horizontal: 6.15, vertikal: 8.75



Serie 3:
 10.3 ↑ 8.9 ↗ 10.2 ↘ 8.3 ← 8.0 →
 8.4 ↘ 9.0 ↘ 10.3 ↓ 10.2 ↘ 10.1 ↘
 beste Teiler 498.5 (21.) 511.7 (28.) 565.0 (23.)
 Trefferlage 1.27 mm rechts, 3.67 mm tief
 Streuwert 10.36, horizontal: 12.82, vertikal: 7.10





Serie 4:
 9.5 ← 10.2 ↘ 9.5 ↗ 10.0 → 9.2 ↓
 9.4 → 9.7 ↘ 8.4 ← 7.8 ↓ 9.7 ↓
 beste Teiler 627.0 (32.) 750.7 (34.) 977.9 (37.)
 Trefferlage 0.71 mm rechts, 5.21 mm tief
 Streuwert 9.59, horizontal: 9.93, vertikal: 9.24


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **370** (387.7)
 Serien: 95 92 88 95
 Zähler: 17 16 7 0 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 2344 (31), 2149 (11), 2076 (30)
 beste Teiler 103.6 (1.) 202.4 (24.) 206.1 (10.)
 Trefferlage 2.50 mm links, 1.73 mm hoch
 Streuwert 8.06, horizontal: 7.70, vertikal: 8.41




Serie 1:
 10.8 * 9.5 ↖ 9.1 ↖ 10.4 * 9.6 ↓
 9.4 ↖ 10.6 * 10.4 * 9.8 ← 10.7 *
 beste Teiler 103.6 (1.) 206.1 (10.) 283.4 (7.)
 Trefferlage 3.97 mm links, 1.97 mm hoch
 Streuwert 5.59, horizontal: 4.20, vertikal: 6.70



Serie 2:
 8.3 ↖ 10.7 * 10.3 ↓ 9.8 ↗ 9.1 →
 9.8 ↓ 9.4 ↓ 8.9 ↙ 10.1 ↖ 10.1 ↑
 beste Teiler 214.7 (12.) 520.3 (13.) 677.9 (20.)
 Trefferlage 1.53 mm links, 2.75 mm tief
 Streuwert 8.47, horizontal: 9.85, vertikal: 6.80



Serie 3:
 8.6 ↖ 8.4 ↗ 8.6 ↖ 10.7 * 10.4 *
 9.6 ↗ 9.4 ↓ 9.7 ↓ 9.9 ← 8.4 ↖
 beste Teiler 202.4 (24.) 474.5 (25.) 834.7 (29.)
 Trefferlage 4.89 mm links, 1.55 mm hoch
 Streuwert 9.94, horizontal: 9.24, vertikal: 10.59





Serie 4:
 8.0 ↑ 9.5 ↑ 10.0 ← 10.1 ↗ 10.3 ↖
 9.1 ↗ 10.1 ↗ 10.1 ↗ 10.2 ↑ 9.8 ↖
 beste Teiler 504.4 (35.) 587.3 (39.) 665.1 (38.)
 Trefferlage 0.38 mm rechts, 6.16 mm hoch
 Streuwert 6.95, horizontal: 6.15, vertikal: 7.67


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **369** (385.2)
 Serien: 90 94 92 93
 Zähler: 15 19 6 0 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2270 (8), 2191 (27), 1881 (10)
 beste Teiler 291.5 (19.) 328.6 (36.) 363.6 (7.)
 Trefferlage 0.51 mm rechts, 3.65 mm hoch
 Streuwert 8.02, horizontal: 7.50, vertikal: 8.51




Serie 1:
 9.3 ↑ 9.0 ↗ 9.6 ↗ 10.1 → 9.7 ↘
 9.4 ↖ 10.5 * 8.1 ↑ 9.4 ↙ 8.6 ↑
 beste Teiler 363.6 (7.) 719.0 (4.) 1034.5 (5.)
 Trefferlage 3.05 mm rechts, 6.61 mm hoch
 Streuwert 8.64, horizontal: 7.61, vertikal: 9.55



Serie 2:
 10.2 ↓ 9.7 ↗ 10.3 ↑ 10.4 ↓ 9.3 ↓
 9.5 ← 9.2 ↗ 9.1 ↘ 10.6 * 9.3 ↖
 beste Teiler 291.5 (19.) 480.9 (14.) 491.1 (13.)
 Trefferlage 1.04 mm links, 1.99 mm hoch
 Streuwert 7.64, horizontal: 6.59, vertikal: 8.56



Serie 3:
 10.0 → 8.7 ↗ 8.9 ↗ 10.4 * 9.0 ↗
 9.9 ↖ 8.2 ↖ 10.2 ↘ 10.4 * 10.2 ↑
 beste Teiler 419.3 (29.) 424.4 (24.) 590.4 (28.)
 Trefferlage 2.01 mm rechts, 7.16 mm hoch
 Streuwert 7.50, horizontal: 8.23, vertikal: 6.69





Serie 4:
 9.5 ↑ 10.4 * 9.3 ↓ 8.7 ← 9.6 ↖
 10.5 * 9.5 → 9.9 ↓ 10.3 ↘ 10.3 ←
 beste Teiler 328.6 (36.) 411.3 (32.) 491.2 (40.)
 Trefferlage 1.98 mm links, 1.13 mm tief
 Streuwert 7.33, horizontal: 7.44, vertikal: 7.23


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **361** (378.7)
 Serien: 92 89 88 92
 Zähler: 13 15 12 0 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2258 (14), 2103 (20), 2082 (22)
 beste Teiler 88.9 (15.) 210.0 (11.) 218.8 (10.)
 Trefferlage 4.21 mm links, 0.27 mm hoch
 Streuwert 8.99, horizontal: 8.04, vertikal: 9.84




Serie 1:
 9.0 ↑ 8.9 ↗ 10.4 * 9.8 ↗ 10.2 ↘
 9.1 ↘ 9.4 ↘ 9.7 ↓ 9.9 ↘ 10.7 *
 beste Teiler 218.8 (10.) 465.3 (3.) 572.6 (5.)
 Trefferlage 0.71 mm links, 4.53 mm hoch
 Streuwert 7.42, horizontal: 7.07, vertikal: 7.75



Serie 2:
 10.7 * 10.4 * 8.9 ↖ 8.1 ↑ 10.8 *
 8.5 ↙ 9.6 ↙ 9.7 ↓ 9.7 → 8.3 ↓
 beste Teiler 88.9 (15.) 210.0 (11.) 447.0 (12.)
 Trefferlage 2.97 mm links, 2.14 mm tief
 Streuwert 10.04, horizontal: 8.66, vertikal: 11.26



Serie 3:
 8.9 ↑ 8.3 ← 10.1 ↖ 10.0 ↖ 8.4 ↘
 8.5 ← 8.9 ↙ 10.0 ↖ 9.0 ↖ 9.5 ↙
 beste Teiler 662.4 (23.) 727.6 (28.) 780.1 (24.)
 Trefferlage 7.26 mm links, 2.29 mm hoch
 Streuwert 9.85, horizontal: 9.28, vertikal: 10.39





Serie 4:
 10.2 ↓ 8.5 ↙ 9.4 ↙ 10.3 ↖ 8.9 ↙
 9.2 ↓ 9.3 ← 10.0 ↖ 9.1 ↖ 10.4 *
 beste Teiler 440.4 (40.) 494.1 (34.) 639.0 (31.)
 Trefferlage 5.90 mm links, 3.59 mm tief
 Streuwert 7.66, horizontal: 6.36, vertikal: 8.77


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **364** (381.4)
 Serien: 90 91 94 89
 Zähler: 12 21 6 1 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2423 (37), 2284 (15), 2270 (12)
 beste Teiler 134.1 (25.) 218.2 (29.) 302.4 (19.)
 Trefferlage 0.01 mm rechts, 0.75 mm hoch
 Streuwert 9.18, horizontal: 9.48, vertikal: 8.87




Serie 1:
 9.4 ← 9.5 ↙ 9.0 ↘ 10.4 * 9.5 →
 9.9 → 9.9 ↙ 9.6 ← 9.6 → 8.4 ←
 beste Teiler 420.7 (4.) 835.4 (7.) 861.9 (6.)
 Trefferlage 3.40 mm links, 1.08 mm tief
 Streuwert 8.65, horizontal: 10.87, vertikal: 5.62



Serie 2:
 9.4 ↗ 8.1 ↗ 10.2 ← 9.6 → 8.1 ↑
 8.5 ↘ 9.0 ↓ 10.0 → 10.6 * 10.3 ↘
 beste Teiler 302.4 (19.) 511.9 (20.) 635.1 (13.)
 Trefferlage 4.03 mm rechts, 2.48 mm hoch
 Streuwert 10.11, horizontal: 7.08, vertikal: 12.42



Serie 3:
 10.4 * 9.6 ↗ 9.7 ← 9.4 ↗ 10.8 *
 10.5 * 9.1 → 8.3 ↗ 10.7 * 10.1 ↑
 beste Teiler 134.1 (25.) 218.2 (29.) 396.0 (26.)
 Trefferlage 3.80 mm rechts, 3.39 mm hoch
 Streuwert 7.07, horizontal: 7.84, vertikal: 6.22





Serie 4:
 10.2 ↘ 10.1 ← 9.9 ↖ 9.4 ↑ 9.9 ↙
 9.2 ← 7.9 ← 8.3 ↓ 9.8 ↓ 9.1 ↗
 beste Teiler 571.3 (31.) 714.2 (32.) 852.5 (35.)
 Trefferlage 4.36 mm links, 1.78 mm tief
 Streuwert 9.63, horizontal: 9.55, vertikal: 9.70

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	367	(384.1)
Serien:	94 94 91 88	
Zähler:	17 16 5 1 1 0 0 0 0 0	
Innenzehner:	10	
weiteste:	3657 (29), 2500 (37), 2315 (36)	
beste Teiler	133.2 (39.) 145.0 (26.) 163.6 (20.)	
Trefferlage	2.13 mm rechts, 2.16 mm hoch	
Streuwert	9.08, horizontal: 8.56, vertikal: 9.56	




Serie 1:

9.3 ↘	9.6 ↓	9.4 ↑	10.5 *	10.4 *
9.2 ↗	10.4 *	9.8 ↘	10.6 *	9.8 ↑
beste Teiler	281.0 (9.) 375.2 (4.) 425.7 (5.)			
Trefferlage	1.42 mm links, 3.55 mm hoch			
Streuwert	6.33, horizontal: 4.81, vertikal: 7.55			




Serie 2:

10.0 ↘	9.6 →	10.4 *	8.6 ↗	9.2 ↓
10.0 ↘	10.6 *	9.8 ↗	9.2 →	10.7 *
beste Teiler	163.6 (20.) 286.0 (17.) 440.3 (13.)			
Trefferlage	4.53 mm rechts, 1.21 mm hoch			
Streuwert	6.96, horizontal: 5.69, vertikal: 8.03			



Serie 3:

10.1 ↗	10.0 ↓	9.1 ↘	10.0 ↗	9.7 ←
10.8 *	8.2 →	10.0 ↙	6.4 ↙	9.4 ↑
beste Teiler	145.0 (26.) 644.7 (21.) 739.6 (22.)			
Trefferlage	0.78 mm links, 1.51 mm tief			
Streuwert	11.73, horizontal: 12.32, vertikal: 11.12			





Serie 4:


10.6 *	9.9 ↓	8.4 ↗	9.7 ↓	8.8 →
8.1 ↗	7.8 ↗	9.1 →	10.8 *	10.1 →
beste Teiler	133.2 (39.) 293.7 (31.) 711.5 (40.)			
Trefferlage	6.22 mm rechts, 5.39 mm hoch			
Streuwert	9.58, horizontal: 7.87, vertikal: 11.03			

Unterschrift des Schützen


Ergebnis: **356** (373.7)
 Serien: 85 88 91 92
 Zähler: 13 14 9 4 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2599 (6), 2551 (7), 2519 (30)
 beste Teiler 181.6 (25.) 243.3 (26.) 297.0 (21.)
 Trefferlage 0.18 mm rechts, 0.96 mm hoch
 Streuwert 10.46, horizontal: 12.36, vertikal: 8.13




Serie 1:
 9.9 ↙ 10.4 * 8.2 ↙ 9.3 ↙ 9.0 →
 7.7 → 7.8 ← 8.2 ↘ 9.3 ↑ 9.2 ←
 beste Teiler 463.1 (2.) 858.1 (1.) 1284.3 (4.)
 Trefferlage 4.79 mm links, 5.22 mm tief
 Streuwert 12.18, horizontal: 15.08, vertikal: 8.31



Serie 2:
 9.0 ↗ 8.8 ↑ 8.9 ↗ 9.1 ↘ 9.8 ↓
 9.0 ← 10.1 ↘ 9.9 ↘ 9.6 ↘ 8.7 ←
 beste Teiler 650.7 (17.) 871.1 (18.) 897.2 (15.)
 Trefferlage 2.96 mm links, 5.36 mm hoch
 Streuwert 9.26, horizontal: 10.62, vertikal: 7.66



Serie 3:
 10.6 * 8.2 ← 8.8 → 10.4 * 10.7 *
 10.6 * 10.1 ↑ 10.1 ↘ 8.3 → 7.8 ↗
 beste Teiler 181.6 (25.) 243.3 (26.) 297.0 (21.)
 Trefferlage 3.33 mm rechts, 0.58 mm hoch
 Streuwert 10.21, horizontal: 12.56, vertikal: 7.13



Serie 4:
 8.9 ↘ 9.1 → 9.9 ↑ 10.1 ↑ 9.4 ↑
 10.4 * 10.0 ↓ 7.9 → 10.2 ↑ 10.3 ↑
 beste Teiler 430.1 (36.) 499.0 (40.) 585.8 (39.)
 Trefferlage 5.14 mm rechts, 3.13 mm hoch
 Streuwert 7.93, horizontal: 9.33, vertikal: 6.22

Unterschrift des Schützen