





Ergebnis: **374** (392.8)
 Serien: 92 94 92 96
 Zähler: 17 20 3 0 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 2223 (29), 2058 (22), 1723 (4)
 beste Teiler 157.9 (11.) 162.8 (18.) 219.0 (37.)
 Trefferlage 1.02 mm links, 1.07 mm tief
 Streuwert 7.32, horizontal: 7.83, vertikal: 6.77




Serie 1:
 10.2 ↓ 9.6 ↓ 9.9 ↑ 8.8 ← 9.7 →
 10.3 ↗ 9.8 ↘ 10.2 ↙ 9.4 ↖ 9.1 ←
 beste Teiler 526.6 (6.) 595.7 (8.) 619.4 (1.)
 Trefferlage 2.81 mm links, 0.37 mm tief
 Streuwert 7.65, horizontal: 8.94, vertikal: 6.10



Serie 2:
 10.8 * 9.5 → 10.2 ↓ 9.4 ↑ 10.5 *
 9.9 → 9.9 ↙ 10.7 * 9.7 ↓ 9.9 ↖
 beste Teiler 157.9 (11.) 162.8 (18.) 379.1 (15.)
 Trefferlage 0.53 mm links, 0.48 mm tief
 Streuwert 6.02, horizontal: 6.13, vertikal: 5.92



Serie 3:
 9.0 ↗ 8.4 ↖ 9.5 ↓ 10.2 ↓ 9.7 →
 9.1 ← 10.3 ↓ 10.1 ↓ 8.2 ↙ 10.5 *
 beste Teiler 348.4 (30.) 540.7 (27.) 580.6 (24.)
 Trefferlage 2.68 mm links, 1.71 mm tief
 Streuwert 9.58, horizontal: 10.40, vertikal: 8.68





Serie 4:
 10.7 * 9.3 ↓ 10.1 ↓ 10.4 * 10.2 →
 9.9 ↖ 10.7 * 9.4 ↓ 9.3 ↗ 10.3 →
 beste Teiler 219.0 (37.) 225.6 (31.) 415.0 (34.)
 Trefferlage 1.91 mm rechts, 1.73 mm tief
 Streuwert 6.03, horizontal: 4.84, vertikal: 7.02


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **370** (386.9)
 Serien: 90 92 92 96
 Zähler: 18 14 8 0 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 2327 (29), 2140 (28), 2113 (22)
 beste Teiler 105.8 (18.) 200.0 (36.) 255.8 (25.)
 Trefferlage 0.02 mm rechts, 0.59 mm hoch
 Streuwert 8.44, horizontal: 9.13, vertikal: 7.70




Serie 1:
 8.7 ↗ 8.4 ↓ 9.9 ↑ 10.1 ↗ 9.5 ↑
 9.6 ↙ 10.0 ↘ 10.4 * 9.9 ↑ 8.8 ↓
 beste Teiler 420.9 (8.) 677.9 (4.) 732.2 (7.)
 Trefferlage 1.15 mm rechts, 0.39 mm tief
 Streuwert 9.19, horizontal: 6.64, vertikal: 11.16



Serie 2:
 9.3 ↗ 10.1 ↖ 8.5 ← 9.3 ↖ 9.7 →
 10.4 * 9.2 ↙ 10.8 * 8.7 ↘ 10.0 ↑
 beste Teiler 105.8 (18.) 438.9 (16.) 669.7 (12.)
 Trefferlage 2.02 mm links, 0.77 mm hoch
 Streuwert 8.88, horizontal: 9.68, vertikal: 7.99





Serie 3:
 10.6 * 8.3 ← 9.6 ↗ 9.9 ↗ 10.6 *
 10.4 ← 10.3 ← 8.3 → 8.0 ↗ 10.0 ↖
 beste Teiler 255.8 (25.) 260.6 (21.) 480.2 (26.)
 Trefferlage 2.30 mm rechts, 2.23 mm hoch
 Streuwert 9.62, horizontal: 12.32, vertikal: 5.76



Serie 4:
 10.6 * 9.2 ← 9.5 → 9.2 ↖ 10.4 *
 10.7 * 9.8 ← 10.1 ↗ 10.1 ↓ 10.0 ↓
 beste Teiler 200.0 (36.) 284.0 (31.) 419.4 (35.)
 Trefferlage 1.34 mm links, 0.22 mm tief
 Streuwert 6.62, horizontal: 7.58, vertikal: 5.51


Unterschrift des Schützen

Ergebnis:	363	(379.2)
Serien:	90 89 95 89	
Zähler:	14 16 9 1 0 0 0 0 0 0	
Innenzehner:	2	
weiteste:	2998 (18), 2043 (8), 1954 (14)	
beste Teiler	147.8 (16.) 381.3 (24.) 511.9 (37.)	
Trefferlage	1.67 mm rechts, 3.25 mm hoch	
Streuwert	9.04, horizontal: 10.31, vertikal: 7.56	




Serie 1:

9.8 ↗	9.5 ↘	10.3 ↗	9.9 ↙	9.0 →
10.0 ↗	8.9 ↘	8.4 ↗	9.2 →	9.2 →
beste Teiler	551.2 (3.) 771.8 (6.) 829.7 (4.)			
Trefferlage	6.44 mm rechts, 3.67 mm hoch			
Streuwert	8.10, horizontal: 9.82, vertikal: 5.90			




Serie 2:

10.2 →	8.6 ↑	10.0 ←	8.5 →	8.6 ↙
10.8 *	10.3 →	7.2 ↗	9.0 →	9.9 ↑
beste Teiler	147.8 (16.) 557.9 (17.) 626.2 (11.)			
Trefferlage	4.57 mm rechts, 4.18 mm hoch			
Streuwert	10.64, horizontal: 11.55, vertikal: 9.66			



Serie 3:

9.2 ↘	10.3 ↙	10.1 ↗	10.5 *	9.4 ↘
9.4 ←	10.1 ↓	9.5 ↗	9.2 ↘	10.0 ↑
beste Teiler	381.3 (24.) 537.4 (22.) 643.4 (27.)			
Trefferlage	2.59 mm links, 3.74 mm hoch			
Streuwert	6.78, horizontal: 7.31, vertikal: 6.21			





Serie 4:

8.9 ↘	9.3 ↗	8.8 ↙	8.7 ↗	8.7 ←
9.8 ↘	10.3 →	10.1 ↓	9.3 ↘	10.3 ←
beste Teiler	511.9 (37.) 557.6 (40.) 694.2 (38.)			
Trefferlage	1.72 mm links, 1.40 mm hoch			
Streuwert	9.62, horizontal: 10.46, vertikal: 8.71			


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **368** (383.9)
 Serien: 88 94 93 93
 Zähler: 12 24 4 0 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 2336 (34), 2127 (16), 1711 (5)
 beste Teiler 236.3 (36.) 339.4 (21.) 363.4 (17.)
 Trefferlage 0.04 mm links, 0.17 mm tief
 Streuwert 8.50, horizontal: 6.25, vertikal: 10.26




Serie 1:
 9.5 ↘ 9.4 ↘ 8.9 ↗ 9.9 ↘ 8.8 ↓
 9.3 ↖ 9.4 ↑ 9.2 ↓ 9.0 ↑ 9.7 ↓
 beste Teiler 868.8 (4.) 1027.7 (10.) 1171.2 (1.)
 Trefferlage 3.84 mm rechts, 2.18 mm tief
 Streuwert 9.41, horizontal: 5.32, vertikal: 12.20



Serie 2:
 9.4 ← 10.4 * 9.8 ↓ 9.8 ↖ 10.2 →
 8.3 ↑ 10.5 * 10.0 ↑ 10.1 ← 9.7 ↓
 beste Teiler 363.4 (17.) 444.6 (12.) 634.7 (15.)
 Trefferlage 2.15 mm links, 1.62 mm hoch
 Streuwert 7.36, horizontal: 5.77, vertikal: 8.66



Serie 3:
 10.5 * 9.3 ↓ 10.4 * 9.5 ↗ 9.5 ↖
 9.1 ↑ 9.1 ↖ 9.3 ↙ 10.4 * 9.1 ↓
 beste Teiler 339.4 (21.) 411.6 (29.) 427.2 (23.)
 Trefferlage 1.74 mm links, 0.38 mm hoch
 Streuwert 8.57, horizontal: 5.70, vertikal: 10.69





Serie 4:
 9.9 ↓ 9.3 ↑ 10.4 * 8.0 ↓ 10.1 ↗
 10.7 * 10.3 ↙ 9.4 ↑ 9.1 ← 9.2 ↘
 beste Teiler 236.3 (36.) 411.8 (33.) 496.9 (37.)
 Trefferlage 0.11 mm links, 0.54 mm tief
 Streuwert 8.94, horizontal: 7.10, vertikal: 10.46


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **371** (390.6)
 Serien: 92 93 93 93
 Zähler: 17 17 6 0 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 2359 (1), 2004 (40), 1784 (6)
 beste Teiler 68.0 (24.) 211.4 (28.) 247.9 (39.)
 Trefferlage 0.85 mm rechts, 1.35 mm tief
 Streuwert 7.72, horizontal: 7.83, vertikal: 7.60




Serie 1:
 8.0 ↘ 10.1 ← 10.3 → 9.7 ← 9.3 ↙
 8.7 ↑ 8.8 ↘ 10.1 → 10.1 ↙ 10.5 *
 beste Teiler 386.1 (10.) 529.3 (3.) 644.4 (9.)
 Trefferlage 1.82 mm rechts, 1.53 mm tief
 Streuwert 9.29, horizontal: 10.19, vertikal: 8.29



Serie 2:
 9.3 ↙ 9.7 ↙ 9.8 ← 10.5 * 9.8 ↙
 9.1 ↘ 9.7 ↘ 9.8 ↘ 10.6 * 10.3 ↘
 beste Teiler 252.5 (19.) 348.0 (14.) 536.0 (20.)
 Trefferlage 2.09 mm links, 3.59 mm tief
 Streuwert 6.23, horizontal: 6.12, vertikal: 6.34



Serie 3:
 9.6 ← 10.5 * 10.0 → 10.9 * 9.9 →
 10.4 * 8.8 ↘ 10.7 * 8.8 ↘ 9.8 →
 beste Teiler 68.0 (24.) 211.4 (28.) 355.7 (22.)
 Trefferlage 4.03 mm rechts, 2.00 mm tief
 Streuwert 6.56, horizontal: 7.72, vertikal: 5.15





Serie 4:
 9.3 ← 9.4 ↙ 9.6 ↘ 9.2 ↗ 10.1 ↗
 10.6 * 10.5 * 9.3 ↑ 10.6 * 8.4 ↑
 beste Teiler 247.9 (39.) 260.2 (36.) 395.2 (37.)
 Trefferlage 0.35 mm links, 1.70 mm hoch
 Streuwert 8.37, horizontal: 6.44, vertikal: 9.93


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **364** (380.3)
 Serien: 89 93 90 92
 Zähler: 13 20 5 2 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2881 (9), 2571 (22), 2273 (16)
 beste Teiler 157.5 (13.) 264.2 (8.) 317.6 (40.)
 Trefferlage 4.07 mm rechts, 2.87 mm hoch
 Streuwert 8.64, horizontal: 8.59, vertikal: 8.69




Serie 1:
 10.0 ↘ 9.9 ↙ 9.6 ↗ 8.2 ↗ 9.3 ↗
 9.3 ↗ 9.6 ↗ 10.6 * 7.3 ↑ 9.5 →
 beste Teiler 264.2 (8.) 749.0 (1.) 839.0 (2.)
 Trefferlage 6.53 mm rechts, 5.79 mm hoch
 Streuwert 8.81, horizontal: 6.07, vertikal: 10.87



Serie 2:
 8.9 ↗ 10.4 * 10.8 * 9.1 ↗ 10.3 ↖
 8.1 ↗ 9.3 ↓ 10.4 ↑ 10.1 → 9.0 ↗
 beste Teiler 157.5 (13.) 422.3 (12.) 476.9 (18.)
 Trefferlage 5.49 mm rechts, 3.75 mm hoch
 Streuwert 7.81, horizontal: 7.72, vertikal: 7.91



Serie 3:
 8.9 ↖ 7.7 → 9.8 → 9.0 ↖ 10.1 ↖
 9.4 ↓ 9.6 ↘ 10.1 ← 10.5 * 9.1 ↗
 beste Teiler 372.8 (29.) 664.9 (25.) 709.0 (28.)
 Trefferlage 2.78 mm rechts, 1.35 mm hoch
 Streuwert 9.89, horizontal: 11.52, vertikal: 7.92





Serie 4:
 9.5 ↑ 10.4 * 9.3 ↗ 10.0 → 9.7 ↗
 8.7 ↗ 9.7 ↙ 9.3 ↓ 9.2 ↗ 10.6 *
 beste Teiler 317.6 (40.) 454.6 (32.) 754.8 (34.)
 Trefferlage 1.47 mm rechts, 0.61 mm hoch
 Streuwert 8.28, horizontal: 8.48, vertikal: 8.06


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **358** (375.9)
 Serien: 87 90 91 90
 Zähler: 10 19 10 1 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 3143 (21), 2263 (6), 2178 (10)
 beste Teiler 248.0 (23.) 391.5 (18.) 461.2 (30.)
 Trefferlage 5.84 mm links, 2.06 mm tief
 Streuwert 8.97, horizontal: 8.62, vertikal: 9.31




Serie 1:
 9.8 ↓ 9.3 ↙ 10.3 ↘ 8.7 ↘ 8.6 ←
 8.1 ← 10.3 → 9.2 ↑ 8.4 ← 8.2 ↘
 beste Teiler 486.2 (7.) 552.3 (3.) 883.4 (1.)
 Trefferlage 7.87 mm links, 2.26 mm hoch
 Streuwert 10.27, horizontal: 11.01, vertikal: 9.48



Serie 2:
 9.5 ↙ 8.3 ← 9.7 ↙ 9.3 ← 10.2 ↑
 9.9 ↙ 9.5 ↘ 10.5 * 9.9 ← 8.9 ↙
 beste Teiler 391.5 (18.) 603.1 (15.) 851.4 (16.)
 Trefferlage 6.41 mm links, 5.22 mm tief
 Streuwert 6.68, horizontal: 6.95, vertikal: 6.39



Serie 3:
 7.0 ↙ 10.2 ↓ 10.6 * 10.1 ↑ 10.4 *
 8.8 ↘ 9.8 ↓ 8.7 ↘ 9.1 ↘ 10.4 *
 beste Teiler 248.0 (23.) 461.2 (30.) 466.4 (25.)
 Trefferlage 4.13 mm links, 2.60 mm tief
 Streuwert 10.09, horizontal: 7.54, vertikal: 12.12





Serie 4:
 9.1 ↘ 9.5 ↘ 10.2 ↘ 9.6 ↘ 9.4 ↓
 9.3 ↘ 9.9 ← 8.4 ↘ 9.1 ← 9.7 ↘
 beste Teiler 614.4 (33.) 834.7 (37.) 1027.5 (40.)
 Trefferlage 4.94 mm links, 2.68 mm tief
 Streuwert 8.70, horizontal: 9.28, vertikal: 8.08


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **351** (368.2)
 Serien: 86 88 88 89
 Zähler: 6 20 13 1 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 2592 (30), 2356 (17), 2344 (5)
 beste Teiler 139.0 (22.) 340.8 (40.) 465.4 (20.)
 Trefferlage 2.05 mm links, 0.37 mm hoch
 Streuwert 10.83, horizontal: 8.47, vertikal: 12.77




Serie 1:
 8.2 ↖ 8.5 ↖ 9.1 ↓ 8.4 ↓ 8.0 ↘
 8.2 ↓ 9.4 ↖ 9.7 ← 9.6 ↘ 10.2 ↖
 beste Teiler 574.2 (10.) 968.7 (8.) 1091.3 (9.)
 Trefferlage 2.88 mm links, 4.03 mm tief
 Streuwert 12.19, horizontal: 7.87, vertikal: 15.34



Serie 2:
 9.8 ← 8.4 ↓ 9.5 ← 9.9 ↘ 10.1 ↓
 8.9 ↗ 8.0 ↖ 8.8 ↑ 9.8 ↖ 10.4 *
 beste Teiler 465.4 (20.) 664.3 (15.) 851.1 (14.)
 Trefferlage 4.25 mm links, 1.20 mm hoch
 Streuwert 9.94, horizontal: 8.75, vertikal: 11.01



Serie 3:
 9.1 ↖ 10.8 * 9.5 ↖ 9.9 ↘ 9.2 ↗
 9.8 ↗ 8.3 ↖ 9.4 ↓ 9.1 ↓ 7.7 ↖
 beste Teiler 139.0 (22.) 814.7 (24.) 905.3 (26.)
 Trefferlage 3.76 mm links, 3.16 mm hoch
 Streuwert 10.52, horizontal: 9.94, vertikal: 11.06



Serie 4:
 8.1 ↗ 9.1 ↓ 9.2 ↓ 9.0 ↑ 9.9 →
 9.2 → 10.3 ↘ 8.8 ↓ 8.4 ↗ 10.5 *
 beste Teiler 340.8 (40.) 523.1 (37.) 828.3 (35.)
 Trefferlage 2.69 mm rechts, 1.15 mm hoch
 Streuwert 10.84, horizontal: 6.27, vertikal: 13.98

Unterschrift des Schützen