





Ergebnis: **368** (389.2)  
 Serien: 91 94 91 92  
 Zähler: 11 26 3 0 0 0 0 0 0 0  
 Innenzehner: 6  
 weiteste: 1845 (1), 1803 (6), 1613 (32)  
 beste Teiler 84.5 (9.) 133.7 (29.) 206.3 (40.)  
 Trefferlage 0.95 mm links, 0.03 mm tief  
 Streuwert 7.55, horizontal: 6.93, vertikal: 8.13




Serie 1:  
 8.6 ↑ 10.2 ↘ 9.8 ↙ 9.8 ← 9.6 ↑  
 8.7 ↘ 9.9 → 10.0 ↑ 10.8 \* 9.4 ↘  
 beste Teiler 84.5 (9.) 635.6 (2.) 756.6 (8.)  
 Trefferlage 0.83 mm rechts, 0.64 mm hoch  
 Streuwert 8.35, horizontal: 6.30, vertikal: 9.98



Serie 2:  
 10.0 ↗ 10.1 ↓ 9.9 ↑ 10.5 \* 9.4 ↙  
 9.1 ↘ 10.5 \* 9.9 ← 9.2 ← 9.6 ↘  
 beste Teiler 321.1 (17.) 350.7 (14.) 689.0 (12.)  
 Trefferlage 2.64 mm links, 2.81 mm tief  
 Streuwert 6.57, horizontal: 6.52, vertikal: 6.61



Serie 3:  
 9.8 ↑ 9.6 → 9.9 ↘ 9.0 ↓ 9.5 ←  
 9.3 ↗ 9.9 ↓ 9.4 ← 10.8 \* 9.3 ↘  
 beste Teiler 133.7 (29.) 827.4 (27.) 828.7 (23.)  
 Trefferlage 1.58 mm links, 0.70 mm hoch  
 Streuwert 8.18, horizontal: 8.00, vertikal: 8.35





Serie 4:  
 9.9 ← 8.9 ↘ 10.2 ↘ 9.6 ↘ 9.6 ↑  
 9.3 ↓ 9.5 ↘ 9.6 ↑ 10.4 \* 10.7 \*  
 beste Teiler 206.3 (40.) 429.5 (39.) 582.0 (33.)  
 Trefferlage 0.44 mm links, 1.30 mm hoch  
 Streuwert 7.61, horizontal: 7.38, vertikal: 7.83


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **365** (383.5)  
 Serien: 91 92 90 92  
 Zähler: 15 17 6 2 0 0 0 0 0 0  
 Innenzehner: 4  
 weiteste: 2570 (3), 2445 (28), 2294 (24)  
 beste Teiler 61.0 (22.) 147.1 (29.) 187.9 (32.)  
 Trefferlage 2.67 mm links, 1.35 mm hoch  
 Streuwert 8.71, horizontal: 8.06, vertikal: 9.32




Serie 1:  
 10.2 ↗ 9.5 ↘ 7.7 ↑ 8.6 ↑ 10.1 ←  
 8.7 ↘ 10.7 \* 10.1 ↗ 10.1 ← 9.1 ↘  
 beste Teiler 208.4 (7.) 594.1 (1.) 648.5 (9.)  
 Trefferlage 3.73 mm links, 5.92 mm hoch  
 Streuwert 8.75, horizontal: 5.43, vertikal: 11.12



Serie 2:  
 9.9 → 8.1 ↙ 9.4 ↗ 9.3 → 9.8 ↙  
 10.2 ← 9.0 ← 9.8 ↘ 10.0 → 10.2 ←  
 beste Teiler 619.4 (20.) 634.8 (16.) 747.2 (19.)  
 Trefferlage 1.93 mm links, 1.12 mm tief  
 Streuwert 8.86, horizontal: 10.60, vertikal: 6.69





Serie 3:  
 9.8 ↖ 10.9 \* 8.8 ↙ 8.1 ← 9.5 ↘  
 10.2 ↓ 9.9 ↑ 7.9 ↓ 10.8 \* 10.0 ←  
 beste Teiler 61.0 (22.) 147.1 (29.) 578.0 (26.)  
 Trefferlage 4.54 mm links, 4.29 mm tief  
 Streuwert 8.84, horizontal: 9.12, vertikal: 8.55




Serie 4:  
 9.5 ↘ 10.7 \* 9.3 ↑ 9.2 ↑ 10.1 ↖  
 10.3 ↑ 9.7 ← 9.6 ↑ 9.8 ↙ 8.9 →  
 beste Teiler 187.9 (32.) 511.3 (36.) 686.4 (35.)  
 Trefferlage 0.50 mm links, 4.91 mm hoch  
 Streuwert 7.10, horizontal: 6.75, vertikal: 7.43

Unterschrift des Schützen


Ergebnis: **356** (372.3)  
 Serien: 89 88 87 92  
 Zähler: 5 27 7 1 0 0 0 0 0 0  
 Innenzehner: 1  
 weiteste: 3019 (23), 2272 (4), 2206 (31)  
 beste Teiler 330.3 (40.) 533.4 (35.) 642.8 (34.)  
 Trefferlage 2.10 mm rechts, 1.62 mm hoch  
 Streuwert 9.87, horizontal: 9.92, vertikal: 9.82




Serie 1:  
 9.6 ↖ 10.0 ↘ 10.1 → 8.1 → 9.6 ↑  
 9.6 → 8.8 ↓ 9.7 ↖ 9.5 ↑ 8.8 ↗  
 beste Teiler 708.0 (3.) 748.4 (2.) 1036.3 (8.)  
 Trefferlage 3.62 mm rechts, 3.80 mm hoch  
 Streuwert 9.16, horizontal: 9.43, vertikal: 8.88



Serie 2:  
 9.4 → 8.3 ↑ 9.2 ↓ 9.7 ↓ 9.1 ↖  
 9.3 ↖ 9.0 → 8.9 ↗ 9.0 ↗ 9.3 ↓  
 beste Teiler 1022.0 (14.) 1245.3 (11.) 1300.0 (16.)  
 Trefferlage 3.84 mm rechts, 0.23 mm hoch  
 Streuwert 10.73, horizontal: 9.45, vertikal: 11.88



Serie 3:  
 9.6 → 9.3 ↖ 7.2 ↖ 9.1 ↑ 9.6 ↖  
 8.8 ↘ 9.6 ↑ 9.7 → 9.6 ↑ 9.0 →  
 beste Teiler 1029.4 (28.) 1065.0 (25.) 1071.5 (21.)  
 Trefferlage 3.13 mm rechts, 0.98 mm hoch  
 Streuwert 11.36, horizontal: 11.78, vertikal: 10.93





Serie 4:  
 8.2 ↖ 9.4 ↖ 9.8 ↗ 10.1 ↖ 10.3 ↘  
 9.2 ↓ 9.5 ↖ 9.4 → 9.4 ↑ 10.5 \*  
 beste Teiler 330.3 (40.) 533.4 (35.) 642.8 (34.)  
 Trefferlage 2.18 mm links, 1.48 mm hoch  
 Streuwert 8.73, horizontal: 9.06, vertikal: 8.38


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **365** (382.5)  
 Serien: 86 92 91 96  
 Zähler: 15 17 6 2 0 0 0 0 0 0  
 Innenzehner: 6  
 weiteste: 2673 (10), 2478 (6), 2336 (18)  
 beste Teiler 217.3 (27.) 260.6 (29.) 387.4 (13.)  
 Trefferlage 1.38 mm links, 2.62 mm hoch  
 Streuwert 8.87, horizontal: 7.53, vertikal: 10.04




Serie 1:  
 9.1 ↗ 9.5 ↘ 9.7 ↓ 8.9 ↙ 9.7 ↘  
 7.9 ↖ 10.1 ↘ 9.4 ↑ 9.0 ↘ 7.6 ↑  
 beste Teiler 678.4 (7.) 981.6 (5.) 1040.3 (3.)  
 Trefferlage 0.49 mm links, 0.56 mm hoch  
 Streuwert 11.98, horizontal: 9.25, vertikal: 14.19



Serie 2:  
 9.2 ↖ 9.6 ↖ 10.5 \* 9.6 ↓ 10.4 \*  
 10.2 ↗ 10.2 ↘ 8.0 ← 9.7 ← 8.4 ↑  
 beste Teiler 387.4 (13.) 436.1 (15.) 580.1 (16.)  
 Trefferlage 5.03 mm links, 2.12 mm hoch  
 Streuwert 8.48, horizontal: 7.89, vertikal: 9.04





Serie 3:  
 10.2 ↑ 9.8 ↖ 8.1 ↑ 9.9 → 9.6 ←  
 8.5 ↖ 10.7 \* 10.1 ↓ 10.6 \* 8.9 ↘  
 beste Teiler 217.3 (27.) 260.6 (29.) 576.8 (21.)  
 Trefferlage 2.31 mm links, 3.38 mm hoch  
 Streuwert 8.76, horizontal: 6.95, vertikal: 10.26




Serie 4:  
 10.3 → 10.0 ↖ 10.0 ↑ 10.2 → 9.9 ↘  
 10.4 \* 9.8 → 9.1 ↑ 9.3 ↑ 10.4 \*  
 beste Teiler 432.6 (36.) 440.2 (40.) 493.8 (31.)  
 Trefferlage 2.30 mm rechts, 4.45 mm hoch  
 Streuwert 5.31, horizontal: 4.20, vertikal: 6.22

Unterschrift des Schützen


Ergebnis: **362** (380.1)  
 Serien: 88 91 90 93  
 Zähler: 14 16 8 2 0 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 2642 (26), 2543 (5), 2249 (16)  
 beste Teiler 156.6 (33.) 165.7 (8.) 213.8 (40.)  
 Trefferlage 0.08 mm links, 2.42 mm tief  
 Streuwert 9.34, horizontal: 10.01, vertikal: 8.61




Serie 1:  
 8.4 ↙                      8.9 ↗                      9.5 ←                      9.4 ↓                      7.8 ↘  
 10.2 →                      10.2 →                      10.7 \*                      8.6 ↖                      9.8 ↘  
 beste Teiler 165.7 (8.) 563.0 (7.) 578.1 (6.)  
 Trefferlage 4.44 mm links, 5.03 mm tief  
 Streuwert 9.68, horizontal: 9.35, vertikal: 10.01



Serie 2:  
 9.6 →                      10.3 ↗                      9.2 ↗                      10.3 ↓                      10.3 ↖  
 8.1 →                      9.5 ↖                      8.9 ↖                      10.2 ↘                      8.9 ↖  
 beste Teiler 481.1 (15.) 491.5 (12.) 536.6 (14.)  
 Trefferlage 0.82 mm rechts, 0.20 mm hoch  
 Streuwert 9.41, horizontal: 12.30, vertikal: 5.08



Serie 3:  
 10.1 ←                      9.1 ←                      9.9 ↙                      9.7 ↑                      9.9 →  
 7.6 →                      9.5 ↓                      8.9 ↓                      10.4 \*                      10.1 ↓  
 beste Teiler 461.0 (29.) 652.0 (30.) 665.6 (21.)  
 Trefferlage 0.59 mm rechts, 1.97 mm tief  
 Streuwert 9.56, horizontal: 10.82, vertikal: 8.12





Serie 4:  
 9.5 ↗                      10.2 ↓                      10.8 \*                      9.0 ↑                      9.0 ↓  
 9.0 →                      8.2 ↙                      9.2 ↘                      10.5 \*                      10.7 \*  
 beste Teiler 156.6 (33.) 213.8 (40.) 357.4 (39.)  
 Trefferlage 2.68 mm rechts, 2.89 mm tief  
 Streuwert 8.99, horizontal: 6.91, vertikal: 10.67


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **347** (365.3)  
 Serien: 84 89 84 90  
 Zähler: 7 18 12 1 2 0 0 0 0 0  
 Innenzehner: 4  
 weiteste: 3541 (3), 3430 (28), 2552 (13)  
 beste Teiler 101.8 (35.) 415.8 (40.) 422.9 (8.)  
 Trefferlage 0.36 mm links, 0.16 mm hoch  
 Streuwert 11.65, horizontal: 12.09, vertikal: 11.20




Serie 1:  
 9.2 ↘ 8.5 → 6.5 ↑ 8.4 ↘ 9.5 ←  
 8.6 ↘ 8.7 ← 10.4 \* 9.7 ↓ 9.3 ↙  
 beste Teiler 422.9 (8.) 1002.3 (9.) 1161.5 (5.)  
 Trefferlage 1.73 mm links, 2.16 mm hoch  
 Streuwert 13.47, horizontal: 14.11, vertikal: 12.81



Serie 2:  
 8.5 ↑ 10.0 ↘ 7.8 ↙ 9.8 ↘ 9.6 ↑  
 10.1 ↘ 10.4 \* 9.8 ↘ 8.7 ↙ 9.6 ↘  
 beste Teiler 439.0 (17.) 687.2 (16.) 780.3 (12.)  
 Trefferlage 2.04 mm links, 1.27 mm tief  
 Streuwert 10.12, horizontal: 8.31, vertikal: 11.64



Serie 3:  
 10.2 ↘ 9.5 ↓ 8.1 → 8.5 → 9.6 ←  
 8.7 ↘ 9.0 ↗ 6.7 ↘ 9.2 ↓ 8.9 →  
 beste Teiler 600.2 (21.) 1099.3 (25.) 1142.5 (22.)  
 Trefferlage 1.19 mm rechts, 2.38 mm hoch  
 Streuwert 13.61, horizontal: 16.42, vertikal: 10.06





Serie 4:  
 8.2 ↓ 9.0 → 9.6 ↙ 9.7 → 10.8 \*  
 9.4 → 8.7 ↑ 9.0 ↙ 9.0 ← 10.4 \*  
 beste Teiler 101.8 (35.) 415.8 (40.) 1001.0 (34.)  
 Trefferlage 1.12 mm rechts, 2.60 mm tief  
 Streuwert 10.18, horizontal: 9.23, vertikal: 11.05


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **360** (375.7)  
 Serien: 84 95 88 93  
 Zähler: 14 14 10 2 0 0 0 0 0 0  
 Innenzehner: 4  
 weiteste: 2827 (4), 2614 (1), 2376 (37)  
 beste Teiler 157.0 (15.) 201.3 (38.) 354.0 (28.)  
 Trefferlage 2.51 mm links, 3.67 mm tief  
 Streuwert 9.67, horizontal: 10.89, vertikal: 8.26




Serie 1:  
 7.7 ↖ 9.7 ↘ 8.4 ↘ 7.4 ↙ 9.9 ↘  
 8.3 ↗ 10.0 ↘ 9.0 ↘ 9.8 ← 8.5 ←  
 beste Teiler 794.0 (7.) 809.4 (5.) 914.0 (9.)  
 Trefferlage 7.64 mm links, 8.02 mm tief  
 Streuwert 10.74, horizontal: 12.85, vertikal: 8.09



Serie 2:  
 10.1 ↗ 9.0 ↘ 10.1 → 9.2 ↑ 10.8 \*  
 9.5 ↑ 10.5 \* 10.2 ↘ 8.6 → 10.2 ↘  
 beste Teiler 157.0 (15.) 379.9 (17.) 580.8 (20.)  
 Trefferlage 2.50 mm rechts, 0.26 mm tief  
 Streuwert 7.72, horizontal: 6.71, vertikal: 8.60





Serie 3:  
 8.5 ↘ 9.0 → 9.4 ↖ 8.7 ↖ 8.6 →  
 10.1 ↖ 9.5 ↘ 10.5 \* 8.8 ↙ 9.2 ↘  
 beste Teiler 354.0 (28.) 714.3 (26.) 1165.1 (27.)  
 Trefferlage 4.16 mm links, 3.22 mm tief  
 Streuwert 10.32, horizontal: 11.96, vertikal: 8.37



Serie 4:  
 8.9 ↖ 10.0 ↘ 10.1 ↗ 9.2 → 10.0 ↑  
 9.8 ↘ 8.0 ↗ 10.7 \* 9.7 → 10.1 ↗  
 beste Teiler 201.3 (38.) 681.7 (40.) 704.6 (33.)  
 Trefferlage 0.75 mm links, 3.17 mm tief  
 Streuwert 8.63, horizontal: 9.86, vertikal: 7.20


Unterschrift des Schützen

Ergebnis: **340** (359.0)  
 Serien: 80 86 86 88  
 Zähler: 10 11 11 5 3 0 0 0 0 0  
 Innenzehner: 4  
 weiteste: 3473 (7), 3388 (31), 3349 (3)  
 beste Teiler 146.3 (24.) 207.1 (40.) 406.9 (26.)  
 Trefferlage 0.28 mm rechts, 0.58 mm tief  
 Streuwert 12.99, horizontal: 12.54, vertikal: 13.43




Serie 1:  
 8.1 ↑                      8.9 ↓                      6.8 ↙                      7.7 ↑                      9.8 ←  
 10.2 →                      6.6 ↘                      9.0 ←                      9.5 →                      8.4 →

beste Teiler 592.5 (6.) 896.5 (5.) 1146.4 (9.)  
 Trefferlage 0.87 mm links, 2.10 mm hoch  
 Streuwert 16.13, horizontal: 13.14, vertikal: 18.65




Serie 2:  
 8.7 ↖                      7.7 ↘                      8.5 ↘                      7.9 ↗                      10.2 ↖  
 10.4 \*                      9.3 ↓                      10.3 ↑                      8.6 ↘                      9.4 ↑

beste Teiler 438.9 (16.) 503.4 (18.) 592.3 (15.)  
 Trefferlage 1.42 mm rechts, 2.03 mm hoch  
 Streuwert 12.23, horizontal: 11.99, vertikal: 12.47



Serie 3:  
 8.7 →                      7.4 ↙                      9.9 ↓                      10.8 \*                      8.6 ↙  
 10.4 \*                      8.0 ↑                      9.1 →                      9.4 →                      8.6 ↓

beste Teiler 146.3 (24.) 406.9 (26.) 877.1 (23.)  
 Trefferlage 0.56 mm rechts, 2.16 mm tief  
 Streuwert 12.52, horizontal: 12.24, vertikal: 12.78



Serie 4:  
 6.7 →                      9.3 ↘                      10.1 ↙                      9.4 ↑                      10.2 ↘  
 9.3 ↙                      10.0 ↑                      7.5 ↙                      8.9 ↙                      10.7 \*

beste Teiler 207.1 (40.) 587.4 (35.) 663.6 (33.)  
 Trefferlage 0.02 mm rechts, 4.31 mm tief  
 Streuwert 12.12, horizontal: 14.57, vertikal: 9.02

Unterschrift des Schützen

Meyton Elektronik