





Ergebnis: **372** (389.5)  
 Serien: 92 91 92 97  
 Zähler: 15 23 1 1 0 0 0 0 0 0  
 Innenzehner: 7  
 weiteste: 3097 (30), 1664 (18), 1565 (35)  
 beste Teiler 132.7 (9.) 220.4 (31.) 239.2 (39.)  
 Trefferlage 1.08 mm links, 0.34 mm tief  
 Streuwert 7.90, horizontal: 7.71, vertikal: 8.09




Serie 1:  
 9.7 ↘                      9.8 ↓                      9.1 ←                      9.6 ↖                      10.0 ↓  
 9.4 ↙                      9.0 ↓                      9.0 ↗                      10.8 \*                      9.1 ←  
 beste Teiler 132.7 (9.) 735.4 (5.) 907.7 (2.)  
 Trefferlage 2.86 mm links, 3.53 mm tief  
 Streuwert 8.26, horizontal: 8.26, vertikal: 8.26



Serie 2:  
 9.3 ←                      10.4 \*                      9.9 ↘                      9.8 ↗                      9.8 ↑  
 9.6 ↓                      10.3 ←                      8.9 ↓                      9.9 ↖                      9.5 ←  
 beste Teiler 451.7 (12.) 554.4 (17.) 802.5 (19.)  
 Trefferlage 2.06 mm links, 1.72 mm tief  
 Streuwert 7.37, horizontal: 6.84, vertikal: 7.86



Serie 3:  
 10.1 ↘                      9.5 ↗                      9.8 ←                      9.8 ↖                      9.4 ↗  
 9.1 ←                      10.4 \*                      10.0 ←                      10.1 ←                      7.1 ↗  
 beste Teiler 416.1 (27.) 680.7 (21.) 719.6 (29.)  
 Trefferlage 0.69 mm links, 3.70 mm hoch  
 Streuwert 9.63, horizontal: 9.92, vertikal: 9.34





Serie 4:  
 10.7 \*                      10.1 ←                      9.8 ↘                      10.0 ↗                      9.0 ↗  
 10.6 \*                      10.5 \*                      9.6 ↘                      10.7 \*                      10.3 ↖  
 beste Teiler 220.4 (31.) 239.2 (39.) 258.3 (36.)  
 Trefferlage 1.28 mm rechts, 0.17 mm hoch  
 Streuwert 5.83, horizontal: 5.76, vertikal: 5.90


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>366</b>	(385.3)
Serien:	89 90 95 92	
Zähler:	13 21 5 1 0 0 0 0 0 0	
Innenzehner:	6	
weiteste:	2700 (10), 2186 (7), 2015 (11)	
beste Teiler	84.5 (28.) 290.6 (16.) 344.0 (2.)	
Trefferlage	3.18 mm links, 3.32 mm hoch	
Streuwert	7.87, horizontal: 8.63, vertikal: 7.03	




Serie 1:	9.1 ↖	10.5 *	9.6 ↘	9.9 ↗	10.3 ↗
	9.7 ↗	8.2 ↗	9.5 ↘	9.5 ↑	7.6 →
beste Teiler	344.0 (2.) 532.5 (5.) 873.9 (4.)				
Trefferlage	0.97 mm rechts, 7.91 mm hoch				
Streuwert	8.80, horizontal: 11.46, vertikal: 4.84				



Serie 2:	8.4 ←	9.4 ↓	9.8 ↓	9.6 ←	8.9 ↘
	10.6 *	9.8 ↘	9.4 ↘	9.9 ↗	10.4 *
beste Teiler	290.6 (16.) 427.0 (20.) 838.5 (19.)				
Trefferlage	5.47 mm links, 1.82 mm hoch				
Streuwert	7.62, horizontal: 7.61, vertikal: 7.63				



Serie 3:	8.6 ↘	10.3 →	9.6 ↑	10.0 ←	9.3 ↘
	10.3 ↘	9.7 ↑	10.8 *	10.2 ↘	10.3 ↘
beste Teiler	84.5 (28.) 545.0 (30.) 552.9 (26.)				
Trefferlage	4.32 mm links, 4.35 mm hoch				
Streuwert	5.46, horizontal: 5.89, vertikal: 4.99				





Serie 4:	10.5 *	10.3 ↓	9.4 ↗	9.1 ↘	9.1 ←
	9.7 ↘	8.9 ←	10.4 *	9.4 ←	9.3 ↓
beste Teiler	374.8 (31.) 463.0 (38.) 541.5 (32.)				
Trefferlage	3.93 mm links, 0.81 mm tief				
Streuwert	8.16, horizontal: 8.48, vertikal: 7.83				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **375** (393.6)  
 Serien: 94 92 96 93  
 Zähler: 18 19 3 0 0 0 0 0 0 0  
 Innenzehner: 8  
 weiteste: 1960 (14), 1850 (7), 1682 (19)  
 beste Teiler 172.8 (25.) 174.9 (21.) 189.0 (13.)  
 Trefferlage 1.47 mm rechts, 0.11 mm hoch  
 Streuwert 7.10, horizontal: 6.74, vertikal: 7.44




Serie 1:  
 10.1 ↗ 9.8 ↘ 10.1 → 10.3 ← 10.1 ←  
 9.2 ↗ 8.6 → 10.4 \* 9.0 ↙ 9.5 ←  
 beste Teiler 414.1 (8.) 488.4 (4.) 652.1 (1.)  
 Trefferlage 1.39 mm rechts, 1.16 mm tief  
 Streuwert 7.94, horizontal: 9.89, vertikal: 5.32



Serie 2:  
 9.9 ↘ 10.6 \* 10.7 \* 8.5 ↑ 9.2 ↓  
 9.2 ↗ 10.2 ↗ 10.2 ↓ 8.8 ↑ 9.3 →  
 beste Teiler 189.0 (13.) 297.4 (12.) 579.1 (18.)  
 Trefferlage 4.14 mm rechts, 2.59 mm hoch  
 Streuwert 8.06, horizontal: 4.56, vertikal: 10.45



Serie 3:  
 10.7 \* 10.2 ↘ 10.2 ↘ 10.0 ↓ 10.7 \*  
 9.6 ↓ 9.8 ↘ 9.9 ↑ 10.6 \* 9.6 ↙  
 beste Teiler 172.8 (25.) 174.9 (21.) 272.2 (29.)  
 Trefferlage 1.28 mm rechts, 2.08 mm tief  
 Streuwert 5.20, horizontal: 4.70, vertikal: 5.65





Serie 4:  
 9.8 ↖ 9.0 ↙ 10.3 ↖ 9.6 → 9.9 ↖  
 9.9 ↗ 9.5 ↓ 9.4 ↑ 10.6 \* 10.6 \*  
 beste Teiler 250.4 (39.) 262.4 (40.) 543.3 (33.)  
 Trefferlage 0.93 mm links, 1.10 mm hoch  
 Streuwert 6.99, horizontal: 6.48, vertikal: 7.46


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **359** (376.1)  
 Serien: 88 89 89 93  
 Zähler: 10 22 7 0 0 1 0 0 0 0  
 Innenzehner: 2  
 weiteste: 4320 (2), 2046 (26), 2017 (12)  
 beste Teiler 265.2 (17.) 459.1 (9.) 504.6 (7.)  
 Trefferlage 1.13 mm rechts, 1.53 mm hoch  
 Streuwert 9.96, horizontal: 10.90, vertikal: 8.92




Serie 1:  
 9.7 →                      5.6 ↘                      10.2 ↑                      8.6 ↑                      9.5 →  
 9.7 ↗                      10.3 ←                      9.6 ↑                      10.4 \*                      9.4 ←  
 beste Teiler 459.1 (9.) 504.6 (7.) 637.2 (3.)  
 Trefferlage 4.29 mm rechts, 6.94 mm hoch  
 Streuwert 11.15, horizontal: 14.04, vertikal: 7.17



Serie 2:  
 9.2 ↑                      8.4 ←                      9.6 ↘                      9.9 ↗                      9.7 →  
 9.7 ↓                      10.6 \*                      8.7 ↙                      9.0 ↗                      9.1 ←  
 beste Teiler 265.2 (17.) 859.2 (14.) 969.1 (16.)  
 Trefferlage 3.10 mm links, 0.70 mm hoch  
 Streuwert 9.61, horizontal: 9.93, vertikal: 9.28





Serie 3:  
 9.4 ↘                      10.2 ↗                      10.1 ←                      8.6 ↓                      9.4 →  
 8.4 ↘                      9.2 ↘                      9.7 ↗                      9.4 ↓                      8.7 →  
 beste Teiler 572.0 (22.) 684.5 (23.) 1033.5 (28.)  
 Trefferlage 2.14 mm rechts, 1.75 mm tief  
 Streuwert 10.10, horizontal: 10.37, vertikal: 9.82



Serie 4:  
 10.0 ↗                      9.9 ↑                      9.2 ↘                      9.0 ↓                      10.1 ←  
 10.3 ↗                      9.5 ←                      9.3 ↘                      10.0 ↘                      8.8 ↘  
 beste Teiler 528.2 (36.) 662.8 (35.) 724.7 (39.)  
 Trefferlage 1.21 mm rechts, 0.26 mm hoch  
 Streuwert 8.47, horizontal: 8.92, vertikal: 7.99


Unterschrift des Schützen

Ergebnis:	<b>365</b>	(383.5)
Serien:	91 91 89 94	
Zähler:	16 16 5 3 0 0 0 0 0 0	
Innenzehner:	9	
weiteste:	3027 (7), 2899 (24), 2881 (40)	
beste Teiler	150.8 (33.) 153.9 (5.) 159.9 (3.)	
Trefferlage	0.47 mm links, 1.83 mm hoch	
Streuwert	9.34, horizontal: 8.84, vertikal: 9.82	




Serie 1:

10.7 *	8.7 ↗	10.8 *	9.8 ↘	10.8 *
9.0 ↗	7.2 ↘	10.0 ↑	9.8 ↓	9.0 ←
beste Teiler	153.9 (5.)	159.9 (3.)	220.5 (1.)	
Trefferlage	1.61 mm rechts, 5.58 mm hoch			
Streuwert	9.50, horizontal: 10.43, vertikal: 8.47			




Serie 2:

10.7 *	9.1 ↑	8.6 →	8.6 ↗	9.3 ↖
9.7 ↖	9.8 →	10.5 *	9.8 ↘	10.4 ↖
beste Teiler	197.8 (11.)	351.5 (18.)	477.2 (20.)	
Trefferlage	1.96 mm rechts, 3.21 mm hoch			
Streuwert	8.35, horizontal: 9.43, vertikal: 7.12			



Serie 3:

9.0 ↓	9.5 ↑	10.0 ↖	7.3 ↓	10.5 *
8.8 ↑	10.1 ↑	9.5 ↑	8.7 ↖	9.0 ↘
beste Teiler	331.8 (25.)	653.4 (27.)	770.5 (23.)	
Trefferlage	3.31 mm links, 0.33 mm hoch			
Streuwert	11.12, horizontal: 7.55, vertikal: 13.80			





Serie 4:


10.0 ↓	9.8 →	10.8 *	9.8 ↖	10.0 ↗
10.4 *	10.6 *	10.2 ↖	9.9 ←	7.3 ↘
beste Teiler	150.8 (33.)	282.8 (37.)	442.8 (36.)	
Trefferlage	2.16 mm links, 1.80 mm tief			
Streuwert	8.08, horizontal: 7.76, vertikal: 8.38			

Unterschrift des Schützen


Ergebnis: **351** (370.1)  
 Serien: 87 89 86 89  
 Zähler: 9 18 9 3 1 0 0 0 0 0  
 Innenzehner: 4  
 weiteste: 3359 (4), 2863 (13), 2710 (39)  
 beste Teiler 127.3 (12.) 229.3 (40.) 371.0 (14.)  
 Trefferlage 6.88 mm rechts, 1.13 mm tief  
 Streuwert 9.82, horizontal: 9.11, vertikal: 10.49




Serie 1:  
 10.2 ↘ 10.1 ↓ 8.9 ↘ 6.8 ↗ 9.7 ↘  
 9.1 ↗ 9.6 ↓ 9.6 ↗ 8.3 → 9.4 ↓  
 beste Teiler 607.4 (1.) 680.9 (2.) 968.6 (5.)  
 Trefferlage 7.23 mm rechts, 1.88 mm tief  
 Streuwert 10.78, horizontal: 7.98, vertikal: 12.99



Serie 2:  
 9.2 ↘ 10.8 \* 7.4 ↘ 10.5 \* 9.1 ↘  
 8.9 → 9.2 ↑ 9.4 ↘ 9.5 ↗ 9.5 ↓  
 beste Teiler 127.3 (12.) 371.0 (14.) 1122.1 (20.)  
 Trefferlage 8.45 mm rechts, 3.43 mm tief  
 Streuwert 8.41, horizontal: 6.99, vertikal: 9.63





Serie 3:  
 10.4 \* 9.8 ↗ 9.6 ↘ 8.7 ↗ 8.0 ↗  
 9.8 ↗ 9.4 ↓ 9.0 ↗ 8.9 ↘ 7.9 ↘  
 beste Teiler 438.0 (21.) 923.5 (26.) 960.8 (22.)  
 Trefferlage 7.98 mm rechts, 0.90 mm hoch  
 Streuwert 10.01, horizontal: 8.15, vertikal: 11.58




Serie 4:  
 10.2 ↓ 8.6 ↘ 9.6 ↘ 9.5 → 8.2 ↗  
 8.7 ← 10.0 ↘ 10.3 ↗ 7.6 ↘ 10.7 \*  
 beste Teiler 229.3 (40.) 511.9 (38.) 629.2 (31.)  
 Trefferlage 3.88 mm rechts, 0.12 mm tief  
 Streuwert 10.86, horizontal: 12.91, vertikal: 8.31

Unterschrift des Schützen


Ergebnis: **360** (378.2)  
 Serien: 86 92 95 87  
 Zähler: 15 13 10 1 1 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 3610 (4), 2421 (32), 2241 (34)  
 beste Teiler 77.0 (5.) 108.7 (24.) 114.1 (25.)  
 Trefferlage 3.33 mm rechts, 2.98 mm hoch  
 Streuwert 9.53, horizontal: 10.12, vertikal: 8.90




Serie 1:  
 8.4 ↗ 9.2 ↖ 8.6 ← 6.4 ↗ 10.9 \*  
 8.9 ← 9.2 ↗ 10.5 \* 8.8 ↗ 10.1 ↓  
 beste Teiler 77.0 (5.) 388.2 (8.) 720.8 (10.)  
 Trefferlage 1.50 mm rechts, 6.28 mm hoch  
 Streuwert 12.26, horizontal: 13.77, vertikal: 10.53



Serie 2:  
 9.9 ↓ 10.2 → 9.9 ↓ 10.1 → 10.3 ↓  
 8.8 ↓ 8.4 ↗ 9.5 ↗ 9.4 ↗ 10.2 ↑  
 beste Teiler 545.3 (15.) 588.8 (20.) 601.0 (12.)  
 Trefferlage 4.39 mm rechts, 0.78 mm tief  
 Streuwert 7.77, horizontal: 6.73, vertikal: 8.68





Serie 3:  
 10.2 ↗ 9.3 ↑ 9.7 ← 10.8 \* 10.8 \*  
 10.1 ↘ 10.4 \* 10.0 ← 8.8 ↑ 9.7 ↗  
 beste Teiler 108.7 (24.) 114.1 (25.) 439.0 (27.)  
 Trefferlage 0.69 mm links, 3.90 mm hoch  
 Streuwert 6.16, horizontal: 5.71, vertikal: 6.59




Serie 4:  
 10.2 ↘ 7.9 ↗ 9.2 → 8.1 → 9.2 ↓  
 8.6 ↗ 9.4 ↗ 8.3 → 9.5 ← 10.3 ↘  
 beste Teiler 481.1 (40.) 567.0 (31.) 1153.0 (39.)  
 Trefferlage 8.13 mm rechts, 2.54 mm hoch  
 Streuwert 10.30, horizontal: 11.30, vertikal: 9.18

Unterschrift des Schützen


Ergebnis:	<b>366</b>	(383.6)
Serien:	93 90 93 90	
Zähler:	11 24 5 0 0 0 0 0 0 0	
Innenzehner:	5	
weiteste:	1879 (31), 1872 (28), 1808 (13)	
beste Teiler	228.6 (29.) 323.9 (39.) 347.1 (36.)	
Trefferlage	2.64 mm links, 3.01 mm hoch	
Streuwert	7.86, horizontal: 6.46, vertikal: 9.05	




Serie 1:	10.5 *	8.8 ↑	9.6 ↓	10.0 ←	9.5 ↑
	10.0 ↘	10.2 ↗	9.1 ↖	9.7 ↙	9.9 ↓
beste Teiler	361.1 (1.)	604.4 (7.)	724.9 (4.)		
Trefferlage	1.76 mm links, 1.14 mm hoch				
Streuwert	7.65, horizontal: 5.80, vertikal: 9.14				



Serie 2:	9.0 ↗	9.0 ↖	8.7 ↘	10.0 ↗	9.5 ↖
	9.7 ←	9.3 ←	9.6 ↘	9.7 ↑	9.5 ↗
beste Teiler	784.3 (14.)	975.8 (16.)	1006.6 (19.)		
Trefferlage	2.28 mm links, 3.47 mm hoch				
Streuwert	8.99, horizontal: 9.28, vertikal: 8.70				



Serie 3:	9.8 ↗	9.6 ↘	10.3 ↖	9.0 ↑	9.5 ←
	10.0 ↑	9.5 ↖	8.6 ↑	10.7 *	10.4 *
beste Teiler	228.6 (29.)	418.3 (30.)	538.5 (23.)		
Trefferlage	2.93 mm links, 5.11 mm hoch				
Streuwert	6.74, horizontal: 4.95, vertikal: 8.14				



Serie 4:	8.6 ↑	9.1 ↖	9.1 ↑	9.7 ↖	9.6 ←
	10.5 *	9.4 ↓	9.5 ↖	10.5 *	8.9 ↑
beste Teiler	323.9 (39.)	347.1 (36.)	965.3 (34.)		
Trefferlage	3.60 mm links, 2.31 mm hoch				
Streuwert	8.77, horizontal: 5.86, vertikal: 10.94				

Unterschrift des Schützen

Meyton Elektronik