





Ergebnis: **350** (367.0)
 Serien: 88 85 91 86
 Zähler: 6 22 9 2 1 0 0 0 0 0
 Innenzehner: 1
 weiteste: 3486 (35), 2793 (14), 2618 (11)
 beste Teiler 285.3 (39.) 584.9 (20.) 654.4 (7.)
 Trefferlage 1.22 mm links, 2.97 mm tief
 Streuwert 11.05, horizontal: 10.45, vertikal: 11.62




Serie 1:
 8.2 ↙ 9.8 ← 9.2 → 9.8 ↓ 8.8 →
 8.1 ↓ 10.1 ↘ 9.8 ← 9.7 ↘ 9.5 ↙
 beste Teiler 654.4 (7.) 916.0 (4.) 919.3 (2.)
 Trefferlage 0.98 mm links, 5.05 mm tief
 Streuwert 9.91, horizontal: 10.79, vertikal: 8.96



Serie 2:
 7.7 ← 9.0 ↙ 8.5 ↙ 7.5 ↓ 9.3 →
 9.4 ↘ 8.0 ↙ 9.9 ↑ 9.0 ↑ 10.2 ←
 beste Teiler 584.9 (20.) 879.0 (18.) 1213.5 (16.)
 Trefferlage 5.06 mm links, 5.82 mm tief
 Streuwert 12.41, horizontal: 11.12, vertikal: 13.59





Serie 3:
 8.8 ↓ 10.0 ↖ 9.8 ↖ 9.2 ↗ 9.7 ←
 9.0 ↖ 9.7 ↘ 9.6 ↓ 9.5 → 10.0 ↖
 beste Teiler 775.6 (30.) 785.1 (22.) 923.7 (23.)
 Trefferlage 1.79 mm links, 0.36 mm hoch
 Streuwert 8.74, horizontal: 8.52, vertikal: 8.95




Serie 4:
 9.4 ↗ 9.6 ↗ 8.4 → 10.1 ↓ 6.6 ↓
 9.1 ↘ 8.3 ↑ 8.7 ← 10.6 * 9.4 ←
 beste Teiler 285.3 (39.) 720.2 (34.) 1094.0 (32.)
 Trefferlage 2.95 mm rechts, 1.40 mm tief
 Streuwert 12.95, horizontal: 11.15, vertikal: 14.52

Unterschrift des Schützen


Ergebnis: **345** (361.5)
 Serien: 82 86 89 88
 Zähler: 5 20 10 5 0 0 0 0 0 0
 Innenzehner: 2
 weiteste: 3026 (30), 2807 (2), 2689 (36)
 beste Teiler 423.5 (24.) 447.5 (39.) 535.2 (11.)
 Trefferlage 2.69 mm links, 6.18 mm hoch
 Streuwert 11.02, horizontal: 11.14, vertikal: 10.91




Serie 1:
 8.5 ↘ 7.4 ↗ 9.1 ↑ 7.8 ← 9.5 ↑
 8.9 ↙ 8.2 ↙ 9.3 ↑ 9.6 ↘ 8.4 ↑
 beste Teiler 1120.0 (9.) 1146.9 (5.) 1344.3 (8.)
 Trefferlage 4.24 mm links, 7.35 mm hoch
 Streuwert 12.72, horizontal: 13.87, vertikal: 11.47



Serie 2:
 10.3 ↗ 8.0 ← 10.1 ↘ 8.0 ↘ 9.3 ↘
 8.1 ↑ 9.4 ↘ 9.6 ↘ 8.7 ↗ 7.8 ↑
 beste Teiler 535.2 (11.) 694.0 (13.) 1055.3 (18.)
 Trefferlage 4.44 mm links, 11.95 mm hoch
 Streuwert 9.19, horizontal: 10.25, vertikal: 7.99



Serie 3:
 9.4 ↑ 9.4 ↗ 9.9 → 10.4 * 9.1 ↑
 9.0 ↙ 9.9 ↙ 9.2 ← 9.6 ↓ 7.2 ↑
 beste Teiler 423.5 (24.) 802.6 (27.) 840.8 (23.)
 Trefferlage 0.90 mm links, 4.70 mm hoch
 Streuwert 10.33, horizontal: 8.45, vertikal: 11.92





Serie 4:
 9.2 ↑ 8.0 ↗ 9.9 ↗ 9.5 ↓ 9.4 ↙
 7.6 ← 9.7 ↗ 10.0 ↑ 10.4 * 8.7 ↙
 beste Teiler 447.5 (39.) 747.5 (38.) 836.9 (33.)
 Trefferlage 1.19 mm links, 0.70 mm hoch
 Streuwert 11.41, horizontal: 12.52, vertikal: 10.18


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **358** (374.1)
 Serien: 84 95 88 91
 Zähler: 10 21 7 1 1 0 0 0 0 0
 Innenzehner: 2
 weiteste: 3485 (7), 2843 (6), 2103 (36)
 beste Teiler 415.9 (34.) 431.0 (13.) 489.0 (18.)
 Trefferlage 1.82 mm links, 1.77 mm hoch
 Streuwert 9.96, horizontal: 8.99, vertikal: 10.84




Serie 1:
 9.6 ↑ 9.9 ↘ 8.7 ↑ 9.2 ↗ 9.4 ↗
 7.4 ↙ 6.6 ↙ 9.1 ↗ 9.1 ← 9.2 ↑
 beste Teiler 809.7 (2.) 1117.0 (1.) 1202.9 (5.)
 Trefferlage 0.76 mm links, 1.21 mm hoch
 Streuwert 13.88, horizontal: 12.06, vertikal: 15.48



Serie 2:
 9.1 ↙ 10.0 ↖ 10.4 * 9.7 → 9.4 ↗
 10.0 ↖ 9.4 ← 10.3 → 9.5 ↑ 10.0 ↖
 beste Teiler 431.0 (13.) 489.0 (18.) 761.3 (12.)
 Trefferlage 1.97 mm links, 2.53 mm hoch
 Streuwert 7.05, horizontal: 7.33, vertikal: 6.75





Serie 3:
 8.9 ← 9.3 ↙ 10.0 ← 9.8 ↙ 8.8 ↘
 9.6 → 9.0 ↓ 9.7 → 9.2 ↘ 8.8 ↗
 beste Teiler 726.7 (23.) 883.2 (24.) 997.1 (28.)
 Trefferlage 0.68 mm links, 2.50 mm tief
 Streuwert 9.88, horizontal: 9.18, vertikal: 10.53




Serie 4:
 10.1 ← 10.3 ↓ 9.1 ↖ 10.4 * 8.6 ↑
 8.3 ↖ 8.7 ↑ 9.7 ↙ 9.8 ↗ 10.0 ←
 beste Teiler 415.9 (34.) 522.9 (32.) 680.7 (31.)
 Trefferlage 3.87 mm links, 5.83 mm hoch
 Streuwert 8.15, horizontal: 7.70, vertikal: 8.57

Unterschrift des Schützen


Ergebnis: **352** (368.6)
 Serien: 88 85 88 91
 Zähler: 11 16 8 4 1 0 0 0 0 0
 Innenzehner: 7
 weiteste: 3795 (16), 2936 (20), 2801 (24)
 beste Teiler 72.4 (6.) 95.1 (17.) 109.9 (18.)
 Trefferlage 7.11 mm links, 2.03 mm tief
 Streuwert 10.40, horizontal: 10.34, vertikal: 10.45




Serie 1:
 8.3 ← 8.8 ↙ 9.4 ↘ 9.1 ↑ 9.6 ↓
 10.9 * 8.5 ↘ 9.0 → 8.5 ↓ 10.6 *
 beste Teiler 72.4 (6.) 252.1 (10.) 1083.4 (5.)
 Trefferlage 4.22 mm links, 3.84 mm tief
 Streuwert 10.33, horizontal: 9.71, vertikal: 10.91



Serie 2:
 8.9 ↘ 8.2 ↖ 9.3 ↓ 10.6 * 10.1 ↓
 6.2 ← 10.8 * 10.8 * 7.5 ← 7.3 ↙
 beste Teiler 95.1 (17.) 109.9 (18.) 298.8 (14.)
 Trefferlage 11.35 mm links, 3.75 mm tief
 Streuwert 12.05, horizontal: 13.68, vertikal: 10.17



Serie 3:
 9.1 ↑ 9.2 ↙ 9.0 ← 7.4 ↓ 9.5 ↙
 10.7 * 10.1 ← 9.3 ↓ 7.5 ↘ 9.3 ↖
 beste Teiler 224.7 (26.) 701.3 (27.) 1157.0 (25.)
 Trefferlage 7.72 mm links, 2.64 mm tief
 Streuwert 10.78, horizontal: 7.64, vertikal: 13.19





Serie 4:
 8.5 ← 9.1 ← 10.0 ↗ 10.0 ↘ 9.9 ←
 9.3 ↘ 8.6 ← 9.1 ↑ 10.7 * 9.9 ↑
 beste Teiler 231.8 (39.) 771.9 (33.) 774.6 (34.)
 Trefferlage 5.16 mm links, 2.13 mm hoch
 Streuwert 8.37, horizontal: 9.49, vertikal: 7.08


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **348** (363.9)
 Serien: 88 87 87 86
 Zähler: 6 21 8 5 0 0 0 0 0 0
 Innenzehner: 2
 weiteste: 3079 (21), 3030 (12), 2877 (14)
 beste Teiler 380.7 (20.) 469.1 (3.) 531.9 (4.)
 Trefferlage 0.44 mm links, 3.86 mm tief
 Streuwert 11.44, horizontal: 12.45, vertikal: 10.33




Serie 1:
 8.7 ← 7.8 → 10.4 * 10.3 ↑ 9.4 →
 9.2 ↓ 9.9 ↓ 9.3 ↓ 8.3 ↓ 9.6 ←
 beste Teiler 469.1 (3.) 531.9 (4.) 838.9 (7.)
 Trefferlage 1.24 mm rechts, 6.40 mm tief
 Streuwert 9.92, horizontal: 12.27, vertikal: 6.81



Serie 2:
 9.1 ← 7.2 ↖ 10.0 ← 7.4 ↗ 9.7 ↑
 9.0 → 9.5 ← 8.5 ← 9.1 → 10.5 *
 beste Teiler 380.7 (20.) 782.1 (13.) 987.1 (15.)
 Trefferlage 2.21 mm links, 0.60 mm tief
 Streuwert 13.00, horizontal: 15.98, vertikal: 9.10



Serie 3:
 7.1 ↓ 9.7 ↘ 9.1 → 9.6 ↓ 8.7 →
 10.2 → 9.6 ↗ 9.0 ↖ 8.4 ↓ 9.0 →
 beste Teiler 564.0 (26.) 1038.4 (22.) 1047.5 (24.)
 Trefferlage 4.83 mm rechts, 3.51 mm tief
 Streuwert 11.56, horizontal: 10.18, vertikal: 12.80





Serie 4:
 9.3 ↓ 8.0 ↖ 9.9 ↓ 8.2 ↘ 9.7 ↖
 8.8 ↓ 9.9 → 9.3 ↖ 10.0 ↗ 7.5 ↓
 beste Teiler 734.0 (39.) 803.1 (33.) 860.9 (37.)
 Trefferlage 5.63 mm links, 4.94 mm tief
 Streuwert 11.04, horizontal: 9.74, vertikal: 12.20


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **350** (371.3)
 Serien: 91 87 86 86
 Zähler: 10 14 12 4 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 2747 (39), 2591 (30), 2496 (29)
 beste Teiler 141.5 (33.) 148.2 (34.) 205.2 (27.)
 Trefferlage 2.81 mm rechts, 1.41 mm tief
 Streuwert 10.48, horizontal: 11.26, vertikal: 9.64




Serie 1:
 9.7 ↘ 9.5 → 8.2 ↘ 10.2 ↗ 10.2 ↘
 9.6 ↗ 9.5 ← 9.8 ↘ 10.0 ↑ 8.9 ←
 beste Teiler 576.9 (5.) 611.2 (4.) 741.1 (9.)
 Trefferlage 3.01 mm rechts, 1.05 mm tief
 Streuwert 8.57, horizontal: 10.13, vertikal: 6.66



Serie 2:
 10.1 ↑ 10.2 → 10.5 * 7.9 → 8.5 →
 9.4 ↘ 8.5 ↓ 8.9 ← 9.1 → 8.6 ↘
 beste Teiler 359.9 (13.) 596.2 (12.) 643.2 (11.)
 Trefferlage 4.01 mm rechts, 2.02 mm tief
 Streuwert 11.13, horizontal: 12.88, vertikal: 9.05



Serie 3:
 8.2 ↗ 9.4 ↘ 9.8 ← 9.9 ↘ 9.1 →
 10.4 * 10.7 * 8.7 ← 7.8 ↓ 7.7 ↑
 beste Teiler 205.2 (27.) 463.7 (26.) 815.0 (24.)
 Trefferlage 0.49 mm rechts, 0.22 mm tief
 Streuwert 12.05, horizontal: 10.37, vertikal: 13.52





Serie 4:
 8.9 ↗ 9.4 ↙ 10.8 * 10.8 * 8.9 ↓
 8.5 → 9.2 → 8.8 ← 7.5 → 9.5 ↓
 beste Teiler 141.5 (33.) 148.2 (34.) 1188.3 (40.)
 Trefferlage 3.74 mm rechts, 2.34 mm tief
 Streuwert 11.28, horizontal: 12.82, vertikal: 9.50


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **327** (344.8)
 Serien: 78 84 78 87
 Zähler: 4 14 12 8 0 1 1 0 0 0
 Innenzehner: 1
 weiteste: 4956 (2), 4627 (27), 3056 (16)
 beste Teiler 318.3 (34.) 551.9 (20.) 599.8 (40.)
 Trefferlage 2.34 mm links, 9.12 mm hoch
 Streuwert 13.55, horizontal: 13.00, vertikal: 14.07




Serie 1:
 8.1 ← 4.8 ↗ 9.3 ↘ 7.7 ↑ 9.1 ↑
 8.3 → 8.8 → 7.5 ← 9.0 ↘ 9.5 ↑
 beste Teiler 1177.1 (10.) 1282.3 (3.) 1453.3 (5.)
 Trefferlage 0.20 mm rechts, 11.37 mm hoch
 Streuwert 16.00, horizontal: 18.17, vertikal: 13.48



Serie 2:
 9.9 ← 8.9 ↗ 9.6 ↘ 8.0 ↘ 9.9 ←
 7.1 ↑ 8.1 ↑ 7.2 ↘ 9.5 ↘ 10.3 ←
 beste Teiler 551.9 (20.) 810.2 (11.) 860.0 (15.)
 Trefferlage 3.52 mm links, 10.09 mm hoch
 Streuwert 11.68, horizontal: 9.80, vertikal: 13.30





Serie 3:
 7.7 ← 7.8 ↑ 8.2 ↑ 7.7 ↘ 9.0 ↘
 8.4 ↑ 5.2 ↙ 9.9 → 9.7 → 9.4 ↙
 beste Teiler 866.0 (28.) 1021.8 (29.) 1243.5 (30.)
 Trefferlage 6.44 mm links, 6.34 mm hoch
 Streuwert 16.36, horizontal: 13.14, vertikal: 19.05




Serie 4:
 9.4 ← 8.3 ↘ 7.2 ↗ 10.6 * 10.1 ↑
 8.7 ↑ 8.6 ↗ 8.8 ↑ 9.3 ↘ 10.2 ↘
 beste Teiler 318.3 (34.) 599.8 (40.) 670.5 (35.)
 Trefferlage 0.41 mm rechts, 8.69 mm hoch
 Streuwert 10.47, horizontal: 9.88, vertikal: 11.02

Unterschrift des Schützen


Ergebnis: **347** (367.0)
 Serien: 84 85 88 90
 Zähler: 11 16 5 5 3 0 0 0 0 0
 Innenzehner: 4
 weiteste: 3335 (19), 3258 (2), 3238 (3)
 beste Teiler 313.0 (33.) 345.0 (26.) 387.0 (38.)
 Trefferlage 6.87 mm links, 2.04 mm tief
 Streuwert 10.68, horizontal: 10.16, vertikal: 11.17




Serie 1:
 7.8 ↙ 6.9 ← 6.9 ↓ 10.4 * 10.3 ↘
 8.6 → 10.1 ↖ 9.8 ↓ 9.8 ↙ 9.7 ←
 beste Teiler 425.7 (4.) 511.2 (5.) 692.3 (7.)
 Trefferlage 5.73 mm links, 5.93 mm tief
 Streuwert 12.40, horizontal: 13.58, vertikal: 11.10



Serie 2:
 10.0 ↑ 7.6 ↖ 8.6 ↑ 9.1 ↓ 9.9 ↖
 10.3 ← 8.9 ← 9.9 ↑ 6.8 ↙ 9.5 ↖
 beste Teiler 486.2 (16.) 761.5 (11.) 835.2 (15.)
 Trefferlage 6.41 mm links, 3.92 mm hoch
 Streuwert 11.61, horizontal: 9.82, vertikal: 13.16



Serie 3:
 9.4 ↖ 7.7 ↙ 9.2 ↓ 10.1 ↗ 9.7 ↖
 10.5 * 7.6 ← 10.1 ↑ 9.2 ← 8.8 ←
 beste Teiler 345.0 (26.) 648.1 (28.) 674.4 (24.)
 Trefferlage 8.49 mm links, 1.14 mm tief
 Streuwert 9.71, horizontal: 10.68, vertikal: 8.64



Serie 4:
 9.2 ↖ 9.5 ↑ 10.6 * 10.2 ← 9.4 ↙
 9.3 ↙ 7.5 ↙ 10.5 * 8.5 ↓ 9.1 ←
 beste Teiler 313.0 (33.) 387.0 (38.) 601.0 (34.)
 Trefferlage 6.85 mm links, 5.04 mm tief
 Streuwert 8.68, horizontal: 6.95, vertikal: 10.13

Unterschrift des Schützen

Meyton Elektronik