





Ergebnis: **361** (377.5)  
 Serien: 92 87 92 90  
 Zähler: 13 18 6 3 0 0 0 0 0 0  
 Innenzehner: 2  
 weiteste: 2449 (20), 2436 (32), 2426 (12)  
 beste Teiler 362.3 (29.) 375.0 (22.) 487.5 (36.)  
 Trefferlage 0.57 mm rechts, 0.10 mm tief  
 Streuwert 9.51, horizontal: 10.50, vertikal: 8.41




Serie 1:  
 10.1 ↘ 8.8 ↘ 9.7 ← 8.8 → 9.4 ↙  
 10.1 ← 9.1 ↗ 10.0 ↑ 10.0 → 9.5 →  
 beste Teiler 659.0 (6.) 669.4 (1.) 762.1 (8.)  
 Trefferlage 3.90 mm rechts, 0.42 mm hoch  
 Streuwert 8.29, horizontal: 10.60, vertikal: 5.01



Serie 2:  
 10.1 → 7.9 ↑ 9.4 ↘ 10.2 ← 9.1 →  
 10.3 ↑ 9.5 ↘ 8.7 ← 8.8 ← 7.9 ←  
 beste Teiler 523.6 (16.) 602.4 (14.) 672.6 (11.)  
 Trefferlage 4.20 mm links, 2.59 mm hoch  
 Streuwert 10.93, horizontal: 12.47, vertikal: 9.14





Serie 3:  
 8.2 ↑ 10.5 \* 10.1 ↗ 10.0 ← 9.2 ↙  
 9.5 ↘ 8.1 ← 9.5 ↓ 10.5 \* 9.6 ↙  
 beste Teiler 362.3 (29.) 375.0 (22.) 698.2 (23.)  
 Trefferlage 2.31 mm links, 2.43 mm tief  
 Streuwert 9.32, horizontal: 8.51, vertikal: 10.07



Serie 4:  
 9.4 ↘ 7.9 ↘ 9.8 ↗ 9.4 → 9.5 ↑  
 10.3 ↙ 9.9 ↙ 9.0 ↑ 9.7 ↘ 10.0 ↙  
 beste Teiler 487.5 (36.) 775.8 (40.) 875.3 (37.)  
 Trefferlage 4.89 mm rechts, 0.98 mm tief  
 Streuwert 8.69, horizontal: 8.35, vertikal: 9.02


Unterschrift des Schützen

Ergebnis:	<b>362</b>	(378.0)			
Serien:	93	94	86	89	
Zähler:	15	15	7	3	0 0 0 0 0 0
Innenzehner:	6				
weiteste:	3017 (40), 2672 (23), 2647 (33)				
beste Teiler	333.0 (3.) 365.9 (32.) 373.5 (37.)				
Trefferlage	5.26 mm links, 2.13 mm hoch				
Streuwert	9.16, horizontal: 9.06, vertikal: 9.26				




Serie 1:

10.0 ↗	8.6 →	10.5 *	10.0 ↘	9.9 ↖
9.3 ↘	9.3 ←	8.4 ←	10.4 *	10.3 ↘
beste Teiler	333.0 (3.) 457.1 (9.) 535.0 (10.)			
Trefferlage	1.24 mm links, 2.86 mm hoch			
Streuwert	8.49, horizontal: 10.75, vertikal: 5.35			




Serie 2:

10.0 ↙	9.5 ←	10.0 ↓	10.3 ↓	10.1 ↖
8.4 ↙	9.9 ↑	10.4 *	9.2 ←	9.0 ↖
beste Teiler	458.4 (18.) 553.7 (14.) 684.1 (15.)			
Trefferlage	5.30 mm links, 3.26 mm tief			
Streuwert	7.07, horizontal: 7.18, vertikal: 6.96			



Serie 3:

8.1 ↑	9.4 ←	7.6 ↖	9.6 ↘	10.0 ↑
9.3 ←	9.9 ↓	8.5 ↘	8.6 ↑	9.7 ↘
beste Teiler	787.0 (25.) 853.8 (27.) 1013.2 (30.)			
Trefferlage	7.52 mm links, 7.80 mm hoch			
Streuwert	9.11, horizontal: 8.15, vertikal: 9.98			





Serie 4:


9.7 ↑	10.5 *	7.6 ↖	9.6 ↓	9.9 ↙
8.2 ↘	10.5 *	10.4 *	10.2 ↘	7.2 ↙
beste Teiler	365.9 (32.) 373.5 (37.) 467.1 (38.)			
Trefferlage	6.99 mm links, 1.13 mm hoch			
Streuwert	10.49, horizontal: 9.76, vertikal: 11.17			

Unterschrift des Schützen


Ergebnis:	<b>360</b>	(382.1)
Serien:	91 90 89 90	
Zähler:	12 18 8 2 0 0 0 0 0 0	
Innenzehner:	7	
weiteste:	2619 (39), 2533 (12), 2025 (30)	
beste Teiler	216.6 (23.) 269.4 (31.) 322.1 (11.)	
Trefferlage	3.51 mm rechts, 0.49 mm hoch	
Streuwert	8.77, horizontal: 8.73, vertikal: 8.81	




Serie 1:				
10.4 *	8.4 ↗	9.5 ↗	9.5 ↗	9.9 ↖
8.5 →	9.5 ↘	10.4 *	9.7 →	10.3 ↖
beste Teiler	446.0 (8.)	447.0 (1.)	499.3 (10.)	
Trefferlage	4.29 mm rechts, 0.85 mm hoch			
Streuwert	8.36, horizontal: 8.29, vertikal: 8.43			



Serie 2:				
10.5 *	7.8 ↗	9.6 ↗	9.8 ↖	10.2 ↑
9.3 →	9.5 →	10.5 *	8.9 →	9.9 →
beste Teiler	322.1 (11.)	379.4 (18.)	569.2 (15.)	
Trefferlage	5.47 mm rechts, 4.76 mm hoch			
Streuwert	7.58, horizontal: 8.64, vertikal: 6.35			



Serie 3:				
10.1 →	9.2 ↗	10.7 *	8.9 ↘	8.5 ↖
9.9 ↖	10.1 ↗	9.6 ↗	8.9 ↗	8.4 →
beste Teiler	216.6 (23.)	684.0 (21.)	689.9 (27.)	
Trefferlage	2.63 mm rechts, 1.16 mm hoch			
Streuwert	9.86, horizontal: 10.22, vertikal: 9.48			





Serie 4:				
10.6 *	9.8 ↘	10.0 ↑	9.5 ↘	8.6 ↘
9.8 ←	10.5 *	9.3 ↘	7.7 ↘	9.9 →
beste Teiler	269.4 (31.)	383.5 (37.)	764.7 (33.)	
Trefferlage	1.67 mm rechts, 4.80 mm tief			
Streuwert	8.81, horizontal: 8.53, vertikal: 9.08			


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **346** (366.4)  
 Serien: 83 88 89 86  
 Zähler: 8 16 12 2 2 0 0 0 0 0  
 Innenzehner: 4  
 weiteste: 3661 (34), 3514 (15), 2909 (36)  
 beste Teiler 90.1 (37.) 290.9 (12.) 378.8 (23.)  
 Trefferlage 0.34 mm rechts, 1.65 mm hoch  
 Streuwert 11.64, horizontal: 11.44, vertikal: 11.84




Serie 1:  
 8.8 ↗ 8.7 ↗ 8.7 ↘ 7.8 ↑ 8.5 ↓  
 9.8 → 9.3 → 9.9 ↑ 8.6 ↘ 9.3 ↓  
 beste Teiler 877.6 (8.) 923.3 (6.) 1291.8 (7.)  
 Trefferlage 4.80 mm rechts, 2.61 mm hoch  
 Streuwert 11.88, horizontal: 8.63, vertikal: 14.41



Serie 2:  
 9.1 ↗ 10.6 \* 8.8 ↗ 8.9 ↙ 6.6 →  
 10.2 ↑ 10.2 ← 9.1 ↓ 9.0 ↙ 9.3 →  
 beste Teiler 290.9 (12.) 623.5 (17.) 626.4 (16.)  
 Trefferlage 4.80 mm rechts, 0.84 mm tief  
 Streuwert 11.81, horizontal: 13.91, vertikal: 9.23



Serie 3:  
 8.9 ← 9.4 ↘ 10.5 \* 9.9 ↗ 10.0 ↙  
 9.0 ↗ 8.7 ← 8.9 ← 9.7 ↘ 9.9 ↘  
 beste Teiler 378.8 (23.) 779.0 (25.) 849.0 (24.)  
 Trefferlage 5.41 mm links, 1.72 mm hoch  
 Streuwert 8.36, horizontal: 9.65, vertikal: 6.82





Serie 4:  
 10.0 ↗ 8.3 ↑ 8.6 ↘ 6.4 ↙ 9.6 ←  
 7.3 ↑ 10.8 \* 9.2 → 9.6 ↙ 10.5 \*  
 beste Teiler 90.1 (37.) 387.7 (40.) 766.9 (31.)  
 Trefferlage 2.81 mm links, 3.13 mm hoch  
 Streuwert 13.62, horizontal: 10.65, vertikal: 16.05


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **346** (367.6)  
 Serien: 85 86 88 87  
 Zähler: 9 18 7 4 1 0 1 0 0 0  
 Innenzehner: 5  
 weiteste: 4943 (6), 3226 (32), 2695 (20)  
 beste Teiler 100.6 (39.) 244.6 (5.) 407.2 (16.)  
 Trefferlage 2.91 mm rechts, 0.82 mm hoch  
 Streuwert 11.84, horizontal: 11.26, vertikal: 12.39




Serie 1:  
 8.9 ↓                      9.8 ↗                      10.4 \*                      9.9 →                      10.6 \*  
 4.8 ↗                      8.8 ↘                      9.5 ←                      10.0 ↘                      8.6 ↗  
 beste Teiler 244.6 (5.) 419.2 (3.) 796.9 (9.)  
 Trefferlage 3.43 mm rechts, 2.88 mm hoch  
 Streuwert 14.02, horizontal: 10.22, vertikal: 16.99



Serie 2:  
 9.6 ↖                      7.9 →                      10.0 ↘                      9.1 ↗                      10.4 \*  
 10.4 \*                      9.4 ↓                      7.6 ↗                      8.9 ↓                      7.6 ←  
 beste Teiler 407.2 (16.) 442.0 (15.) 796.2 (13.)  
 Trefferlage 2.78 mm rechts, 0.94 mm hoch  
 Streuwert 12.43, horizontal: 14.68, vertikal: 9.67



Serie 3:  
 9.2 ↘                      9.4 →                      8.1 ↓                      9.9 ↖                      9.3 →  
 7.6 →                      10.3 →                      9.8 ↘                      9.4 ←                      9.8 ↓  
 beste Teiler 489.8 (27.) 821.8 (24.) 910.8 (30.)  
 Trefferlage 0.99 mm rechts, 2.19 mm tief  
 Streuwert 10.88, horizontal: 11.90, vertikal: 9.75





Serie 4:  
 9.5 ↗                      6.9 ↗                      9.5 ↗                      10.2 ↘                      8.7 →  
 9.5 ↓                      9.6 ↖                      9.6 →                      10.8 \*                      8.3 ↓  
 beste Teiler 100.6 (39.) 592.2 (34.) 1085.1 (37.)  
 Trefferlage 4.44 mm rechts, 1.65 mm hoch  
 Streuwert 11.25, horizontal: 8.97, vertikal: 13.13


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **354** (372.1)  
 Serien: 89 86 89 90  
 Zähler: 14 10 13 2 1 0 0 0 0 0  
 Innenzehner: 7  
 weiteste: 3530 (9), 3013 (12), 2639 (19)  
 beste Teiler 248.5 (13.) 256.0 (3.) 379.7 (31.)  
 Trefferlage 1.40 mm links, 0.90 mm hoch  
 Streuwert 11.06, horizontal: 11.94, vertikal: 10.10




Serie 1:  
 10.2 ↓                      9.3 ↙                      10.6 \*                      8.2 ↘                      10.4 \*  
 8.8 →                      9.8 ←                      9.9 ↑                      6.5 ↘                      10.2 ↗  
 beste Teiler 256.0 (3.) 432.1 (5.) 588.9 (10.)  
 Trefferlage 3.39 mm links, 2.12 mm tief  
 Streuwert 11.25, horizontal: 10.57, vertikal: 11.89



Serie 2:  
 9.7 ↑                      7.2 ↗                      10.6 \*                      8.5 →                      9.8 ↖  
 10.3 ↘                      8.3 ↗                      8.2 ↗                      7.7 ←                      10.3 ↓  
 beste Teiler 248.5 (13.) 482.2 (20.) 501.2 (16.)  
 Trefferlage 4.15 mm rechts, 5.07 mm hoch  
 Streuwert 12.30, horizontal: 14.85, vertikal: 9.06





Serie 3:  
 10.4 \*                      8.4 ↖                      10.4 \*                      10.2 ↘                      9.6 ↖  
 8.4 →                      9.6 ↑                      9.5 ←                      8.6 ↖                      8.4 ↖  
 beste Teiler 439.6 (21.) 451.0 (23.) 620.4 (24.)  
 Trefferlage 3.12 mm links, 4.03 mm hoch  
 Streuwert 9.98, horizontal: 11.68, vertikal: 7.92




Serie 4:  
 10.5 \*                      8.4 ↖                      8.1 ←                      10.4 \*                      9.4 ↗  
 8.4 ↓                      9.4 ↓                      10.3 ↘                      10.3 ↘                      8.9 ↓  
 beste Teiler 379.7 (31.) 403.6 (34.) 512.8 (39.)  
 Trefferlage 3.26 mm links, 3.36 mm tief  
 Streuwert 9.97, horizontal: 10.16, vertikal: 9.77

Unterschrift des Schützen


Ergebnis: **351** (371.3)  
 Serien: 92 87 89 83  
 Zähler: 10 16 9 5 0 0 0 0 0 0  
 Innenzehner: 6  
 weiteste: 2686 (23), 2637 (22), 2578 (38)  
 beste Teiler 170.0 (13.) 276.7 (5.) 294.4 (26.)  
 Trefferlage 4.90 mm links, 2.41 mm hoch  
 Streuwert 10.15, horizontal: 10.06, vertikal: 10.23




Serie 1:  
 8.8 ↘ 8.1 ↓ 10.0 ↗ 9.3 ↑ 10.6 \*  
 8.6 ↙ 10.6 \* 10.5 \* 10.3 ↓ 9.0 ↑  
 beste Teiler 276.7 (5.) 310.6 (7.) 339.0 (8.)  
 Trefferlage 0.85 mm links, 0.41 mm tief  
 Streuwert 9.65, horizontal: 5.75, vertikal: 12.38



Serie 2:  
 9.7 ↓ 7.9 ↖ 10.7 \* 8.4 ← 9.4 ↙  
 9.5 ← 9.7 ↑ 9.7 ↗ 8.0 ← 9.5 ↘  
 beste Teiler 170.0 (13.) 967.6 (17.) 968.4 (11.)  
 Trefferlage 11.12 mm links, 0.64 mm hoch  
 Streuwert 7.76, horizontal: 9.07, vertikal: 6.19





Serie 3:  
 10.2 ↘ 7.7 ↖ 7.6 ↙ 9.7 ← 10.4 \*  
 10.6 \* 9.1 ↓ 9.4 ↗ 9.6 ↘ 9.3 ↖  
 beste Teiler 294.4 (26.) 440.4 (25.) 617.0 (21.)  
 Trefferlage 7.73 mm links, 1.12 mm hoch  
 Streuwert 9.65, horizontal: 8.93, vertikal: 10.32




Serie 4:  
 8.8 ↑ 8.6 ↘ 10.3 ↗ 9.6 ↗ 8.8 ↗  
 9.4 ↑ 9.5 ↙ 7.7 ↑ 7.9 ← 8.8 ↑  
 beste Teiler 549.7 (33.) 1102.3 (34.) 1136.3 (37.)  
 Trefferlage 0.10 mm rechts, 8.32 mm hoch  
 Streuwert 11.14, horizontal: 12.07, vertikal: 10.13

Unterschrift des Schützen


Ergebnis: **315** (331.6)  
 Serien: 83 75 74 83  
 Zähler: 3 13 13 4 4 2 0 0 1 0  
 Innenzehner: 1  
 weiteste: 6604 (21), 4695 (18), 4446 (35)  
 beste Teiler 454.4 (38.) 647.5 (10.) 729.0 (22.)  
 Trefferlage 4.10 mm links, 3.10 mm tief  
 Streuwert 17.38, horizontal: 17.04, vertikal: 17.72




Serie 1:  
 8.9 ↘                      9.3 ↗                      9.4 ↗                      9.3 ↘                      8.6 ←  
 8.0 ↓                      8.3 ↑                      8.7 ↑                      6.4 ↙                      10.1 ↘  
 beste Teiler 647.5 (10.) 1270.7 (3.) 1303.3 (2.)  
 Trefferlage 1.02 mm links, 1.53 mm hoch  
 Streuwert 14.60, horizontal: 12.91, vertikal: 16.12



Serie 2:  
 6.2 ←                      8.3 ↘                      9.2 ↗                      7.7 ←                      9.9 ↑  
 9.7 ↓                      9.0 ←                      5.1 ←                      6.2 ↓                      7.4 ↗  
 beste Teiler 873.6 (15.) 981.9 (16.) 1365.5 (13.)  
 Trefferlage 10.10 mm links, 3.13 mm tief  
 Streuwert 19.03, horizontal: 21.52, vertikal: 16.14



Serie 3:  
 2.7 ↓                      10.0 ↓                      9.8 ↘                      8.7 ↙                      9.8 ←  
 7.4 ↙                      8.8 →                      6.0 ←                      8.3 ↑                      7.4 ↓  
 beste Teiler 729.0 (22.) 891.0 (23.) 946.0 (25.)  
 Trefferlage 9.30 mm links, 10.63 mm tief  
 Streuwert 19.49, horizontal: 13.85, vertikal: 23.83



Serie 4:  
 9.5 ↑                      8.9 →                      8.2 ↗                      9.5 →                      5.4 ↙  
 8.2 ↘                      8.6 ↗                      10.4 \*                      9.0 ↘                      9.3 ←  
 beste Teiler 454.4 (38.) 1122.6 (34.) 1199.2 (31.)  
 Trefferlage 4.03 mm rechts, 0.17 mm tief  
 Streuwert 15.15, horizontal: 16.81, vertikal: 13.28

Unterschrift des Schützen

Meyton Elektronik