





Ergebnis:	<b>605.3</b>	(580)
Serien:	101.9	101.6 93.7 102.6 102.6 102.9
Zähler:	49	10 0 0 0 0 0 0 0 0
Innenzehner:	28	
weiteste:	1138 (28), 1120 (52), 1092 (13)	
beste Teiler	77.6 (30.) 138.2 (29.) 179.6 (27.)	
Trefferlage	0.30 mm links, 0.67 mm hoch	
Streuwert	4.36, horizontal: 4.15, vertikal: 4.55	




Serie 1:	9.9 ←	10.1 ←	10.0 ↓	9.9 ↓	10.2 ↙
	10.3 *	10.3 ↘	10.5 *	10.2 ↓	10.5 *
beste Teiler	380.8 (8.) 381.8 (10.) 486.2 (6.)				
Trefferlage	2.24 mm links, 2.53 mm tief				
Streuwert	3.92, horizontal: 4.04, vertikal: 3.80				




Serie 2:	10.0 ↑	9.8 ↓	9.6 ↗	10.4 *	10.2 ↘
	10.6 *	10.5 *	10.6 *	10.1 →	9.8 ↑
beste Teiler	283.6 (16.) 312.7 (18.) 387.4 (17.)				
Trefferlage	1.33 mm rechts, 2.38 mm hoch				
Streuwert	4.71, horizontal: 4.48, vertikal: 4.94				




Serie 3:	10.6 *	10.6 *	0.0F	9.6 ↘	10.6 *
	10.4 *	10.7 *	9.5 ↑ <sup>MIS</sup>	10.8 *	10.9 *
beste Teiler	77.6 (30.) 138.2 (29.) 179.6 (27.)				
Trefferlage	1.34 mm links, 1.99 mm hoch				
Streuwert	3.91, horizontal: 3.22, vertikal: 4.50				



Serie 4:	10.7 *	10.3 ↘	10.0 ↑	9.8 ↑	10.2 ↙
	10.2 ←	10.1 →	10.6 *	10.2 ↗	10.5 *
beste Teiler	190.5 (31.) 253.5 (38.) 332.7 (40.)				
Trefferlage	1.04 mm links, 3.04 mm hoch				
Streuwert	3.70, horizontal: 3.63, vertikal: 3.77				



Serie 5:	10.6 *	10.4 *	10.6 *	10.1 ↓	10.3 *
	10.0 ↘	10.0 ←	10.4 *	9.7 ↗	10.5 *
beste Teiler	267.4 (41.) 267.5 (43.) 327.8 (50.)				
Trefferlage	0.58 mm links, 0.52 mm tief				
Streuwert	4.43, horizontal: 4.42, vertikal: 4.44				



Serie 6:	10.1 →	9.6 ↘	10.7 *	10.7 *	10.6 *
	10.2 ←	10.3 *	10.0 ↑	10.1 →	10.6 *
beste Teiler	199.6 (54.) 211.5 (53.) 286.8 (55.)				
Trefferlage	1.94 mm rechts, 0.16 mm tief				
Streuwert	4.25, horizontal: 4.27, vertikal: 4.22				

**ISSF Prone Men – Wertung – Frauen**

StandNr: 18

**Ungerank,, Nadine** #70817125

**StartNr: 18**

30. Juli 2017 9:44

70817 / 0

---



MIS – Treffer wurde manuell eingefügt, da der Schütze die Scheibe verfehlt hat

---

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	<b>573.6</b>	(547)
Serien:	98.8 95.5 93.2 92.0 96.3 97.8	
Zähler:	22 26 9 3 0 0 0 0 0 0	
Innenzehner:	6	
weiteste:	2559 (38), 2466 (40), 2401 (55)	
beste Teiler	159.7 (3.) 213.7 (49.) 288.1 (48.)	
Trefferlage	1.10 mm links, 1.42 mm hoch	
Streuwert	8.90, horizontal: 9.45, vertikal: 8.31	




Serie 1:

10.0 ↗	9.2 ↘	10.8 *	10.0 ↖	9.8 ↓
10.6 *	9.3 →	10.1 →	10.2 ↗	8.8 ↖
beste Teiler	159.7 (3.)	292.6 (6.)	618.6 (9.)	
Trefferlage	2.15 mm rechts, 0.09 mm tief			
Streuwert	7.13, horizontal: 7.73, vertikal: 6.46			




Serie 2:

10.3 ↗	8.4 ↖	8.9 ↗	9.5 ↘	9.9 →
9.9 ↓	9.4 ↗	9.6 ↘	9.7 ↘	9.9 ↖
beste Teiler	540.3 (11.)	817.0 (20.)	818.7 (16.)	
Trefferlage	3.47 mm rechts, 1.14 mm hoch			
Streuwert	8.44, horizontal: 6.46, vertikal: 10.03			




Serie 3:

9.7 ↗	9.0 ↗	10.2 ↗	9.7 →	8.4 ↖
10.2 ↘	8.6 ←	9.2 ↖	10.0 ↖	8.2 ←
beste Teiler	588.5 (26.)	596.3 (23.)	745.7 (29.)	
Trefferlage	3.47 mm links, 4.40 mm hoch			
Streuwert	9.78, horizontal: 12.72, vertikal: 5.43			




Serie 4:

10.0 ←	9.1 ↖	10.0 ↓	9.7 ↗	8.4 ↘
9.3 ↘	9.5 ↖	7.8 ↖	10.3 *	7.9 ↖
beste Teiler	489.9 (39.)	759.8 (33.)	761.5 (31.)	
Trefferlage	5.52 mm links, 0.70 mm hoch			
Streuwert	10.89, horizontal: 10.27, vertikal: 11.47			



Serie 5:

9.4 ↖	8.1 ↖	9.6 ↖	8.9 ↖	10.0 ↖
9.7 ↖	9.1 ↖	10.6 *	10.7 *	10.2 ↓
beste Teiler	213.7 (49.)	288.1 (48.)	618.1 (50.)	
Trefferlage	7.40 mm links, 5.43 mm hoch			
Streuwert	6.12, horizontal: 6.34, vertikal: 5.89			



Serie 6:

10.6 *	9.8 ↖	10.0 ↓	9.4 ↘	7.9 ↘
10.2 ←	9.7 ↓	10.2 ↘	10.1 ↗	9.9 →
beste Teiler	316.5 (51.)	598.7 (56.)	618.8 (58.)	
Trefferlage	4.10 mm rechts, 3.06 mm tief			
Streuwert	7.07, horizontal: 6.22, vertikal: 7.82			

Meyton Elektronik

**ISSF Prone Men – Wertung – Frauen**

StandNr: 19

**Fuetsch,, Carina** #70610005

**StartNr: 19**

30. Juli 2017 9:51



70610 / 0

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **614.5** (587)  
 Serien: 100.7 101.9 103.0 103.7 102.8 102.4  
 Zähler: 47 13 0 0 0 0 0 0 0  
 Innenzehner: 33  
 weiteste: 1180 (19), 1178 (57), 1170 (4)  
 beste Teiler 146.4 (38.) 162.4 (44.) 217.5 (51.)  
 Trefferlage 0.39 mm links, 1.60 mm tief  
 Streuwert 4.37, horizontal: 4.23, vertikal: 4.50




Serie 1:  
 10.0 ←                      10.0 →                      9.6 ↙                      9.5 →                      10.0 ↓  
 10.4 \*                      9.8 ↘                      10.5 \*                      10.4 \*                      10.5 \*  
 beste Teiler 359.3 (8.) 388.2 (10.) 408.0 (9.)  
 Trefferlage 2.30 mm rechts, 2.03 mm tief  
 Streuwert 5.19, horizontal: 5.90, vertikal: 4.37




Serie 2:  
 9.8 ↓                      10.7 \*                      9.8 ↓                      10.4 \*                      10.1 ←  
 10.3 ↓                      10.2 →                      10.7 \*                      9.5 ↓                      10.4 \*  
 beste Teiler 224.5 (12.) 236.0 (18.) 416.0 (14.)  
 Trefferlage 0.37 mm links, 3.62 mm tief  
 Streuwert 4.30, horizontal: 3.43, vertikal: 5.03




Serie 3:  
 10.3 ↘                      10.3 \*                      9.6 →                      10.5 \*                      10.1 ↑  
 10.3 \*                      10.2 ↖                      10.6 \*                      10.5 \*                      10.6 \*  
 beste Teiler 256.6 (30.) 288.7 (28.) 362.4 (24.)  
 Trefferlage 1.56 mm rechts, 0.33 mm tief  
 Streuwert 4.06, horizontal: 4.76, vertikal: 3.21



Serie 4:  
 10.1 ↓                      10.5 \*                      10.7 \*                      10.5 \*                      10.4 \*  
 10.3 ↓                      10.4 \*                      10.8 \*                      9.7 ↗                      10.3 \*  
 beste Teiler 146.4 (38.) 238.3 (33.) 331.3 (32.)  
 Trefferlage 0.81 mm links, 0.00 mm  
 Streuwert 3.91, horizontal: 2.32, vertikal: 5.01



Serie 5:  
 10.5 \*                      9.8 ↙                      9.9 ↑                      10.7 \*                      9.9 ↙  
 9.9 ↙                      10.6 \*                      10.4 \*                      10.6 \*                      10.5 \*  
 beste Teiler 162.4 (44.) 261.3 (49.) 282.0 (47.)  
 Trefferlage 2.40 mm links, 1.19 mm tief  
 Streuwert 3.97, horizontal: 3.54, vertikal: 4.35



Serie 6:  
 10.7 \*                      10.4 \*                      10.4 \*                      10.0 ↙                      10.0 ↘  
 10.1 ↙                      9.5 ↓                      10.5 \*                      10.4 \*                      10.4 \*  
 beste Teiler 217.5 (51.) 352.8 (58.) 409.7 (60.)  
 Trefferlage 2.67 mm links, 2.44 mm tief  
 Streuwert 3.93, horizontal: 2.74, vertikal: 4.84

**ISSF Prone Men – Wertung – Frauen**

StandNr: 20

**Juen,, Anna** #70512020

**StartNr: 20**

30. Juli 2017 9:59



70512 / 0

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>609.4</b>	(585)
Serien:	102.7 103.6 98.8	101.0 101.9 101.4
Zähler:	46 13 1 0 0 0 0 0 0	
Innenzehner:	26	
weiteste:	1681 (30), 1467 (29), 1405 (41)	
beste Teiler	97.0 (40.) 133.2 (3.) 181.3 (24.)	
Trefferlage	1.40 mm links, 0.03 mm tief	
Streuwert	4.99, horizontal: 4.68, vertikal: 5.28	




Serie 1:	10.6 *	10.4 *	10.8 *	10.4 *	10.0 ↓
	9.4 ↙	10.2 ↑	10.4 *	10.4 *	10.1 ↖
beste Teiler	133.2 (3.)	270.0 (1.)	417.7 (2.)		
Trefferlage	1.82 mm links, 1.14 mm tief				
Streuwert	4.39, horizontal: 4.81, vertikal: 3.94				




Serie 2:	10.4 *	10.5 *	10.4 *	10.3 *	10.6 *
	9.9 ←	10.6 *	10.2 ↘	10.4 *	10.3 *
beste Teiler	292.1 (15.)	316.0 (17.)	346.0 (12.)		
Trefferlage	0.84 mm links, 0.29 mm hoch				
Streuwert	3.71, horizontal: 4.02, vertikal: 3.37				




Serie 3:	9.7 ↙	9.9 ↑	10.3 *	10.7 *	9.9 ↑
	10.0 ↘	10.3 ↙	10.1 ↙	9.1 ↓	8.8 ↘
beste Teiler	181.3 (24.)	487.0 (23.)	539.2 (27.)		
Trefferlage	1.03 mm links, 2.63 mm tief				
Streuwert	6.70, horizontal: 4.48, vertikal: 8.35				



Serie 4:	10.1 →	10.1 ↗	10.0 ↙	9.7 ↙	10.3 *
	10.5 *	9.8 ↙	10.1 ↗	9.6 ↘	10.8 *
beste Teiler	97.0 (40.)	330.4 (36.)	487.7 (35.)		
Trefferlage	1.59 mm links, 0.12 mm tief				
Streuwert	5.37, horizontal: 4.97, vertikal: 5.73				



Serie 5:	9.2 ←	10.4 *	10.2 ↑	10.2 ↘	10.0 ↓
	10.2 ↘	10.6 *	10.2 →	10.4 *	10.5 *
beste Teiler	275.9 (47.)	380.5 (50.)	425.3 (42.)		
Trefferlage	1.84 mm links, 0.48 mm tief				
Streuwert	4.83, horizontal: 5.68, vertikal: 3.81				



Serie 6:	10.3 ↗	10.4 *	9.7 ↗	9.8 ←	10.6 *
	10.3 ↘	10.2 ↑	9.4 ↘	10.4 *	10.3 ←
beste Teiler	301.9 (55.)	456.4 (52.)	469.7 (59.)		
Trefferlage	1.30 mm links, 3.85 mm hoch				
Streuwert	4.40, horizontal: 5.11, vertikal: 3.55				

Meyton Elektronik

**ISSF Prone Men – Wertung – Frauen**

StandNr: 21

**Ungerank,, Lisa** #70817124

**StartNr: 21**

30. Juli 2017 9:41

70817 / 0



---

\_\_\_\_\_  
Unterschrift des Schützen


Meyton Elektronik




Ergebnis: **585.3** (557)  
 Serien: 96.1 94.0 100.2 98.8 94.7 101.5  
 Zähler: 25 27 8 0 0 0 0 0 0  
 Innenzehner: 10  
 weiteste: 2256 (41), 2114 (1), 2070 (11)  
 beste Teiler 107.6 (21.) 121.0 (56.) 157.6 (60.)  
 Trefferlage 1.35 mm rechts, 0.02 mm hoch  
 Streuwert 7.65, horizontal: 7.28, vertikal: 8.01




Serie 1:  
 8.3 ↑                      8.8 ↑                      10.3 ↓                      9.6 ↓                      10.1 ↗  
 9.6 ↗                      9.8 ↘                      9.8 ↙                      10.0 ↖                      9.8 ↘  
 beste Teiler 546.0 (3.) 672.0 (5.) 796.5 (9.)  
 Trefferlage 0.71 mm rechts, 2.40 mm hoch  
 Streuwert 8.50, horizontal: 5.63, vertikal: 10.63




Serie 2:  
 8.4 ↘                      10.2 ↗                      9.2 ↓                      9.4 ↓                      9.0 →  
 9.7 ↓                      8.8 ↓                      10.0 →                      9.7 ↓                      9.6 ↑  
 beste Teiler 638.3 (12.) 798.4 (18.) 1024.1 (19.)  
 Trefferlage 3.90 mm rechts, 5.68 mm tief  
 Streuwert 8.39, horizontal: 8.06, vertikal: 8.71




Serie 3:  
 10.8 \*                      9.4 ↘                      10.0 ↘                      9.5 ↗                      9.8 →  
 10.1 ↗                      10.5 \*                      10.3 \*                      10.1 ↘                      9.7 ↘  
 beste Teiler 107.6 (21.) 390.9 (27.) 522.9 (28.)  
 Trefferlage 5.68 mm rechts, 0.88 mm tief  
 Streuwert 4.34, horizontal: 3.02, vertikal: 5.34



Serie 4:  
 9.8 ↑                      10.3 →                      10.2 ↖                      10.3 ↑                      9.9 ←  
 8.6 ↙                      10.6 \*                      9.4 →                      9.7 ↓                      10.0 ↘  
 beste Teiler 307.2 (37.) 539.5 (32.) 547.6 (34.)  
 Trefferlage 1.05 mm links, 0.97 mm hoch  
 Streuwert 7.06, horizontal: 7.63, vertikal: 6.45



Serie 5:  
 8.1 ↗                      9.9 ↗                      9.5 ↗                      9.7 ↑                      9.2 ↙  
 9.8 ↙                      8.7 ↙                      10.0 →                      9.6 →                      10.2 →  
 beste Teiler 634.3 (50.) 752.6 (48.) 834.8 (42.)  
 Trefferlage 1.61 mm rechts, 1.44 mm hoch  
 Streuwert 9.32, horizontal: 10.54, vertikal: 7.93



Serie 6:  
 10.6 \*                      10.2 ←                      10.3 \*                      9.8 ←                      10.3 \*  
 10.8 \*                      10.6 \*                      9.7 ←                      8.4 ↑                      10.8 \*  
 beste Teiler 121.0 (56.) 157.6 (60.) 278.0 (57.)  
 Trefferlage 2.75 mm links, 1.90 mm hoch  
 Streuwert 5.78, horizontal: 4.27, vertikal: 6.96

Meyton Elektronik

**ISSF Prone Men – Wertung – Frauen**

StandNr: 22

**Kathrein,, Barbara** #70504004

**StartNr: 22**

30. Juli 2017 9:37



70504 / 0

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>587.9</b>	(559)
Serien:	100.6 97.2 97.3 97.8 98.3 96.7	
Zähler:	30 20 9 1 0 0 0 0 0 0	
Innenzehner:	19	
weiteste:	2404 (35), 2113 (16), 2093 (46)	
beste Teiler	68.3 (14.) 70.9 (49.) 110.4 (57.)	
Trefferlage	2.82 mm rechts, 1.27 mm tief	
Streuwert	7.44, horizontal: 8.34, vertikal: 6.40	




Serie 1:	10.2 ↘	10.5 *	10.3 *	10.6 *	9.3 ↓
	9.8 ↓	10.4 *	10.3 ↘	9.6 ↘	9.6 ↘
beste Teiler	280.2 (4.)	331.9 (2.)	454.9 (7.)		
Trefferlage	0.52 mm rechts, 3.07 mm tief				
Streuwert	5.41, horizontal: 3.74, vertikal: 6.68				




Serie 2:	9.4 ↘	8.4 ↘	9.6 ↘	10.9 *	10.0 ↘
	8.3 ↘	10.8 *	10.1 ↙	10.1 ↗	9.6 ↘
beste Teiler	68.3 (14.)	143.1 (17.)	691.0 (19.)		
Trefferlage	2.03 mm links, 2.62 mm hoch				
Streuwert	8.49, horizontal: 9.65, vertikal: 7.15				




Serie 3:	9.5 ↘	10.5 *	10.5 *	8.8 ↘	10.0 ↘
	9.9 ↘	8.7 ↓	9.6 ↙	9.5 ↘	10.3 *
beste Teiler	336.4 (22.)	367.4 (23.)	492.1 (30.)		
Trefferlage	0.73 mm links, 2.39 mm tief				
Streuwert	7.91, horizontal: 7.05, vertikal: 8.68				



Serie 4:	10.7 *	9.6 ↘	10.0 ↘	9.5 ↓	7.9 ↘
	10.1 ↑	9.9 ↙	10.4 *	10.4 *	9.3 ↗
beste Teiler	185.2 (31.)	438.7 (38.)	445.3 (39.)		
Trefferlage	4.91 mm rechts, 1.51 mm tief				
Streuwert	7.19, horizontal: 7.98, vertikal: 6.30				



Serie 5:	10.7 *	8.8 →	10.4 *	10.6 *	10.6 *
	8.3 →	10.1 ↙	9.3 ↘	10.9 *	8.6 →
beste Teiler	70.9 (49.)	192.3 (41.)	259.4 (44.)		
Trefferlage	5.85 mm rechts, 0.10 mm tief				
Streuwert	7.43, horizontal: 10.18, vertikal: 2.61				



Serie 6:	10.0 ↘	10.4 *	8.8 ↘	9.2 ↘	9.6 →
	10.0 →	10.8 *	9.9 ↗	9.6 →	8.4 →
beste Teiler	110.4 (57.)	409.2 (52.)	746.3 (51.)		
Trefferlage	8.43 mm rechts, 3.15 mm tief				
Streuwert	5.46, horizontal: 5.98, vertikal: 4.88				

Meyton Elektronik

**ISSF Prone Men – Wertung – Frauen**

StandNr: 23

**Hess,, Alexandra** #70807112

**StartNr: 23**

30. Juli 2017 9:36

70807 / 0

---

\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik