





Ergebnis:	<b>613.9</b>	(588)
Serien:	101.9 103.0 101.5 101.4 104.4 101.7	
Zähler:	48 12 0 0 0 0 0 0 0	
Innenzehner:	26	
weiteste:	1363 (54), 1131 (28), 986 (51)	
beste Teiler	72.5 (13.) 92.0 (34.) 116.8 (45.)	
Trefferlage	0.28 mm links, 0.23 mm hoch	
Streuwert	4.51, horizontal: 4.82, vertikal: 4.18	




Serie 1:	10.3 *	10.6 *	10.4 *	10.5 *	9.9 →
	10.2 ←	10.1 ↙	9.8 →	10.0 ↓	10.1 ↗
beste Teiler	315.3 (2.)	339.6 (4.)	470.4 (3.)		
Trefferlage	2.01 mm rechts, 2.29 mm tief				
Streuwert	4.15, horizontal: 4.93, vertikal: 3.18				




Serie 2:	10.1 ↗	10.7 *	10.9 *	10.1 ↗	10.3 ↙
	10.6 *	10.0 ↘	10.5 *	10.1 ↑	9.7 ↙
beste Teiler	72.5 (13.)	165.7 (12.)	258.0 (16.)		
Trefferlage	0.70 mm links, 0.89 mm hoch				
Streuwert	4.31, horizontal: 4.38, vertikal: 4.23				




Serie 3:	10.1 ↓	10.5 *	10.3 ↘	10.3 ←	9.9 ←
	10.5 *	9.9 ↗	9.5 ↘	10.3 *	10.2 ←
beste Teiler	340.8 (22.)	367.1 (26.)	498.6 (29.)		
Trefferlage	2.38 mm links, 0.65 mm hoch				
Streuwert	4.69, horizontal: 4.81, vertikal: 4.57				



Serie 4:	9.7 ←	10.6 *	10.0 ←	10.8 *	10.0 ←
	10.3 ↗	9.8 →	10.1 ↗	10.3 *	9.8 ↓
beste Teiler	92.0 (34.)	302.3 (32.)	525.2 (39.)		
Trefferlage	0.93 mm links, 0.65 mm hoch				
Streuwert	5.15, horizontal: 5.98, vertikal: 4.16				



Serie 5:	10.0 ↗	10.6 *	10.5 *	10.5 *	10.8 *
	10.0 ↗	10.4 *	10.6 *	10.5 *	10.5 *
beste Teiler	116.8 (45.)	267.4 (42.)	301.4 (48.)		
Trefferlage	1.26 mm rechts, 2.49 mm hoch				
Streuwert	2.60, horizontal: 2.08, vertikal: 3.02				



Serie 6:	9.7 ↘	10.2 ↗	10.0 ←	9.2 ↘	10.5 *
	10.7 *	10.6 *	9.9 →	10.3 ↓	10.6 *
beste Teiler	205.7 (56.)	247.4 (57.)	277.0 (60.)		
Trefferlage	0.95 mm links, 0.97 mm tief				
Streuwert	5.24, horizontal: 5.54, vertikal: 4.91				

Meyton Elektronik

**KK liegend** – Wertung – **Frauen**

StandNr: 30

**Pribitzer, Marlene** #307

**StartNr: 28**

18. August 2018 11:06



NÖ-OMV SG Prottes

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **613.0** (585)  
 Serien: 103.3 101.9 105.2 100.1 101.4 101.1  
 Zähler: 46 13 1 0 0 0 0 0 0  
 Innenzehner: 34  
 weiteste: 1867 (45), 1498 (34), 1468 (18)  
 beste Teiler 88.3 (1.) 145.4 (14.) 167.0 (23.)  
 Trefferlage 0.75 mm links, 0.40 mm hoch  
 Streuwert 4.88, horizontal: 4.91, vertikal: 4.85




Serie 1:  
 10.8 \*                      10.7 \*                      10.5 \*                      10.5 \*                      9.8 ↑  
 10.5 \*                      10.3 \*                      9.5 ↖                      10.5 \*                      10.2 ↓  
 beste Teiler 88.3 (1.) 223.7 (2.) 322.0 (4.)  
 Trefferlage 0.63 mm links, 1.76 mm hoch  
 Streuwert 4.14, horizontal: 4.00, vertikal: 4.28




Serie 2:  
 10.0 ↙                      9.9 ←                      10.3 \*                      10.8 \*                      10.3 ↘  
 10.5 \*                      10.3 ↗                      9.1 ↖                      10.3 \*                      10.4 \*  
 beste Teiler 145.4 (14.) 380.4 (16.) 420.9 (20.)  
 Trefferlage 1.67 mm links, 0.01 mm tief  
 Streuwert 5.02, horizontal: 6.15, vertikal: 3.54




Serie 3:  
 10.5 \*                      10.6 \*                      10.7 \*                      10.2 ↙                      10.6 \*  
 10.5 \*                      10.5 \*                      10.7 \*                      10.3 ↖                      10.6 \*  
 beste Teiler 167.0 (23.) 174.9 (28.) 258.3 (22.)  
 Trefferlage 0.94 mm links, 0.90 mm hoch  
 Streuwert 2.59, horizontal: 2.54, vertikal: 2.64



Serie 4:  
 9.6 ↖                      9.5 ←                      10.5 \*                      9.1 ↘                      10.3 \*  
 10.7 \*                      10.0 ↘                      10.3 \*                      9.5 ↘                      10.6 \*  
 beste Teiler 169.9 (36.) 286.0 (40.) 351.6 (33.)  
 Trefferlage 0.96 mm rechts, 2.06 mm tief  
 Streuwert 6.14, horizontal: 6.91, vertikal: 5.27



Serie 5:  
 10.3 \*                      10.6 \*                      10.6 \*                      10.5 \*                      8.6 ↖  
 9.6 ↓                      10.2 ↑                      10.2 ↑                      10.2 ↓                      10.6 \*  
 beste Teiler 281.7 (42.) 291.6 (50.) 308.0 (43.)  
 Trefferlage 1.92 mm links, 0.19 mm hoch  
 Streuwert 5.76, horizontal: 3.05, vertikal: 7.55



Serie 6:  
 10.1 ↖                      9.9 ↘                      9.9 ↖                      9.7 ↗                      10.6 \*  
 9.4 ←                      10.4 \*                      10.2 ↖                      10.4 \*                      10.5 \*  
 beste Teiler 259.6 (55.) 382.3 (60.) 407.4 (59.)  
 Trefferlage 0.33 mm links, 1.66 mm hoch  
 Streuwert 5.26, horizontal: 5.89, vertikal: 4.55

Meyton Elektronik

**KK liegend** – Wertung – **Frauen**

StandNr: 31

**Juriga, Nadja** #1000000474

**StartNr: 29**

18. August 2018 10:56

S – SG Hallein / Salzburg 1

---

\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **602.1** (575)

Serien: 100.3 101.4 100.7 99.1 100.9 99.7

Zähler: 36 23 1 0 0 0 0 0 0



Innenzehner: 20

weiteste: 1751 (1), 1571 (53), 1563 (29)

beste Teiler 40.6 (59.) 113.3 (11.) 166.7 (43.)

Trefferlage 1.57 mm links, 0.61 mm hoch

Streuwert 5.69, horizontal: 6.22, vertikal: 5.11




Serie 1:

8.8 ↖	10.1 ↗	10.7 *	9.7 ↗	10.4 *
10.1 ←	10.3 *	10.4 *	10.6 *	9.2 ←

beste Teiler 169.5 (3.) 309.0 (9.) 411.0 (5.)

Trefferlage 2.83 mm links, 1.55 mm hoch

Streuwert 6.06, horizontal: 7.43, vertikal: 4.28




Serie 2:

10.8 *	10.2 ↖	10.2 ↓	10.1 ↓	9.9 ←
10.3 *	9.6 ↗	10.5 *	10.1 ↑	9.7 ←

beste Teiler 113.3 (11.) 325.4 (18.) 502.2 (16.)

Trefferlage 3.78 mm links, 0.90 mm tief

Streuwert 4.37, horizontal: 4.11, vertikal: 4.62




Serie 3:

9.8 →	10.3 *	10.5 *	10.0 →	10.0 ↖
10.6 *	10.3 *	10.2 ←	9.0 ←	10.0 ↑

beste Teiler 290.9 (26.) 392.9 (23.) 502.2 (27.)

Trefferlage 0.04 mm rechts, 2.21 mm hoch

Streuwert 5.64, horizontal: 7.38, vertikal: 3.03




Serie 4:

9.7 ↖	9.9 ↗	10.2 ↑	10.2 ↑	9.8 ←
10.1 ←	9.9 ↗	9.4 ↑	10.3 *	9.6 →

beste Teiler 511.7 (39.) 587.0 (33.) 604.0 (34.)

Trefferlage 0.49 mm links, 2.89 mm hoch

Streuwert 5.99, horizontal: 6.58, vertikal: 5.33




Serie 5:

9.7 ↗	10.1 →	10.7 *	10.3 *	9.9 ↑
10.2 ↑	10.7 *	10.1 ↓	9.7 ↑	9.5 ↓

beste Teiler 166.7 (43.) 207.7 (47.) 508.6 (44.)

Trefferlage 0.73 mm rechts, 0.74 mm hoch

Streuwert 5.53, horizontal: 3.44, vertikal: 7.02



Serie 6:

9.5 ↖	10.3 *	9.0 ↖	9.7 →	9.5 ↖
9.8 ↖	10.6 *	10.5 *	10.9 *	9.9 ↓

beste Teiler 40.6 (59.) 299.1 (57.) 389.8 (58.)

Trefferlage 3.13 mm links, 2.84 mm tief

Streuwert 5.96, horizontal: 7.22, vertikal: 4.34

Meyton Elektronik

**KK liegend** – Wertung – **Frauen**

StandNr: 32

**Hilberer, Stefanie** #1000000475

**StartNr: 30**

18. August 2018 11:09



K – RSV Ferlach / Kärnten 1

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **623.7** (593)  
 Serien: 102.1 106.1 104.9 102.6 103.2 104.8  
 Zähler: 53 7 0 0 0 0 0 0 0  
 Innenzehner: 46  
 weiteste: 1408 (8), 1358 (51), 1009 (4)  
 beste Teiler 77.8 (60.) 88.6 (17.) 90.0 (30.)  
 Trefferlage 0.08 mm links, 0.31 mm tief  
 Streuwert 3.75, horizontal: 3.32, vertikal: 4.13




Serie 1:  
 10.6 \*                      10.6 \*                      10.0 ↘                      9.7 ↘                      10.6 \*  
 10.0 ↙                      10.3 \*                      9.2 ↓                      10.6 \*                      10.5 \*  
 beste Teiler 251.5 (9.) 264.7 (2.) 297.0 (1.)  
 Trefferlage 0.72 mm rechts, 2.41 mm tief  
 Streuwert 4.88, horizontal: 4.45, vertikal: 5.28




Serie 2:  
 10.3 \*                      10.5 \*                      10.8 \*                      10.5 \*                      10.6 \*  
 10.3 \*                      10.8 \*                      10.8 \*                      10.8 \*                      10.7 \*  
 beste Teiler 88.6 (17.) 90.5 (19.) 107.8 (13.)  
 Trefferlage 0.89 mm links, 0.63 mm hoch  
 Streuwert 2.15, horizontal: 1.80, vertikal: 2.45




Serie 3:  
 10.8 \*                      10.5 \*                      10.8 \*                      10.1 ↖                      10.5 \*  
 10.6 \*                      9.9 ↓                      10.4 \*                      10.5 \*                      10.8 \*  
 beste Teiler 90.0 (30.) 103.4 (21.) 154.2 (23.)  
 Trefferlage 0.47 mm links, 0.93 mm hoch  
 Streuwert 3.11, horizontal: 2.29, vertikal: 3.76



Serie 4:  
 9.9 ↓                      10.4 \*                      10.3 \*                      10.6 \*                      10.2 ↙  
 10.3 \*                      10.0 ↑                      10.3 ↘                      10.3 \*                      10.3 \*  
 beste Teiler 266.5 (34.) 411.0 (32.) 483.4 (33.)  
 Trefferlage 0.00 mm , 0.62 mm tief  
 Streuwert 4.19, horizontal: 3.14, vertikal: 5.02



Serie 5:  
 9.9 ↓                      10.3 \*                      9.8 ↘                      10.5 \*                      10.6 \*  
 10.4 \*                      10.4 \*                      10.6 \*                      10.5 \*                      10.2 ↑  
 beste Teiler 269.2 (48.) 273.7 (45.) 355.9 (44.)  
 Trefferlage 1.45 mm rechts, 1.15 mm tief  
 Streuwert 3.86, horizontal: 2.90, vertikal: 4.63



Serie 6:  
 9.3 ←                      10.7 \*                      10.6 \*                      10.5 \*                      10.7 \*  
 10.4 \*                      10.8 \*                      10.3 \*                      10.6 \*                      10.9 \*  
 beste Teiler 77.8 (60.) 118.4 (57.) 186.9 (55.)  
 Trefferlage 1.31 mm links, 0.72 mm hoch  
 Streuwert 3.71, horizontal: 4.47, vertikal: 2.75

Meyton Elektronik

**KK liegend** – Wertung – **Frauen**

StandNr: 33

**Ungerank, Nadine** #356

**StartNr: 31**

18. August 2018 10:58

T – SG Zell am Ziller / Tirol 1



---

\_\_\_\_\_  
Unterschrift des Schützen


Meyton Elektronik




Ergebnis: **612.4** (583)  
 Serien: 101.0 100.1 100.9 103.0 103.8 103.6  
 Zähler: 43 17 0 0 0 0 0 0 0  
 Innenzehner: 28  
 weiteste: 1209 (21), 1136 (32), 1036 (3)  
 beste Teiler 58.5 (53.) 108.9 (55.) 163.5 (27.)  
 Trefferlage 0.60 mm rechts, 0.98 mm tief  
 Streuwert 4.64, horizontal: 3.95, vertikal: 5.23




Serie 1:  
 10.2 → 9.9 ↘ 9.7 ↘ 10.0 ↓ 9.9 ↓  
 10.6 \* 9.8 ↑ 10.4 \* 10.6 \* 9.9 →  
 beste Teiler 261.7 (9.) 286.2 (6.) 460.2 (8.)  
 Trefferlage 2.75 mm rechts, 0.92 mm tief  
 Streuwert 5.05, horizontal: 4.41, vertikal: 5.61




Serie 2:  
 10.3 \* 10.3 ↓ 10.0 ↘ 9.7 ↑ 9.8 ↖  
 10.0 ↘ 9.7 ↑ 9.8 ↖ 10.5 \* 10.0 ↓  
 beste Teiler 329.6 (19.) 530.5 (11.) 550.4 (12.)  
 Trefferlage 1.52 mm links, 1.76 mm hoch  
 Streuwert 5.51, horizontal: 3.94, vertikal: 6.73




Serie 3:  
 9.4 ↓ 10.2 ↗ 10.0 ↓ 9.9 ↘ 9.7 ←  
 10.1 ↓ 10.7 \* 10.5 \* 10.3 ↗ 10.1 ↓  
 beste Teiler 163.5 (27.) 368.7 (28.) 539.0 (29.)  
 Trefferlage 0.54 mm links, 4.82 mm tief  
 Streuwert 4.11, horizontal: 4.63, vertikal: 3.51



Serie 4:  
 10.2 ↘ 9.5 ↓ 10.5 \* 10.6 \* 9.8 ↓  
 10.0 ← 10.5 \* 10.7 \* 10.6 \* 10.6 \*  
 beste Teiler 208.5 (38.) 247.9 (34.) 269.3 (39.)  
 Trefferlage 0.55 mm rechts, 1.88 mm tief  
 Streuwert 4.26, horizontal: 3.80, vertikal: 4.68



Serie 5:  
 10.4 \* 10.6 \* 10.4 \* 10.5 \* 10.4 \*  
 10.5 \* 10.5 \* 10.3 \* 10.4 \* 9.8 ↘  
 beste Teiler 315.9 (42.) 325.5 (46.) 382.9 (44.)  
 Trefferlage 1.51 mm rechts, 2.14 mm tief  
 Streuwert 3.08, horizontal: 3.50, vertikal: 2.58



Serie 6:  
 9.7 ↑ 10.7 \* 10.9 \* 10.4 \* 10.8 \*  
 10.0 ↑ 10.1 ↘ 9.9 ↑ 10.4 \* 10.7 \*  
 beste Teiler 58.5 (53.) 108.9 (55.) 207.8 (60.)  
 Trefferlage 0.89 mm rechts, 2.12 mm hoch  
 Streuwert 3.90, horizontal: 2.51, vertikal: 4.90

**KK liegend** – Wertung – **Frauen**

StandNr: 34

**Schachner, Christine** #90

**StartNr: 32**

18. August 2018 10:56



S – SG Zell am See / Salzburg 1

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **617.5** (588)  
 Serien: 104.4 103.1 103.2 102.2 103.4 101.2  
 Zähler: 48 12 0 0 0 0 0 0 0  
 Innenzehner: 37  
 weiteste: 1312 (13), 1168 (54), 1167 (53)  
 beste Teiler 80.1 (6.) 83.4 (21.) 91.2 (5.)  
 Trefferlage 0.29 mm links, 0.40 mm hoch  
 Streuwert 4.37, horizontal: 4.54, vertikal: 4.19



Serie 1:  
 10.3 ←                      10.4 \*                      10.4 \*                      9.7 ↘                      10.8 \*  
 10.9 \*                      10.6 \*                      10.7 \*                      10.2 ↑                      10.4 \*  
 beste Teiler 80.1 (6.) 91.2 (5.) 211.7 (8.)  
 Trefferlage 0.60 mm rechts, 0.29 mm hoch  
 Streuwert 3.59, horizontal: 3.69, vertikal: 3.47




Serie 2:  
 10.5 \*                      10.7 \*                      9.3 ←                      10.8 \*                      10.4 \*  
 10.1 ↓                      10.5 \*                      9.6 ←                      10.5 \*                      10.7 \*  
 beste Teiler 158.3 (14.) 179.8 (12.) 189.0 (20.)  
 Trefferlage 3.29 mm links, 0.84 mm tief  
 Streuwert 4.07, horizontal: 4.78, vertikal: 3.20




Serie 3:  
 10.8 \*                      9.8 ←                      10.4 \*                      10.4 \*                      10.0 ↑  
 10.1 ↑                      10.1 ↘                      10.5 \*                      10.7 \*                      10.4 \*  
 beste Teiler 83.4 (21.) 192.0 (29.) 373.1 (28.)  
 Trefferlage 0.84 mm links, 2.10 mm hoch  
 Streuwert 3.88, horizontal: 3.64, vertikal: 4.10



Serie 4:  
 10.3 \*                      9.8 ↘                      9.6 ←                      9.7 ↖                      10.5 \*  
 10.5 \*                      9.9 ↖                      10.6 \*                      10.8 \*                      10.5 \*  
 beste Teiler 145.8 (39.) 303.7 (38.) 364.6 (36.)  
 Trefferlage 1.49 mm links, 1.45 mm hoch  
 Streuwert 4.75, horizontal: 6.19, vertikal: 2.61



Serie 5:  
 10.8 \*                      10.5 \*                      10.4 \*                      9.7 ↑                      10.4 \*  
 10.1 ↑                      10.5 \*                      10.2 →                      10.3 \*                      10.5 \*  
 beste Teiler 102.6 (41.) 353.2 (47.) 381.1 (42.)  
 Trefferlage 0.35 mm rechts, 1.91 mm hoch  
 Streuwert 3.78, horizontal: 3.24, vertikal: 4.25



Serie 6:  
 10.1 ↗                      10.0 ↓                      9.5 ↓                      9.5 ↘                      10.5 \*  
 9.7 ↘                      10.5 \*                      10.5 \*                      10.6 \*                      10.3 ↑  
 beste Teiler 247.1 (59.) 328.1 (55.) 353.1 (58.)  
 Trefferlage 2.90 mm rechts, 2.51 mm tief  
 Streuwert 4.74, horizontal: 3.47, vertikal: 5.73

Meyton Elektronik

**KK liegend** – Wertung – **Frauen**

StandNr: 35

**Hofmann, Olivia** #316

**StartNr: 33**

18. August 2018 11:01



T – SG Hötting / Tirol 1

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **602.5** (574)  
 Serien: 98.5 100.3 102.3 101.6 101.5 98.3  
 Zähler: 35 24 1 0 0 0 0 0 0  
 Innenzehner: 20  
 weiteste: 1682 (59), 1512 (10), 1395 (8)  
 beste Teiler 120.8 (20.) 146.8 (28.) 173.6 (39.)  
 Trefferlage 0.41 mm links, 1.34 mm hoch  
 Streuwert 5.70, horizontal: 5.67, vertikal: 5.74




Serie 1:  
 10.2 ↘                      10.0 ↘                      10.3 \*                      9.6 ↑                      9.9 ←  
 10.4 \*                      10.1 ↘                      9.2 →                      9.7 →                      9.1 ↑  
 beste Teiler 421.0 (6.) 485.4 (3.) 623.1 (1.)  
 Trefferlage 0.07 mm rechts, 3.78 mm hoch  
 Streuwert 6.50, horizontal: 7.07, vertikal: 5.87




Serie 2:  
 9.5 ↗                      9.8 ↘                      10.6 \*                      10.1 ↘                      9.9 →  
 9.4 ←                      10.0 ↑                      10.6 \*                      9.6 ↙                      10.8 \*  
 beste Teiler 120.8 (20.) 272.1 (13.) 318.8 (18.)  
 Trefferlage 0.76 mm rechts, 0.24 mm hoch  
 Streuwert 6.24, horizontal: 6.85, vertikal: 5.56




Serie 3:  
 9.7 ←                      10.3 \*                      10.7 \*                      10.2 ←                      10.5 \*  
 9.6 ↙                      10.3 \*                      10.8 \*                      10.1 ←                      10.1 ↘  
 beste Teiler 146.8 (28.) 225.1 (23.) 329.0 (25.)  
 Trefferlage 2.75 mm links, 0.43 mm tief  
 Streuwert 4.34, horizontal: 4.96, vertikal: 3.61




Serie 4:  
 9.9 ↑                      10.4 \*                      10.4 \*                      10.2 ↑                      9.7 ↑  
 10.3 \*                      10.5 \*                      9.9 ↘                      10.7 \*                      9.6 ↗  
 beste Teiler 173.6 (39.) 343.5 (37.) 411.5 (33.)  
 Trefferlage 0.17 mm links, 3.02 mm hoch  
 Streuwert 4.63, horizontal: 4.08, vertikal: 5.13



Serie 5:  
 9.5 ↗                      9.6 ↗                      10.6 \*                      9.9 ←                      10.7 \*  
 10.0 →                      10.2 ↘                      10.4 \*                      10.7 \*                      9.9 ↙  
 beste Teiler 185.0 (49.) 215.2 (45.) 290.1 (43.)  
 Trefferlage 0.50 mm rechts, 0.00 mm  
 Streuwert 5.45, horizontal: 5.76, vertikal: 5.12



Serie 6:  
 10.5 \*                      10.0 ↓                      10.0 ↘                      9.9 ↑                      10.1 ↑  
 9.5 ↙                      9.9 →                      10.1 ↘                      8.8 ↑                      9.5 ←  
 beste Teiler 397.7 (51.) 678.4 (58.) 692.9 (55.)  
 Trefferlage 0.88 mm links, 1.41 mm hoch  
 Streuwert 7.02, horizontal: 5.49, vertikal: 8.28



**KK liegend** – Wertung – **Frauen**

StandNr: 39

**Stastny, Vanessa** #1000000476

**StartNr: 34**

18. August 2018 10:59



V-SG Frastanz

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>601.9</b>	(574)
Serien:	102.2 102.2 99.7 99.5 101.3 97.0	
Zähler:	35 24 1 0 0 0 0 0 0	
Innenzehner:	18	
weiteste:	1663 (57), 1531 (54), 1425 (58)	
beste Teiler	83.2 (44.) 90.9 (9.) 100.7 (17.)	
Trefferlage	0.45 mm rechts, 3.66 mm hoch	
Streuwert	5.26, horizontal: 5.24, vertikal: 5.29	




Serie 1:	9.8 ↗	10.3 ←	9.8 ↗	10.3 ↓	10.8 *
	10.2 ↑	9.6 ↘	10.5 *	10.8 *	10.1 ↑
beste Teiler	90.9 (9.)	154.7 (5.)	386.1 (8.)		
Trefferlage	2.70 mm rechts, 1.22 mm hoch				
Streuwert	4.45, horizontal: 4.13, vertikal: 4.75				




Serie 2:	10.0 ↑	10.6 *	10.0 ↑	9.5 ↗	9.6 ↑
	10.3 *	10.8 *	10.1 ↖	10.5 *	10.8 *
beste Teiler	100.7 (17.)	107.0 (20.)	255.8 (12.)		
Trefferlage	0.47 mm links, 3.04 mm hoch				
Streuwert	4.40, horizontal: 4.02, vertikal: 4.76				




Serie 3:	10.5 *	10.2 ↓	9.9 →	9.4 ←	9.2 ↖
	10.1 ↗	10.4 *	10.0 ↖	9.7 ↑	10.3 *
beste Teiler	334.4 (21.)	421.9 (27.)	509.7 (30.)		
Trefferlage	1.08 mm links, 2.22 mm hoch				
Streuwert	6.02, horizontal: 6.67, vertikal: 5.29				



Serie 4:	9.7 ↗	9.8 ↑	10.5 *	10.5 *	10.0 ↑
	10.2 ↑	9.2 ↑	9.7 ↑	10.2 ↑	9.7 ↓
beste Teiler	346.3 (34.)	379.5 (33.)	613.6 (36.)		
Trefferlage	0.08 mm rechts, 5.22 mm hoch				
Streuwert	5.14, horizontal: 2.74, vertikal: 6.73				



Serie 5:	9.9 →	10.2 ↑	9.2 ←	10.8 *	9.5 ↗
	10.6 *	10.5 *	10.1 ↑	10.2 ↑	10.3 *
beste Teiler	83.2 (44.)	253.1 (46.)	381.3 (47.)		
Trefferlage	0.82 mm rechts, 3.53 mm hoch				
Streuwert	4.89, horizontal: 6.01, vertikal: 3.43				



Serie 6:	9.8 →	10.7 *	9.9 ↗	9.0 ↗	9.9 ↑
	9.6 ↖	8.9 ↑	9.2 ↑	10.1 ←	9.9 ↗
beste Teiler	201.1 (52.)	646.3 (59.)	809.1 (55.)		
Trefferlage	0.70 mm rechts, 6.73 mm hoch				
Streuwert	6.31, horizontal: 7.02, vertikal: 5.52				

Meyton Elektronik

**KK liegend** – Wertung – **Frauen**

StandNr: 37

**Pichler, Julia** #110

**StartNr: 35**

18. August 2018 11:14

K – SV St.Veit/Glan / Kärnten 1



---

\_\_\_\_\_  
Unterschrift des Schützen


Meyton Elektronik




Ergebnis:	<b>608.7</b>	(582)
Serien:	98.8	101.3 101.6 102.8 102.2 102.0
Zähler:	42	18 0 0 0 0 0 0 0 0
Innenzehner:	24	
weiteste:	1494 (2), 1423 (11), 1324 (3)	
beste Teiler	103.9 (34.)	123.0 (60.) 128.8 (32.)
Trefferlage	1.52 mm links, 2.01 mm tief	
Streuwert	4.86, horizontal: 4.80, vertikal: 4.92	




Serie 1:	10.3 *	9.1 ↙	9.3 ↙	9.7 ←	10.1 ↓
	10.1 ↙	10.7 *	10.2 →	9.7 ↘	9.6 ↙
beste Teiler	187.1 (7.) 481.0 (1.) 640.5 (8.)				
Trefferlage	4.73 mm links, 4.64 mm tief				
Streuwert	4.87, horizontal: 5.69, vertikal: 3.87				




Serie 2:	9.2 ↘	10.4 *	10.5 *	10.3 ↓	9.6 →
	10.2 ↘	9.8 ↘	10.1 ←	10.6 *	10.6 *
beste Teiler	256.1 (20.) 270.4 (19.) 396.2 (13.)				
Trefferlage	1.35 mm links, 3.27 mm tief				
Streuwert	4.87, horizontal: 5.71, vertikal: 3.84				




Serie 3:	10.4 *	10.5 *	10.0 ↘	9.8 ↗	9.8 ↗
	10.1 ↓	10.2 ↑	10.2 ↓	10.6 *	10.0 ←
beste Teiler	307.7 (29.) 371.4 (22.) 442.7 (21.)				
Trefferlage	0.20 mm links, 2.05 mm hoch				
Streuwert	4.74, horizontal: 3.85, vertikal: 5.49				



Serie 4:	9.6 ↘	10.8 *	9.8 ↘	10.8 *	10.0 ↓
	10.5 *	10.2 ↓	10.5 *	10.0 ↗	10.6 *
beste Teiler	103.9 (34.) 128.8 (32.) 261.9 (40.)				
Trefferlage	1.34 mm links, 2.62 mm tief				
Streuwert	4.11, horizontal: 2.42, vertikal: 5.29				



Serie 5:	10.6 *	9.7 ←	9.9 ↓	9.8 ↘	10.2 ←
	10.4 *	9.9 ↘	10.6 *	10.7 *	10.4 *
beste Teiler	205.4 (49.) 291.5 (48.) 318.5 (41.)				
Trefferlage	1.68 mm links, 1.50 mm tief				
Streuwert	4.68, horizontal: 4.82, vertikal: 4.54				



Serie 6:	10.5 *	9.6 ←	10.5 *	10.3 ↓	10.1 ↓
	9.3 ↘	10.6 *	10.0 ↗	10.3 *	10.8 *
beste Teiler	123.0 (60.) 292.8 (57.) 343.9 (53.)				
Trefferlage	0.15 mm rechts, 2.08 mm tief				
Streuwert	4.86, horizontal: 5.03, vertikal: 4.67				

Meyton Elektronik

**KK liegend** – Wertung – **Frauen**

StandNr: 38

**Juen, Anna** #1000000478

**StartNr: 36**

18. August 2018 11:11



T – SG See

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **585.4** (562)  
 Serien: 97.4 101.3 98.2 98.1 97.8 92.6  
 Zähler: 28 27 4 1 0 0 0 0 0 0  
 Innenzehner: 15  
 weiteste: 2434 (55), 2310 (56), 2080 (28)  
 beste Teiler 77.9 (17.) 193.9 (31.) 211.7 (26.)  
 Trefferlage 0.42 mm links, 0.17 mm hoch  
 Streuwert 7.79, horizontal: 7.66, vertikal: 7.91




Serie 1:  
 10.5 \* 9.7 ↙ 9.3 → 10.5 \* 9.1 ↘  
 10.2 ↘ 9.0 ↑ 9.2 ↑ 9.6 ↑ 10.3 \*  
 beste Teiler 349.1 (1.) 352.8 (4.) 500.9 (10.)  
 Trefferlage 2.21 mm rechts, 2.01 mm hoch  
 Streuwert 7.55, horizontal: 6.62, vertikal: 8.37




Serie 2:  
 10.0 ↗ 10.6 \* 9.8 ↘ 10.3 \* 10.6 \*  
 10.2 → 10.9 \* 10.1 ↘ 9.4 → 9.4 ↙  
 beste Teiler 77.9 (17.) 260.3 (12.) 308.6 (15.)  
 Trefferlage 2.71 mm rechts, 1.56 mm tief  
 Streuwert 5.15, horizontal: 5.21, vertikal: 5.09




Serie 3:  
 9.9 → 9.8 ↙ 9.2 ↑ 10.4 \* 9.7 ↘  
 10.7 \* 10.6 \* 8.4 ↘ 10.0 ↘ 9.5 ↙  
 beste Teiler 211.7 (26.) 300.2 (27.) 442.7 (24.)  
 Trefferlage 1.30 mm rechts, 0.21 mm hoch  
 Streuwert 7.80, horizontal: 7.96, vertikal: 7.64



Serie 4:  
 10.7 \* 10.1 ↘ 10.1 ← 9.5 ↓ 10.1 ↙  
 8.7 ↘ 9.0 ↓ 10.0 ↙ 9.9 ↘ 10.0 ↙  
 beste Teiler 193.9 (31.) 656.6 (35.) 692.1 (32.)  
 Trefferlage 3.30 mm links, 2.25 mm tief  
 Streuwert 7.01, horizontal: 4.69, vertikal: 8.73



Serie 5:  
 9.5 ↘ 10.4 \* 9.5 ↘ 10.4 \* 9.6 ↗  
 10.2 ↙ 9.4 → 10.2 ↓ 9.5 ↑ 9.1 ↙  
 beste Teiler 436.9 (42.) 477.2 (44.) 582.5 (48.)  
 Trefferlage 2.64 mm rechts, 0.88 mm hoch  
 Streuwert 7.17, horizontal: 7.36, vertikal: 6.97



Serie 6:  
 8.7 ↘ 9.1 ↘ 9.6 ↑ 10.5 \* 7.9 ←  
 8.1 ↙ 10.1 ↘ 9.1 ↙ 10.4 \* 9.1 ↙  
 beste Teiler 347.5 (54.) 439.2 (59.) 692.4 (57.)  
 Trefferlage 8.12 mm links, 1.77 mm hoch  
 Streuwert 9.51, horizontal: 8.17, vertikal: 10.67

Meyton Elektronik

**KK liegend** – Wertung – **Frauen**

StandNr: 22

**Karan, Sandra** #1000000479

**StartNr: 37**

18. August 2018 12:54



OÖ – Priv. SG Enns

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **617.7** (593)  
 Serien: 103.5 102.4 104.3 101.7 103.3 102.5  
 Zähler: 53 7 0 0 0 0 0 0 0  
 Innenzehner: 29  
 weiteste: 1333 (15), 1166 (44), 961 (33)  
 beste Teiler 94.0 (55.) 133.1 (49.) 136.2 (48.)  
 Trefferlage 0.71 mm links, 0.30 mm tief  
 Streuwert 4.18, horizontal: 4.19, vertikal: 4.17




Serie 1:  
 10.2 ↘                      10.6 \*                      10.0 ↘                      10.5 \*                      10.7 \*  
 10.7 \*                      9.8 ↘                      10.1 ↙                      10.2 ↘                      10.7 \*  
 beste Teiler 191.0 (5.) 201.0 (6.) 237.1 (10.)  
 Trefferlage 2.64 mm links, 2.20 mm hoch  
 Streuwert 3.15, horizontal: 2.58, vertikal: 3.63




Serie 2:  
 9.8 ↙                      10.7 \*                      10.5 \*                      10.0 ↖                      9.3 ↓  
 10.6 \*                      10.2 ↘                      10.7 \*                      10.0 ↗                      10.6 \*  
 beste Teiler 192.5 (18.) 206.7 (12.) 264.2 (16.)  
 Trefferlage 1.15 mm links, 2.18 mm tief  
 Streuwert 4.67, horizontal: 4.36, vertikal: 4.97




Serie 3:  
 10.6 \*                      10.0 ↘                      10.8 \*                      10.2 ↓                      10.5 \*  
 10.6 \*                      10.6 \*                      10.6 \*                      10.3 \*                      10.1 ↓  
 beste Teiler 155.2 (23.) 263.1 (27.) 274.5 (26.)  
 Trefferlage 0.79 mm rechts, 1.06 mm tief  
 Streuwert 3.28, horizontal: 3.06, vertikal: 3.48




Serie 4:  
 10.5 \*                      10.1 →                      9.7 ↙                      10.1 ↑                      10.2 ↘  
 9.8 →                      10.5 \*                      10.1 ↓                      10.6 \*                      10.1 ↙  
 beste Teiler 284.2 (39.) 352.4 (31.) 388.1 (37.)  
 Trefferlage 0.36 mm rechts, 0.28 mm tief  
 Streuwert 4.89, horizontal: 5.72, vertikal: 3.89



Serie 5:  
 9.9 ↗                      10.6 \*                      10.2 ↓                      9.5 ↘                      10.7 \*  
 10.1 ↖                      10.4 \*                      10.8 \*                      10.8 \*                      10.3 \*  
 beste Teiler 133.1 (49.) 136.2 (48.) 168.3 (45.)  
 Trefferlage 0.39 mm links, 0.04 mm tief  
 Streuwert 4.36, horizontal: 4.50, vertikal: 4.22



Serie 6:  
 10.0 ↑                      10.2 ↘                      10.5 \*                      10.1 ↓                      10.8 \*  
 10.1 ↖                      10.1 ↖                      10.2 ↓                      10.5 \*                      10.0 ↙  
 beste Teiler 94.0 (55.) 395.0 (53.) 398.1 (59.)  
 Trefferlage 1.25 mm links, 0.44 mm tief  
 Streuwert 4.37, horizontal: 4.31, vertikal: 4.44



**KK liegend** – Wertung – **Frauen**

StandNr: 23

**Peer, Franziska** #301

**StartNr: 38**

18. August 2018 12:47



T – SG Angerberg / Tirol 1

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>591.0</b>	(564)					
Serien:	101.5	92.8	98.0	96.8	98.9	103.0	
Zähler:	29	27	3	1	0	0	0
Innenzehner:	16						
weiteste:	2544 (12), 1985 (23), 1907 (15)						
beste Teiler	85.5 (6.)	106.4 (25.)	187.5 (58.)				
Trefferlage	1.46 mm rechts, 1.79 mm hoch						
Streuwert	6.92, horizontal: 7.69, vertikal: 6.06						




Serie 1:	10.3 *	10.4 *	9.8 ↓	10.2 ←	9.5 ↗
	10.8 *	10.5 *	10.0 →	10.4 *	9.6 ↖
beste Teiler	85.5 (6.)	347.0 (7.)	454.1 (2.)		
Trefferlage	0.35 mm links, 0.21 mm hoch				
Streuwert	5.33, horizontal: 5.72, vertikal: 4.90				




Serie 2:	9.4 →	7.8 →	10.4 *	9.3 ↘	8.6 ↗
	9.1 →	9.0 →	10.0 →	9.6 ↗	9.6 →
beste Teiler	416.5 (13.)	783.3 (18.)	1062.4 (20.)		
Trefferlage	7.70 mm rechts, 3.74 mm hoch				
Streuwert	8.78, horizontal: 10.44, vertikal: 6.73				




Serie 3:	9.6 ↗	10.3 ↑	8.5 ↖	9.7 ↖	10.8 *
	9.5 →	9.9 ↑	10.3 *	9.4 ↗	10.0 ←
beste Teiler	106.4 (25.)	506.2 (28.)	554.3 (22.)		
Trefferlage	1.59 mm links, 4.18 mm hoch				
Streuwert	6.97, horizontal: 8.88, vertikal: 4.28				



Serie 4:	9.5 ↗	9.4 ↑	10.0 ↗	9.9 ↑	9.4 ↘
	9.9 →	10.0 ↑	8.9 ↘	9.9 ←	9.9 ↘
beste Teiler	750.0 (33.)	797.0 (37.)	826.9 (39.)		
Trefferlage	2.22 mm rechts, 2.17 mm hoch				
Streuwert	7.56, horizontal: 6.21, vertikal: 8.69				



Serie 5:	9.2 ↘	9.7 ↑	10.1 →	10.1 →	9.4 ↗
	10.3 *	9.8 ←	10.5 *	10.3 *	9.5 ↘
beste Teiler	336.7 (48.)	507.5 (49.)	510.7 (46.)		
Trefferlage	2.15 mm rechts, 2.62 mm hoch				
Streuwert	6.26, horizontal: 6.68, vertikal: 5.80				



Serie 6:	10.6 *	9.9 ↖	10.1 ↘	10.1 ↖	10.3 *
	10.5 *	10.0 ↓	10.7 *	10.3 ↓	10.5 *
beste Teiler	187.5 (58.)	288.3 (51.)	339.0 (56.)		
Trefferlage	1.36 mm links, 2.13 mm tief				
Streuwert	3.82, horizontal: 4.11, vertikal: 3.52				

Meyton Elektronik

**KK liegend** – Wertung – **Frauen**

StandNr: 24

**Alt, Tamara** #1000000460

**StartNr: 39**

18. August 2018 12:53

S – SSV Thalgau / Salzburg 1



---

\_\_\_\_\_  
Unterschrift des Schützen


Meyton Elektronik




Ergebnis: **601.2** (578)  
 Serien: 100.8 100.3 100.2 100.3 99.6 100.0  
 Zähler: 39 20 1 0 0 0 0 0 0  
 Innenzehner: 19  
 weiteste: 1620 (41), 1597 (31), 1556 (18)  
 beste Teiler 96.7 (2.) 266.1 (9.) 276.0 (47.)  
 Trefferlage 1.42 mm links, 0.49 mm hoch  
 Streuwert 5.78, horizontal: 5.88, vertikal: 5.69




Serie 1:  
 10.2 ↙ 10.8 \* 10.1 ↑ 10.0 ↙ 9.6 ↘  
 9.3 ↘ 10.2 ← 9.8 ↙ 10.6 \* 10.2 →  
 beste Teiler 96.7 (2.) 266.1 (9.) 589.0 (10.)  
 Trefferlage 3.81 mm links, 1.06 mm hoch  
 Streuwert 4.99, horizontal: 5.23, vertikal: 4.73




Serie 2:  
 10.4 \* 10.5 \* 9.9 ← 10.2 ← 10.5 \*  
 9.2 ↘ 10.1 ↗ 9.0 ↘ 10.2 ↓ 10.3 \*  
 beste Teiler 327.9 (12.) 378.0 (15.) 464.0 (11.)  
 Trefferlage 2.36 mm links, 1.70 mm hoch  
 Streuwert 5.82, horizontal: 6.06, vertikal: 5.57




Serie 3:  
 10.1 ↗ 10.2 ↓ 9.4 ↗ 10.0 ↓ 9.9 ↓  
 10.3 ↘ 10.4 \* 10.1 ↓ 10.2 ↘ 9.6 ←  
 beste Teiler 415.5 (27.) 547.9 (26.) 569.5 (29.)  
 Trefferlage 0.78 mm links, 0.06 mm hoch  
 Streuwert 5.73, horizontal: 4.56, vertikal: 6.70



Serie 4:  
 9.0 ↘ 10.3 \* 10.4 \* 9.7 ↘ 10.5 \*  
 10.0 ↓ 10.4 \* 9.7 ↓ 10.5 \* 9.8 ↘  
 beste Teiler 364.5 (35.) 373.0 (39.) 409.5 (37.)  
 Trefferlage 1.43 mm links, 0.37 mm hoch  
 Streuwert 6.02, horizontal: 4.71, vertikal: 7.10



Serie 5:  
 8.9 → 10.0 ↘ 10.1 ↓ 10.2 ↓ 10.4 \*  
 9.1 → 10.6 \* 10.1 ↘ 9.7 ↘ 10.5 \*  
 beste Teiler 276.0 (47.) 387.6 (50.) 451.6 (45.)  
 Trefferlage 3.60 mm rechts, 0.54 mm tief  
 Streuwert 6.14, horizontal: 7.27, vertikal: 4.76



Serie 6:  
 10.4 \* 9.3 ↑ 10.1 ↘ 10.5 \* 9.8 ↙  
 10.3 \* 9.9 ↓ 9.4 ← 9.7 ← 10.6 \*  
 beste Teiler 293.1 (60.) 396.0 (54.) 403.4 (51.)  
 Trefferlage 3.77 mm links, 0.34 mm hoch  
 Streuwert 5.56, horizontal: 4.94, vertikal: 6.12

Meyton Elektronik

**KK liegend** – Wertung – **Frauen**

StandNr: 25

**Kohlweg, Silke** #1000000480

**StartNr: 40**

18. August 2018 12:46

K – SV St.Veit/Glan / Kärnten 1

---

\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **594.9** (567)

Serien: 99.2 101.9 98.6 98.0 98.5 98.7

Zähler: 31 25 4 0 0 0 0 0 0 0



Innenzehner: 18

weiteste: 2019 (36), 1803 (30), 1689 (26)

beste Teiler 91.0 (17.) 146.7 (21.) 276.8 (49.)

Trefferlage 1.01 mm links, 3.24 mm hoch

Streuwert 6.13, horizontal: 6.04, vertikal: 6.22




Serie 1:

9.6 ↘	9.8 ↗	9.3 ↗	10.2 ←	10.5 *
10.0 ↘	10.2 ↑	10.4 *	8.9 ↘	10.3 ↘

beste Teiler 359.9 (5.) 418.4 (8.) 536.2 (10.)

Trefferlage 0.31 mm links, 3.71 mm hoch

Streuwert 6.11, horizontal: 7.26, vertikal: 4.69




Serie 2:

10.2 ↗	10.3 *	10.3 *	10.3 *	9.5 ↘
10.5 *	10.8 *	9.8 ↗	10.1 ↗	10.1 →

beste Teiler 91.0 (17.) 356.6 (16.) 503.1 (12.)

Trefferlage 1.83 mm rechts, 2.95 mm hoch

Streuwert 4.24, horizontal: 4.58, vertikal: 3.86




Serie 3:

10.8 *	9.4 ↘	10.3 *	9.5 ↓	9.5 ↗
8.8 ↗	10.5 *	10.6 *	10.5 *	8.7 ↑

beste Teiler 146.7 (21.) 277.4 (28.) 350.8 (29.)

Trefferlage 0.45 mm rechts, 5.13 mm hoch

Streuwert 6.79, horizontal: 5.24, vertikal: 8.04




Serie 4:

10.1 ↓	10.3 *	9.5 ↑	10.2 ↓	9.9 ↘
8.4 ↘	9.5 ↘	10.1 ↗	10.5 *	9.5 ↑

beste Teiler 381.6 (39.) 512.1 (32.) 576.1 (34.)

Trefferlage 2.17 mm links, 4.17 mm hoch

Streuwert 6.77, horizontal: 5.79, vertikal: 7.62




Serie 5:

9.9 →	9.5 ↘	10.3 *	10.3 *	9.6 ↓
9.2 ←	9.7 ←	9.7 ↑	10.6 *	9.7 ←

beste Teiler 276.8 (49.) 484.5 (44.) 489.6 (43.)

Trefferlage 4.43 mm links, 1.02 mm tief

Streuwert 6.19, horizontal: 6.24, vertikal: 6.15



Serie 6:

10.0 ↘	9.5 ↘	9.0 ↘	10.3 ↗	9.9 ↘
9.9 ↘	10.4 *	10.1 ↘	9.9 ↗	9.7 →

beste Teiler 418.4 (57.) 540.2 (54.) 643.5 (58.)

Trefferlage 1.44 mm links, 4.53 mm hoch

Streuwert 5.81, horizontal: 6.24, vertikal: 5.35

Meyton Elektronik

**KK liegend** – Wertung – **Frauen**

StandNr: 26

**Kronberger, Petra** #1000000461

**StartNr: 41**

18. August 2018 12:55



NÖ-SV Hollabrunn 1716

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **612.1** (584)  
 Serien: 102.1 99.9 101.9 100.9 103.7 103.6  
 Zähler: 44 16 0 0 0 0 0 0 0  
 Innenzehner: 29  
 weiteste: 1529 (36), 1506 (2), 1254 (16)  
 beste Teiler 35.1 (54.) 119.0 (10.) 120.3 (57.)  
 Trefferlage 0.88 mm rechts, 0.11 mm hoch  
 Streuwert 4.80, horizontal: 4.64, vertikal: 4.96




Serie 1:  
 10.4 \*                      9.1 ↗                      9.9 ↓                      10.6 \*                      10.6 \*  
 9.9 →                      10.0 ←                      10.2 ↖                      10.6 \*                      10.8 \*  
 beste Teiler 119.0 (10.) 254.1 (4.) 269.9 (9.)  
 Trefferlage 1.42 mm rechts, 0.41 mm tief  
 Streuwert 5.17, horizontal: 5.68, vertikal: 4.59



Serie 2:  
 10.1 →                      9.6 →                      10.7 \*                      9.9 ↗                      10.2 ↗  
 9.4 ↓                      9.6 ↘                      9.8 ↘                      10.7 \*                      9.9 ↘  
 beste Teiler 205.1 (19.) 233.5 (13.) 613.8 (15.)  
 Trefferlage 3.56 mm rechts, 0.32 mm tief  
 Streuwert 5.74, horizontal: 5.04, vertikal: 6.37




Serie 3:  
 10.4 \*                      10.2 ↖                      9.8 ↑                      10.4 \*                      10.3 \*  
 10.3 \*                      10.0 ↑                      9.8 →                      10.6 \*                      10.1 →  
 beste Teiler 273.4 (29.) 403.1 (24.) 451.0 (21.)  
 Trefferlage 1.87 mm rechts, 3.04 mm hoch  
 Streuwert 3.84, horizontal: 3.98, vertikal: 3.70




Serie 4:  
 10.1 →                      10.4 \*                      10.6 \*                      10.1 →                      10.6 \*  
 9.0 ↑                      9.7 ↖                      9.8 ↓                      10.3 ↓                      10.3 ↘  
 beste Teiler 304.5 (33.) 308.2 (35.) 436.4 (32.)  
 Trefferlage 0.15 mm links, 0.15 mm tief  
 Streuwert 5.80, horizontal: 4.58, vertikal: 6.81



Serie 5:  
 10.4 \*                      10.1 →                      10.6 \*                      10.7 \*                      10.3 \*  
 10.5 \*                      10.1 ←                      10.5 \*                      10.4 \*                      10.1 ←  
 beste Teiler 223.5 (44.) 262.9 (43.) 329.1 (48.)  
 Trefferlage 1.74 mm links, 1.20 mm tief  
 Streuwert 3.24, horizontal: 4.19, vertikal: 1.86



Serie 6:  
 9.9 ↓                      10.6 \*                      9.6 ↗                      10.9 \*                      10.3 \*  
 10.4 \*                      10.8 \*                      10.6 \*                      10.4 \*                      10.1 ↑  
 beste Teiler 35.1 (54.) 120.3 (57.) 250.6 (52.)  
 Trefferlage 0.34 mm rechts, 0.28 mm tief  
 Streuwert 4.13, horizontal: 3.21, vertikal: 4.87



**KK liegend** – Wertung – **Frauen**

StandNr: 27

**Waibel, Daniela** #1000000459

**StartNr: 42**

18. August 2018 12:58

V–SG Hohenems

---

\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik