





Ergebnis:	<b>579.7</b>	(553)
Serien:	95.1 100.8 95.9 97.1 93.6 97.2	
Zähler:	24 26 9 1 0 0 0 0 0	
Innenzehner:	15	
weiteste:	2687 (33), 2385 (57), 2295 (8)	
beste Teiler	196.3 (38.) 232.0 (9.) 256.6 (11.)	
Trefferlage	7.97 mm links, 0.47 mm hoch	
Streuwert	6.24, horizontal: 6.73, vertikal: 5.71	




Serie 1:	9.1 ↙	9.0 ↙	9.7 ↙	8.7 ↘	9.8 ↑
	10.1 ↑	9.6 ↑	8.1 ←	10.7 *	10.3 ←
beste Teiler	232.0 (9.)	536.5 (10.)	644.8 (6.)		
Trefferlage	7.09 mm links, 0.94 mm hoch				
Streuwert	8.05, horizontal: 7.37, vertikal: 8.68				




Serie 2:	10.6 *	10.0 ↓	10.4 *	10.6 *	9.8 ↙
	9.4 ←	10.3 ←	9.2 ←	10.4 *	10.1 ↓
beste Teiler	256.6 (11.)	287.1 (14.)	462.4 (13.)		
Trefferlage	3.14 mm links, 2.42 mm tief				
Streuwert	5.09, horizontal: 5.82, vertikal: 4.22				




Serie 3:	9.9 ←	9.2 ←	10.6 *	9.6 ←	8.5 ←
	9.7 ↘	10.6 *	8.9 ←	9.9 ↘	9.0 ↘
beste Teiler	285.2 (27.)	288.1 (23.)	850.6 (29.)		
Trefferlage	9.85 mm links, 2.69 mm hoch				
Streuwert	4.90, horizontal: 5.59, vertikal: 4.11				



Serie 4:	10.3 *	9.2 ←	7.6 ←	9.8 ↙	10.2 ←
	10.4 *	9.7 ↘	10.7 *	9.2 ↘	10.0 ↘
beste Teiler	196.3 (38.)	426.5 (36.)	496.9 (31.)		
Trefferlage	7.42 mm links, 0.70 mm hoch				
Streuwert	6.99, horizontal: 8.11, vertikal: 5.66				



Serie 5:	10.0 ←	8.7 ←	9.7 ←	8.9 ←	9.1 ←
	9.7 ←	8.4 ←	9.6 ←	9.1 ←	10.4 *
beste Teiler	436.9 (50.)	785.5 (41.)	1008.4 (46.)		
Trefferlage	12.04 mm links, 2.07 mm tief				
Streuwert	4.46, horizontal: 4.34, vertikal: 4.57				



Serie 6:	10.4 *	10.4 *	10.0 ↘	10.4 *	9.6 ↘
	10.4 *	8.0 ←	9.8 ↘	8.9 ↘	9.3 ←
beste Teiler	437.7 (52.)	439.1 (51.)	454.2 (56.)		
Trefferlage	8.28 mm links, 2.98 mm hoch				
Streuwert	5.72, horizontal: 6.62, vertikal: 4.66				

Meyton Elektronik

**ISSF Prone Men – Wertung – Frauen**

StandNr: 17

**Hackl., Anna** #1000000322

**StartNr: 10**

15. Juli 2018 9:35



SG\_Imst

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>623.1</b>	(597)			
Serien:	103.1	103.2	104.3	104.0	104.2 104.3
Zähler:	57	3	0	0	0 0 0 0 0
Innenzehner:	38				
weiteste:	994	(20), 943	(6), 833	(40)	
beste Teiler	48.0	(32.)	153.8	(45.)	165.2 (25.)
Trefferlage	0.28 mm links, 0.05 mm tief				
Streuwert	3.54, horizontal: 3.22, vertikal: 3.84				




Serie 1:	10.5 *	10.1 ↘	10.1 ↗	10.4 *	10.5 *
	9.8 ↓	10.3 ↘	10.3 *	10.6 *	10.5 *
beste Teiler	315.2 (9.) 326.9 (5.) 329.2 (10.)				
Trefferlage	0.79 mm links, 3.01 mm tief				
Streuwert	3.43, horizontal: 2.58, vertikal: 4.11				




Serie 2:	10.3 *	10.3 ↗	10.5 *	10.7 *	10.2 ↗
	10.2 ←	10.3 *	10.3 *	10.7 *	9.7 ↑
beste Teiler	173.0 (14.) 173.6 (19.) 331.7 (13.)				
Trefferlage	1.19 mm links, 2.26 mm hoch				
Streuwert	3.58, horizontal: 3.58, vertikal: 3.59				




Serie 3:	10.3 ↑	10.6 *	10.6 *	10.7 *	10.7 *
	10.4 *	10.2 ↖	10.0 ↑	10.4 *	10.4 *
beste Teiler	165.2 (25.) 210.1 (24.) 293.0 (22.)				
Trefferlage	0.76 mm rechts, 1.55 mm hoch				
Streuwert	3.10, horizontal: 2.87, vertikal: 3.30				



Serie 4:	10.2 ↗	10.9 *	10.7 *	10.2 ↓	10.4 *
	10.3 *	10.3 ↓	10.7 *	10.4 *	9.9 ←
beste Teiler	48.0 (32.) 199.4 (33.) 224.4 (38.)				
Trefferlage	1.45 mm links, 1.26 mm tief				
Streuwert	3.44, horizontal: 3.29, vertikal: 3.58				



Serie 5:	10.5 *	10.5 *	10.0 →	10.3 *	10.8 *
	10.7 *	10.5 *	10.0 ←	10.2 ↗	10.7 *
beste Teiler	153.8 (45.) 196.0 (50.) 226.9 (46.)				
Trefferlage	0.69 mm rechts, 1.10 mm hoch				
Streuwert	3.36, horizontal: 3.91, vertikal: 2.71				



Serie 6:	10.3 ↘	10.2 ↓	10.0 ↑	10.5 *	10.6 *
	10.4 *	10.7 *	10.6 *	10.7 *	10.3 →
beste Teiler	202.9 (57.) 213.7 (59.) 259.4 (55.)				
Trefferlage	0.29 mm rechts, 0.93 mm tief				
Streuwert	3.31, horizontal: 2.92, vertikal: 3.65				

Meyton Elektronik

**ISSF Prone Men – Wertung – Frauen**

StandNr: 19

**Ungerank,, Nadine** #1000000323

**StartNr: 12**

15. Juli 2018 9:37



SG\_Zell\_am\_Ziller

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **613.5** (589)  
 Serien: 101.7 102.0 103.3 101.7 101.7 103.1  
 Zähler: 49 11 0 0 0 0 0 0 0  
 Innenzehner: 25  
 weiteste: 1097 (7), 1056 (19), 967 (16)  
 beste Teiler 77.3 (30.) 93.8 (5.) 123.6 (27.)  
 Trefferlage 0.99 mm links, 1.06 mm tief  
 Streuwert 4.34, horizontal: 4.41, vertikal: 4.27




Serie 1:  
 9.9 ↙ 10.1 ↗ 10.3 ↗ 10.0 ↘ 10.8 \*  
 10.3 \* 9.6 ↖ 10.4 \* 10.1 → 10.2 ↗  
 beste Teiler 93.8 (5.) 470.5 (8.) 513.3 (6.)  
 Trefferlage 0.03 mm rechts, 1.47 mm hoch  
 Streuwert 4.91, horizontal: 4.98, vertikal: 4.84




Serie 2:  
 10.1 ↑ 10.4 \* 10.4 \* 10.5 \* 10.8 \*  
 9.7 ← 10.3 \* 10.3 ↘ 9.6 ↖ 9.9 ↗  
 beste Teiler 133.0 (15.) 340.2 (14.) 448.6 (13.)  
 Trefferlage 1.75 mm links, 0.92 mm hoch  
 Streuwert 4.69, horizontal: 5.07, vertikal: 4.29




Serie 3:  
 10.2 ↖ 10.0 ↖ 10.0 ↓ 10.0 ↓ 10.4 \*  
 10.0 → 10.8 \* 10.4 \* 10.6 \* 10.9 \*  
 beste Teiler 77.3 (30.) 123.6 (27.) 243.3 (29.)  
 Trefferlage 0.68 mm links, 1.16 mm tief  
 Streuwert 4.12, horizontal: 4.03, vertikal: 4.20



Serie 4:  
 10.2 ↘ 10.3 \* 9.8 ↙ 10.1 ↓ 10.5 \*  
 10.4 \* 10.3 → 9.8 ↓ 10.2 ↓ 10.1 ↘  
 beste Teiler 380.1 (35.) 411.0 (36.) 512.9 (32.)  
 Trefferlage 0.71 mm rechts, 4.39 mm tief  
 Streuwert 3.49, horizontal: 4.06, vertikal: 2.80



Serie 5:  
 10.1 ↙ 10.2 ↓ 10.1 ↙ 10.2 ↖ 10.4 \*  
 9.9 ← 10.5 \* 9.9 ↓ 10.5 \* 9.9 ↙  
 beste Teiler 349.5 (49.) 384.4 (47.) 416.8 (45.)  
 Trefferlage 3.03 mm links, 2.55 mm tief  
 Streuwert 3.79, horizontal: 3.29, vertikal: 4.23



Serie 6:  
 10.2 ↑ 10.3 \* 10.5 \* 10.7 \* 10.4 \*  
 9.8 ↘ 10.2 ↙ 10.4 \* 10.3 \* 10.3 →  
 beste Teiler 230.0 (54.) 378.5 (53.) 451.8 (58.)  
 Trefferlage 1.23 mm links, 0.69 mm tief  
 Streuwert 3.94, horizontal: 4.85, vertikal: 2.75

Meyton Elektronik

**ISSF Prone Men – Wertung – Frauen**

StandNr: 20

**Juen,, Anna** #1000000258

**StartNr: 13**

15. Juli 2018 9:54

SG\_Kappl

---

\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik

# ISSF Prone Men – Wertung – Frauen

StartNr: 14



StandNr: 21

15. Juli 2018 9:43


Hess,, Alexandra #1000000324

SG\_Jenbach–Buch


Ergebnis:	<b>589.5</b>	(560)
Serien:	95.1 98.9 97.4 100.3 100.1 97.7	
Zähler:	26 28 6 0 0 0 0 0 0 0	
Innenzehner:	17	
weiteste:	1990 (15), 1890 (27), 1751 (31)	
beste Teiler	91.5 (17.) 203.5 (37.) 223.2 (16.)	
Trefferlage	1.51 mm rechts, 0.42 mm hoch	
Streuwert	7.11, horizontal: 7.88, vertikal: 6.25	




Serie 1:	8.8 →	9.3 ↑	10.1 ↘	10.3 *	9.1 ←
	9.7 →	8.9 ↗	9.4 ↘	9.9 →	9.6 ↗
beste Teiler	510.8 (4.)	675.9 (3.)	808.5 (9.)		
Trefferlage	4.37 mm rechts, 3.23 mm hoch				
Streuwert	7.98, horizontal: 8.96, vertikal: 6.87				




Serie 2:	10.5 *	9.2 →	9.9 →	9.5 →	8.5 ↑
	10.7 *	10.8 *	10.0 →	9.9 ←	9.9 →
beste Teiler	91.5 (17.)	223.2 (16.)	329.5 (11.)		
Trefferlage	4.64 mm rechts, 1.13 mm hoch				
Streuwert	6.57, horizontal: 6.38, vertikal: 6.76				




Serie 3:	9.5 ↘	10.3 *	9.8 ↑	9.8 ↖	9.8 ↖
	10.3 *	8.6 ←	10.4 *	9.1 ↘	9.8 ↗
beste Teiler	474.2 (28.)	517.2 (26.)	529.3 (22.)		
Trefferlage	4.06 mm links, 2.40 mm hoch				
Streuwert	7.08, horizontal: 8.17, vertikal: 5.78				



Serie 4:	8.8 ↖	9.8 ↘	10.2 ↖	9.6 ↘	10.4 *
	10.3 *	10.7 *	10.3 *	10.5 *	9.7 ↙
beste Teiler	203.5 (37.)	397.6 (39.)	474.6 (35.)		
Trefferlage	3.91 mm links, 1.57 mm hoch				
Streuwert	5.65, horizontal: 5.87, vertikal: 5.41				



Serie 5:	9.2 ↓	10.2 →	10.7 *	9.7 ↘	9.8 ↑
	10.1 ↓	10.3 *	10.2 ↓	10.0 ↓	9.9 →
beste Teiler	227.2 (43.)	528.3 (47.)	598.3 (48.)		
Trefferlage	2.12 mm rechts, 3.06 mm tief				
Streuwert	5.42, horizontal: 4.34, vertikal: 6.32				



Serie 6:	9.3 ↘	10.6 *	9.2 →	10.4 *	10.2 →
	10.0 ←	9.7 ↘	8.8 ↘	10.4 *	9.1 →
beste Teiler	282.9 (52.)	440.1 (54.)	467.6 (59.)		
Trefferlage	5.94 mm rechts, 2.75 mm tief				
Streuwert	6.20, horizontal: 7.49, vertikal: 4.57				

Meyton Elektronik

**ISSF Prone Men – Wertung – Frauen**

StandNr: 21

**Hess,, Alexandra** #1000000324

**StartNr: 14**

15. Juli 2018 9:43

SG\_Jenbach–Buch

---

\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik



Ergebnis: **615.3** (591)

Serien: 102.5 103.2 102.3 100.9 103.5 102.9

Zähler: 51 9 0 0 0 0 0 0 0 0



Innenzehner: 28

weiteste: 1242 (27), 1174 (28), 1044 (8)

beste Teiler 41.2 (50.) 95.8 (7.) 101.4 (14.)

Trefferlage 0.22 mm rechts, 1.01 mm tief

Streuwert 4.35, horizontal: 4.30, vertikal: 4.39




Serie 1:

10.4 *	10.2 ↗	10.3 ↓	10.0 ↘	10.1 ↗
10.4 *	10.8 *	9.6 →	10.1 ↙	10.6 *

beste Teiler 95.8 (7.) 243.2 (10.) 434.4 (6.)

Trefferlage 0.60 mm links, 1.01 mm tief

Streuwert 4.50, horizontal: 4.54, vertikal: 4.46




Serie 2:

10.4 *	10.8 *	10.5 *	10.8 *	10.0 ↖
10.3 *	10.3 *	10.5 *	9.8 ↖	9.8 ↖

beste Teiler 101.4 (14.) 142.1 (12.) 332.1 (13.)

Trefferlage 1.52 mm links, 1.27 mm hoch

Streuwert 3.96, horizontal: 4.25, vertikal: 3.64




Serie 3:

10.0 ↙	10.4 *	10.5 *	10.7 *	10.5 *
10.4 *	9.4 ↓	9.5 ↓	10.2 ↘	10.7 *

beste Teiler 175.6 (24.) 231.0 (30.) 362.2 (25.)

Trefferlage 0.65 mm rechts, 3.18 mm tief

Streuwert 4.50, horizontal: 3.32, vertikal: 5.43




Serie 4:

10.2 ←	10.2 ←	10.0 →	10.0 ↘	10.1 ↓
10.1 ↖	10.2 ↙	10.2 ↑	10.1 ←	9.8 ↘

beste Teiler 563.2 (32.) 600.5 (38.) 608.4 (31.)

Trefferlage 1.14 mm links, 1.42 mm tief

Streuwert 5.06, horizontal: 6.00, vertikal: 3.91




Serie 5:

10.8 *	10.2 ↓	9.9 ↗	10.5 *	10.7 *
10.1 →	10.2 ↓	9.8 ↘	10.4 *	10.9 *

beste Teiler 41.2 (50.) 149.3 (41.) 189.6 (45.)

Trefferlage 1.92 mm rechts, 0.75 mm tief

Streuwert 3.80, horizontal: 3.03, vertikal: 4.44



Serie 6:

10.6 *	10.4 *	10.7 *	10.3 *	10.4 *
9.7 →	10.3 ↓	10.1 ↓	10.4 *	10.0 ↖

beste Teiler 214.3 (53.) 306.8 (51.) 412.0 (55.)

Trefferlage 2.03 mm rechts, 0.97 mm tief

Streuwert 3.92, horizontal: 3.62, vertikal: 4.21

**ISSF Prone Men – Wertung – Frauen**

StandNr: 22

**Hofmann,, Olivia** #1000000325

**StartNr: 15**

15. Juli 2018 9:49



SG\_Hötting-Ibk

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>627.9</b>	(599)
Serien:	104.4	105.3 104.5 104.8 104.6 104.3
Zähler:	59	1 0 0 0 0 0 0 0 0
Innenzehner:	45	
weiteste:	865	(56), 742 (40), 728 (42)
beste Teiler	47.4	(49.) 60.8 (37.) 72.0 (59.)
Trefferlage	0.06 mm	links, 0.70 mm hoch
Streuwert	3.06,	horizontal: 3.03, vertikal: 3.09




Serie 1:	10.2 ↘	10.4 *	10.2 ↑	10.7 *	10.4 *
	10.7 *	10.5 *	10.5 *	10.7 *	10.1 ←
beste Teiler	199.2	(6.) 213.9 (9.) 227.8 (4.)			
Trefferlage	0.04 mm	links, 0.31 mm hoch			
Streuwert	3.27,	horizontal: 3.82, vertikal: 2.60			




Serie 2:	10.2 ↑	10.8 *	10.4 *	10.8 *	10.6 *
	10.4 *	10.7 *	10.3 *	10.4 *	10.7 *
beste Teiler	116.3	(14.) 143.7 (12.) 233.7 (17.)			
Trefferlage	1.08 mm	links, 0.41 mm tief			
Streuwert	2.65,	horizontal: 2.58, vertikal: 2.72			




Serie 3:	10.7 *	10.7 *	10.3 *	10.8 *	10.4 *
	10.2 ↘	10.3 *	10.2 ↘	10.3 *	10.6 *
beste Teiler	150.3	(24.) 195.1 (21.) 201.8 (22.)			
Trefferlage	0.93 mm	links, 0.55 mm hoch			
Streuwert	3.11,	horizontal: 2.56, vertikal: 3.58			



Serie 4:	10.2 ↘	10.5 *	10.6 *	10.4 *	10.8 *
	10.7 *	10.9 *	10.6 *	10.1 ↑	10.0 ↗
beste Teiler	60.8	(37.) 122.4 (35.) 200.8 (36.)			
Trefferlage	0.04 mm	rechts, 1.71 mm hoch			
Streuwert	2.99,	horizontal: 3.05, vertikal: 2.94			



Serie 5:	10.7 *	10.0 ↘	10.2 →	10.4 *	10.3 ↓
	10.3 *	10.6 *	10.6 *	10.9 *	10.6 *
beste Teiler	47.4	(49.) 195.1 (41.) 271.2 (47.)			
Trefferlage	1.10 mm	rechts, 0.05 mm tief			
Streuwert	3.13,	horizontal: 3.23, vertikal: 3.04			



Serie 6:	10.8 *	10.4 *	10.2 ↑	10.2 →	10.3 *
	9.9 ↑	10.4 *	10.4 *	10.9 *	10.8 *
beste Teiler	72.0	(59.) 117.0 (51.) 158.3 (60.)			
Trefferlage	0.49 mm	rechts, 2.10 mm hoch			
Streuwert	3.26,	horizontal: 2.99, vertikal: 3.51			

Meyton Elektronik

**ISSF Prone Men – Wertung – Frauen**

StandNr: 23

**Peer,, Franziska** #1000000326

**StartNr: 16**

15. Juli 2018 9:34

SG\_Angerberg

---

\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik