




Ergebnis:	542	(568.0)				
Serien:	84	91	90	90	92	95
Zähler:	16	32	11	0	1	0 0 0 0 0
Innenzehner:	6					
weiteste:	3792 (10), 2390 (28), 2255 (3)					
beste Teiler	87.3 (32.) 228.0 (13.) 286.9 (41.)					
Trefferlage	0.88 mm rechts, 2.42 mm tief					
Streuwert	9.37, horizontal: 9.15, vertikal: 9.58					



Serie 1:

9.4 ←	9.5 ↙	8.1 ←	10.4 *	9.5 ←
9.2 ↙	8.6 ↙	8.7 ↓	8.7 ↑	6.2 ↗


beste Teiler 419.3 (4.) 1134.3 (2.) 1152.3 (5.)
 Trefferlage 4.98 mm links, 1.41 mm tief
 Streuwert 13.58, horizontal: 14.08, vertikal: 13.07



Serie 2:

8.7 ↙	9.7 →	10.7 *	10.2 ↘	9.2 ↓
9.0 →	9.3 ↓	10.0 ↘	9.9 ↑	8.9 →


beste Teiler 228.0 (13.) 574.9 (14.) 760.8 (18.)
 Trefferlage 2.25 mm rechts, 2.23 mm tief
 Streuwert 8.79, horizontal: 9.48, vertikal: 8.03



Serie 3:

10.4 *	8.7 ↓	9.4 ↗	10.4 *	9.6 ↘
9.2 ↘	9.6 ↓	8.0 ↘	9.6 →	9.5 ↘


beste Teiler 404.7 (21.) 456.6 (24.) 1044.0 (29.)
 Trefferlage 4.52 mm rechts, 4.24 mm tief
 Streuwert 8.77, horizontal: 8.05, vertikal: 9.42



Serie 4:

9.2 ↑	10.8 *	9.4 ↓	8.8 ↙	10.0 ↑
8.6 →	9.0 ↙	9.4 ↘	9.7 ↙	9.7 →


beste Teiler 87.3 (32.) 791.4 (35.) 1013.1 (40.)
 Trefferlage 0.60 mm rechts, 3.40 mm tief
 Streuwert 9.41, horizontal: 8.55, vertikal: 10.20



Serie 5:

10.6 *	9.8 ↘	9.1 ↓	9.6 ↗	9.0 ↑
9.9 ↘	9.3 ↘	9.8 ↓	9.9 ↓	10.2 ↘

beste Teiler 286.9 (41.) 570.6 (50.) 816.0 (49.)
 Trefferlage 1.52 mm rechts, 2.41 mm tief
 Streuwert 7.55, horizontal: 5.99, vertikal: 8.83



Serie 6:

10.1 ↗	9.8 ↙	10.2 ↘	9.3 ↘	9.7 ↑
8.3 ↓	10.1 ↘	10.1 ↗	10.3 ↓	10.0 ↗

beste Teiler 482.2 (59.) 563.5 (53.) 702.2 (51.)
 Trefferlage 1.35 mm rechts, 0.80 mm tief
 Streuwert 7.67, horizontal: 5.55, vertikal: 9.31

Meyton Elektronik

LP 60 – Wertung – **Frauen**

StandNr: 101

Antonevich,, Tanya #70425085

StartNr: 15



23. Februar 2019 11:16

SG_Wörgl / SG Wörgl 1


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **532** (557.9)
 Serien: 91 86 89 89 84 93
 Zähler: 15 29 10 5 1 0 0 0 0 0
 Innenzehner: 5
 weiteste: 3366 (46), 3012 (37), 3004 (32)
 beste Teiler 279.3 (22.) 311.5 (19.) 349.2 (54.)
 Trefferlage 0.29 mm rechts, 0.97 mm tief
 Streuwert 10.72, horizontal: 10.27, vertikal: 11.16




Serie 1:
 9.4 ↙ 9.9 ↖ 10.0 ↓ 9.8 ↘ 9.2 ↗
 9.6 ↗ 9.1 ← 8.9 ↙ 10.1 ↑ 9.5 ↗
 beste Teiler 696.2 (9.) 766.2 (3.) 814.8 (2.)
 Trefferlage 1.03 mm links, 1.59 mm tief
 Streuwert 8.53, horizontal: 8.68, vertikal: 8.37




Serie 2:
 8.9 ↗ 7.8 ↓ 9.3 ↖ 8.3 ↓ 9.7 ←
 8.3 → 9.8 ↓ 10.3 ↗ 10.6 * 8.5 ↗
 beste Teiler 311.5 (19.) 492.1 (18.) 887.6 (17.)
 Trefferlage 2.20 mm rechts, 2.85 mm tief
 Streuwert 11.79, horizontal: 10.84, vertikal: 12.68




Serie 3:
 10.2 ↗ 10.6 * 9.3 ↖ 9.3 ↙ 9.8 ↓
 9.6 ↖ 7.6 ↗ 9.2 ↑ 8.6 ↗ 9.4 ↘
 beste Teiler 279.3 (22.) 620.6 (21.) 929.6 (25.)
 Trefferlage 0.87 mm rechts, 0.47 mm hoch
 Streuwert 10.57, horizontal: 10.60, vertikal: 10.54




Serie 4:
 9.3 ↑ 7.2 ↗ 10.3 ↓ 10.1 ↓ 10.3 ↗
 7.8 ← 7.2 ↘ 9.7 ↖ 10.2 → 10.3 ↘
 beste Teiler 497.8 (40.) 524.6 (33.) 531.4 (35.)
 Trefferlage 1.35 mm links, 4.96 mm hoch
 Streuwert 12.07, horizontal: 12.51, vertikal: 11.62



Serie 5:
 8.9 ↙ 9.1 ↘ 9.7 ↙ 9.0 → 9.2 ↗
 6.7 ↓ 8.1 ↙ 9.6 ↓ 8.5 → 9.8 ↓
 beste Teiler 920.1 (50.) 993.7 (43.) 1061.0 (48.)
 Trefferlage 1.60 mm rechts, 8.42 mm tief
 Streuwert 11.91, horizontal: 12.30, vertikal: 11.51



Serie 6:
 10.2 ↘ 9.5 → 9.0 ↗ 10.5 * 10.4 *
 9.1 ↖ 9.3 ↓ 9.7 ↙ 10.4 * 8.2 ↑
 beste Teiler 349.2 (54.) 415.9 (59.) 428.7 (55.)
 Trefferlage 0.52 mm links, 1.60 mm hoch
 Streuwert 8.89, horizontal: 8.13, vertikal: 9.59



LP 60 – Wertung – **Frauen**

StandNr: 102

Blum,, Verena #70512017

StartNr: 16



23. Februar 2019 11:12

SG_See / SG See 1


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **516** (537.5)
 Serien: 85 83 89 88 83 88
 Zähler: 11 24 18 5 1 1 0 0 0 0
 Innenzehner: 2
 weiteste: 4062 (20), 3288 (30), 3110 (4)
 beste Teiler 303.5 (52.) 432.1 (59.) 478.2 (28.)
 Trefferlage 6.59 mm links, 0.64 mm hoch
 Streuwert 11.70, horizontal: 10.58, vertikal: 12.72




Serie 1:
 9.1 ↑ 9.1 ← 8.5 ↓ 7.1 ↙ 9.7 ↘
 9.3 ↑ 8.5 ← 9.5 ↓ 9.2 ↗ 8.0 →
 beste Teiler 1038.0 (5.) 1137.0 (8.) 1358.6 (6.)
 Trefferlage 2.41 mm links, 0.54 mm tief
 Streuwert 13.45, horizontal: 14.04, vertikal: 12.84




Serie 2:
 9.9 ← 9.2 ↓ 8.1 ↓ 9.1 ↑ 8.3 ←
 9.1 ↘ 10.2 ↓ 8.1 ← 8.5 ← 5.9 ↘
 beste Teiler 601.3 (17.) 816.9 (11.) 1402.7 (12.)
 Trefferlage 8.97 mm links, 0.07 mm hoch
 Streuwert 13.80, horizontal: 11.17, vertikal: 16.00




Serie 3:
 10.1 ↙ 8.3 ↙ 8.3 ↗ 10.3 ↓ 9.0 ↘
 9.3 ↙ 9.5 ↙ 10.4 ↑ 10.1 ↓ 6.8 ↙
 beste Teiler 478.2 (28.) 534.0 (24.) 684.8 (21.)
 Trefferlage 5.05 mm links, 4.43 mm tief
 Streuwert 11.10, horizontal: 8.83, vertikal: 12.98



Serie 4:
 9.0 ← 9.6 ↘ 9.0 ↗ 9.5 ↘ 10.2 →
 7.1 ← 8.4 ↑ 8.1 ↓ 10.0 ↙ 9.3 ←
 beste Teiler 619.8 (35.) 741.6 (39.) 1068.3 (32.)
 Trefferlage 4.71 mm links, 0.64 mm hoch
 Streuwert 12.16, horizontal: 12.85, vertikal: 11.42



Serie 5:
 9.3 ← 10.0 ↘ 8.9 ← 7.8 ↘ 9.7 ←
 8.2 ↘ 8.9 ↑ 7.7 ↙ 8.2 ↘ 9.6 ←
 beste Teiler 722.5 (42.) 978.6 (45.) 1079.9 (50.)
 Trefferlage 12.37 mm links, 2.83 mm hoch
 Streuwert 9.56, horizontal: 7.96, vertikal: 10.93



Serie 6:
 8.8 ← 10.6 * 7.2 ↑ 10.1 ← 9.0 ↘
 8.9 ↑ 9.4 ↙ 9.5 ↓ 10.4 * 8.6 ↑
 beste Teiler 303.5 (52.) 432.1 (59.) 646.0 (54.)
 Trefferlage 6.05 mm links, 5.31 mm hoch
 Streuwert 9.94, horizontal: 6.03, vertikal: 12.69

Meyton Elektronik

LP 60 – Wertung – **Frauen**

StandNr: 103

Zuran, Claudia #70811099

StartNr: 17



23. Februar 2019 11:34

SG_Schwaz

Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	525	(551.3)				
Serien:	89	84	90	91	85	86
Zähler:	11	27	18	4	0	0
Innenzehner:	4					
weiteste:	3104 (47), 2878 (44), 2591 (41)					
beste Teiler	120.0 (6.) 368.6 (23.) 407.4 (43.)					
Trefferlage	2.13 mm links, 3.90 mm tief					
Streuwert	10.46, horizontal: 11.23, vertikal: 9.63					



Serie 1:

10.1 ↙	9.4 ↘	9.3 ↙	9.1 ↗	9.6 ↗
10.8 *	8.9 ↙	9.0 →	8.3 ↑	8.7 ↙


beste Teiler 120.0 (6.) 690.6 (1.) 1096.3 (5.)
 Trefferlage 1.31 mm links, 0.67 mm hoch
 Streuwert 10.49, horizontal: 10.24, vertikal: 10.73



Serie 2:

10.0 ↙	8.8 ↘	9.5 ↙	9.3 ↓	8.9 ↗
8.6 ←	9.0 ↙	8.7 ↘	7.8 ↗	8.6 ↙


beste Teiler 749.6 (11.) 1148.3 (13.) 1354.4 (14.)
 Trefferlage 0.51 mm rechts, 3.24 mm tief
 Streuwert 12.38, horizontal: 13.79, vertikal: 10.78



Serie 3:

9.7 ↙	8.8 ↘	10.5 *	9.7 ↙	9.5 ↘
10.2 ↑	9.3 ↙	9.4 →	8.7 ↙	9.7 ↑


beste Teiler 368.6 (23.) 575.6 (26.) 980.4 (30.)
 Trefferlage 1.33 mm links, 1.97 mm tief
 Streuwert 8.76, horizontal: 10.10, vertikal: 7.17



Serie 4:

9.0 ←	9.2 ↓	9.2 ↙	8.8 ↘	10.4 *
9.7 ↓	10.0 ↙	8.8 ↘	10.0 ↓	9.9 ↘


beste Teiler 407.9 (35.) 761.4 (39.) 800.0 (37.)
 Trefferlage 3.20 mm links, 4.18 mm tief
 Streuwert 8.53, horizontal: 9.73, vertikal: 7.12



Serie 5:

7.7 ↓	8.4 ↗	10.4 *	7.4 ←	9.6 ←
10.0 ↙	7.1 ←	9.2 ↙	10.1 ↙	8.7 ↓

beste Teiler 407.4 (43.) 696.4 (49.) 740.9 (46.)
 Trefferlage 7.15 mm links, 6.51 mm tief
 Streuwert 12.25, horizontal: 14.44, vertikal: 9.57



Serie 6:

8.1 ↙	9.0 →	9.5 ↑	9.3 ↓	9.6 ↑
8.8 ↙	8.7 ↙	9.1 ↓	9.0 ↓	8.7 ↓

beste Teiler 1078.3 (55.) 1159.4 (53.) 1306.7 (54.)
 Trefferlage 0.30 mm links, 8.18 mm tief
 Streuwert 10.25, horizontal: 9.14, vertikal: 11.25

Meyton Elektronik

LP 60 – Wertung – **Frauen**

StandNr: 104

Holznecht,, Anja #70223006

StartNr: 18



23. Februar 2019 11:29

PSV Innsbruck


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **526** (551.9)
 Serien: 87 85 84 91 90 89
 Zähler: 14 26 14 4 2 0 0 0 0 0
 Innenzehner: 5
 weiteste: 3427 (24), 3377 (56), 3017 (46)
 beste Teiler 80.6 (32.) 240.1 (48.) 323.3 (10.)
 Trefferlage 1.54 mm rechts, 4.85 mm hoch
 Streuwert 10.75, horizontal: 11.22, vertikal: 10.25




Serie 1:
 8.1 ← 8.8 → 9.8 ↖ 9.5 ↙ 9.2 ↗
 9.1 ↘ 9.4 ← 8.9 ← 8.9 ↖ 10.5 *
 beste Teiler 323.3 (10.) 907.9 (3.) 1152.5 (4.)
 Trefferlage 6.37 mm links, 3.54 mm hoch
 Streuwert 9.56, horizontal: 12.12, vertikal: 6.00




Serie 2:
 7.9 ↗ 9.2 ↑ 8.0 ↖ 9.5 ↘ 9.7 ↘
 8.6 ↗ 8.2 ↑ 9.4 ↗ 10.1 ↘ 8.1 ↗
 beste Teiler 710.0 (19.) 996.3 (15.) 1191.1 (14.)
 Trefferlage 6.73 mm rechts, 11.43 mm hoch
 Streuwert 8.84, horizontal: 9.68, vertikal: 7.92




Serie 3:
 9.8 ↑ 9.6 ↖ 8.9 ↗ 6.7 ↗ 9.6 ↓
 10.1 ↗ 9.8 ← 8.2 ↘ 8.5 ↓ 8.9 ←
 beste Teiler 670.7 (26.) 892.9 (27.) 910.1 (21.)
 Trefferlage 3.67 mm rechts, 1.96 mm hoch
 Streuwert 12.62, horizontal: 11.62, vertikal: 13.54




Serie 4:
 7.9 ← 10.9 * 10.2 ↗ 9.0 ↙ 9.7 ↖
 9.0 ↘ 8.3 ↗ 10.5 * 9.1 → 10.0 ↓
 beste Teiler 80.6 (32.) 346.5 (38.) 639.0 (33.)
 Trefferlage 2.54 mm links, 0.21 mm hoch
 Streuwert 10.32, horizontal: 12.87, vertikal: 6.89



Serie 5:
 10.3 ↑ 9.2 ↘ 9.5 → 7.7 ↗ 9.4 ←
 7.2 ↗ 9.6 ↑ 10.7 * 10.2 ↗ 10.0 ↗
 beste Teiler 240.1 (48.) 560.5 (41.) 593.7 (49.)
 Trefferlage 5.54 mm rechts, 5.51 mm hoch
 Streuwert 9.72, horizontal: 9.32, vertikal: 10.11



Serie 6:
 9.0 ↗ 9.4 ↘ 9.0 → 9.6 ↑ 10.5 *
 6.7 ↑ 10.2 ↗ 10.3 ↓ 9.0 ↑ 8.8 ↙
 beste Teiler 364.4 (55.) 497.6 (58.) 623.0 (57.)
 Trefferlage 2.23 mm rechts, 6.48 mm hoch
 Streuwert 10.65, horizontal: 7.51, vertikal: 13.05



LP 60 – Wertung – **Frauen**

StandNr: 105

Seifert,, Petra #70507032

StartNr: 19



23. Februar 2019 11:15

SG_Nauders

Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	541	(570.0)				
Serien:	90	90	91	92	87	91
Zähler:	18	28	11	3	0	0
Innenzehner:	8					
weiteste:	2916 (28), 2652 (41), 2637 (3)					
beste Teiler	64.4 (6.) 130.7 (2.) 247.7 (24.)					
Trefferlage	2.80 mm rechts, 3.83 mm tief					
Streuwert	8.82, horizontal: 8.16, vertikal: 9.43					



Serie 1:

10.1 ←	10.8 *	7.7 ↖	9.8 ↓	8.6 →
10.9 *	8.8 ↓	10.6 *	9.2 ↓	9.8 ↙


beste Teiler 64.4 (6.) 130.7 (2.) 312.0 (8.)
 Trefferlage 0.96 mm links, 2.91 mm tief
 Streuwert 9.68, horizontal: 8.18, vertikal: 10.97



Serie 2:

9.2 ↓	9.4 ←	8.0 →	10.0 ↓	9.9 ↑
9.3 ↓	9.7 ←	9.8 ↘	9.1 ←	9.0 →


beste Teiler 758.9 (14.) 866.1 (15.) 952.7 (18.)
 Trefferlage 1.21 mm rechts, 4.46 mm tief
 Streuwert 9.72, horizontal: 11.75, vertikal: 7.13



Serie 3:

8.9 ↓	9.7 ↖	10.0 ↗	10.6 *	9.6 ↗
9.5 →	10.2 ↘	7.3 ↓	9.3 →	10.1 →


beste Teiler 247.7 (24.) 594.3 (27.) 651.1 (30.)
 Trefferlage 5.32 mm rechts, 3.17 mm tief
 Streuwert 8.79, horizontal: 6.87, vertikal: 10.36



Serie 4:

9.8 ↑	9.3 ↓	10.4 *	10.0 ↓	8.9 ↗
10.3 ↙	8.9 ↘	10.3 ↘	9.2 ↓	9.9 ↘


beste Teiler 455.3 (33.) 484.9 (36.) 514.3 (38.)
 Trefferlage 3.32 mm rechts, 4.78 mm tief
 Streuwert 6.87, horizontal: 5.05, vertikal: 8.30



Serie 5:

7.6 ↙	9.9 ↑	9.8 ↘	9.9 ↘	9.0 ↓
8.5 →	10.4 *	8.3 ↑	9.3 ↓	9.7 ↓

beste Teiler 446.7 (47.) 831.0 (44.) 848.0 (42.)
 Trefferlage 3.44 mm rechts, 4.44 mm tief
 Streuwert 10.52, horizontal: 7.69, vertikal: 12.74



Serie 6:

8.8 ↓	10.6 *	9.8 ↑	10.0 →	9.9 ↓
8.6 →	10.0 ↑	9.1 ↘	8.4 ↙	10.5 *

beste Teiler 256.0 (52.) 352.7 (60.) 745.7 (57.)
 Trefferlage 4.47 mm rechts, 3.23 mm tief
 Streuwert 8.38, horizontal: 8.40, vertikal: 8.37

Meyton Elektronik

LP 60 – Wertung – **Frauen**

StandNr: 107

Plattner,, Kathrin #70208020

StartNr: 21



23. Februar 2019 11:34

SG_Hall

Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	538	(566.0)				
Serien:	93	89	83	93	90	90
Zähler:	23	15	19	3	0	0
Innenzehner:	6					
weiteste:	2834 (46), 2636 (9), 2439 (27)					
beste Teiler	123.7 (49.) 182.4 (10.) 225.2 (55.)					
Trefferlage	1.49 mm links, 5.40 mm tief					
Streuwert	9.15, horizontal: 9.99, vertikal: 8.22					



Serie 1:

10.1 ↙	10.1 ↗	9.8 ↙	9.6 ←	9.1 ↙
10.2 ↙	10.2 ↘	9.8 ←	7.7 ←	10.7 *


beste Teiler 182.4 (10.) 575.0 (6.) 577.7 (7.)
 Trefferlage 7.07 mm links, 2.02 mm tief
 Streuwert 6.74, horizontal: 8.37, vertikal: 4.57



Serie 2:

10.1 ↙	10.1 ↘	10.5 *	8.0 ↙	8.6 →
9.6 →	8.7 ↙	10.1 ↙	8.9 ←	8.0 ↘


beste Teiler 360.5 (13.) 655.5 (18.) 663.6 (12.)
 Trefferlage 0.75 mm links, 5.56 mm tief
 Streuwert 10.67, horizontal: 11.85, vertikal: 9.33



Serie 3:

9.1 ↘	8.2 ↓	8.7 ↓	9.8 ↓	8.7 ↓
9.8 ↓	7.9 →	9.9 ↗	8.7 ↓	8.7 ↓


beste Teiler 844.3 (28.) 884.0 (26.) 912.1 (24.)
 Trefferlage 3.25 mm rechts, 11.16 mm tief
 Streuwert 9.05, horizontal: 8.08, vertikal: 9.92



Serie 4:

9.9 ↘	9.1 ↘	10.3 ↘	10.0 ↙	8.9 ↙
10.2 ↘	10.2 ↙	10.4 *	9.5 →	8.8 ↘


beste Teiler 443.2 (38.) 526.1 (33.) 577.7 (37.)
 Trefferlage 3.30 mm rechts, 5.72 mm tief
 Streuwert 6.32, horizontal: 6.55, vertikal: 6.08



Serie 5:

8.1 ↘	10.3 →	10.3 ↘	10.0 ↘	8.6 ↙
7.4 ↙	10.1 →	9.6 ↘	10.8 *	8.3 ↙

beste Teiler 123.7 (49.) 496.1 (42.) 548.1 (43.)
 Trefferlage 3.77 mm links, 4.70 mm tief
 Streuwert 10.68, horizontal: 11.17, vertikal: 10.17



Serie 6:

10.6 *	9.5 ↙	8.6 ←	8.9 ←	10.7 *
10.3 ↘	9.9 →	8.9 →	8.4 ↓	10.0 ←

beste Teiler 225.2 (55.) 290.4 (51.) 557.2 (56.)
 Trefferlage 3.91 mm links, 3.24 mm tief
 Streuwert 8.74, horizontal: 10.60, vertikal: 6.36

Meyton Elektronik

LP 60 – Wertung – **Frauen**

StandNr: 108

Kiermaier,, Petra #70408013

StartNr: 22



23. Februar 2019 11:46

SG_Erl


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **484** (512.4)
 Serien: 90 82 78 71 80 83
 Zähler: 9 19 16 9 3 2 1 0 0 0
 Innenzehner: 4
 weiteste: 8035 (36), 4828 (44), 4770 (17)
 beste Teiler 223.1 (3.) 259.0 (16.) 297.5 (8.)
 Trefferlage 7.45 mm rechts, 6.95 mm hoch
 Streuwert 14.98, horizontal: 14.78, vertikal: 15.17




Serie 1:
 9.5 ↘ 10.3 → 10.7 * 10.1 ↖ 9.9 ←
 9.4 ↑ 9.4 ↙ 10.6 * 8.5 ↘ 6.0 →
 beste Teiler 223.1 (3.) 297.5 (8.) 500.7 (2.)
 Trefferlage 5.29 mm rechts, 1.82 mm tief
 Streuwert 11.07, horizontal: 14.01, vertikal: 6.98




Serie 2:
 7.3 → 8.7 ↗ 10.3 → 8.6 ↖ 9.8 ↘
 10.6 * 5.0 ↗ 7.6 ↖ 8.5 ↑ 10.3 ↗
 beste Teiler 259.0 (16.) 489.4 (20.) 541.4 (13.)
 Trefferlage 6.59 mm rechts, 9.73 mm hoch
 Streuwert 14.19, horizontal: 14.61, vertikal: 13.75




Serie 3:
 5.4 ↗ 9.5 → 7.9 ↓ 7.5 ↑ 8.0 ↖
 8.6 ↘ 8.8 ↗ 9.1 ← 8.7 → 9.8 ↖
 beste Teiler 944.7 (30.) 1193.5 (22.) 1449.8 (28.)
 Trefferlage 7.85 mm rechts, 6.16 mm hoch
 Streuwert 15.41, horizontal: 14.89, vertikal: 15.91




Serie 4:
 7.1 ↖ 8.5 ↘ 8.7 ↗ 6.6 ↑ 8.0 ↖
 0.0 ↗ 9.3 ↓ 9.3 ↗ 7.5 ↗ 9.5 ↗
 beste Teiler 1156.8 (40.) 1281.3 (38.) 1299.3 (37.)
 Trefferlage 10.09 mm rechts, 14.43 mm hoch
 Streuwert 21.09, horizontal: 21.74, vertikal: 20.42



Serie 5:
 9.8 ↘ 9.7 ↘ 9.5 ↓ 4.9 ↑ 8.4 ↗
 10.2 ↑ 7.1 ↗ 9.3 → 8.9 ↖ 7.5 ↖
 beste Teiler 579.8 (46.) 949.5 (41.) 995.6 (42.)
 Trefferlage 4.01 mm rechts, 9.96 mm hoch
 Streuwert 15.09, horizontal: 10.48, vertikal: 18.59



Serie 6:
 8.5 → 9.9 ↑ 9.2 ↘ 8.5 → 9.1 ↖
 9.3 ↘ 8.4 → 10.6 * 7.9 → 6.8 ↗
 beste Teiler 310.0 (58.) 803.8 (52.) 1287.6 (56.)
 Trefferlage 10.87 mm rechts, 3.24 mm hoch
 Streuwert 11.19, horizontal: 13.33, vertikal: 8.52



LP 60 – Wertung – **Frauen**

StandNr: 109

Kreisser,, Christine #70402038

StartNr: 23



23. Februar 2019 11:30

SG_Bad-Häring

Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	510	(538.4)				
Serien:	82	88	88	82	85	85
Zähler:	13	17	20	8	1	1
Innenzehner:	4					
weiteste:	4146 (2), 3465 (39), 3097 (60)					
beste Teiler	110.1 (17.) 208.6 (23.) 337.2 (54.)					
Trefferlage	1.45 mm links, 3.77 mm tief					
Streuwert	12.42, horizontal: 12.40, vertikal: 12.45					



Serie 1:

9.7 ↗	5.8 ↘	9.3 ↗	8.7 ↙	9.6 ↗
9.4 ↖	8.4 ↖	10.0 ↓	8.2 ↑	7.7 ↓


beste Teiler 771.5 (8.) 1028.4 (1.) 1109.0 (5.)
 Trefferlage 4.42 mm links, 3.11 mm hoch
 Streuwert 14.82, horizontal: 11.32, vertikal: 17.63



Serie 2:

9.8 ↘	9.6 →	8.8 ↖	9.1 ↓	10.3 ↗
9.3 ↓	10.8 *	8.6 ↗	8.7 ←	8.8 ↙


beste Teiler 110.1 (17.) 493.0 (15.) 923.9 (11.)
 Trefferlage 4.71 mm links, 3.88 mm tief
 Streuwert 9.07, horizontal: 9.52, vertikal: 8.60



Serie 3:

9.9 ↓	9.3 ↘	10.7 *	10.0 ↑	9.6 ↗
10.1 ←	9.6 ↑	8.3 ↗	7.2 →	7.8 ←


beste Teiler 208.6 (23.) 671.8 (26.) 784.8 (24.)
 Trefferlage 0.43 mm rechts, 1.72 mm tief
 Streuwert 11.85, horizontal: 14.22, vertikal: 8.87



Serie 4:

9.1 →	10.1 ←	9.8 →	8.3 ↓	8.5 ↓
7.7 ↓	8.3 ↘	9.7 ←	6.6 →	8.8 ←


beste Teiler 685.5 (32.) 932.5 (33.) 1011.5 (38.)
 Trefferlage 1.94 mm rechts, 4.38 mm tief
 Streuwert 14.33, horizontal: 15.71, vertikal: 12.80



Serie 5:

10.0 ↓	7.3 ↙	8.6 ↗	9.9 ↙	7.6 →
10.2 ↗	8.8 ←	8.6 ↓	8.0 ↓	10.0 ←

beste Teiler 611.8 (46.) 752.9 (50.) 785.1 (41.)
 Trefferlage 1.11 mm links, 4.57 mm tief
 Streuwert 13.11, horizontal: 13.89, vertikal: 12.29



Serie 6:

8.9 ↘	10.0 ↗	10.4 *	10.5 *	8.4 ↓
8.5 →	7.8 ↙	8.6 ↙	9.2 ↓	7.1 ↙

beste Teiler 337.2 (54.) 467.4 (53.) 725.1 (52.)
 Trefferlage 0.83 mm links, 11.19 mm tief
 Streuwert 10.64, horizontal: 10.40, vertikal: 10.87

Meyton Elektronik

LP 60 – Wertung – **Frauen**

StandNr: 110

Menninger,, Astrid #70203023

StartNr: 24

23. Februar 2019 11:44

SG_ASG-Ibk

Unterschrift des Schützen

Meyton Elektronik