





Ergebnis:	<b>372</b>	(390.3)
Serien:	92 97 92 91	
Zähler:	18 19 1 1 1 0 0 0 0 0	
Innenzehner:	10	
weiteste:	3442 (32), 2419 (28), 1835 (1)	
beste Teiler	145.3 (40.) 210.3 (20.) 357.0 (22.)	
Trefferlage	0.35 mm links, 3.12 mm hoch	
Streuwert	7.79, horizontal: 9.09, vertikal: 6.22	




Serie 1:	8.7 ↑	10.3 →	9.6 ↑	10.3 *	9.7 ←
	9.9 →	9.4 ↗	9.3 ↘	10.3 ↘	9.3 ↗
beste Teiler	493.7 (4.) 533.5 (2.) 547.7 (9.)				
Trefferlage	0.84 mm rechts, 6.99 mm hoch				
Streuwert	6.31, horizontal: 6.96, vertikal: 5.59				



Serie 2:	10.5 *	9.7 ↑	9.9 ←	10.0 →	10.5 *
	10.0 →	10.2 ↓	9.5 ↗	10.0 ↘	10.7 *
beste Teiler	210.3 (20.) 372.9 (11.) 391.0 (15.)				
Trefferlage	1.22 mm rechts, 0.51 mm hoch				
Streuwert	5.52, horizontal: 6.07, vertikal: 4.91				





Serie 3:	9.9 ↖	10.5 *	9.9 ↘	9.5 ↙	10.3 *
	9.0 ↗	9.3 ↑	7.9 ←	10.1 →	10.3 *
beste Teiler	357.0 (22.) 489.8 (25.) 502.8 (30.)				
Trefferlage	2.10 mm links, 1.13 mm hoch				
Streuwert	8.54, horizontal: 9.71, vertikal: 7.19				




Serie 4:	9.8 ↘	6.6 ↖	10.3 *	10.0 →	9.9 ↑
	10.5 *	9.3 ↘	9.0 →	9.6 →	10.8 *
beste Teiler	145.3 (40.) 392.7 (36.) 481.5 (33.)				
Trefferlage	1.40 mm links, 3.84 mm hoch				
Streuwert	10.02, horizontal: 13.01, vertikal: 5.62				

Unterschrift des Schützen


Ergebnis:	<b>373</b>	(390.7)
Serien:	91 92 95 95	
Zähler:	17 19 4 0 0 0 0 0 0 0	
Innenzehner:	7	
weiteste:	1997 (9), 1946 (15), 1796 (3)	
beste Teiler	211.4 (27.) 327.0 (39.) 339.3 (22.)	
Trefferlage	2.55 mm rechts, 2.62 mm hoch	
Streuwert	7.09, horizontal: 8.43, vertikal: 5.44	




Serie 1:	9.5 ↘	9.4 ↗	8.7 ↘	9.7 ↘	10.1 ↘
	9.8 →	9.2 ↗	10.3 ↗	8.5 →	10.5 *
beste Teiler	365.0 (10.)	551.3 (8.)	689.6 (5.)		
Trefferlage	1.26 mm rechts, 5.25 mm hoch				
Streuwert	8.10, horizontal: 10.59, vertikal: 4.37				



Serie 2:	10.1 ↖	9.2 ↖	9.9 ↑	9.2 →	8.5 ←
	8.9 →	10.5 *	10.0 →	10.4 *	9.6 ↗
beste Teiler	340.2 (17.)	411.6 (19.)	707.4 (11.)		
Trefferlage	1.53 mm rechts, 3.20 mm hoch				
Streuwert	8.33, horizontal: 10.62, vertikal: 5.10				





Serie 3:	10.3 ↘	10.5 *	9.5 ↗	9.8 →	9.5 ↗
	10.2 ↑	10.7 *	9.6 ↘	10.2 ↙	9.6 ↖
beste Teiler	211.4 (27.)	339.3 (22.)	557.7 (21.)		
Trefferlage	1.32 mm rechts, 1.68 mm hoch				
Streuwert	6.22, horizontal: 6.52, vertikal: 5.90				




Serie 4:	10.1 ↗	10.4 *	10.1 ↓	9.4 ↗	9.7 →
	10.0 ↓	9.9 →	9.7 →	10.5 *	9.0 ↘
beste Teiler	327.0 (39.)	452.9 (32.)	689.4 (31.)		
Trefferlage	6.08 mm rechts, 0.34 mm hoch				
Streuwert	5.27, horizontal: 4.70, vertikal: 5.79				

Unterschrift des Schützen


Ergebnis:	<b>377</b>	(395.6)
Serien:	94 93 94 96	
Zähler:	18 21 1 0 0 0 0 0 0 0	
Innenzehner:	11	
weiteste:	1865 (6), 1453 (27), 1377 (3)	
beste Teiler	134.8 (8.) 258.3 (5.) 263.4 (39.)	
Trefferlage	1.83 mm links, 1.01 mm tief	
Streuwert	6.47, horizontal: 5.92, vertikal: 6.98	




Serie 1:	9.2 ↘	9.7 ↘	9.2 ↗	10.4 *	10.6 *
	8.6 ↙	9.3 ↓	10.8 *	10.5 *	10.1 ↖
beste Teiler	134.8 (8.)	258.3 (5.)	388.3 (9.)		
Trefferlage	1.25 mm links, 5.45 mm tief				
Streuwert	6.58, horizontal: 6.68, vertikal: 6.47				



Serie 2:	9.5 ↘	9.5 ↓	9.9 ↗	9.4 ↑	10.4 *
	10.1 ↖	9.9 →	9.6 ↘	10.0 ↘	9.9 ↙
beste Teiler	430.4 (15.)	675.5 (16.)	746.3 (19.)		
Trefferlage	0.35 mm links, 0.81 mm tief				
Streuwert	6.93, horizontal: 5.74, vertikal: 7.95				





Serie 3:	10.0 ↑	10.1 ↗	9.9 ←	9.7 ↖	9.8 ↗
	9.6 ↖	9.1 ←	10.4 *	9.4 ←	10.3 *
beste Teiler	477.6 (28.)	525.6 (30.)	665.2 (22.)		
Trefferlage	4.19 mm links, 2.78 mm hoch				
Streuwert	5.81, horizontal: 6.92, vertikal: 4.42				



Serie 4:	9.6 ↙	10.2 ↘	9.7 ↗	10.3 *	10.6 *
	10.2 ↘	9.9 ↘	10.3 *	10.6 *	9.3 ↓
beste Teiler	263.4 (39.)	271.1 (35.)	504.8 (38.)		
Trefferlage	1.51 mm links, 0.56 mm tief				
Streuwert	5.72, horizontal: 4.15, vertikal: 6.94				


Unterschrift des Schützen

Ergebnis:	<b>371</b>	(389.8)			
Serien:	96	94	91	90	
Zähler:	17	17	6	0	0 0 0 0 0 0
Innenzehner:	8				
weiteste:	1964 (33), 1911 (36), 1823 (37)				
beste Teiler	149.2 (11.) 161.4 (32.) 261.1 (38.)				
Trefferlage	0.27 mm rechts, 0.06 mm hoch				
Streuwert	7.81, horizontal: 8.83, vertikal: 6.62				




Serie 1:

9.3 ←	10.0 ↘	9.7 ↓	9.0 ↗	10.3 *
10.1 ↖	10.5 *	10.3 ←	9.6 ↖	10.5 *
beste Teiler	347.1 (10.) 384.7 (7.) 500.0 (5.)			
Trefferlage	2.63 mm links, 1.75 mm hoch			
Streuwert	6.49, horizontal: 6.02, vertikal: 6.93			




Serie 2:

10.8 *	9.3 ↓	10.0 ↑	9.7 ↘	8.7 ↘
10.6 *	10.1 ←	10.0 ↖	10.1 →	8.8 ↘
beste Teiler	149.2 (11.) 312.0 (16.) 648.9 (17.)			
Trefferlage	2.82 mm rechts, 2.38 mm tief			
Streuwert	7.33, horizontal: 7.73, vertikal: 6.89			



Serie 3:

9.0 ↖	10.1 ↗	9.7 ↖	9.3 ↖	9.9 ←
9.9 →	9.9 →	9.6 ↗	8.8 →	10.1 ↘
beste Teiler	689.4 (30.) 705.4 (22.) 838.2 (25.)			
Trefferlage	1.22 mm links, 0.87 mm hoch			
Streuwert	8.26, horizontal: 10.20, vertikal: 5.71			





Serie 4:

9.8 →	10.7 *	8.5 ↘	10.4 *	9.7 ↘
8.6 ↖	8.7 ←	10.6 *	9.5 ↗	9.6 →
beste Teiler	161.4 (32.) 261.1 (38.) 428.0 (34.)			
Trefferlage	2.13 mm rechts, 0.03 mm hoch			
Streuwert	9.12, horizontal: 10.73, vertikal: 7.17			


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>352</b>	(369.9)
Serien:	85	90 88 89
Zähler:	9	17 11 3 0 0 0 0 0 0
Innenzehner:	2	
weiteste:	2998 (6), 2653 (26), 2612 (3)	
beste Teiler	279.4 (31.)	412.9 (8.) 562.3 (40.)
Trefferlage	3.55 mm links,	4.97 mm hoch
Streuwert	9.98, horizontal:	10.55, vertikal: 9.38




Serie 1:	9.8 ↗	8.7 ↖	7.7 ↖	9.2 ↖	10.2 ↖
	7.2 ↑	8.2 ↖	10.4 *	8.3 ↖	9.4 ↗
beste Teiler	412.9 (8.)	617.7 (5.)	888.6 (1.)		
Trefferlage	4.55 mm links,	12.53 mm hoch			
Streuwert	9.33, horizontal:	9.52, vertikal: 9.14			



Serie 2:	9.7 ↘	9.5 ↗	10.2 →	9.9 ↖	8.7 ←
	9.2 ↖	8.1 ↖	9.2 ↖	10.1 ↗	9.0 ↖
beste Teiler	625.3 (13.)	678.2 (19.)	870.0 (14.)		
Trefferlage	4.17 mm links,	6.43 mm hoch			
Streuwert	8.46, horizontal:	9.36, vertikal: 7.46			



Serie 3:	10.0 ↙	8.4 ↖	9.3 ←	8.6 →	9.9 →
	7.6 ↖	9.7 ↖	9.3 ←	9.8 ↙	10.2 ↑
beste Teiler	579.8 (30.)	744.6 (21.)	808.5 (25.)		
Trefferlage	5.29 mm links,	2.68 mm hoch			
Streuwert	10.12, horizontal:	12.43, vertikal: 7.10			



Serie 4:	10.6 *	9.9 ←	8.4 ↘	8.7 ←	9.3 ←
	9.8 ↘	8.6 ↘	8.7 ↖	10.2 ↙	10.2 →
beste Teiler	279.4 (31.)	562.3 (40.)	572.0 (39.)		
Trefferlage	0.17 mm links,	1.76 mm tief			
Streuwert	10.05, horizontal:	11.50, vertikal: 8.36			

Unterschrift des Schützen

Meyton Elektronik