





Ergebnis: **352** (368.1)^{QF}
 Serien: 89 84 90 89
 Zähler: 9 18 9 4 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 2966 (25), 2822 (39), 2642 (26)
 beste Teiler 114.3 (6.) 115.7 (34.) 238.7 (23.)
 Trefferlage 5.79 mm links, 2.59 mm tief
 Streuwert 10.24, horizontal: 9.35, vertikal: 11.06




Serie 1:
 9.2 ↙ 9.1 ↙ 9.7 ↙ 7.9 ↓ 9.0 →
 10.8 * 9.0 ↓ 9.5 ↙ 9.7 ↑ 9.5 ←
 beste Teiler 114.3 (6.) 967.2 (3.) 1016.0 (9.)
 Trefferlage 4.33 mm links, 5.99 mm tief
 Streuwert 8.96, horizontal: 8.08, vertikal: 9.76



Serie 2:
 9.2 ↓ 8.2 ↙ 8.7 ↘ 8.9 ↖ 9.7 ↑
 8.5 ↙ 8.2 ↘ 8.5 ↗ 8.8 ↖ 10.0 →
 beste Teiler 746.9 (20.) 989.6 (15.) 1389.2 (11.)
 Trefferlage 5.76 mm links, 0.03 mm hoch
 Streuwert 12.15, horizontal: 11.04, vertikal: 13.17



Serie 3:
 10.1 ↑ 9.1 ↙ 10.7 * 10.3 ↓ 7.2 ↙
 7.6 ↖ 9.7 ↓ 9.1 ← 10.0 ← 9.7 ←
 beste Teiler 238.7 (23.) 556.1 (24.) 668.6 (21.)
 Trefferlage 8.25 mm links, 4.16 mm tief
 Streuwert 9.16, horizontal: 7.58, vertikal: 10.50





Serie 4:
 10.1 ↖ 8.7 ↗ 9.0 ↖ 10.8 * 9.0 ↗
 10.0 ← 9.9 ↓ 8.0 ↖ 7.4 ↙ 9.6 ↙
 beste Teiler 115.7 (34.) 672.7 (31.) 792.1 (36.)
 Trefferlage 4.81 mm links, 0.24 mm tief
 Streuwert 11.10, horizontal: 11.14, vertikal: 11.05

QF – Schütze hat sich fürs Finale qualifiziert


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **357** (375.1)^{QF}
 Serien: 88 92 87 90
 Zähler: 11 18 8 3 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 2559 (38), 2446 (3), 2435 (15)
 beste Teiler 300.3 (34.) 300.6 (33.) 373.3 (30.)
 Trefferlage 0.72 mm links, 1.45 mm tief
 Streuwert 10.11, horizontal: 9.58, vertikal: 10.62




Serie 1:
 10.2 ↖ 9.3 ↖ 7.9 ↓ 10.3 ↘ 9.0 ↓
 8.6 ↗ 9.6 ↗ 9.7 ↑ 9.8 ↓ 8.3 ↓
 beste Teiler 560.6 (4.) 562.0 (1.) 959.2 (9.)
 Trefferlage 0.03 mm links, 3.08 mm tief
 Streuwert 10.86, horizontal: 7.56, vertikal: 13.37



Serie 2:
 9.8 ↖ 10.5 * 10.3 ↙ 9.5 ↗ 7.9 ↘
 9.9 ← 9.6 ↘ 10.4 * 9.2 → 10.2 ↖
 beste Teiler 374.8 (12.) 463.6 (18.) 507.8 (13.)
 Trefferlage 1.24 mm links, 0.24 mm tief
 Streuwert 8.49, horizontal: 9.31, vertikal: 7.59



Serie 3:
 9.1 ← 8.0 ↘ 9.2 ← 8.3 → 9.6 →
 8.4 → 9.4 ↙ 8.6 ↖ 9.4 ↓ 10.5 *
 beste Teiler 373.3 (30.) 1111.4 (25.) 1218.3 (27.)
 Trefferlage 1.33 mm rechts, 4.33 mm tief
 Streuwert 11.55, horizontal: 14.11, vertikal: 8.23





Serie 4:
 9.7 ↓ 9.2 ↑ 10.6 * 10.6 * 8.6 ↘
 8.8 ↑ 9.1 ↓ 7.8 ↘ 10.0 ← 10.2 ↘
 beste Teiler 300.3 (34.) 300.6 (33.) 591.1 (40.)
 Trefferlage 2.96 mm links, 1.83 mm hoch
 Streuwert 10.06, horizontal: 6.59, vertikal: 12.60


QF – Schütze hat sich fürs Finale qualifiziert

Unterschrift des Schützen


Ergebnis: **345** (363.6)^{QF}
 Serien: 88 84 86 87
 Zähler: 7 17 10 6 0 0 0 0 0 0
 Innenzehner: 2
 weiteste: 2991 (39), 2972 (19), 2838 (16)
 beste Teiler 432.2 (36.) 470.9 (40.) 697.4 (21.)
 Trefferlage 3.97 mm links, 1.64 mm hoch
 Streuwert 11.52, horizontal: 10.75, vertikal: 12.24




Serie 1:
 9.4 ↘ 9.9 → 7.6 ↗ 8.2 ↙ 9.8 ↗
 10.1 ↘ 8.2 ↙ 9.6 ← 10.1 ↓ 9.7 ↑
 beste Teiler 698.0 (9.) 717.9 (6.) 835.3 (2.)
 Trefferlage 1.32 mm links, 1.14 mm hoch
 Streuwert 11.25, horizontal: 12.28, vertikal: 10.12



Serie 2:
 8.4 ↑ 8.0 ↗ 9.7 ↑ 9.9 ↙ 9.2 ↙
 7.4 ↙ 9.1 ↘ 10.1 ↘ 7.2 ↑ 8.2 ↙
 beste Teiler 720.0 (18.) 834.9 (14.) 976.6 (13.)
 Trefferlage 3.43 mm links, 2.96 mm hoch
 Streuwert 14.06, horizontal: 9.66, vertikal: 17.37



Serie 3:
 10.1 ↑ 7.9 ↗ 9.5 ← 8.3 ↓ 9.9 ↘
 8.4 ↙ 9.5 ↘ 9.4 ↑ 8.8 ← 9.3 ↙
 beste Teiler 697.4 (21.) 811.1 (25.) 1153.1 (27.)
 Trefferlage 4.66 mm links, 1.15 mm hoch
 Streuwert 11.19, horizontal: 10.37, vertikal: 11.95





Serie 4:
 9.6 ↘ 10.1 ↙ 9.9 ← 8.9 ↗ 8.8 ←
 10.4 * 9.8 → 7.6 ↘ 7.2 ← 10.4 *
 beste Teiler 432.2 (36.) 470.9 (40.) 719.4 (32.)
 Trefferlage 6.46 mm links, 1.30 mm hoch
 Streuwert 10.81, horizontal: 11.57, vertikal: 10.00

QF – Schütze hat sich fürs Finale qualifiziert


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **354** (369.6)^{QF}
 Serien: 90 86 88 90
 Zähler: 6 24 9 0 1 0 0 0 0 0
 Innenzehner: 1
 weiteste: 3201 (17), 2396 (18), 2256 (15)
 beste Teiler 372.5 (1.) 477.9 (20.) 483.0 (23.)
 Trefferlage 3.52 mm links, 4.43 mm tief
 Streuwert 9.86, horizontal: 10.38, vertikal: 9.31




Serie 1:
 10.5 * 9.1 ↖ 9.4 ↓ 10.1 ↗ 9.3 ←
 8.2 ↙ 9.7 → 8.7 ↗ 9.8 ↗ 9.0 ↓
 beste Teiler 372.5 (1.) 645.3 (4.) 918.6 (9.)
 Trefferlage 0.43 mm rechts, 1.76 mm tief
 Streuwert 10.00, horizontal: 9.22, vertikal: 10.73



Serie 2:
 9.2 ← 9.5 ↗ 9.2 ↗ 10.3 ↘ 8.1 ↙
 8.5 ↙ 6.9 ← 8.0 ← 9.7 ↘ 10.4 ↘
 beste Teiler 477.9 (20.) 552.7 (14.) 1018.3 (19.)
 Trefferlage 5.73 mm links, 3.89 mm tief
 Streuwert 12.24, horizontal: 14.64, vertikal: 9.25



Serie 3:
 9.0 ← 9.2 ↖ 10.3 ↓ 9.4 ↘ 8.8 ↙
 8.9 ↓ 9.5 ↘ 9.0 ↖ 8.1 ↙ 9.9 ←
 beste Teiler 483.0 (23.) 834.2 (30.) 1171.8 (27.)
 Trefferlage 5.89 mm links, 6.76 mm tief
 Streuwert 8.62, horizontal: 8.98, vertikal: 8.24





Serie 4:
 10.0 ← 9.1 ↙ 9.9 ↑ 9.5 ↙ 8.5 ↓
 9.9 ↓ 9.6 ↓ 9.0 ↘ 9.3 ← 9.1 ↖
 beste Teiler 734.9 (31.) 838.0 (33.) 877.4 (36.)
 Trefferlage 2.89 mm links, 5.32 mm tief
 Streuwert 8.64, horizontal: 7.59, vertikal: 9.58

QF – Schütze hat sich fürs Finale qualifiziert


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **352** (369.5)^{QF}
 Serien: 89 89 90 84
 Zähler: 8 21 9 0 1 1 0 0 0 0
 Innenzehner: 2
 weiteste: 4361 (15), 3367 (39), 2229 (27)
 beste Teiler 363.8 (23.) 414.2 (29.) 654.8 (22.)
 Trefferlage 1.21 mm links, 7.69 mm tief
 Streuwert 9.67, horizontal: 8.88, vertikal: 10.40




Serie 1:
 8.3 ↓ 9.8 ↘ 9.2 ↙ 8.8 ↓ 10.0 ↓
 10.1 → 9.5 ↓ 9.7 ← 9.8 ↓ 8.8 ↘
 beste Teiler 688.1 (6.) 794.3 (5.) 952.7 (9.)
 Trefferlage 0.26 mm links, 9.38 mm tief
 Streuwert 6.96, horizontal: 6.93, vertikal: 7.00



Serie 2:
 9.2 ↓ 9.1 ↙ 10.0 ↘ 9.6 ↘ 5.5 ↗
 10.1 ↓ 9.7 ↓ 10.0 ↙ 9.6 ↘ 9.0 ↘
 beste Teiler 665.1 (16.) 749.7 (13.) 765.0 (18.)
 Trefferlage 2.11 mm links, 3.43 mm tief
 Streuwert 12.66, horizontal: 8.52, vertikal: 15.74



Serie 3:
 9.8 ↓ 10.1 ↓ 10.5 * 8.5 ↓ 8.7 ↘
 9.4 → 8.2 ↘ 9.8 ↘ 10.4 * 9.2 ↙
 beste Teiler 363.8 (23.) 414.2 (29.) 654.8 (22.)
 Trefferlage 2.36 mm rechts, 8.45 mm tief
 Streuwert 7.61, horizontal: 7.47, vertikal: 7.74





Serie 4:
 8.5 ↙ 9.9 ↘ 9.6 ↘ 9.5 ↓ 9.1 ↙
 9.3 ↙ 8.2 ↓ 8.9 ↙ 6.7 ↙ 9.4 →
 beste Teiler 805.2 (32.) 1048.3 (33.) 1159.5 (34.)
 Trefferlage 4.86 mm links, 9.51 mm tief
 Streuwert 10.47, horizontal: 11.61, vertikal: 9.19

QF – Schütze hat sich fürs Finale qualifiziert


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **346** (363.7)^{QF}
 Serien: 86 86 86 88
 Zähler: 11 11 12 5 1 0 0 0 0 0
 Innenzehner: 5
 weiteste: 3246 (38), 3096 (28), 3070 (9)
 beste Teiler 131.5 (26.) 245.3 (40.) 384.6 (30.)
 Trefferlage 2.30 mm rechts, 1.32 mm tief
 Streuwert 12.12, horizontal: 9.68, vertikal: 14.15




Serie 1:
 9.8 ↓ 9.5 → 9.2 ↗ 8.9 ↑ 10.2 →
 10.1 → 7.6 ↓ 9.0 ↓ 7.1 ↓ 8.6 ↓
 beste Teiler 611.7 (5.) 662.7 (6.) 927.0 (1.)
 Trefferlage 1.23 mm rechts, 7.49 mm tief
 Streuwert 11.59, horizontal: 6.80, vertikal: 14.91



Serie 2:
 8.8 → 8.3 ↗ 8.2 ↑ 9.7 ↘ 8.4 →
 10.4 * 8.8 ↘ 9.6 ↘ 10.3 → 8.0 ↘
 beste Teiler 448.2 (16.) 486.9 (19.) 967.8 (14.)
 Trefferlage 6.86 mm rechts, 4.16 mm hoch
 Streuwert 10.87, horizontal: 9.98, vertikal: 11.70



Serie 3:
 9.0 → 9.5 ↓ 8.6 → 7.7 ↓ 9.5 ←
 10.8 * 8.5 ↖ 7.1 ↓ 9.9 ↘ 10.5 *
 beste Teiler 131.5 (26.) 384.6 (30.) 828.8 (29.)
 Trefferlage 1.34 mm links, 2.58 mm tief
 Streuwert 12.57, horizontal: 10.38, vertikal: 14.43





Serie 4:
 10.1 ↘ 8.7 ↗ 10.4 * 9.9 ← 10.2 ←
 8.0 ↘ 7.3 ↓ 6.9 ↗ 10.0 ↑ 10.6 *
 beste Teiler 245.3 (40.) 448.1 (33.) 631.9 (35.)
 Trefferlage 2.44 mm rechts, 0.60 mm hoch
 Streuwert 12.89, horizontal: 10.65, vertikal: 14.80


QF – Schütze hat sich fürs Finale qualifiziert

Unterschrift des Schützen


Ergebnis: **347** (363.9)^{QF}
 Serien: 87 86 84 90
 Zähler: 10 13 11 6 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 3192 (21), 2976 (36), 2799 (8)
 beste Teiler 107.4 (17.) 244.2 (13.) 411.0 (10.)
 Trefferlage 2.87 mm rechts, 2.04 mm hoch
 Streuwert 11.88, horizontal: 10.42, vertikal: 13.18




Serie 1:
 10.3 ↘ 10.1 ↙ 9.9 ↖ 8.1 ↑ 8.0 ↑
 9.7 ↗ 8.8 → 7.5 ↕ 8.5 ← 10.4 *
 beste Teiler 411.0 (10.) 510.2 (1.) 715.5 (2.)
 Trefferlage 1.24 mm links, 8.26 mm hoch
 Streuwert 10.83, horizontal: 10.36, vertikal: 11.28



Serie 2:
 8.0 ↑ 8.1 ↗ 10.6 * 8.0 ↗ 8.3 ↑
 9.0 → 10.8 * 7.9 ↙ 9.3 ↗ 9.1 ↓
 beste Teiler 107.4 (17.) 244.2 (13.) 1285.6 (19.)
 Trefferlage 6.21 mm rechts, 5.09 mm hoch
 Streuwert 12.21, horizontal: 9.97, vertikal: 14.09



Serie 3:
 7.0 ↗ 9.9 ↑ 10.0 → 9.9 ↘ 7.8 ↓
 10.2 ↘ 9.1 ↓ 8.7 ↓ 7.7 ↓ 8.7 ↑
 beste Teiler 622.3 (26.) 741.2 (23.) 818.6 (22.)
 Trefferlage 1.40 mm rechts, 2.19 mm tief
 Streuwert 13.69, horizontal: 8.62, vertikal: 17.33





Serie 4:
 9.3 → 9.9 ↗ 9.6 ↓ 9.6 ↘ 10.1 ↓
 7.2 → 9.5 ↘ 10.4 * 10.3 ↓ 8.6 ←
 beste Teiler 429.7 (38.) 522.7 (39.) 660.2 (35.)
 Trefferlage 5.13 mm rechts, 2.97 mm tief
 Streuwert 9.36, horizontal: 12.25, vertikal: 5.03

QF – Schütze hat sich fürs Finale qualifiziert


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **334** (351.0)^{QF}
 Serien: 84 87 76 87
 Zähler: 7 12 15 2 3 0 1 0 0 0
 Innenzehner: 1
 weiteste: 5031 (28), 3624 (30), 3614 (22)
 beste Teiler 305.9 (29.) 498.2 (35.) 577.0 (20.)
 Trefferlage 4.32 mm rechts, 2.29 mm tief
 Streuwert 13.83, horizontal: 13.66, vertikal: 13.99




Serie 1:
 8.1 ↗ 8.9 ↗ 8.6 ↘ 8.4 ↗ 9.4 ←
 9.0 ← 9.2 ↗ 8.8 ↘ 9.2 ↘ 8.4 ↘
 beste Teiler 1215.2 (5.) 1361.5 (7.) 1436.5 (9.)
 Trefferlage 8.23 mm rechts, 0.51 mm hoch
 Streuwert 11.48, horizontal: 12.28, vertikal: 10.63



Serie 2:
 10.2 ↑ 8.5 ↓ 9.3 ← 8.5 ↓ 9.4 ↓
 8.3 ← 7.6 ↓ 9.9 → 9.2 ↗ 10.2 ↗
 beste Teiler 577.0 (20.) 606.0 (11.) 851.7 (18.)
 Trefferlage 0.59 mm links, 7.23 mm tief
 Streuwert 10.75, horizontal: 9.34, vertikal: 12.00



Serie 3:
 10.0 ← 6.4 ↓ 7.2 ↓ 8.5 ↓ 8.9 ↑
 8.4 → 9.4 ↓ 4.7 ↗ 10.6 * 6.4 ↗
 beste Teiler 305.9 (29.) 767.8 (21.) 1202.4 (27.)
 Trefferlage 7.02 mm rechts, 2.70 mm tief
 Streuwert 19.43, horizontal: 17.19, vertikal: 21.45





Serie 4:
 8.7 ↑ 9.2 ← 9.7 ↘ 9.6 ↘ 10.3 ↘
 10.1 → 10.1 ↑ 6.7 ↘ 8.8 → 8.2 ←
 beste Teiler 498.2 (35.) 682.3 (37.) 690.0 (36.)
 Trefferlage 2.61 mm rechts, 0.25 mm hoch
 Streuwert 12.41, horizontal: 14.84, vertikal: 9.36

QF – Schütze hat sich fürs Finale qualifiziert

Unterschrift des Schützen


Meyton Elektronik

Ergebnis: **334** (346.5)
 Serien: 85 89 79 81
 Zähler: 6 12 13 8 1 0 0 0 0 0
 Innenzehner: 1
 weiteste: 3468 (34), 3157 (7), 3150 (10)
 beste Teiler 318.7 (6.) 480.1 (27.) 633.7 (31.)
 Trefferlage 3.43 mm rechts, 5.91 mm hoch
 Streuwert 13.46, horizontal: 13.62, vertikal: 13.29




Serie 1:
 9.0 ↑ 9.2 → 8.7 ← 9.3 ↖ 9.1 ↑
 10.6 * 7.0 ↗ 9.4 → 8.2 ↗ 7.0 ↘

beste Teiler 318.7 (6.) 1274.5 (8.) 1338.0 (4.)
 Trefferlage 0.13 mm links, 9.33 mm hoch
 Streuwert 12.75, horizontal: 14.75, vertikal: 10.37




Serie 2:
 9.2 ↓ 10.1 ← 8.5 ↑ 10.0 ↗ 9.1 ↘
 9.9 ↓ 8.0 ↑ 8.0 ↑ 9.2 ↑ 9.0 ←

beste Teiler 641.2 (12.) 723.0 (14.) 868.9 (16.)
 Trefferlage 1.63 mm rechts, 4.53 mm hoch
 Streuwert 11.28, horizontal: 7.91, vertikal: 13.86



Serie 3:
 9.4 ↓ 8.0 ← 8.6 ↗ 7.9 ↓ 8.0 ↖
 7.6 ↗ 10.4 → 7.3 ↑ 8.2 ↗ 7.5 →

beste Teiler 480.1 (27.) 1241.6 (21.) 1867.6 (23.)
 Trefferlage 4.94 mm rechts, 5.25 mm hoch
 Streuwert 15.84, horizontal: 15.79, vertikal: 15.90



Serie 4:
 10.2 ↗ 9.6 → 8.1 ↗ 6.6 ↗ 8.9 ↓
 8.7 ↘ 8.1 → 7.3 ↖ 7.6 ↘ 10.0 ↑

beste Teiler 633.7 (31.) 780.4 (40.) 1077.8 (32.)
 Trefferlage 7.29 mm rechts, 4.52 mm hoch
 Streuwert 14.71, horizontal: 15.42, vertikal: 13.97

Unterschrift des Schützen

Meyton Elektronik