




Ergebnis:	383	(402.5)
Serien:	94	96 97 96
Zähler:	24	15 1 0 0 0 0 0 0 0
Innenzehner:	17	
weiteste:	1817 (8),	1319 (1), 1284 (26)
beste Teiler	158.3 (6.)	179.1 (29.) 225.7 (21.)
Trefferlage	1.66 mm links, 1.19 mm hoch	
Streuwert	5.62, horizontal: 6.22, vertikal: 4.95	




Serie 1:	9.3 ↘	10.5 *	9.7 ←	10.4 *	10.2 ↘
	10.8 *	10.4 *	8.7 ↘	9.9 ↘	9.9 ↓
beste Teiler	158.3 (6.) 361.1 (2.) 410.1 (4.)				
Trefferlage	4.21 mm links, 1.45 mm hoch				
Streuwert	5.95, horizontal: 6.01, vertikal: 5.90				



Serie 2:	9.7 ←	10.2 ↘	9.6 ↘	10.5 *	9.9 ↑
	10.4 *	10.0 ←	10.5 *	10.4 *	9.4 →
beste Teiler	334.8 (14.) 359.9 (18.) 407.3 (19.)				
Trefferlage	0.60 mm links, 0.59 mm hoch				
Streuwert	5.71, horizontal: 6.71, vertikal: 4.50				



Serie 3:	10.7 *	9.4 ←	9.4 ↘	10.6 *	10.0 →
	9.3 ↘	10.0 ↘	10.4 *	10.7 *	10.5 *
beste Teiler	179.1 (29.) 225.7 (21.) 293.4 (24.)				
Trefferlage	3.81 mm links, 1.92 mm hoch				
Streuwert	5.03, horizontal: 5.95, vertikal: 3.89				





Serie 4:	9.7 ↑	10.2 →	10.5 *	9.5 →	10.5 *
	9.9 ↘	10.5 *	10.1 →	9.6 ↓	10.6 *
beste Teiler	247.1 (40.) 374.4 (33.) 375.3 (37.)				
Trefferlage	1.97 mm rechts, 0.81 mm hoch				
Streuwert	5.36, horizontal: 4.78, vertikal: 5.89				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	385	(400.3)
Serien:	95	98 99 93
Zähler:	27	11 2 0 0 0 0 0 0 0
Innenzehner:	8	
weiteste:	1635 (33), 1635 (38), 1421 (16)	
beste Teiler	95.0 (32.)	251.8 (13.) 279.9 (20.)
Trefferlage	2.49 mm rechts,	0.05 mm hoch
Streuwert	5.70, horizontal:	5.97, vertikal: 5.42




Serie 1:	9.2 ↑	9.8 ↑	10.3 →	9.9 ↑	10.4 *
	9.7 ←	10.1 ↓	10.0 →	9.8 ↑	10.4 *
beste Teiler	446.0 (5.)	452.9 (10.)	542.5 (3.)		
Trefferlage	1.54 mm rechts, 2.78 mm hoch				
Streuwert	5.74, horizontal: 4.99, vertikal: 6.41				



Serie 2:	10.6 *	10.0 ↖	10.6 *	10.1 →	10.3 ↖
	9.2 ↗	10.2 ↘	9.9 →	10.1 ←	10.6 *
beste Teiler	251.8 (13.)	279.9 (20.)	315.3 (11.)		
Trefferlage	0.32 mm rechts, 1.26 mm hoch				
Streuwert	5.29, horizontal: 6.11, vertikal: 4.32				



Serie 3:	9.3 ↖	10.2 ↓	10.2 ↑	10.1 ↓	10.2 ↘
	10.4 *	10.0 →	10.0 ↓	10.2 →	10.2 ↓
beste Teiler	425.0 (26.)	565.9 (29.)	573.2 (23.)		
Trefferlage	1.18 mm rechts, 1.20 mm tief				
Streuwert	5.28, horizontal: 4.68, vertikal: 5.81				





Serie 4:	9.2 →	10.8 *	8.9 →	10.1 ↓	10.2 ↘
	9.7 ↓	9.9 →	8.9 →	10.4 *	10.2 ↓
beste Teiler	95.0 (32.)	403.6 (39.)	582.9 (35.)		
Trefferlage	6.92 mm rechts, 2.62 mm tief				
Streuwert	5.21, horizontal: 6.35, vertikal: 3.75				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	389	(409.1)
Serien:	98 98 97 96	
Zähler:	29 11 0 0 0 0 0 0 0 0	
Innenzehner:	20	
weiteste:	1309 (21), 1080 (24), 1021 (20)	
beste Teiler	107.0 (15.) 165.4 (33.) 173.0 (34.)	
Trefferlage	0.06 mm rechts, 0.47 mm hoch	
Streuwert	4.63, horizontal: 4.19, vertikal: 5.03	




Serie 1:	9.8 ↙	10.0 ↙	10.4 *	10.1 →	10.4 *
	10.2 ↘	10.6 *	9.8 ↖	10.5 *	10.1 →
beste Teiler	314.2 (7.) 326.3 (9.) 422.0 (3.)				
Trefferlage	1.35 mm links, 0.47 mm tief				
Streuwert	4.73, horizontal: 5.04, vertikal: 4.40				



Serie 2:	10.5 *	9.8 ↙	10.0 ↓	10.6 *	10.8 *
	10.5 *	10.5 *	10.5 *	10.6 *	9.7 ↘
beste Teiler	107.0 (15.) 273.9 (19.) 306.3 (14.)				
Trefferlage	0.10 mm rechts, 1.06 mm tief				
Streuwert	4.09, horizontal: 3.42, vertikal: 4.68				



Serie 3:	9.3 ↘	10.1 ↘	9.8 →	9.6 ↖	10.5 *
	10.4 *	10.1 ↗	10.3 ↗	10.5 *	10.2 ↗
beste Teiler	324.1 (29.) 340.7 (25.) 480.6 (26.)				
Trefferlage	1.14 mm rechts, 1.00 mm hoch				
Streuwert	5.52, horizontal: 4.85, vertikal: 6.11				





Serie 4:	10.4 *	9.9 ↗	10.7 *	10.7 *	9.9 →
	10.6 *	9.8 ↗	9.7 ↗	10.7 *	10.5 *
beste Teiler	165.4 (33.) 173.0 (34.) 205.9 (39.)				
Trefferlage	0.35 mm rechts, 2.43 mm hoch				
Streuwert	4.16, horizontal: 3.42, vertikal: 4.79				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **379** (397.4)
 Serien: 97 93 93 96
 Zähler: 22 15 3 0 0 0 0 0 0 0
 Innenzehner: 16
 weiteste: 2379 (28), 1626 (18), 1615 (26)
 beste Teiler 83.1 (16.) 241.8 (31.) 278.1 (21.)
 Trefferlage 3.41 mm links, 0.96 mm hoch
 Streuwert 6.29, horizontal: 5.84, vertikal: 6.71




Serie 1:
 10.3 * 9.4 ↑ 10.0 ↙ 10.5 * 9.4 ↘
 10.5 * 9.7 ← 10.2 ← 10.3 * 10.6 *
 beste Teiler 319.7 (10.) 338.8 (6.) 388.5 (4.)
 Trefferlage 1.81 mm links, 0.30 mm hoch
 Streuwert 5.53, horizontal: 4.88, vertikal: 6.11



Serie 2:
 9.5 ↑ 10.4 * 9.2 ← 9.7 ↓ 9.7 →
 10.8 * 10.1 ↙ 8.9 ↘ 9.9 ↙ 10.6 *
 beste Teiler 83.1 (16.) 296.7 (20.) 445.3 (12.)
 Trefferlage 3.53 mm links, 0.60 mm hoch
 Streuwert 6.74, horizontal: 6.62, vertikal: 6.85



Serie 3:
 10.6 * 10.4 * 10.3 ↙ 10.5 * 9.3 ←
 8.9 ↘ 10.0 ↙ 8.0 ↑ 9.2 ↙ 9.6 ↘
 beste Teiler 278.1 (21.) 354.0 (24.) 427.9 (22.)
 Trefferlage 5.65 mm links, 1.57 mm hoch
 Streuwert 7.79, horizontal: 5.76, vertikal: 9.40





Serie 4:
 10.6 * 9.3 ↘ 10.4 * 10.5 * 9.8 ↘
 9.8 ← 10.6 * 9.3 ← 10.6 * 10.0 ↘
 beste Teiler 241.8 (31.) 279.8 (39.) 285.1 (37.)
 Trefferlage 2.65 mm links, 1.36 mm hoch
 Streuwert 5.43, horizontal: 6.15, vertikal: 4.59


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	385	(401.1)
Serien:	95 95 97 98	
Zähler:	26 13 1 0 0 0 0 0 0 0	
Innenzehner:	13	
weiteste:	1630 (11), 1571 (4), 1557 (39)	
beste Teiler	165.4 (5.) 199.4 (13.) 207.1 (10.)	
Trefferlage	0.62 mm rechts, 2.27 mm hoch	
Streuwert	5.79, horizontal: 5.97, vertikal: 5.61	




Serie 1:					
	9.3 ↑	9.7 ↗	10.1 ↘	9.0 ↑	10.7 *
	9.3 →	9.7 ↗	10.3 ←	10.3 ↓	10.7 *
beste Teiler	165.4 (5.)	207.1 (10.)	550.0 (8.)		
Trefferlage	3.40 mm rechts, 3.66 mm hoch				
Streuwert	6.04, horizontal: 5.12, vertikal: 6.83				



Serie 2:					
	8.9 ↗	9.5 ↑	10.7 *	10.6 *	9.1 ↗
	10.3 *	9.7 ↙	10.1 ↘	10.7 *	10.4 *
beste Teiler	199.4 (13.)	224.6 (19.)	311.7 (14.)		
Trefferlage	1.29 mm rechts, 2.67 mm hoch				
Streuwert	6.36, horizontal: 6.29, vertikal: 6.43				



Serie 3:					
	10.1 ↗	10.1 ↘	10.4 *	9.3 →	9.9 ↑
	10.3 *	10.2 ←	10.6 *	9.8 ←	10.6 *
beste Teiler	249.8 (30.)	296.2 (28.)	401.6 (23.)		
Trefferlage	1.21 mm rechts, 0.69 mm hoch				
Streuwert	5.23, horizontal: 5.83, vertikal: 4.55				



Serie 4:					
	10.6 *	10.1 ↗	10.1 ←	10.2 ↓	9.9 ↖
	10.1 ↖	10.2 ↓	10.5 *	9.0 ↘	10.0 ↘
beste Teiler	260.0 (31.)	360.0 (38.)	590.0 (37.)		
Trefferlage	3.42 mm links, 2.06 mm hoch				
Streuwert	4.97, horizontal: 5.17, vertikal: 4.77				

Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **379** (399.1)

Serien: 96 92 96 95

Zähler: 20 19 1 0 0 0 0 0 0 0



Innenzehner: 13

weiteste: 1605 (16), 1594 (20), 1456 (26)

beste Teiler 114.0 (35.) 153.0 (1.) 165.2 (5.)

Trefferlage 1.93 mm rechts, 1.17 mm tief

Streuwert 6.03, horizontal: 5.84, vertikal: 6.22




Serie 1:

10.8 *	9.8 →	9.8 ↘	9.5 ↘	10.7 *
10.3 *	10.6 *	10.6 *	10.0 ↘	9.7 ↙

beste Teiler 153.0 (1.) 165.2 (5.) 298.9 (7.)

Trefferlage 2.77 mm rechts, 3.29 mm tief

Streuwert 4.25, horizontal: 4.38, vertikal: 4.12




Serie 2:

9.1 →	10.4 *	9.9 ↓	10.5 *	9.9 ↗
8.9 ↘	10.1 ↘	9.4 ↘	9.8 ↗	9.0 ↑

beste Teiler 360.4 (14.) 433.2 (12.) 662.5 (17.)

Trefferlage 4.09 mm rechts, 1.06 mm tief

Streuwert 7.42, horizontal: 5.55, vertikal: 8.91




Serie 3:

10.1 →	9.2 →	9.8 ↖	10.7 *	9.9 ↖
9.1 ↙	10.4 *	10.1 ↗	10.2 ↑	10.4 *

beste Teiler 236.0 (24.) 447.1 (27.) 454.1 (30.)

Trefferlage 0.36 mm rechts, 0.97 mm tief

Streuwert 6.29, horizontal: 6.63, vertikal: 5.94



Serie 4:

9.2 ↖	10.1 ↖	9.8 ↗	9.8 ↘	10.8 *
10.4 *	10.4 *	9.9 ↗	10.2 →	9.8 →

beste Teiler 114.0 (35.) 410.5 (37.) 447.9 (36.)



Trefferlage 0.51 mm rechts, 0.62 mm hoch

Streuwert 5.92, horizontal: 6.54, vertikal: 5.23


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	385	(406.3)
Serien:	94 96 98 97	
Zähler:	26 13 1 0 0 0 0 0 0 0	
Innenzehner:	19	
weiteste:	1711 (38), 1387 (20), 1356 (6)	
beste Teiler	87.9 (35.) 106.4 (32.) 122.1 (34.)	
Trefferlage	0.49 mm links, 3.03 mm hoch	
Streuwert	4.89, horizontal: 4.46, vertikal: 5.27	




Serie 1:	10.1 ↗	9.5 ↘	10.8 *	9.7 ↘	10.6 *
	9.3 ↑	9.3 ↑	9.9 ←	10.1 ↘	9.8 ↗
beste Teiler	149.5 (3.)	320.1 (5.)	674.6 (9.)		
Trefferlage	1.03 mm links, 4.76 mm hoch				
Streuwert	5.89, horizontal: 4.99, vertikal: 6.68				



Serie 2:	10.6 *	10.7 *	10.6 *	9.5 ↗	9.9 ↗
	10.5 *	10.5 *	10.2 ↗	9.9 ↑	9.2 ←
beste Teiler	193.2 (12.)	280.2 (11.)	281.6 (13.)		
Trefferlage	0.27 mm rechts, 3.69 mm hoch				
Streuwert	4.85, horizontal: 5.66, vertikal: 3.88				



Serie 3:	9.9 ↑	9.9 ↘	10.0 ←	10.1 ↗	10.4 *
	10.5 *	10.6 *	10.0 ↘	10.3 *	10.2 ↘
beste Teiler	261.0 (27.)	390.8 (26.)	411.1 (25.)		
Trefferlage	0.62 mm rechts, 0.94 mm hoch				
Streuwert	4.58, horizontal: 4.22, vertikal: 4.92				





Serie 4:	10.5 *	10.8 *	10.4 *	10.8 *	10.8 *
	9.9 ↑	10.6 *	8.8 ↘	10.4 *	10.7 *
beste Teiler	87.9 (35.)	106.4 (32.)	122.1 (34.)		
Trefferlage	1.86 mm links, 2.73 mm hoch				
Streuwert	4.18, horizontal: 2.66, vertikal: 5.29				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **381** (403.0)
 Serien: 92 95 99 95
 Zähler: 25 11 4 0 0 0 0 0 0
 Innenzehner: 19
 weiteste: 1945 (9), 1850 (34), 1629 (8)
 beste Teiler 96.3 (2.) 153.8 (30.) 157.0 (24.)
 Trefferlage 2.00 mm links, 1.98 mm tief
 Streuwert 5.72, horizontal: 5.64, vertikal: 5.80




Serie 1:
 10.4 * 10.8 * 8.9 ↘ 10.4 * 10.2 ←
 9.4 ← 9.5 ↙ 8.9 ↗ 8.5 ↓ 10.4 *
 beste Teiler 96.3 (2.) 426.4 (1.) 427.8 (4.)
 Trefferlage 1.53 mm links, 3.72 mm tief
 Streuwert 7.89, horizontal: 7.06, vertikal: 8.64



Serie 2:
 10.6 * 10.3 * 9.8 ↙ 10.6 * 10.7 *
 9.7 ← 9.9 ↙ 9.9 ↑ 10.7 * 9.9 ↘
 beste Teiler 199.9 (15.) 235.8 (19.) 294.5 (11.)
 Trefferlage 2.04 mm links, 2.78 mm tief
 Streuwert 4.33, horizontal: 4.25, vertikal: 4.41



Serie 3:
 9.3 ↓ 10.0 → 10.5 * 10.8 * 10.2 →
 10.1 ← 10.6 * 10.4 * 10.0 ← 10.8 *
 beste Teiler 153.8 (30.) 157.0 (24.) 258.8 (27.)
 Trefferlage 0.05 mm links, 1.73 mm tief
 Streuwert 4.58, horizontal: 5.00, vertikal: 4.11



Serie 4:
 10.7 * 9.6 ← 10.7 * 8.6 ↙ 9.8 ↗
 10.6 * 10.3 * 9.8 ↘ 10.1 ← 10.6 *
 beste Teiler 170.0 (31.) 225.2 (33.) 244.4 (36.)
 Trefferlage 4.39 mm links, 0.30 mm hoch
 Streuwert 5.42, horizontal: 5.83, vertikal: 4.98

Unterschrift des Schützen

Meyton Elektronik