





Ergebnis: **348** (366.3)
 Serien: 90 86 81 91
 Zähler: 13 10 12 3 1 1 0 0 0 0
 Innenzehner: 6
 weiteste: 4043 (24), 3539 (15), 3163 (17)
 beste Teiler 215.0 (13.) 222.8 (32.) 278.7 (19.)
 Trefferlage 4.14 mm links, 0.94 mm hoch
 Streuwert 11.71, horizontal: 14.79, vertikal: 7.45




Serie 1:
 10.0 ← 7.5 ← 9.1 ← 9.2 ↑ 8.7 ↖
 10.2 ↘ 8.3 ← 10.2 ← 9.7 ← 10.4 *
 beste Teiler 473.6 (10.) 590.1 (8.) 619.9 (6.)
 Trefferlage 10.05 mm links, 2.49 mm hoch
 Streuwert 7.84, horizontal: 9.21, vertikal: 6.17



Serie 2:
 9.2 ↗ 10.1 ↑ 10.7 * 9.2 ← 6.5 ↖
 8.8 → 7.0 ↖ 9.3 ← 10.6 * 8.9 →
 beste Teiler 215.0 (13.) 278.7 (19.) 708.8 (12.)
 Trefferlage 6.88 mm links, 2.44 mm hoch
 Streuwert 12.71, horizontal: 16.94, vertikal: 6.00





Serie 3:
 7.7 ↖ 8.1 ↘ 8.9 ↑ 5.9 → 9.5 ↗
 9.8 ← 8.9 ↖ 8.7 ↖ 9.2 → 10.3 *
 beste Teiler 485.1 (30.) 938.0 (26.) 1178.6 (25.)
 Trefferlage 2.53 mm links, 2.59 mm hoch
 Streuwert 14.84, horizontal: 18.72, vertikal: 9.48




Serie 4:
 10.1 ↓ 10.7 * 8.6 ↙ 8.3 → 8.9 ↙
 9.9 ↗ 10.1 ← 8.6 → 10.0 → 10.5 *
 beste Teiler 222.8 (32.) 348.0 (40.) 649.1 (37.)
 Trefferlage 2.91 mm rechts, 3.76 mm tief
 Streuwert 9.03, horizontal: 10.94, vertikal: 6.60

Unterschrift des Schützen


Ergebnis: **352** (368.6)
 Serien: 88 89 84 91
 Zähler: 12 15 9 1 3 0 0 0 0 0
 Innenzehner: 4
 weiteste: 3559 (28), 3466 (7), 3267 (21)
 beste Teiler 168.8 (23.) 396.9 (25.) 414.8 (40.)
 Trefferlage 0.09 mm rechts, 2.01 mm hoch
 Streuwert 11.45, horizontal: 15.14, vertikal: 5.74




Serie 1:
 9.1 → 8.5 ← 10.1 ← 9.2 ↗ 8.2 →
 10.2 ← 6.6 → 9.2 ↘ 9.4 ↗ 10.0 ↘
 beste Teiler 591.0 (6.) 691.3 (3.) 731.2 (10.)
 Trefferlage 5.18 mm rechts, 2.96 mm hoch
 Streuwert 12.08, horizontal: 16.16, vertikal: 5.57



Serie 2:
 8.5 → 8.8 → 9.5 ↘ 9.7 ↖ 9.3 ↖
 9.8 ↑ 8.8 ↖ 10.3 * 10.2 ↓ 9.4 →
 beste Teiler 508.5 (18.) 638.5 (19.) 895.5 (16.)
 Trefferlage 1.98 mm rechts, 1.98 mm hoch
 Streuwert 9.47, horizontal: 11.71, vertikal: 6.52



Serie 3:
 6.9 ← 8.6 ↖ 10.7 * 8.9 ← 10.5 *
 9.4 → 10.0 ↘ 6.5 ← 9.3 ↗ 8.1 ←
 beste Teiler 168.8 (23.) 396.9 (25.) 764.7 (27.)
 Trefferlage 10.12 mm links, 1.12 mm hoch
 Streuwert 12.54, horizontal: 16.98, vertikal: 5.12





Serie 4:
 10.1 ↖ 9.8 ← 7.4 → 9.6 ↘ 9.8 ↖
 9.1 ↘ 8.5 → 10.0 → 10.2 ↖ 10.4 *
 beste Teiler 414.8 (40.) 635.8 (39.) 646.2 (31.)
 Trefferlage 3.36 mm rechts, 1.99 mm hoch
 Streuwert 9.69, horizontal: 12.10, vertikal: 6.43


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **369** (387.3)
 Serien: 92 91 92 94
 Zähler: 15 20 4 1 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 2790 (14), 2101 (40), 2015 (26)
 beste Teiler 110.7 (1.) 229.9 (17.) 286.8 (6.)
 Trefferlage 1.12 mm links, 0.20 mm tief
 Streuwert 8.26, horizontal: 8.74, vertikal: 7.75




Serie 1:
 10.8 * 9.3 ← 9.6 ↓ 9.1 ↘ 9.6 ↖
 10.6 * 9.3 → 9.1 ↖ 9.3 → 9.9 ↑
 beste Teiler 110.7 (1.) 286.8 (6.) 845.5 (10.)
 Trefferlage 0.99 mm links, 3.53 mm hoch
 Streuwert 7.93, horizontal: 9.12, vertikal: 6.52



Serie 2:
 9.9 ↘ 9.4 ↓ 9.3 ↖ 7.5 ↖ 10.1 →
 10.4 * 10.7 * 9.9 ↘ 8.9 ↙ 10.5 *
 beste Teiler 229.9 (17.) 386.3 (20.) 404.4 (16.)
 Trefferlage 3.38 mm links, 0.37 mm tief
 Streuwert 9.14, horizontal: 10.03, vertikal: 8.15



Serie 3:
 8.9 ← 9.4 ↓ 10.0 ↑ 9.5 ↗ 9.6 ↘
 8.4 ↙ 10.1 ← 10.3 ↓ 9.1 ↘ 10.5 *
 beste Teiler 382.3 (30.) 538.1 (28.) 664.8 (27.)
 Trefferlage 0.02 mm rechts, 3.56 mm tief
 Streuwert 8.52, horizontal: 8.74, vertikal: 8.29





Serie 4:
 9.9 ← 10.0 → 9.4 → 10.2 ← 9.4 ↖
 10.5 * 9.9 ↗ 10.2 ↖ 10.5 * 8.3 ↓
 beste Teiler 375.7 (36.) 379.6 (39.) 564.0 (34.)
 Trefferlage 0.15 mm links, 0.40 mm tief
 Streuwert 7.64, horizontal: 7.90, vertikal: 7.38


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **370** (390.9)
 Serien: 92 96 87 95
 Zähler: 19 14 5 2 0 0 0 0 0 0
 Innenzehner: 15
 weiteste: 2724 (26), 2467 (1), 1875 (6)
 beste Teiler 77.6 (29.) 141.4 (35.) 185.9 (33.)
 Trefferlage 0.25 mm rechts, 0.16 mm hoch
 Streuwert 8.10, horizontal: 9.09, vertikal: 6.96




Serie 1:
 7.9 ↘ 9.6 → 9.7 ↖ 10.7 * 10.3 *
 8.6 ← 9.4 ↘ 10.3 * 10.4 * 10.7 *
 beste Teiler 198.9 (4.) 211.2 (10.) 447.5 (9.)
 Trefferlage 1.10 mm rechts, 1.49 mm tief
 Streuwert 8.72, horizontal: 10.98, vertikal: 5.61



Serie 2:
 10.5 * 10.2 ↖ 9.9 → 9.6 ← 10.3 *
 10.2 ↘ 10.3 * 9.3 ↖ 9.1 ↗ 10.4 *
 beste Teiler 345.9 (11.) 473.6 (20.) 482.5 (17.)
 Trefferlage 3.15 mm links, 1.58 mm hoch
 Streuwert 5.90, horizontal: 6.54, vertikal: 5.19



Serie 3:
 8.9 ← 8.9 ↑ 9.7 ↓ 9.3 → 10.2 ↓
 7.5 ↘ 9.7 ↖ 8.7 → 10.9 * 9.8 ←
 beste Teiler 77.6 (29.) 617.1 (25.) 883.8 (30.)
 Trefferlage 2.65 mm rechts, 2.55 mm tief
 Streuwert 10.44, horizontal: 12.03, vertikal: 8.57





Serie 4:
 8.7 ↗ 10.4 * 10.7 * 10.5 * 10.8 *
 9.7 ← 9.2 ↑ 9.5 ↗ 10.4 * 10.0 ↓
 beste Teiler 141.4 (35.) 185.9 (33.) 352.8 (34.)
 Trefferlage 0.43 mm rechts, 3.11 mm hoch
 Streuwert 6.53, horizontal: 5.48, vertikal: 7.43


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **386** (403.2)
 Serien: 97 96 95 98
 Zähler: 26 14 0 0 0 0 0 0 0 0
 Innenzehner: 18
 weiteste: 1527 (21), 1518 (12), 1389 (20)
 beste Teiler 48.0 (36.) 126.1 (28.) 147.1 (11.)
 Trefferlage 2.20 mm rechts, 1.15 mm hoch
 Streuwert 5.60, horizontal: 7.03, vertikal: 3.63




Serie 1:
 10.6 * 9.4 ← 10.4 * 9.5 → 10.5 *
 9.3 ↗ 10.6 * 10.4 * 10.7 * 10.2 ↘
 beste Teiler 214.9 (9.) 243.1 (7.) 283.1 (1.)
 Trefferlage 2.37 mm rechts, 0.99 mm hoch
 Streuwert 5.34, horizontal: 7.06, vertikal: 2.68



Serie 2:
 10.8 * 9.1 → 10.2 → 10.6 * 9.8 ↖
 10.7 * 10.1 ↗ 9.4 ↗ 10.5 * 9.2 ↗
 beste Teiler 147.1 (11.) 171.4 (16.) 315.9 (14.)
 Trefferlage 4.09 mm rechts, 0.60 mm hoch
 Streuwert 5.82, horizontal: 7.07, vertikal: 4.23



Serie 3:
 9.0 → 9.5 ↗ 9.5 ↘ 10.2 ← 9.8 ↖
 10.4 * 9.4 ← 10.8 * 10.4 * 10.5 *
 beste Teiler 126.1 (28.) 385.4 (30.) 409.6 (26.)
 Trefferlage 2.47 mm rechts, 0.44 mm hoch
 Streuwert 6.55, horizontal: 8.43, vertikal: 3.84





Serie 4:
 9.7 → 10.2 ↑ 10.0 ↘ 10.4 * 10.0 ↖
 10.9 * 10.6 * 9.6 ← 10.0 ↑ 10.3 *
 beste Teiler 48.0 (36.) 266.0 (37.) 463.6 (34.)
 Trefferlage 0.13 mm links, 2.58 mm hoch
 Streuwert 4.88, horizontal: 5.78, vertikal: 3.77


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **362** (380.9)
 Serien: 92 90 89 91
 Zähler: 10 23 6 1 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 2526 (40), 2276 (34), 1880 (1)
 beste Teiler 287.7 (36.) 389.9 (32.) 427.7 (35.)
 Trefferlage 0.80 mm links, 1.18 mm hoch
 Streuwert 8.85, horizontal: 8.34, vertikal: 9.33




Serie 1:
 8.6 ↘ 9.3 ↗ 10.3 * 10.1 ↙ 9.9 ↘
 9.9 ↗ 9.4 ↖ 9.0 ↗ 10.2 ↖ 9.5 →
 beste Teiler 526.7 (3.) 630.4 (9.) 650.5 (4.)
 Trefferlage 1.54 mm rechts, 2.90 mm hoch
 Streuwert 8.08, horizontal: 8.50, vertikal: 7.63



Serie 2:
 9.6 ↗ 9.5 ↘ 10.0 ↖ 9.6 ↗ 8.8 ↘
 9.6 ↗ 8.9 ↑ 9.2 ↖ 10.1 ↗ 9.9 ↖
 beste Teiler 663.3 (19.) 750.8 (13.) 878.7 (20.)
 Trefferlage 0.53 mm links, 6.53 mm hoch
 Streuwert 7.43, horizontal: 7.59, vertikal: 7.26



Serie 3:
 8.9 ↖ 9.0 ↓ 8.8 ↑ 9.2 ↖ 10.1 ↘
 9.5 ↓ 9.9 ↖ 9.3 ↑ 9.9 ↖ 9.2 ↗
 beste Teiler 720.1 (25.) 826.2 (27.) 841.0 (29.)
 Trefferlage 4.11 mm links, 0.41 mm tief
 Streuwert 9.25, horizontal: 7.08, vertikal: 10.99





Serie 4:
 9.8 ↘ 10.5 * 9.9 ↗ 8.1 ↖ 10.4 *
 10.6 * 9.5 ↘ 10.0 ↘ 9.1 ↖ 7.8 ↓
 beste Teiler 287.7 (36.) 389.9 (32.) 427.7 (35.)
 Trefferlage 0.10 mm links, 4.27 mm tief
 Streuwert 9.41, horizontal: 10.13, vertikal: 8.63


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **375** (393.3)
 Serien: 93 93 94 95
 Zähler: 19 17 4 0 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 1971 (28), 1828 (14), 1797 (33)
 beste Teiler 277.2 (27.) 414.5 (29.) 424.6 (24.)
 Trefferlage 0.26 mm links, 0.90 mm hoch
 Streuwert 7.02, horizontal: 7.26, vertikal: 6.78




Serie 1:
 8.9 ↘ 9.6 ↗ 9.5 → 9.5 → 10.2 ↓
 10.3 ↘ 9.7 ↙ 9.7 ↓ 10.3 → 10.4 *
 beste Teiler 474.8 (10.) 533.8 (9.) 554.1 (6.)
 Trefferlage 4.22 mm rechts, 3.51 mm tief
 Streuwert 6.05, horizontal: 5.78, vertikal: 6.32



Serie 2:
 10.1 ↓ 9.6 ↖ 9.7 ← 8.7 ↖ 10.3 *
 9.9 ↖ 10.0 ↖ 10.0 ↑ 9.8 ↗ 9.6 ↖
 beste Teiler 498.9 (15.) 674.0 (11.) 779.0 (18.)
 Trefferlage 4.61 mm links, 2.40 mm hoch
 Streuwert 6.49, horizontal: 6.84, vertikal: 6.12



Serie 3:
 9.7 ↓ 9.9 ↓ 9.8 ↖ 10.4 * 10.0 ↖
 10.1 ↑ 10.6 * 8.5 ↗ 10.4 * 9.9 →
 beste Teiler 277.2 (27.) 414.5 (29.) 424.6 (24.)
 Trefferlage 0.46 mm rechts, 2.53 mm hoch
 Streuwert 6.67, horizontal: 5.74, vertikal: 7.48





Serie 4:
 10.0 ↖ 9.1 ↗ 8.7 ↖ 10.4 * 10.2 ↖
 10.1 ↑ 9.8 ↗ 9.3 ↖ 10.3 ↗ 10.3 ↗
 beste Teiler 479.4 (34.) 538.1 (40.) 556.3 (39.)
 Trefferlage 1.12 mm links, 2.20 mm hoch
 Streuwert 7.32, horizontal: 8.39, vertikal: 6.06


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **315** (335.7)
 Serien: 84 83 77 71
 Zähler: 3 8 14 12 2 1 0 0 0 0
 Innenzehner: 1
 weiteste: 4411 (33), 3267 (34), 3236 (31)
 beste Teiler 262.7 (8.) 614.0 (19.) 688.3 (15.)
 Trefferlage 2.23 mm links, 18.22 mm tief
 Streuwert 8.68, horizontal: 7.39, vertikal: 9.80




Serie 1:
 8.9 ↓ 9.4 ↙ 8.6 ↘ 9.7 ↓ 7.1 ↘
 9.5 ↓ 8.8 ↓ 10.6 * 8.8 ↘ 8.9 ↓
 beste Teiler 262.7 (8.) 981.2 (4.) 1185.7 (6.)
 Trefferlage 4.66 mm links, 13.23 mm tief
 Streuwert 6.82, horizontal: 6.46, vertikal: 7.17



Serie 2:
 9.2 ↓ 9.2 → 7.2 ↘ 8.4 ↓ 10.1 ↖
 7.7 ↓ 8.9 ↙ 7.7 ↓ 10.2 → 8.6 ↓
 beste Teiler 614.0 (19.) 688.3 (15.) 1366.5 (12.)
 Trefferlage 0.71 mm links, 13.46 mm tief
 Streuwert 10.48, horizontal: 9.83, vertikal: 11.09



Serie 3:
 7.8 ↓ 8.2 ↓ 7.9 ↓ 7.6 ↓ 9.4 ↘
 9.0 ↓ 7.6 ↓ 8.5 ↘ 7.7 ↓ 8.1 ↓
 beste Teiler 1254.5 (25.) 1566.8 (26.) 1978.8 (28.)
 Trefferlage 0.87 mm links, 21.34 mm tief
 Streuwert 5.47, horizontal: 5.81, vertikal: 5.12





Serie 4:
 6.9 ↓ 7.9 ↓ 5.4 ↓ 6.9 ↓ 8.7 ↓
 8.1 ↓ 9.0 ↓ 8.6 ↙ 7.4 ↓ 7.5 ↓
 beste Teiler 1584.7 (37.) 1769.1 (35.) 1841.1 (38.)
 Trefferlage 2.69 mm links, 24.86 mm tief
 Streuwert 8.83, horizontal: 7.27, vertikal: 10.16


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **391** (410.2)
 Serien: 99 99 97 96
 Zähler: 31 9 0 0 0 0 0 0 0 0
 Innenzehner: 25
 weiteste: 1266 (36), 1199 (24), 1129 (39)
 beste Teiler 114.4 (8.) 119.2 (38.) 152.5 (30.)
 Trefferlage 1.91 mm links, 0.46 mm tief
 Streuwert 4.30, horizontal: 4.62, vertikal: 3.95




Serie 1:
 10.7 * 10.1 ↖ 10.6 * 9.7 ↓ 10.5 *
 10.4 * 10.4 * 10.8 * 10.4 * 10.4 *
 beste Teiler 114.4 (8.) 180.5 (1.) 276.8 (3.)
 Trefferlage 1.75 mm links, 1.15 mm tief
 Streuwert 3.37, horizontal: 2.54, vertikal: 4.04



Serie 2:
 10.1 ↖ 10.7 * 10.2 → 10.7 * 9.9 ↘
 10.5 * 10.4 * 10.1 → 10.7 * 10.3 *
 beste Teiler 174.7 (12.) 184.0 (14.) 198.4 (19.)
 Trefferlage 1.37 mm rechts, 0.23 mm tief
 Streuwert 3.68, horizontal: 4.07, vertikal: 3.25



Serie 3:
 10.3 * 9.8 ↘ 10.5 * 9.5 ← 10.6 *
 9.6 ↓ 10.3 * 10.4 * 10.3 * 10.8 *
 beste Teiler 152.5 (30.) 242.5 (25.) 387.3 (23.)
 Trefferlage 2.58 mm links, 0.70 mm tief
 Streuwert 4.63, horizontal: 4.62, vertikal: 4.65





Serie 4:
 10.3 * 10.0 ← 9.7 ← 10.4 * 10.4 *
 9.4 ← 9.9 ↖ 10.8 * 9.5 ↖ 10.1 ←
 beste Teiler 119.2 (38.) 432.2 (34.) 444.2 (35.)
 Trefferlage 4.69 mm links, 0.24 mm hoch
 Streuwert 4.75, horizontal: 5.21, vertikal: 4.24


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **366** (383.7)
 Serien: 90 92 93 91
 Zähler: 15 17 7 1 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 2968 (37), 2394 (10), 2361 (15)
 beste Teiler 165.5 (21.) 181.5 (13.) 231.1 (8.)
 Trefferlage 1.72 mm rechts, 0.69 mm tief
 Streuwert 9.05, horizontal: 9.48, vertikal: 8.60




Serie 1:
 8.6 → 10.6 * 9.7 ↑ 10.6 * 8.8 →
 9.9 ↓ 8.8 → 10.7 * 10.3 * 8.0 ↓
 beste Teiler 231.1 (8.) 317.6 (4.) 320.6 (2.)
 Trefferlage 6.79 mm rechts, 4.27 mm tief
 Streuwert 7.88, horizontal: 8.32, vertikal: 7.42



Serie 2:
 9.2 ↖ 10.0 ↓ 10.7 * 8.4 ↘ 8.0 ↓
 9.4 ↓ 9.8 ↖ 10.5 * 9.1 ↑ 10.4 *
 beste Teiler 181.5 (13.) 343.9 (18.) 422.8 (20.)
 Trefferlage 0.03 mm rechts, 3.03 mm tief
 Streuwert 9.57, horizontal: 8.36, vertikal: 10.65



Serie 3:
 10.7 * 8.6 → 10.1 ← 10.0 ↓ 9.6 ↖
 9.2 → 10.5 * 9.8 ← 9.1 → 9.6 →
 beste Teiler 165.5 (21.) 342.9 (27.) 676.8 (23.)
 Trefferlage 2.61 mm rechts, 0.82 mm tief
 Streuwert 7.96, horizontal: 10.41, vertikal: 4.26





Serie 4:
 9.2 ↗ 9.9 ↗ 10.6 * 9.4 ↑ 10.1 →
 9.5 ↑ 7.2 ↖ 9.3 ← 10.0 ↖ 9.8 ↓
 beste Teiler 286.1 (33.) 691.7 (35.) 799.3 (39.)
 Trefferlage 2.55 mm links, 5.35 mm hoch
 Streuwert 9.01, horizontal: 9.44, vertikal: 8.56


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **350** (368.7)
 Serien: 84 88 88 90
 Zähler: 10 13 14 3 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 2764 (10), 2680 (8), 2594 (14)
 beste Teiler 162.9 (16.) 356.5 (27.) 412.8 (19.)
 Trefferlage 6.82 mm links, 2.50 mm hoch
 Streuwert 9.59, horizontal: 9.68, vertikal: 9.50




Serie 1:
 9.4 ↘ 8.7 ↘ 9.6 ↗ 10.2 ↙ 9.2 ↖
 9.1 ↗ 8.8 ↘ 7.6 ↘ 8.6 ↘ 7.5 ←
 beste Teiler 566.2 (4.) 1053.0 (3.) 1254.6 (1.)
 Trefferlage 8.34 mm links, 5.95 mm hoch
 Streuwert 10.78, horizontal: 11.21, vertikal: 10.33



Serie 2:
 9.4 ↖ 8.9 ↖ 8.9 ↓ 7.7 ↙ 8.1 ↗
 10.7 * 10.0 ↓ 9.0 ↑ 10.4 * 9.9 ↙
 beste Teiler 162.9 (16.) 412.8 (19.) 770.0 (17.)
 Trefferlage 4.58 mm links, 0.42 mm hoch
 Streuwert 10.72, horizontal: 8.79, vertikal: 12.35



Serie 3:
 8.2 ↖ 9.0 ↖ 9.8 ↙ 8.7 ← 8.5 ←
 8.4 ↖ 10.5 * 10.3 * 8.8 ↘ 10.2 ↑
 beste Teiler 356.5 (27.) 489.4 (28.) 600.1 (30.)
 Trefferlage 7.95 mm links, 0.95 mm hoch
 Streuwert 9.59, horizontal: 11.92, vertikal: 6.49





Serie 4:
 9.4 ↗ 10.2 ↖ 8.8 ↖ 9.3 ↖ 8.9 ↙
 9.9 ↙ 10.0 ↘ 10.1 ↑ 8.9 ↘ 9.1 ←
 beste Teiler 573.9 (32.) 646.5 (38.) 771.0 (37.)
 Trefferlage 6.42 mm links, 2.71 mm hoch
 Streuwert 7.76, horizontal: 7.15, vertikal: 8.33


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **374** (393.5)
 Serien: 94 94 92 94
 Zähler: 16 22 2 0 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 1960 (31), 1712 (20), 1558 (1)
 beste Teiler 134.4 (19.) 319.2 (32.) 338.1 (10.)
 Trefferlage 1.15 mm links, 0.08 mm tief
 Streuwert 6.96, horizontal: 8.02, vertikal: 5.70




Serie 1:
 9.0 ↘ 10.2 ↙ 9.9 ↑ 9.9 ↖ 9.6 ↗
 9.9 ↘ 10.2 ↙ 9.5 ↖ 10.2 ↓ 10.5 *
 beste Teiler 338.1 (10.) 579.3 (2.) 595.6 (7.)
 Trefferlage 0.75 mm links, 1.70 mm hoch
 Streuwert 6.60, horizontal: 7.30, vertikal: 5.82



Serie 2:
 10.2 ↗ 9.9 ↖ 10.3 * 9.5 ← 10.5 *
 9.4 ← 10.1 ← 9.7 → 10.8 * 8.8 ↘
 beste Teiler 134.4 (19.) 389.9 (15.) 509.3 (13.)
 Trefferlage 2.40 mm links, 1.02 mm tief
 Streuwert 6.66, horizontal: 8.11, vertikal: 4.79



Serie 3:
 10.1 ↓ 9.5 ← 9.2 ← 9.4 ↘ 9.8 ↘
 9.5 ↗ 9.6 ↗ 9.8 ↗ 10.3 ↗ 9.8 ↖
 beste Teiler 534.8 (29.) 652.7 (21.) 941.6 (28.)
 Trefferlage 0.47 mm links, 2.28 mm tief
 Streuwert 7.53, horizontal: 8.81, vertikal: 5.99





Serie 4:
 8.5 ← 10.6 * 10.1 ↗ 9.9 ↑ 10.4 *
 9.6 ↖ 10.2 ↙ 10.4 * 9.6 ↗ 9.1 ↘
 beste Teiler 319.2 (32.) 457.8 (35.) 464.8 (38.)
 Trefferlage 0.98 mm links, 1.27 mm hoch
 Streuwert 7.61, horizontal: 8.94, vertikal: 5.99


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **372** (391.5)
 Serien: 96 94 92 90
 Zähler: 15 22 3 0 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 2230 (40), 1913 (10), 1741 (21)
 beste Teiler 106.8 (17.) 189.7 (1.) 241.4 (4.)
 Trefferlage 3.21 mm links, 1.05 mm hoch
 Streuwert 7.09, horizontal: 7.61, vertikal: 6.54




Serie 1:
 10.7 * 9.4 ↖ 10.3 * 10.6 * 10.5 *
 10.4 * 10.6 * 10.3 * 9.3 ← 8.6 ←
 beste Teiler 189.7 (1.) 241.4 (4.) 266.3 (7.)
 Trefferlage 4.47 mm links, 2.30 mm hoch
 Streuwert 5.49, horizontal: 6.68, vertikal: 3.94



Serie 2:
 9.5 ↙ 10.1 ↖ 10.4 * 10.2 ↙ 9.9 ↘
 9.9 ↑ 10.8 * 9.9 ↘ 9.4 ↓ 9.5 ↘
 beste Teiler 106.8 (17.) 448.6 (13.) 578.4 (14.)
 Trefferlage 2.86 mm links, 1.30 mm tief
 Streuwert 5.92, horizontal: 4.69, vertikal: 6.93



Serie 3:
 8.8 ← 9.3 ← 9.0 ↖ 10.4 * 10.4 *
 9.2 ← 9.4 ↗ 9.8 ↑ 9.4 ↘ 10.3 ↓
 beste Teiler 423.0 (24.) 450.4 (25.) 537.2 (30.)
 Trefferlage 6.26 mm links, 3.37 mm hoch
 Streuwert 6.96, horizontal: 8.22, vertikal: 5.42





Serie 4:
 9.7 ↘ 9.7 ↘ 9.5 → 9.8 ↘ 9.5 →
 9.6 ↑ 10.1 ↑ 9.9 ↗ 9.2 ↘ 8.2 ↙
 beste Teiler 670.5 (37.) 819.7 (38.) 911.7 (34.)
 Trefferlage 0.74 mm rechts, 0.15 mm tief
 Streuwert 9.04, horizontal: 9.32, vertikal: 8.76


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **375** (395.1)
 Serien: 95 93 93 94
 Zähler: 17 21 2 0 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 1894 (9), 1656 (20), 1588 (16)
 beste Teiler 116.7 (23.) 173.5 (12.) 178.9 (34.)
 Trefferlage 0.28 mm rechts, 0.64 mm tief
 Streuwert 6.79, horizontal: 7.77, vertikal: 5.65




Serie 1:
 9.7 → 9.8 ↘ 10.0 ↖ 9.8 ↓ 10.4 *
 10.2 ↘ 10.4 * 10.0 ← 8.6 ← 10.2 →
 beste Teiler 405.6 (5.) 424.6 (7.) 583.2 (10.)
 Trefferlage 0.12 mm links, 0.33 mm tief
 Streuwert 6.91, horizontal: 8.72, vertikal: 4.43



Serie 2:
 9.7 ↓ 10.7 * 10.3 ↗ 9.1 → 10.0 →
 9.0 ↖ 9.5 ↖ 9.2 ↘ 10.3 * 8.9 →
 beste Teiler 173.5 (12.) 503.4 (19.) 555.6 (13.)
 Trefferlage 3.46 mm rechts, 0.42 mm tief
 Streuwert 8.03, horizontal: 9.51, vertikal: 6.22



Serie 3:
 9.9 → 9.5 ↖ 10.8 * 10.5 * 9.9 →
 9.9 ← 9.6 ↓ 9.7 ↑ 10.1 ↗ 9.8 ↖
 beste Teiler 116.7 (23.) 339.7 (24.) 703.7 (29.)
 Trefferlage 1.18 mm links, 0.49 mm tief
 Streuwert 6.16, horizontal: 6.08, vertikal: 6.24





Serie 4:
 9.6 ↓ 9.4 ↗ 9.8 ← 10.7 * 10.6 *
 9.9 ↘ 10.2 ← 9.6 ↓ 10.5 * 9.3 ←
 beste Teiler 178.9 (34.) 285.2 (35.) 321.9 (39.)
 Trefferlage 1.01 mm links, 1.33 mm tief
 Streuwert 6.44, horizontal: 6.53, vertikal: 6.34


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **354** (375.0)
 Serien: 90 85 86 93
 Zähler: 10 18 10 1 0 1 0 0 0 0
 Innenzehner: 7
 weiteste: 4418 (21), 2430 (17), 2213 (12)
 beste Teiler 120.8 (34.) 284.8 (24.) 327.9 (27.)
 Trefferlage 2.42 mm links, 5.39 mm hoch
 Streuwert 9.62, horizontal: 9.59, vertikal: 9.66




Serie 1:
 9.6 ↗ 9.8 ↘ 8.8 ← 9.7 ← 10.5 *
 9.9 ↘ 10.5 * 8.7 ↘ 9.7 ↘ 9.1 ↓
 beste Teiler 378.3 (7.) 391.7 (5.) 834.7 (6.)
 Trefferlage 1.14 mm rechts, 2.42 mm tief
 Streuwert 8.36, horizontal: 9.72, vertikal: 6.74



Serie 2:
 9.2 ↖ 8.2 ↖ 9.3 ↗ 9.4 ↑ 10.5 *
 8.9 ↗ 7.9 ↑ 9.4 ↗ 8.5 ↑ 8.6 ↖
 beste Teiler 338.5 (15.) 1233.3 (18.) 1256.4 (14.)
 Trefferlage 1.75 mm links, 9.64 mm hoch
 Streuwert 10.03, horizontal: 10.33, vertikal: 9.72



Serie 3:
 5.4 ↖ 9.7 ↖ 8.4 ↖ 10.6 * 8.9 ↖
 10.2 ↗ 10.5 * 8.6 ↖ 9.8 ↓ 9.8 ↑
 beste Teiler 284.8 (24.) 327.9 (27.) 613.5 (26.)
 Trefferlage 6.13 mm links, 7.91 mm hoch
 Streuwert 11.25, horizontal: 10.93, vertikal: 11.56





Serie 4:
 8.6 ↖ 9.1 ↖ 9.5 ↑ 10.8 * 10.1 ↖
 9.5 ↗ 10.3 * 10.1 ← 9.7 ← 9.2 ↑
 beste Teiler 120.8 (34.) 496.3 (37.) 642.0 (35.)
 Trefferlage 2.95 mm links, 6.45 mm hoch
 Streuwert 6.38, horizontal: 6.87, vertikal: 5.85


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **361** (378.3)
 Serien: 91 89 90 91
 Zähler: 12 18 9 1 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 2542 (39), 2320 (14), 2041 (30)
 beste Teiler 383.1 (35.) 459.2 (37.) 479.1 (10.)
 Trefferlage 0.52 mm links, 1.90 mm tief
 Streuwert 9.31, horizontal: 10.41, vertikal: 8.06




Serie 1:
 9.5 ↘ 9.6 ↓ 9.3 ↖ 8.9 ↙ 10.0 ←
 10.1 ↙ 10.2 ↖ 8.4 ↘ 8.8 ↘ 10.4 *
 beste Teiler 479.1 (10.) 590.8 (7.) 667.2 (6.)
 Trefferlage 0.03 mm links, 4.77 mm tief
 Streuwert 8.65, horizontal: 9.18, vertikal: 8.09



Serie 2:
 9.1 ↖ 10.2 ← 10.3 * 8.1 ↖ 9.5 ↑
 8.7 ↙ 9.7 ↖ 9.8 ← 8.7 → 9.8 →
 beste Teiler 523.0 (13.) 622.9 (12.) 943.6 (20.)
 Trefferlage 3.35 mm links, 1.43 mm hoch
 Streuwert 9.84, horizontal: 10.31, vertikal: 9.34



Serie 3:
 10.2 → 9.4 ↘ 9.6 → 10.1 ← 9.3 ↖
 8.4 ← 10.2 ↘ 8.8 ↖ 9.8 ← 8.4 →
 beste Teiler 567.7 (27.) 621.1 (21.) 671.4 (24.)
 Trefferlage 0.40 mm links, 1.25 mm tief
 Streuwert 9.82, horizontal: 12.43, vertikal: 6.21





Serie 4:
 10.1 ↙ 9.5 ↑ 9.3 ↙ 9.0 ← 10.5 *
 9.6 ↗ 10.4 * 9.8 ↓ 7.8 ↘ 9.0 ↘
 beste Teiler 383.1 (35.) 459.2 (37.) 678.0 (31.)
 Trefferlage 1.67 mm rechts, 3.01 mm tief
 Streuwert 9.40, horizontal: 10.48, vertikal: 8.18


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **348** (365.5)
 Serien: 85 86 90 87
 Zähler: 9 16 9 6 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 3023 (8), 2905 (24), 2870 (2)
 beste Teiler 121.9 (14.) 188.8 (6.) 268.4 (26.)
 Trefferlage 4.50 mm rechts, 1.62 mm hoch
 Streuwert 11.29, horizontal: 13.33, vertikal: 8.78




Serie 1:
 8.4 ↗ 7.4 → 9.6 ↓ 8.1 → 10.3 *
 10.7 * 7.6 → 7.2 → 10.3 * 9.8 ↘
 beste Teiler 188.8 (6.) 520.3 (5.) 524.0 (9.)
 Trefferlage 13.09 mm rechts, 0.76 mm tief
 Streuwert 10.38, horizontal: 12.41, vertikal: 7.85



Serie 2:
 9.6 → 9.4 ↘ 7.9 ↙ 10.8 * 8.1 ↗
 9.0 → 8.9 ↙ 9.4 ↓ 9.1 ↗ 8.6 ↘
 beste Teiler 121.9 (14.) 1044.0 (11.) 1260.9 (12.)
 Trefferlage 2.77 mm rechts, 0.53 mm hoch
 Streuwert 11.93, horizontal: 13.59, vertikal: 9.99



Serie 3:
 9.5 ↑ 9.0 ↗ 10.5 * 7.3 → 9.1 ↗
 10.6 * 8.9 ↑ 10.2 ↘ 9.5 ↑ 9.3 ↑
 beste Teiler 268.4 (26.) 384.0 (23.) 602.8 (28.)
 Trefferlage 3.29 mm rechts, 9.15 mm hoch
 Streuwert 7.95, horizontal: 10.25, vertikal: 4.64



Serie 4:
 8.8 ← 10.0 ↓ 9.6 ↙ 10.0 ↑ 7.8 ↙
 8.2 → 8.3 ↗ 9.4 → 9.7 ↓ 9.6 ↘
 beste Teiler 769.6 (34.) 775.5 (32.) 1029.7 (39.)
 Trefferlage 1.12 mm links, 2.40 mm tief
 Streuwert 11.55, horizontal: 14.28, vertikal: 7.91

 Unterschrift des Schützen

Meyton Elektronik