





Ergebnis: **379** (398.2)  
 Serien: 95 94 92 98  
 Zähler: 21 17 2 0 0 0 0 0 0 0  
 Innenzehner: 15  
 weiteste: 2330 (20), 1772 (23), 1600 (15)  
 beste Teiler 157.8 (28.) 173.7 (25.) 178.9 (34.)  
 Trefferlage 1.22 mm links, 1.24 mm hoch  
 Streuwert 6.50, horizontal: 6.94, vertikal: 6.02




Serie 1:  
 9.4 ↘ 10.3 \* 9.3 → 10.5 \* 9.6 ↑  
 10.5 \* 10.3 \* 9.5 ↖ 9.5 ← 10.5 \*  
 beste Teiler 379.6 (4.) 384.6 (10.) 399.0 (6.)  
 Trefferlage 2.58 mm links, 2.33 mm hoch  
 Streuwert 6.12, horizontal: 6.82, vertikal: 5.32



Serie 2:  
 10.4 \* 9.9 ↘ 10.4 \* 10.3 ← 9.0 ↑  
 9.5 ↑ 10.3 \* 9.9 ↑ 10.0 ↘ 8.0 ←  
 beste Teiler 443.3 (11.) 446.3 (13.) 529.5 (17.)  
 Trefferlage 2.93 mm links, 5.13 mm hoch  
 Streuwert 6.98, horizontal: 8.53, vertikal: 4.96



Serie 3:  
 9.6 ↗ 9.9 ↘ 8.7 ← 9.9 ↘ 10.7 \*  
 9.5 ↓ 10.1 ↓ 10.8 \* 9.7 ↑ 9.8 →  
 beste Teiler 157.8 (28.) 173.7 (25.) 669.3 (27.)  
 Trefferlage 0.66 mm links, 0.12 mm tief  
 Streuwert 7.21, horizontal: 7.14, vertikal: 7.28





Serie 4:  
 10.1 ↙ 10.4 \* 10.0 ↘ 10.7 \* 10.7 \*  
 10.3 ↖ 10.6 \* 10.6 \* 9.5 → 9.5 ↓  
 beste Teiler 178.9 (34.) 197.4 (35.) 266.1 (38.)  
 Trefferlage 1.29 mm rechts, 2.34 mm tief  
 Streuwert 4.62, horizontal: 5.08, vertikal: 4.09


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **366** (382.6)  
 Serien: 93 89 93 91  
 Zähler: 16 17 5 1 1 0 0 0 0 0  
 Innenzehner: 6  
 weiteste: 3672 (1), 2460 (17), 2370 (35)  
 beste Teiler 205.8 (39.) 224.2 (7.) 283.1 (28.)  
 Trefferlage 4.32 mm links, 4.97 mm hoch  
 Streuwert 8.12, horizontal: 7.90, vertikal: 8.33




Serie 1:  
 6.4 ↑ 10.1 ↗ 10.2 → 9.1 ↘ 9.2 ↑  
 10.5 \* 10.7 \* 10.1 ↑ 9.3 ↗ 10.4 \*  
 beste Teiler 224.2 (7.) 394.6 (6.) 456.0 (10.)  
 Trefferlage 0.84 mm links, 7.52 mm hoch  
 Streuwert 9.16, horizontal: 6.11, vertikal: 11.42



Serie 2:  
 9.7 ↑ 9.9 → 10.1 ↓ 8.3 ↘ 9.3 ↗  
 10.1 ↑ 7.9 ↘ 8.8 ↘ 10.1 → 9.8 ↑  
 beste Teiler 649.6 (16.) 693.6 (13.) 708.8 (19.)  
 Trefferlage 1.58 mm links, 6.96 mm hoch  
 Streuwert 8.88, horizontal: 9.27, vertikal: 8.48





Serie 3:  
 8.8 ← 10.0 ↗ 9.1 ↑ 9.8 ← 10.3 ←  
 9.4 ↑ 10.0 ↓ 10.6 \* 9.3 ↘ 9.9 ←  
 beste Teiler 283.1 (28.) 546.3 (25.) 727.0 (22.)  
 Trefferlage 5.31 mm links, 2.27 mm hoch  
 Streuwert 6.68, horizontal: 5.75, vertikal: 7.50




Serie 4:  
 9.5 ↘ 8.3 ↘ 9.0 ← 9.4 ← 8.0 ↘  
 9.9 ↘ 9.9 ↑ 10.5 \* 10.7 \* 10.2 ↘  
 beste Teiler 205.8 (39.) 329.1 (38.) 618.3 (40.)  
 Trefferlage 9.56 mm links, 3.12 mm hoch  
 Streuwert 6.31, horizontal: 7.80, vertikal: 4.32

Unterschrift des Schützen


Ergebnis: **374** (393.6)  
 Serien: 91 92 95 96  
 Zähler: 20 14 6 0 0 0 0 0 0 0  
 Innenzehner: 9  
 weiteste: 2303 (7), 2080 (5), 1890 (40)  
 beste Teiler 39.8 (16.) 47.5 (35.) 49.6 (33.)  
 Trefferlage 0.93 mm rechts, 0.85 mm tief  
 Streuwert 7.62, horizontal: 9.22, vertikal: 5.59




Serie 1:  
 10.1 ↖ 8.8 ↘ 9.2 ↙ 10.2 ↗ 8.4 →  
 10.3 ↘ 8.1 → 10.6 \* 10.0 → 8.7 →  
 beste Teiler 247.6 (8.) 541.6 (6.) 605.6 (4.)  
 Trefferlage 7.25 mm rechts, 1.38 mm tief  
 Streuwert 8.92, horizontal: 11.39, vertikal: 5.44



Serie 2:  
 9.5 ↗ 9.5 ↗ 9.3 → 10.3 ↙ 8.7 ↓  
 10.9 \* 9.9 ↙ 10.3 \* 9.6 ↓ 9.6 ↙  
 beste Teiler 39.8 (16.) 518.7 (18.) 543.3 (14.)  
 Trefferlage 0.74 mm rechts, 3.15 mm tief  
 Streuwert 7.61, horizontal: 6.43, vertikal: 8.63



Serie 3:  
 10.3 ↓ 10.0 → 10.2 ↘ 9.8 ← 9.0 →  
 10.9 \* 9.7 → 9.6 ← 10.2 ← 9.7 ↖  
 beste Teiler 65.3 (26.) 548.3 (21.) 561.1 (23.)  
 Trefferlage 0.49 mm rechts, 0.33 mm hoch  
 Streuwert 6.67, horizontal: 8.69, vertikal: 3.66





Serie 4:  
 10.4 \* 10.2 ← 10.9 \* 9.5 ← 10.9 \*  
 10.7 \* 9.9 ← 10.3 ↖ 10.8 \* 8.6 ←  
 beste Teiler 47.5 (35.) 49.6 (33.) 121.3 (39.)  
 Trefferlage 4.77 mm links, 0.80 mm hoch  
 Streuwert 4.90, horizontal: 6.39, vertikal: 2.69

Unterschrift des Schützen

Meyton Elektronik


|              |  |         |
|--------------|--|---------|
| Ergebnis:    | <b>365</b>                             | (383.4) |
| Serien:      | 93 89 92 91                            |         |
| Zähler:      | 13 19 8 0 0 0 0 0 0 0                  |         |
| Innenzehner: | 6                                      |         |
| weiteste:    | 2309 (13), 2264 (19), 1968 (28)        |         |
| beste Teiler | 215.0 (18.) 248.7 (8.) 305.0 (6.)      |         |
| Trefferlage  | 1.65 mm rechts, 1.35 mm hoch           |         |
| Streuwert    | 8.71, horizontal: 8.01, vertikal: 9.35 |         |



Serie 1:

|        |       |        |        |       |
|--------|-------|--------|--------|-------|
| 10.2 ↘ | 9.0 → | 9.5 ↓  | 9.8 ↗  | 8.6 ↖ |
| 10.6 * | 9.9 ↗ | 10.6 * | 10.5 * | 9.9 → |


beste Teiler 248.7 (8.) 305.0 (6.) 399.1 (9.)  
 Trefferlage 2.70 mm rechts, 2.33 mm hoch  
 Streuwert 7.16, horizontal: 6.62, vertikal: 7.65



Serie 2:

|       |        |        |       |        |
|-------|--------|--------|-------|--------|
| 8.7 → | 10.1 ↘ | 8.1 ↘  | 8.8 ↑ | 10.2 → |
| 9.5 ↘ | 9.2 →  | 10.7 * | 8.1 ↖ | 9.3 ↗  |


beste Teiler 215.0 (18.) 586.5 (15.) 679.0 (12.)  
 Trefferlage 4.28 mm rechts, 0.27 mm tief  
 Streuwert 10.72, horizontal: 10.42, vertikal: 11.01



Serie 3:

|       |        |       |        |        |
|-------|--------|-------|--------|--------|
| 9.9 → | 10.2 ↙ | 9.9 ↑ | 10.1 ↙ | 10.0 ↙ |
| 9.5 ↖ | 9.6 ↓  | 8.5 ↓ | 10.6 * | 8.6 ↖  |

beste Teiler 311.8 (29.) 597.4 (22.) 665.3 (24.)  
 Trefferlage 3.03 mm links, 0.87 mm tief  
 Streuwert 8.18, horizontal: 5.82, vertikal: 10.00



Serie 4:



|       |       |        |        |       |
|-------|-------|--------|--------|-------|
| 8.5 → | 9.3 ↖ | 9.7 ↑  | 9.7 ↓  | 9.6 ↗ |
| 9.0 ↙ | 9.8 ↗ | 10.0 ↑ | 10.4 * | 9.2 ↗ |

beste Teiler 416.4 (39.) 761.4 (38.) 913.6 (37.)  
 Trefferlage 2.67 mm rechts, 4.25 mm hoch  
 Streuwert 8.28, horizontal: 7.54, vertikal: 8.96


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **380** (399.4)  
 Serien: 96 96 94 94  
 Zähler: 20 20 0 0 0 0 0 0 0 0  
 Innenzehner: 13  
 weiteste: 1381 (35), 1367 (1), 1287 (4)  
 beste Teiler 118.0 (39.) 177.3 (10.) 185.1 (22.)  
 Trefferlage 0.22 mm links, 1.08 mm hoch  
 Streuwert 6.01, horizontal: 6.07, vertikal: 5.95



Serie 1:  
 9.2 ↖ 10.5 \* 10.3 \* 9.3 ↗ 9.5 ↘  
 9.4 ↘ 10.3 \* 10.7 \* 10.0 ↓ 10.7 \*  
 beste Teiler 177.3 (10.) 200.8 (8.) 364.0 (2.)  
 Trefferlage 3.47 mm links, 2.79 mm hoch  
 Streuwert 5.56, horizontal: 4.65, vertikal: 6.33



Serie 2:  
 10.5 \* 10.4 \* 10.5 \* 9.9 → 10.7 \*  
 10.0 → 9.6 ↓ 9.5 ↘ 9.8 ↓ 10.5 \*  
 beste Teiler 193.4 (15.) 341.1 (20.) 368.7 (11.)  
 Trefferlage 1.97 mm rechts, 1.73 mm tief  
 Streuwert 5.08, horizontal: 4.70, vertikal: 5.43



Serie 3:  
 10.1 → 10.7 \* 9.7 ↘ 9.9 → 9.8 ↓  
 10.0 → 9.4 ↖ 9.6 ↙ 9.5 ↙ 10.1 ↗  
 beste Teiler 185.1 (22.) 645.0 (21.) 696.9 (30.)  
 Trefferlage 0.65 mm links, 0.31 mm tief  
 Streuwert 6.56, horizontal: 7.14, vertikal: 5.92



Serie 4:  
 9.5 ↘ 9.9 ↗ 10.3 ↗ 10.4 \* 9.2 ↘  
 9.7 ↘ 9.9 → 10.1 ↓ 10.8 \* 9.5 ↗  
 beste Teiler 118.0 (39.) 456.3 (34.) 537.4 (33.)  
 Trefferlage 1.27 mm rechts, 3.58 mm hoch  
 Streuwert 6.01, horizontal: 6.69, vertikal: 5.23

Unterschrift des Schützen

Meyton Elektronik