





Ergebnis:	<b>387</b>	(404.3)
Serien:	98 99 94 96	
Zähler:	28 11 1 0 0 0 0 0 0	
Innenzehner:	19	
weiteste:	2252 (24), 1525 (26), 1291 (40)	
beste Teiler	43.0 (10.) 90.0 (16.) 204.0 (5.)	
Trefferlage	0.20 mm rechts, 1.95 mm hoch	
Streuwert	5.52, horizontal: 6.15, vertikal: 4.81	




Serie 1:	9.7 ↗	10.1 →	10.2 ↘	10.7 *	10.7 *
	10.5 *	10.0 ↘	9.5 →	10.4 *	10.9 *
beste Teiler	43.0 (10.) 204.0 (5.) 224.9 (4.)				
Trefferlage	2.19 mm rechts, 0.15 mm hoch				
Streuwert	4.41, horizontal: 4.51, vertikal: 4.31				



Serie 2:	10.0 ↘	10.5 *	10.3 *	10.1 ↑	10.5 *
	10.8 *	9.5 ↑	10.1 ↘	10.5 *	10.2 →
beste Teiler	90.0 (16.) 366.9 (19.) 381.0 (15.)				
Trefferlage	0.33 mm rechts, 2.83 mm hoch				
Streuwert	4.19, horizontal: 3.64, vertikal: 4.67				



Serie 3:	9.8 ↘	9.9 ↘	10.1 ↘	8.1 ↘	10.4 *
	9.0 →	10.4 *	10.0 →	9.8 ↑	10.4 *
beste Teiler	409.8 (30.) 418.5 (27.) 427.7 (25.)				
Trefferlage	0.05 mm rechts, 1.97 mm hoch				
Streuwert	7.78, horizontal: 9.89, vertikal: 4.83				





Serie 4:	9.7 ↘	10.7 *	10.3 *	10.3 *	10.7 *
	10.4 *	10.5 *	9.4 ↑	9.9 ↗	9.3 ↘
beste Teiler	221.4 (35.) 223.6 (32.) 373.7 (37.)				
Trefferlage	1.77 mm links, 2.86 mm hoch				
Streuwert	5.23, horizontal: 4.86, vertikal: 5.57				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>380</b>	(396.6)
Serien:	94	92 94 100
Zähler:	21 18 1	0 0 0 0 0 0 0
Innenzehner:	9	
weiteste:	1774 (28), 1544 (4), 1367 (30)	
beste Teiler	210.2 (35.)	235.7 (8.) 269.5 (40.)
Trefferlage	0.44 mm rechts,	2.63 mm hoch
Streuwert	6.11, horizontal:	6.33, vertikal: 5.89




Serie 1:	10.1 ↗	9.4 ↘	10.3 *	9.0 →	9.4 ↘
	9.9 →	10.2 ↘	10.7 *	9.5 ↗	9.7 ↗
beste Teiler	235.7 (8.)	521.2 (3.)	613.4 (7.)		
Trefferlage	4.12 mm rechts,	4.79 mm hoch			
Streuwert	5.68, horizontal:	6.91, vertikal: 4.09			



Serie 2:	10.3 *	9.9 ↗	9.8 ↑	9.3 ↗	9.7 ↗
	9.5 ↗	9.6 ↖	10.0 ↑	9.9 →	9.5 ←
beste Teiler	527.1 (11.)	747.8 (18.)	823.1 (19.)		
Trefferlage	2.15 mm rechts,	3.65 mm hoch			
Streuwert	6.46, horizontal:	7.28, vertikal: 5.54			



Serie 3:	10.2 ↘	10.3 *	10.1 ↗	9.7 ←	9.8 ↘
	10.4 *	9.7 ↘	8.7 ↑	10.3 *	9.2 ↘
beste Teiler	416.8 (26.)	503.1 (22.)	527.7 (29.)		
Trefferlage	1.45 mm links,	0.16 mm tief			
Streuwert	7.12, horizontal:	5.54, vertikal: 8.40			





Serie 4:	10.1 ↖	10.3 *	10.3 ↘	10.1 ↘	10.7 *
	10.0 ↖	10.0 ↑	10.2 ←	10.2 ↘	10.6 *
beste Teiler	210.2 (35.)	269.5 (40.)	486.9 (32.)		
Trefferlage	3.04 mm links,	2.26 mm hoch			
Streuwert	3.42, horizontal:	2.56, vertikal: 4.10			


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>374</b>	(393.7)			
Serien:	90	95	94	95	
Zähler:	20	15	4	1	0 0 0 0 0 0
Innenzehner:	10				
weiteste:	2506 (2), 1908 (34), 1879 (9)				
beste Teiler	65.9 (11.) 167.0 (25.) 192.6 (27.)				
Trefferlage	3.83 mm links, 2.10 mm hoch				
Streuwert	6.81, horizontal: 8.15, vertikal: 5.12				




Serie 1:	8.7 ←	7.8 ←	10.0 ←	10.3 ↗	9.4 ↘
	10.2 ↓	9.2 ↖	10.0 ←	8.6 ←	9.9 ↗
beste Teiler	546.6 (4.) 601.4 (6.) 732.4 (8.)				
Trefferlage	8.91 mm links, 1.86 mm hoch				
Streuwert	7.81, horizontal: 10.29, vertikal: 3.99				



Serie 2:	10.9 *	10.5 *	10.1 →	10.3 *	10.4 *
	9.8 ↗	9.9 ↖	9.5 ←	9.2 ↖	9.0 ↗
beste Teiler	65.9 (11.) 395.3 (12.) 451.5 (15.)				
Trefferlage	1.55 mm links, 2.37 mm hoch				
Streuwert	6.54, horizontal: 7.47, vertikal: 5.46				



Serie 3:	9.6 ↘	10.2 ↖	10.6 *	8.7 ↖	10.7 *
	9.9 ←	10.7 *	10.1 ←	9.9 ↖	9.9 ←
beste Teiler	167.0 (25.) 192.6 (27.) 275.6 (23.)				
Trefferlage	5.42 mm links, 1.83 mm hoch				
Streuwert	4.87, horizontal: 3.46, vertikal: 5.96				



Serie 4:	10.1 ↑	10.0 ←	9.8 ↗	8.6 →	10.5 *
	9.9 ↑	9.6 ↘	10.4 *	10.1 ←	10.7 *
beste Teiler	219.8 (40.) 350.2 (35.) 444.7 (38.)				
Trefferlage	0.54 mm rechts, 2.32 mm hoch				
Streuwert	6.61, horizontal: 7.44, vertikal: 5.67				

Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **376** (392.9)

Serien: 97 93 94 92

Zähler: 20 16 4 0 0 0 0 0 0 0



Innenzehner: 9

weiteste: 2097 (32), 1925 (17), 1848 (33)

beste Teiler 114.1 (15.) 273.0 (13.) 274.5 (23.)

Trefferlage 4.32 mm links, 1.10 mm hoch

Streuwert 6.59, horizontal: 8.15, vertikal: 4.52



Serie 1:


10.2 ↑                      9.9 →                      10.6 \*                      10.1 ↗                      9.0 ←

10.3 ↑                      10.0 ↑                      10.2 ↖                      9.8 ←                      10.3 \*

beste Teiler 289.8 (3.) 481.0 (10.) 544.4 (6.)

Trefferlage 1.87 mm links, 1.99 mm hoch

Streuwert 5.55, horizontal: 6.85, vertikal: 3.84



Serie 2:


9.2 ←                      9.6 ↖                      10.6 \*                      8.7 ↖                      10.8 \*

10.2 ↓                      8.5 ←                      10.1 ←                      10.0 ←                      9.6 →

beste Teiler 114.1 (15.) 273.0 (13.) 619.8 (16.)

Trefferlage 6.41 mm links, 1.36 mm hoch

Streuwert 6.83, horizontal: 8.95, vertikal: 3.64



Serie 3:


9.9 ←                      10.0 ↙                      10.6 \*                      9.2 ←                      9.5 ↖

9.9 →                      9.2 ↗                      9.4 ↙                      10.5 \*                      10.0 →

beste Teiler 274.5 (23.) 363.8 (29.) 732.6 (22.)

Trefferlage 2.41 mm links, 0.06 mm tief

Streuwert 7.11, horizontal: 8.32, vertikal: 5.64



Serie 4:

10.4 \*                      8.3 ←                      8.6 ←                      9.6 ↑                      9.9 ←

10.2 ↖                      9.9 ←                      9.3 ←                      10.3 \*                      10.5 \*

beste Teiler 373.7 (40.) 443.4 (31.) 481.2 (39.)



Trefferlage 6.59 mm links, 1.13 mm hoch

Streuwert 6.96, horizontal: 8.39, vertikal: 5.13

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	<b>369</b>	(388.3)
Serien:	95 92 89 93	
Zähler:	17 18 4 0 0 1 0 0 0 0	
Innenzehner:	11	
weiteste:	4678 (23), 2153 (15), 1877 (38)	
beste Teiler	134.0 (34.) 178.9 (17.) 294.2 (28.)	
Trefferlage	1.27 mm rechts, 0.73 mm hoch	
Streuwert	8.94, horizontal: 9.42, vertikal: 8.44	




Serie 1:

10.3 *	9.5 ↗	10.4 *	9.8 ↓	10.2 ↗
8.9 ↘	10.2 ↑	10.2 ←	9.1 ↗	10.4 *
beste Teiler	442.9 (3.)	459.2 (10.)	510.3 (1.)	
Trefferlage	2.07 mm rechts, 0.18 mm hoch			
Streuwert	6.84, horizontal: 6.45, vertikal: 7.22			




Serie 2:

8.7 ↘	9.7 →	10.1 ↓	10.5 *	8.3 ↘
9.9 ←	10.7 *	9.3 ↗	9.7 ↓	10.3 ←
beste Teiler	178.9 (17.)	368.6 (14.)	546.1 (20.)	
Trefferlage	1.85 mm links, 5.82 mm tief			
Streuwert	7.30, horizontal: 7.89, vertikal: 6.65			



Serie 3:

9.1 →	9.4 ↗	5.1 ↗	10.1 ←	9.5 ↘
9.9 ←	9.2 ←	10.6 *	9.9 ↘	10.6 *
beste Teiler	294.2 (28.)	298.9 (30.)	694.5 (24.)	
Trefferlage	1.10 mm rechts, 6.08 mm hoch			
Streuwert	12.28, horizontal: 14.29, vertikal: 9.85			





Serie 4:


10.5 *	10.6 *	9.5 →	10.8 *	9.6 ↓
9.4 ↘	10.3 *	8.6 →	9.6 ↑	9.8 →
beste Teiler	134.0 (34.)	295.6 (32.)	342.9 (31.)	
Trefferlage	3.77 mm rechts, 2.50 mm hoch			
Streuwert	6.68, horizontal: 7.59, vertikal: 5.61			

Unterschrift des Schützen


Ergebnis: **384** (402.8)  
 Serien: 99 95 96 94  
 Zähler: 26 12 2 0 0 0 0 0 0 0  
 Innenzehner: 16  
 weiteste: 2116 (17), 1707 (39), 1365 (20)  
 beste Teiler 102.8 (31.) 175.4 (9.) 183.9 (2.)  
 Trefferlage 2.39 mm links, 0.74 mm tief  
 Streuwert 5.56, horizontal: 5.63, vertikal: 5.48




Serie 1:  
 10.2 ↙ 10.7 \* 10.1 ↙ 9.8 ↗ 10.2 ↘  
 10.1 ↘ 10.1 ← 10.5 \* 10.7 \* 10.2 ↓  
 beste Teiler 175.4 (9.) 183.9 (2.) 334.2 (8.)  
 Trefferlage 2.88 mm links, 0.83 mm hoch  
 Streuwert 3.75, horizontal: 2.47, vertikal: 4.69



Serie 2:  
 10.5 \* 10.3 \* 10.6 \* 10.1 ← 10.1 ↘  
 9.9 ← 8.3 ↙ 9.9 ↓ 10.6 \* 9.2 ↘  
 beste Teiler 288.9 (13.) 297.1 (19.) 355.8 (11.)  
 Trefferlage 1.47 mm links, 3.03 mm tief  
 Streuwert 6.70, horizontal: 7.47, vertikal: 5.83



Serie 3:  
 10.4 \* 10.3 \* 9.8 ↙ 10.3 \* 10.3 ←  
 10.5 \* 10.4 \* 9.8 ↙ 9.8 ↓ 9.6 ↘  
 beste Teiler 380.3 (26.) 408.0 (27.) 468.3 (21.)  
 Trefferlage 0.63 mm links, 3.05 mm tief  
 Streuwert 4.77, horizontal: 6.06, vertikal: 2.97





Serie 4:  
 10.8 \* 10.2 ↙ 9.4 ↘ 9.8 ↘ 10.6 \*  
 10.5 \* 10.6 \* 9.3 ↑ 8.8 ↘ 9.5 ←  
 beste Teiler 102.8 (31.) 250.1 (37.) 250.7 (35.)  
 Trefferlage 4.57 mm links, 2.29 mm hoch  
 Streuwert 5.90, horizontal: 5.37, vertikal: 6.38


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>378</b>	(397.0)
Serien:	96 96 94 92	
Zähler:	21 17 1 1 0 0 0 0 0 0	
Innenzehner:	14	
weiteste:	2423 (34), 1958 (25), 1553 (32)	
beste Teiler	100.4 (30.) 136.3 (16.) 235.8 (21.)	
Trefferlage	2.86 mm links, 1.30 mm hoch	
Streuwert	6.45, horizontal: 7.59, vertikal: 5.07	




Serie 1:	10.2 ↘	10.2 ↗	9.0 →	9.6 ←	10.2 ↙
	10.4 *	10.1 ↖	9.0 ←	9.7 ←	10.4 *
beste Teiler	412.9 (6.) 451.2 (10.) 571.6 (2.)				
Trefferlage	2.87 mm links, 1.43 mm hoch				
Streuwert	6.55, horizontal: 8.56, vertikal: 3.52				



Serie 2:	9.7 ↘	10.6 *	9.8 ↘	9.9 ↓	9.6 ↓
	10.8 *	10.4 *	10.3 *	10.6 *	10.2 ↑
beste Teiler	136.3 (16.) 272.9 (12.) 320.4 (19.)				
Trefferlage	2.15 mm rechts, 1.31 mm tief				
Streuwert	4.74, horizontal: 4.93, vertikal: 4.55				





Serie 3:	10.7 *	10.1 ↙	9.4 ↘	10.0 ↘	8.5 ←
	9.7 ←	9.6 ↖	10.5 *	9.9 ↘	10.8 *
beste Teiler	100.4 (30.) 235.8 (21.) 323.0 (28.)				
Trefferlage	4.57 mm links, 1.25 mm hoch				
Streuwert	6.27, horizontal: 7.25, vertikal: 5.09				




Serie 4:	9.7 ↘	9.0 ↘	10.4 *	7.9 ↘	10.3 *
	9.8 ↗	9.8 ↑	9.2 ↘	10.5 *	10.5 *
beste Teiler	330.2 (39.) 350.9 (40.) 411.3 (33.)				
Trefferlage	6.17 mm links, 3.85 mm hoch				
Streuwert	6.83, horizontal: 7.48, vertikal: 6.11				

Unterschrift des Schützen


Ergebnis:	<b>377</b>	(394.2)
Serien:	94 94 93 96	
Zähler:	21 15 4 0 0 0 0 0 0 0	
Innenzehner:	8	
weiteste:	1985 (20), 1949 (7), 1913 (26)	
beste Teiler	63.0 (24.) 177.5 (16.) 251.0 (13.)	
Trefferlage	0.00 mm , 0.48 mm hoch	
Streuwert	7.15, horizontal: 7.71, vertikal: 6.55	




Serie 1:	10.6 *	9.8 ←	10.2 ↘	9.9 →	9.1 ↓
	10.6 *	8.5 →	9.4 ←	10.1 ↘	10.2 →
beste Teiler	293.8 (6.)	302.1 (1.)	572.9 (10.)		
Trefferlage	2.12 mm rechts, 1.31 mm tief				
Streuwert	7.37, horizontal: 8.93, vertikal: 5.38				



Serie 2:	10.0 →	10.0 →	10.6 *	9.9 →	9.8 ↗
	10.7 *	9.1 ↑	10.2 ↓	9.8 ←	8.5 ↘
beste Teiler	177.5 (16.)	251.0 (13.)	632.1 (18.)		
Trefferlage	1.36 mm rechts, 3.34 mm hoch				
Streuwert	7.02, horizontal: 6.14, vertikal: 7.79				



Serie 3:	8.9 ↑	10.3 *	9.7 ↘	10.9 *	10.0 ↘
	8.6 ←	9.0 ←	9.4 →	10.3 ↗	10.4 *
beste Teiler	63.0 (24.)	447.3 (30.)	510.3 (22.)		
Trefferlage	2.12 mm links, 0.94 mm hoch				
Streuwert	8.21, horizontal: 9.48, vertikal: 6.71				





Serie 4:	10.2 ↓	9.5 ↘	10.4 *	10.2 ↗	9.8 ↙
	9.5 ↘	10.0 ↓	9.8 ↘	10.1 ↑	10.2 ←
beste Teiler	430.2 (33.)	598.1 (40.)	614.6 (31.)		
Trefferlage	1.37 mm links, 1.04 mm tief				
Streuwert	5.98, horizontal: 6.00, vertikal: 5.96				

Unterschrift des Schützen


Meyton Elektronik




Ergebnis:	<b>385</b>	(406.4)			
Serien:	95	96	96	98	
Zähler:	25	15	0	0	0 0 0 0 0 0
Innenzehner:	17				
weiteste:	1139 (7), 1112 (11), 1094 (23)				
beste Teiler	123.9 (8.) 152.4 (4.) 183.9 (32.)				
Trefferlage	0.60 mm rechts, 0.67 mm tief				
Streuwert	4.97, horizontal: 4.86, vertikal: 5.08				




Serie 1:	9.9 ↓	9.6 ←	9.9 →	10.8 *	9.7 →
	10.1 ↓	9.5 ↘	10.8 *	10.6 *	10.5 *
beste Teiler	123.9 (8.) 152.4 (4.) 320.2 (9.)				
Trefferlage	2.41 mm rechts, 3.06 mm tief				
Streuwert	4.71, horizontal: 5.54, vertikal: 3.69				



Serie 2:	9.6 ↗	9.9 →	10.2 ↗	10.0 ↙	10.4 *
	9.6 ↘	9.9 ↓	10.4 *	10.4 *	10.6 *
beste Teiler	272.9 (20.) 428.7 (18.) 467.4 (15.)				
Trefferlage	1.08 mm links, 1.41 mm hoch				
Streuwert	5.36, horizontal: 4.58, vertikal: 6.04				



Serie 3:	10.1 ↓	9.9 ↘	9.6 ↑	10.6 *	10.3 *
	9.9 ↘	10.4 *	10.4 *	9.9 ↙	10.5 *
beste Teiler	270.6 (24.) 340.5 (30.) 420.6 (28.)				
Trefferlage	0.58 mm rechts, 0.69 mm tief				
Streuwert	5.05, horizontal: 4.36, vertikal: 5.66				



Serie 4:	10.3 *	10.7 *	9.8 ←	10.2 ↙	10.6 *
	10.2 →	9.7 ↙	10.1 ↘	10.6 *	10.2 →
beste Teiler	183.9 (32.) 255.0 (39.) 306.1 (35.)				
Trefferlage	0.49 mm rechts, 0.34 mm tief				
Streuwert	4.64, horizontal: 4.97, vertikal: 4.28				

Unterschrift des Schützen

Meyton Elektronik