





Ergebnis:	365	(384.9)
Serien:	92 93 93 87	
Zähler:	15 17 6 2 0 0 0 0 0 0	
Innenzehner:	9	
weiteste:	2843 (6), 2533 (40), 2146 (38)	
beste Teiler	99.7 (1.) 167.8 (34.) 226.7 (20.)	
Trefferlage	1.00 mm links, 2.78 mm hoch	
Streuwert	8.63, horizontal: 9.93, vertikal: 7.10	




Serie 1:	10.8 *	9.7 ↘	9.3 ↗	10.4 *	9.6 ↖
	7.4 ↙	10.2 ↓	9.0 ←	9.7 ↑	10.2 ↓
beste Teiler	99.7 (1.)	439.7 (4.)	596.6 (7.)		
Trefferlage	4.03 mm links, 1.51 mm hoch				
Streuwert	8.93, horizontal: 10.25, vertikal: 7.37				



Serie 2:	10.4 *	8.8 ↘	10.4 *	8.7 →	10.5 *
	10.1 ↑	9.7 ↑	9.2 ↘	9.1 ↘	10.7 *
beste Teiler	226.7 (20.)	362.6 (15.)	469.1 (11.)		
Trefferlage	3.62 mm rechts, 1.83 mm hoch				
Streuwert	7.81, horizontal: 8.62, vertikal: 6.91				



Serie 3:	10.6 *	10.6 *	9.4 ↗	9.3 ↘	10.2 →
	8.8 ↙	9.3 ←	9.7 ↑	10.1 ↖	9.9 ↑
beste Teiler	256.9 (21.)	316.4 (22.)	628.4 (25.)		
Trefferlage	1.60 mm links, 4.14 mm hoch				
Streuwert	7.04, horizontal: 8.41, vertikal: 5.33				





Serie 4:	9.6 ↖	10.0 ↙	8.6 ↖	10.7 *	8.7 →
	9.8 ↘	9.7 →	8.3 ↘	9.9 ↘	7.8 ↖
beste Teiler	167.8 (34.)	734.8 (32.)	819.4 (39.)		
Trefferlage	1.98 mm links, 3.64 mm hoch				
Streuwert	10.59, horizontal: 11.91, vertikal: 9.08				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **349** (366.4)
 Serien: 86 92 85 86
 Zähler: 8 18 9 5 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 3139 (40), 2947 (21), 2678 (7)
 beste Teiler 286.8 (9.) 439.6 (12.) 512.6 (16.)
 Trefferlage 3.54 mm rechts, 1.07 mm tief
 Streuwert 11.23, horizontal: 12.30, vertikal: 10.04




Serie 1:
 8.5 ↖ 8.7 ↖ 9.7 ↖ 9.0 ↓ 9.5 ↘
 9.9 ↓ 7.6 ↘ 8.7 → 10.6 * 9.6 →
 beste Teiler 286.8 (9.) 835.1 (6.) 994.6 (3.)
 Trefferlage 2.06 mm rechts, 2.63 mm tief
 Streuwert 11.26, horizontal: 12.20, vertikal: 10.24



Serie 2:
 9.8 ↙ 10.4 * 9.4 ↓ 9.7 ↑ 8.8 →
 10.3 * 8.0 ↘ 10.3 * 9.1 → 10.0 →
 beste Teiler 439.6 (12.) 512.6 (16.) 519.7 (18.)
 Trefferlage 4.71 mm rechts, 1.42 mm tief
 Streuwert 8.52, horizontal: 8.73, vertikal: 8.31



Serie 3:
 7.3 ↘ 9.8 → 9.2 → 7.6 ← 8.0 ↖
 9.0 ↓ 8.7 ↘ 8.4 ↑ 10.2 ↙ 10.2 →
 beste Teiler 619.1 (29.) 638.9 (30.) 890.8 (22.)
 Trefferlage 3.19 mm rechts, 0.43 mm hoch
 Streuwert 13.62, horizontal: 14.71, vertikal: 12.42





Serie 4:
 7.6 ↖ 9.7 ↖ 9.7 ↘ 9.5 ↓ 9.9 →
 10.0 ↑ 8.0 → 9.1 ↘ 9.9 ↖ 7.0 →
 beste Teiler 740.4 (36.) 834.9 (35.) 865.3 (39.)
 Trefferlage 4.19 mm rechts, 0.65 mm tief
 Streuwert 12.50, horizontal: 14.46, vertikal: 10.16


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **367** (385.7)
 Serien: 91 89 93 94
 Zähler: 16 16 7 1 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 2403 (14), 2281 (2), 1948 (11)
 beste Teiler 228.1 (25.) 243.0 (13.) 398.0 (33.)
 Trefferlage 3.23 mm links, 1.54 mm hoch
 Streuwert 8.18, horizontal: 9.06, vertikal: 7.20




Serie 1:
 9.6 ↘ 8.1 ← 8.9 ↘ 10.0 ↘ 9.7 ↘
 9.9 ↘ 10.2 ↘ 10.1 → 8.6 ← 10.4 *
 beste Teiler 446.0 (10.) 590.2 (7.) 678.0 (8.)
 Trefferlage 5.93 mm links, 3.04 mm hoch
 Streuwert 8.04, horizontal: 10.09, vertikal: 5.26



Serie 2:
 8.5 ← 9.8 ↘ 10.6 * 7.9 ↗ 9.1 ↘
 8.7 ↘ 8.6 ↘ 10.4 * 10.4 * 10.4 *
 beste Teiler 243.0 (13.) 436.9 (18.) 461.6 (20.)
 Trefferlage 4.21 mm links, 4.45 mm hoch
 Streuwert 9.56, horizontal: 9.77, vertikal: 9.35



Serie 3:
 9.0 ↘ 9.5 → 10.4 * 9.8 → 10.7 *
 10.4 * 9.0 ↓ 9.6 ↑ 8.7 ← 10.2 ↓
 beste Teiler 228.1 (25.) 445.5 (23.) 464.6 (26.)
 Trefferlage 1.59 mm rechts, 1.08 mm tief
 Streuwert 8.15, horizontal: 9.24, vertikal: 6.89





Serie 4:
 9.4 ↗ 9.4 ← 10.5 * 10.2 ↓ 9.9 ↓
 9.4 ↗ 10.1 ← 9.7 ↘ 10.4 * 9.5 ←
 beste Teiler 398.0 (33.) 421.1 (39.) 615.3 (34.)
 Trefferlage 4.37 mm links, 0.24 mm tief
 Streuwert 6.14, horizontal: 6.03, vertikal: 6.24


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **376** (393.6)
 Serien: 95 92 93 96
 Zähler: 21 14 5 0 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 2112 (18), 1923 (12), 1803 (27)
 beste Teiler 125.6 (35.) 151.0 (4.) 162.8 (37.)
 Trefferlage 2.08 mm links, 0.23 mm tief
 Streuwert 7.15, horizontal: 8.51, vertikal: 5.46




Serie 1:
 9.4 ↗ 9.3 ↖ 8.8 ↖ 10.8 * 9.7 ↖
 10.0 ↑ 10.0 ↖ 10.6 * 10.0 ↖ 10.1 ←
 beste Teiler 151.0 (4.) 262.5 (8.) 653.6 (10.)
 Trefferlage 4.26 mm links, 4.27 mm hoch
 Streuwert 5.87, horizontal: 7.68, vertikal: 3.14



Serie 2:
 10.7 * 8.5 ↖ 10.2 ↖ 9.3 ↓ 9.6 ←
 9.3 ↘ 10.6 * 8.3 ← 9.1 ← 10.3 ←
 beste Teiler 226.8 (11.) 310.1 (17.) 548.4 (20.)
 Trefferlage 6.24 mm links, 4.08 mm tief
 Streuwert 7.56, horizontal: 9.33, vertikal: 5.21



Serie 3:
 10.0 ↖ 9.8 ↘ 10.1 ↗ 10.2 ← 10.6 *
 9.8 ← 8.7 ↘ 9.9 ↖ 9.6 ↑ 9.9 →
 beste Teiler 251.3 (25.) 636.9 (24.) 645.3 (23.)
 Trefferlage 0.57 mm rechts, 1.01 mm tief
 Streuwert 7.04, horizontal: 8.17, vertikal: 5.69





Serie 4:
 10.1 ↑ 9.6 ↗ 9.7 ↘ 8.9 → 10.8 *
 10.3 * 10.7 * 10.1 ↖ 10.2 ← 10.0 ←
 beste Teiler 125.6 (35.) 162.8 (37.) 487.2 (36.)
 Trefferlage 1.58 mm rechts, 0.10 mm tief
 Streuwert 6.09, horizontal: 7.34, vertikal: 4.50


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **373** (391.8)
 Serien: 94 91 95 93
 Zähler: 19 15 6 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 2161 (36), 1899 (28), 1756 (32)
 beste Teiler 97.0 (24.) 172.8 (23.) 291.6 (16.)
 Trefferlage 0.86 mm links, 0.23 mm hoch
 Streuwert 7.47, horizontal: 9.30, vertikal: 5.03




Serie 1:
 8.9 ↘ 10.1 ↑ 10.2 ↑ 10.4 * 10.1 ↓
 9.5 → 10.0 ↓ 9.9 ↙ 9.1 ← 9.2 ↘
 beste Teiler 401.6 (4.) 590.3 (3.) 643.8 (2.)
 Trefferlage 1.32 mm links, 0.14 mm tief
 Streuwert 7.62, horizontal: 8.96, vertikal: 5.99



Serie 2:
 8.8 ↘ 9.9 ↓ 9.7 ↘ 9.9 ← 8.9 →
 10.6 * 9.6 ↘ 10.2 ↘ 9.3 → 10.3 *
 beste Teiler 291.6 (16.) 501.8 (20.) 566.1 (18.)
 Trefferlage 0.13 mm rechts, 0.84 mm hoch
 Streuwert 8.04, horizontal: 9.78, vertikal: 5.80



Serie 3:
 10.3 * 9.2 ← 10.7 * 10.8 * 10.3 *
 9.8 ← 10.3 * 8.6 ← 10.3 ↓ 9.8 ↙
 beste Teiler 97.0 (24.) 172.8 (23.) 505.8 (25.)
 Trefferlage 4.55 mm links, 0.03 mm tief
 Streuwert 5.97, horizontal: 7.48, vertikal: 3.91





Serie 4:
 10.1 ↑ 8.8 ← 9.2 → 10.3 * 9.8 ↘
 8.2 ↘ 10.2 ↑ 10.3 ← 9.9 ← 10.3 *
 beste Teiler 486.8 (34.) 515.3 (40.) 537.0 (38.)
 Trefferlage 2.29 mm rechts, 0.26 mm hoch
 Streuwert 8.35, horizontal: 10.74, vertikal: 4.90


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **364** (381.2)
 Serien: 91 90 90 93
 Zähler: 16 13 10 1 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 2633 (23), 2353 (16), 2211 (31)
 beste Teiler 153.9 (1.) 267.9 (25.) 281.8 (14.)
 Trefferlage 3.25 mm rechts, 2.78 mm hoch
 Streuwert 8.80, horizontal: 9.82, vertikal: 7.65




Serie 1:
 10.8 * 10.1 ↓ 9.1 ↑ 8.5 → 10.0 ↑
 8.9 ↘ 8.9 ↘ 9.2 → 10.4 * 9.1 →
 beste Teiler 153.9 (1.) 467.8 (9.) 718.5 (2.)
 Trefferlage 3.04 mm rechts, 4.28 mm hoch
 Streuwert 8.84, horizontal: 9.95, vertikal: 7.57



Serie 2:
 10.4 * 9.9 ↑ 9.8 ↑ 10.6 * 9.7 ↘
 8.0 → 8.5 ↗ 9.8 ↗ 8.9 ↑ 10.6 *
 beste Teiler 281.8 (14.) 316.5 (20.) 423.9 (11.)
 Trefferlage 3.18 mm rechts, 7.46 mm hoch
 Streuwert 7.05, horizontal: 8.53, vertikal: 5.16



Serie 3:
 10.1 ↓ 8.8 ↗ 7.7 ← 9.3 ↓ 10.6 *
 8.8 ↘ 10.4 * 10.1 ↘ 9.1 ↗ 9.5 →
 beste Teiler 267.9 (25.) 455.5 (27.) 674.2 (21.)
 Trefferlage 0.83 mm links, 2.06 mm hoch
 Streuwert 10.20, horizontal: 11.55, vertikal: 8.64





Serie 4:
 8.2 → 9.2 → 10.0 ↓ 10.2 ↓ 10.2 →
 8.6 → 10.3 * 9.2 ↘ 9.1 → 10.6 *
 beste Teiler 299.5 (40.) 516.1 (37.) 568.5 (34.)
 Trefferlage 7.62 mm rechts, 2.69 mm tief
 Streuwert 7.33, horizontal: 8.54, vertikal: 5.86


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **389** (409.1)
 Serien: 98 96 99 96
 Zähler: 30 9 1 0 0 0 0 0 0 0
 Innenzehner: 21
 weiteste: 1650 (37), 1350 (9), 1125 (18)
 beste Teiler 34.6 (12.) 97.3 (7.) 107.2 (39.)
 Trefferlage 0.88 mm links, 1.16 mm hoch
 Streuwert 4.80, horizontal: 4.62, vertikal: 4.98




Serie 1:
 10.5 * 10.7 * 10.1 ↗ 10.7 * 10.2 ←
 10.3 * 10.8 * 10.2 ↘ 9.3 ↓ 9.7 ↙
 beste Teiler 97.3 (7.) 188.5 (2.) 201.3 (4.)
 Trefferlage 0.84 mm links, 1.48 mm tief
 Streuwert 4.86, horizontal: 3.98, vertikal: 5.61



Serie 2:
 10.6 * 10.9 * 10.7 * 10.1 ↑ 10.6 *
 9.7 ↑ 10.6 * 9.5 ↑ 9.9 ← 9.6 ↘
 beste Teiler 34.6 (12.) 211.4 (13.) 279.7 (15.)
 Trefferlage 0.79 mm links, 3.25 mm hoch
 Streuwert 4.63, horizontal: 4.12, vertikal: 5.08



Serie 3:
 10.2 ↙ 10.6 * 10.5 * 10.6 * 10.2 ↘
 10.4 * 10.5 * 10.7 * 9.8 ↑ 10.5 *
 beste Teiler 188.8 (28.) 249.9 (22.) 289.3 (24.)
 Trefferlage 0.87 mm links, 1.40 mm hoch
 Streuwert 3.44, horizontal: 2.89, vertikal: 3.91





Serie 4:
 10.4 * 10.0 ↓ 9.6 ↘ 10.1 ↘ 10.4 *
 9.9 ← 8.9 → 10.0 ↖ 10.8 * 10.3 *
 beste Teiler 107.2 (39.) 415.0 (35.) 470.7 (31.)
 Trefferlage 1.02 mm links, 1.46 mm hoch
 Streuwert 6.05, horizontal: 7.17, vertikal: 4.68


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **366** (385.8)
 Serien: 92 88 91 95
 Zähler: 12 23 4 1 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 2567 (18), 2065 (24), 2001 (12)
 beste Teiler 52.4 (10.) 69.7 (29.) 242.2 (27.)
 Trefferlage 1.01 mm links, 0.05 mm tief
 Streuwert 8.49, horizontal: 8.76, vertikal: 8.21




Serie 1:
 9.2 ↗ 8.9 ↖ 9.8 ↘ 10.3 * 9.5 ↑
 10.1 ← 9.2 ↗ 9.7 ↓ 9.5 ↑ 10.9 *
 beste Teiler 52.4 (10.) 499.9 (4.) 706.1 (6.)
 Trefferlage 1.52 mm rechts, 3.59 mm hoch
 Streuwert 7.58, horizontal: 6.59, vertikal: 8.45



Serie 2:
 9.6 ↘ 8.4 ↑ 9.0 ↖ 9.1 ↘ 9.9 ←
 10.2 ↗ 9.2 ↘ 7.7 → 9.8 ↖ 9.7 ↓
 beste Teiler 618.6 (16.) 828.9 (15.) 960.8 (19.)
 Trefferlage 0.90 mm rechts, 1.52 mm hoch
 Streuwert 10.85, horizontal: 11.90, vertikal: 9.68



Serie 3:
 9.5 ↘ 8.8 ↙ 10.5 * 8.4 ← 9.9 ↓
 9.4 → 10.6 * 9.2 ↓ 10.9 * 9.1 ↖
 beste Teiler 69.7 (29.) 242.2 (27.) 339.1 (23.)
 Trefferlage 3.66 mm links, 3.14 mm tief
 Streuwert 8.44, horizontal: 8.68, vertikal: 8.20





Serie 4:
 9.7 ↖ 9.0 ↘ 10.4 * 10.3 * 10.6 *
 9.9 ← 10.6 * 10.6 * 9.5 ← 9.2 ←
 beste Teiler 248.8 (35.) 253.3 (37.) 310.7 (38.)
 Trefferlage 2.80 mm links, 2.21 mm tief
 Streuwert 6.17, horizontal: 7.03, vertikal: 5.17


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **361** (378.9)
 Serien: 88 91 90 92
 Zähler: 14 17 5 4 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 3132 (6), 2712 (3), 2503 (15)
 beste Teiler 209.8 (21.) 235.0 (26.) 329.5 (20.)
 Trefferlage 0.98 mm links, 1.28 mm hoch
 Streuwert 9.76, horizontal: 12.21, vertikal: 6.42




Serie 1:
 10.3 * 9.4 ↘ 7.6 ← 8.2 ↖ 10.1 ↗
 7.0 → 9.9 ↙ 10.3 * 9.5 ↑ 9.4 →
 beste Teiler 494.8 (1.) 525.6 (8.) 650.9 (5.)
 Trefferlage 1.25 mm links, 0.86 mm hoch
 Streuwert 12.46, horizontal: 16.43, vertikal: 6.34



Serie 2:
 9.8 ↑ 8.2 ↖ 10.1 ↑ 10.1 ↘ 7.8 ↖
 10.4 * 9.6 ← 8.8 → 10.1 ↖ 10.5 *
 beste Teiler 329.5 (20.) 431.3 (16.) 684.8 (14.)
 Trefferlage 4.22 mm links, 5.66 mm hoch
 Streuwert 8.42, horizontal: 10.33, vertikal: 5.93



Serie 3:
 10.7 * 9.4 ← 9.2 ↖ 9.7 ↗ 9.2 ↓
 10.7 * 8.8 ← 8.9 → 9.8 → 9.5 ↗
 beste Teiler 209.8 (21.) 235.0 (26.) 910.0 (29.)
 Trefferlage 2.84 mm links, 3.32 mm tief
 Streuwert 8.36, horizontal: 10.20, vertikal: 5.97





Serie 4:
 10.4 * 10.1 ↗ 9.5 ← 10.1 ← 9.2 →
 10.1 → 9.9 → 9.5 ↑ 9.2 ↘ 7.9 →
 beste Teiler 474.2 (31.) 694.5 (36.) 699.8 (32.)
 Trefferlage 4.36 mm rechts, 1.91 mm hoch
 Streuwert 8.37, horizontal: 10.86, vertikal: 4.72


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **383** (402.6)
 Serien: 94 98 97 94
 Zähler: 23 17 0 0 0 0 0 0 0 0
 Innenzehner: 16
 weiteste: 1389 (5), 1358 (23), 1352 (4)
 beste Teiler 42.0 (11.) 113.3 (6.) 116.2 (22.)
 Trefferlage 1.69 mm links, 0.83 mm tief
 Streuwert 5.65, horizontal: 5.94, vertikal: 5.34




Serie 1:
 9.3 ← 10.4 * 9.3 ↙ 9.3 ↘ 9.2 ↘
 10.8 * 10.2 ← 9.9 ↗ 10.6 * 9.6 ↙
 beste Teiler 113.3 (6.) 290.0 (9.) 446.4 (2.)
 Trefferlage 2.46 mm links, 2.18 mm tief
 Streuwert 6.97, horizontal: 8.24, vertikal: 5.41



Serie 2:
 10.9 * 9.8 ↓ 9.6 ↖ 10.2 → 10.2 ↖
 10.3 * 10.5 * 10.8 * 10.3 * 10.5 *
 beste Teiler 42.0 (11.) 135.8 (18.) 345.7 (17.)
 Trefferlage 0.92 mm links, 0.35 mm tief
 Streuwert 4.35, horizontal: 3.45, vertikal: 5.10



Serie 3:
 9.8 ↙ 10.8 * 9.3 ← 9.9 ↘ 10.5 *
 10.2 ↑ 10.1 ↓ 10.4 * 10.3 * 10.4 *
 beste Teiler 116.2 (22.) 323.8 (25.) 442.4 (28.)
 Trefferlage 1.63 mm links, 0.39 mm tief
 Streuwert 5.13, horizontal: 5.84, vertikal: 4.32





Serie 4:
 9.9 ↖ 10.2 ↘ 9.7 ↑ 9.7 ↙ 10.6 *
 10.2 ↘ 9.3 ↖ 9.3 ↘ 9.8 ↙ 10.5 *
 beste Teiler 255.0 (35.) 364.8 (40.) 580.5 (32.)
 Trefferlage 1.77 mm links, 0.39 mm tief
 Streuwert 6.50, horizontal: 6.14, vertikal: 6.84


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **348** (363.2)
 Serien: 88 86 87 87
 Zähler: 8 15 15 1 1 0 0 0 0 0
 Innenzehner: 4
 weiteste: 3779 (5), 2800 (40), 2388 (25)
 beste Teiler 242.8 (30.) 270.3 (9.) 388.4 (35.)
 Trefferlage 8.54 mm links, 3.04 mm tief
 Streuwert 9.98, horizontal: 10.82, vertikal: 9.06




Serie 1:
 8.4 ↖ 9.1 ↑ 8.3 ↖ 10.4 * 6.2 ↖
 10.1 ↑ 9.0 ↙ 9.9 ↓ 10.6 * 9.8 ↙
 beste Teiler 270.3 (9.) 426.8 (4.) 702.8 (6.)
 Trefferlage 9.22 mm links, 1.95 mm hoch
 Streuwert 10.83, horizontal: 12.80, vertikal: 8.41



Serie 2:
 9.7 ↖ 10.0 ← 8.8 ↘ 8.8 ↘ 8.5 ↖
 9.3 ↙ 9.1 ↓ 8.5 ← 8.2 ← 9.2 ↙
 beste Teiler 786.0 (12.) 992.9 (11.) 1291.5 (16.)
 Trefferlage 7.38 mm links, 4.21 mm tief
 Streuwert 10.26, horizontal: 11.76, vertikal: 8.50



Serie 3:
 8.5 ← 9.2 ↙ 8.7 ↙ 10.1 → 8.0 ↓
 8.9 ↑ 8.4 ↙ 9.2 ↓ 9.3 ↙ 10.6 *
 beste Teiler 242.8 (30.) 657.7 (24.) 1284.9 (29.)
 Trefferlage 7.08 mm links, 5.49 mm tief
 Streuwert 9.94, horizontal: 8.82, vertikal: 10.94



Serie 4:
 8.4 ↙ 10.2 ↙ 8.7 ↙ 9.8 → 10.5 *
 9.0 ↙ 9.0 ↙ 9.3 ↓ 8.0 ← 7.5 ↖
 beste Teiler 388.4 (35.) 632.1 (32.) 889.3 (34.)
 Trefferlage 10.49 mm links, 4.43 mm tief
 Streuwert 9.32, horizontal: 10.91, vertikal: 7.41

Unterschrift des Schützen