





Ergebnis: **394.0** (378)
 Serien: 98.5 100.1 94.3 101.1
 Zähler: 22 14 4 0 0 0 0 0 0 0
 Innenzehner: 14
 weiteste: 636 (30), 597 (27), 515 (28)
 beste Teiler 35.7 (33.) 46.5 (12.) 56.3 (5.)
 Trefferlage 0.81 mm links, 0.06 mm tief
 Streuwert 2.18, horizontal: 2.88, vertikal: 1.12




Serie 1:
 10.4 * 9.6 ← 9.3 ← 9.2 ← 10.7 *
 9.8 ← 10.2 * 9.7 → 10.5 * 9.1 →
 beste Teiler 56.3 (5.) 120.8 (9.) 126.8 (1.)
 Trefferlage 0.62 mm links, 0.21 mm hoch
 Streuwert 2.22, horizontal: 3.08, vertikal: 0.61



Serie 2:
 10.6 * 10.8 * 10.0 ↘ 8.9 ← 9.3 →
 10.1 → 10.4 * 10.0 ↙ 10.0 ↘ 10.0 ↙
 beste Teiler 46.5 (12.) 97.3 (11.) 142.0 (17.)
 Trefferlage 0.07 mm links, 0.60 mm tief
 Streuwert 1.94, horizontal: 2.51, vertikal: 1.11



Serie 3:
 10.3 * 9.7 ← 9.0 ↘ 10.1 ↘ 10.1 ↙
 10.1 ← 8.6 → 8.9 ↙ 9.1 ← 8.4 ←
 beste Teiler 161.1 (21.) 213.0 (25.) 216.1 (24.)
 Trefferlage 2.06 mm links, 0.16 mm hoch
 Streuwert 2.71, horizontal: 3.47, vertikal: 1.64





Serie 4:
 10.6 * 9.9 ← 10.8 * 9.3 → 9.7 ←
 10.3 * 10.3 * 9.6 ← 10.3 * 10.3 *
 beste Teiler 35.7 (33.) 98.0 (31.) 154.9 (39.)
 Trefferlage 0.49 mm links, 0.03 mm tief
 Streuwert 1.77, horizontal: 2.36, vertikal: 0.83


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **412.4** (395)
 Serien: 103.6 103.0 102.8 103.0
 Zähler: 35 5 0 0 0 0 0 0 0 0
 Innenzehner: 30
 weiteste: 354 (19), 324 (22), 308 (40)
 beste Teiler 43.9 (6.) 65.0 (10.) 70.8 (8.)
 Trefferlage 0.09 mm rechts, 0.23 mm hoch
 Streuwert 1.26, horizontal: 1.59, vertikal: 0.80




Serie 1:
 10.2 * 10.3 * 10.1 ↙ 10.1 → 10.0 →
 10.8 * 10.5 * 10.7 * 10.2 * 10.7 *
 beste Teiler 43.9 (6.) 65.0 (10.) 70.8 (8.)
 Trefferlage 0.11 mm rechts, 0.08 mm hoch
 Streuwert 1.21, horizontal: 1.39, vertikal: 1.01



Serie 2:
 10.5 * 10.5 * 10.6 * 10.3 * 10.3 *
 10.5 * 10.4 * 10.5 * 9.5 ← 9.9 →
 beste Teiler 92.5 (13.) 109.5 (16.) 113.6 (12.)
 Trefferlage 0.11 mm links, 0.28 mm hoch
 Streuwert 1.33, horizontal: 1.75, vertikal: 0.67



Serie 3:
 10.5 * 9.7 ↘ 10.3 * 10.0 ← 10.5 *
 10.6 * 10.1 ↗ 10.5 * 10.4 * 10.2 *
 beste Teiler 87.7 (26.) 105.4 (28.) 107.0 (21.)
 Trefferlage 0.35 mm rechts, 0.26 mm hoch
 Streuwert 1.31, horizontal: 1.55, vertikal: 1.03





Serie 4:
 10.2 * 10.2 * 10.7 * 10.5 * 10.5 *
 10.6 * 10.5 * 9.9 ← 10.2 * 9.7 →
 beste Teiler 75.4 (33.) 85.3 (36.) 104.2 (34.)
 Trefferlage 0.03 mm rechts, 0.30 mm hoch
 Streuwert 1.34, horizontal: 1.84, vertikal: 0.47


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **415.1** (397)
 Serien: 104.4 103.6 103.3 103.8
 Zähler: 37 3 0 0 0 0 0 0 0 0
 Innenzehner: 32
 weiteste: 316 (18), 282 (16), 275 (39)
 beste Teiler 31.0 (11.) 46.0 (20.) 54.1 (34.)
 Trefferlage 0.20 mm rechts, 0.17 mm hoch
 Streuwert 1.12, horizontal: 1.34, vertikal: 0.83




Serie 1:
 10.7 * 10.4 * 10.6 * 10.5 * 10.5 *
 10.1 → 10.2 * 10.5 * 10.6 * 10.3 *
 beste Teiler 73.1 (1.) 78.5 (3.) 86.0 (9.)
 Trefferlage 0.09 mm rechts, 0.42 mm tief
 Streuwert 0.96, horizontal: 1.17, vertikal: 0.67



Serie 2:
 10.8 * 10.5 * 10.6 * 10.7 * 10.0 →
 9.8 → 10.4 * 9.7 ← 10.3 * 10.8 *
 beste Teiler 31.0 (11.) 46.0 (20.) 56.0 (14.)
 Trefferlage 0.29 mm rechts, 0.07 mm hoch
 Streuwert 1.29, horizontal: 1.76, vertikal: 0.45



Serie 3:
 10.1 → 10.4 * 10.0 ↗ 10.0 ↑ 10.6 *
 10.2 * 10.4 * 10.4 * 10.7 * 10.5 *
 beste Teiler 66.4 (29.) 89.1 (25.) 112.4 (30.)
 Trefferlage 0.45 mm rechts, 0.87 mm hoch
 Streuwert 1.00, horizontal: 1.08, vertikal: 0.91





Serie 4:
 10.2 * 10.3 * 10.5 * 10.7 * 10.6 *
 10.6 * 10.2 * 10.5 * 9.9 → 10.3 *
 beste Teiler 54.1 (34.) 83.1 (36.) 85.6 (35.)
 Trefferlage 0.03 mm links, 0.17 mm hoch
 Streuwert 1.13, horizontal: 1.42, vertikal: 0.73


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **412.9** (397)
 Serien: 103.6 102.2 103.1 104.0
 Zähler: 37 3 0 0 0 0 0 0 0 0
 Innenzehner: 30
 weiteste: 351 (22), 319 (15), 296 (17)
 beste Teiler 56.3 (19.) 69.9 (6.) 72.1 (8.)
 Trefferlage 0.32 mm rechts, 0.25 mm tief
 Streuwert 1.20, horizontal: 1.20, vertikal: 1.20




Serie 1:
 10.0 ↘ 10.1 ↘ 10.0 ↗ 10.6 * 10.5 *
 10.7 * 10.5 * 10.7 * 10.0 ↘ 10.5 *
 beste Teiler 69.9 (6.) 72.1 (8.) 91.5 (4.)
 Trefferlage 0.37 mm rechts, 0.22 mm tief
 Streuwert 1.18, horizontal: 1.10, vertikal: 1.25



Serie 2:
 10.2 * 10.0 ↓ 10.4 * 10.2 * 9.7 ↘
 10.2 * 9.8 ↓ 10.6 * 10.7 * 10.4 *
 beste Teiler 56.3 (19.) 82.8 (18.) 126.5 (13.)
 Trefferlage 0.33 mm rechts, 0.72 mm tief
 Streuwert 1.36, horizontal: 1.35, vertikal: 1.38



Serie 3:
 10.5 * 9.5 → 10.3 * 10.5 * 10.6 *
 10.6 * 10.4 * 10.3 * 10.1 ↑ 10.3 *
 beste Teiler 88.0 (25.) 94.2 (26.) 118.4 (24.)
 Trefferlage 0.01 mm rechts, 0.06 mm hoch
 Streuwert 1.33, horizontal: 1.44, vertikal: 1.22





Serie 4:
 10.1 ↘ 10.2 * 10.6 * 10.4 * 10.3 *
 10.4 * 10.4 * 10.4 * 10.6 * 10.6 *
 beste Teiler 86.3 (40.) 89.2 (39.) 100.8 (33.)
 Trefferlage 0.56 mm rechts, 0.13 mm tief
 Streuwert 0.98, horizontal: 0.97, vertikal: 0.99


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **414.8** (397)
 Serien: 103.6 104.0 103.5 103.7
 Zähler: 37 3 0 0 0 0 0 0 0 0
 Innenzehner: 32
 weiteste: 306 (6), 274 (40), 261 (20)
 beste Teiler 50.4 (3.) 53.0 (16.) 55.5 (9.)
 Trefferlage 0.02 mm rechts, 0.21 mm hoch
 Streuwert 1.12, horizontal: 1.17, vertikal: 1.06




Serie 1:
 10.4 * 10.3 * 10.8 * 10.4 * 10.6 *
 9.7 ↖ 10.3 * 10.2 * 10.7 * 10.2 *
 beste Teiler 50.4 (3.) 55.5 (9.) 90.7 (5.)
 Trefferlage 0.04 mm rechts, 0.46 mm hoch
 Streuwert 1.16, horizontal: 1.25, vertikal: 1.06



Serie 2:
 10.5 * 10.4 * 10.1 ↘ 10.5 * 10.7 *
 10.7 * 10.5 * 10.0 ↑ 10.7 * 9.9 ↙
 beste Teiler 53.0 (16.) 59.2 (15.) 59.4 (19.)
 Trefferlage 0.02 mm links, 0.05 mm hoch
 Streuwert 1.15, horizontal: 1.20, vertikal: 1.09



Serie 3:
 10.5 * 10.6 * 10.3 * 10.3 * 10.3 *
 10.1 → 10.1 ↖ 10.5 * 10.4 * 10.4 *
 beste Teiler 93.0 (22.) 105.1 (28.) 108.3 (21.)
 Trefferlage 0.11 mm rechts, 0.24 mm hoch
 Streuwert 1.13, horizontal: 1.43, vertikal: 0.71





Serie 4:
 10.6 * 10.7 * 10.7 * 10.5 * 10.5 *
 10.0 ↑ 10.2 * 10.4 * 10.2 * 9.9 ↓
 beste Teiler 59.0 (32.) 67.1 (33.) 78.3 (31.)
 Trefferlage 0.04 mm links, 0.10 mm hoch
 Streuwert 1.18, horizontal: 0.91, vertikal: 1.40


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **402.5** (383)
 Serien: 101.2 100.1 100.4 100.8
 Zähler: 23 17 0 0 0 0 0 0 0 0
 Innenzehner: 18
 weiteste: 455 (31), 423 (35), 413 (18)
 beste Teiler 23.8 (26.) 65.5 (1.) 70.8 (19.)
 Trefferlage 0.28 mm links, 0.22 mm tief
 Streuwert 1.76, horizontal: 1.97, vertikal: 1.50




Serie 1:
 10.7 * 10.4 * 10.0 ↖ 9.9 ↘ 10.6 *
 9.8 ↘ 9.6 → 9.9 → 9.8 → 10.5 *
 beste Teiler 65.5 (1.) 92.0 (5.) 114.0 (10.)
 Trefferlage 0.83 mm rechts, 0.21 mm hoch
 Streuwert 1.59, horizontal: 1.78, vertikal: 1.38



Serie 2:
 10.4 * 10.1 ← 10.1 ← 10.2 * 9.6 ↓
 10.1 ↓ 9.9 ← 9.3 ↓ 10.7 * 9.7 ↘
 beste Teiler 70.8 (19.) 140.1 (11.) 188.9 (14.)
 Trefferlage 0.06 mm links, 0.91 mm tief
 Streuwert 1.76, horizontal: 1.83, vertikal: 1.68



Serie 3:
 9.6 ↘ 10.3 * 9.9 ← 9.5 ↓ 10.2 *
 10.9 * 9.5 ↘ 10.6 * 10.0 ← 9.9 ←
 beste Teiler 23.8 (26.) 79.6 (28.) 156.9 (22.)
 Trefferlage 1.23 mm links, 0.16 mm hoch
 Streuwert 1.68, horizontal: 1.61, vertikal: 1.75





Serie 4:
 9.1 → 10.4 * 10.2 * 10.2 * 9.3 ←
 10.4 * 10.4 * 10.3 * 10.6 * 9.9 ←
 beste Teiler 90.1 (39.) 132.5 (32.) 134.4 (37.)
 Trefferlage 0.65 mm links, 0.37 mm tief
 Streuwert 1.77, horizontal: 2.28, vertikal: 1.04


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **421.1** (399)
 Serien: 105.2 105.7 105.3 104.9
 Zähler: 39 1 0 0 0 0 0 0 0 0
 Innenzehner: 35
 weiteste: 283 (10), 231 (39), 222 (7)
 beste Teiler 5.0 (1.) 12.0 (4.) 15.2 (17.)
 Trefferlage 0.03 mm rechts, 0.23 mm hoch
 Streuwert 0.88, horizontal: 1.02, vertikal: 0.72




Serie 1:
 10.9 * 10.7 * 10.1 ↗ 10.9 * 10.8 *
 10.6 * 10.1 ↘ 10.6 * 10.7 * 9.8 →
 beste Teiler 5.0 (1.) 12.0 (4.) 27.2 (5.)
 Trefferlage 0.45 mm rechts, 0.09 mm hoch
 Streuwert 0.98, horizontal: 1.13, vertikal: 0.81



Serie 2:
 10.6 * 10.5 * 10.3 * 10.7 * 10.3 *
 10.5 * 10.9 * 10.4 * 10.7 * 10.8 *
 beste Teiler 15.2 (17.) 35.1 (20.) 70.0 (14.)
 Trefferlage 0.15 mm rechts, 0.42 mm hoch
 Streuwert 0.76, horizontal: 0.90, vertikal: 0.59



Serie 3:
 10.5 * 10.6 * 10.3 * 10.6 * 10.1 ↑
 10.7 * 10.8 * 10.8 * 10.3 * 10.6 *
 beste Teiler 29.8 (27.) 47.1 (28.) 56.8 (26.)
 Trefferlage 0.13 mm rechts, 0.25 mm hoch
 Streuwert 0.89, horizontal: 0.87, vertikal: 0.91





Serie 4:
 10.4 * 10.6 * 10.6 * 10.3 * 10.6 *
 10.3 * 10.7 * 10.7 * 10.0 ← 10.7 *
 beste Teiler 52.3 (40.) 57.1 (38.) 72.7 (37.)
 Trefferlage 0.58 mm links, 0.15 mm hoch
 Streuwert 0.83, horizontal: 1.01, vertikal: 0.59


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **402.7** (383)
 Serien: 99.6 100.8 102.8 99.5
 Zähler: 24 15 1 0 0 0 0 0 0 0
 Innenzehner: 21
 weiteste: 536 (36), 424 (25), 419 (4)
 beste Teiler 72.3 (39.) 73.2 (24.) 85.0 (21.)
 Trefferlage 0.89 mm links, 0.03 mm hoch
 Streuwert 1.68, horizontal: 1.90, vertikal: 1.43




Serie 1:
 10.6 * 10.4 * 10.1 ↓ 9.3 ← 10.6 *
 9.6 ↘ 9.5 ↙ 9.9 ↓ 9.3 ↗ 10.3 *
 beste Teiler 90.4 (1.) 99.0 (5.) 130.3 (2.)
 Trefferlage 1.67 mm links, 0.71 mm tief
 Streuwert 1.54, horizontal: 1.40, vertikal: 1.68



Serie 2:
 10.0 → 9.8 ← 10.3 * 9.9 ↘ 9.4 ←
 10.3 * 10.6 * 10.5 * 10.4 * 9.6 ↘
 beste Teiler 91.3 (17.) 101.6 (18.) 147.6 (19.)
 Trefferlage 0.96 mm links, 0.74 mm hoch
 Streuwert 1.49, horizontal: 1.93, vertikal: 0.85



Serie 3:
 10.6 * 10.6 * 10.3 * 10.7 * 9.3 ←
 10.3 * 10.4 * 10.4 * 10.4 * 9.8 ↘
 beste Teiler 73.2 (24.) 85.0 (21.) 86.2 (22.)
 Trefferlage 0.58 mm links, 0.37 mm hoch
 Streuwert 1.38, horizontal: 1.68, vertikal: 1.01





Serie 4:
 10.0 ↓ 9.9 ↑ 9.6 ← 9.9 ↓ 9.4 ←
 8.8 ↘ 10.3 * 10.3 * 10.7 * 10.6 *
 beste Teiler 72.3 (39.) 94.0 (40.) 152.3 (37.)
 Trefferlage 0.34 mm links, 0.27 mm tief
 Streuwert 2.10, horizontal: 2.44, vertikal: 1.69


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **414.6** (397)
 Serien: 102.9 104.0 103.2 104.5
 Zähler: 37 3 0 0 0 0 0 0 0 0
 Innenzehner: 33
 weiteste: 368 (2), 285 (8), 274 (30)
 beste Teiler 37.4 (32.) 59.4 (38.) 60.4 (36.)
 Trefferlage 0.11 mm links, 0.00 mm
 Streuwert 1.17, horizontal: 1.41, vertikal: 0.88




Serie 1:
 10.7 * 9.5 ← 10.3 * 10.3 * 10.4 *
 10.3 * 10.6 * 9.8 → 10.6 * 10.4 *
 beste Teiler 66.4 (1.) 96.1 (9.) 97.7 (7.)
 Trefferlage 0.23 mm links, 0.00 mm
 Streuwert 1.41, horizontal: 1.82, vertikal: 0.81



Serie 2:
 10.6 * 10.4 * 10.4 * 10.7 * 10.2 *
 10.2 * 10.6 * 10.2 * 10.5 * 10.2 *
 beste Teiler 72.9 (14.) 80.4 (17.) 88.2 (11.)
 Trefferlage 0.29 mm links, 0.06 mm tief
 Streuwert 1.06, horizontal: 1.26, vertikal: 0.81



Serie 3:
 10.5 * 10.2 * 10.1 ← 10.7 * 10.0 ↖
 10.7 * 10.5 * 10.1 ↗ 10.5 * 9.9 ←
 beste Teiler 63.1 (26.) 74.2 (24.) 108.1 (29.)
 Trefferlage 0.84 mm links, 0.28 mm hoch
 Streuwert 1.14, horizontal: 1.09, vertikal: 1.18





Serie 4:
 10.3 * 10.8 * 10.6 * 10.2 * 10.5 *
 10.7 * 10.2 * 10.7 * 10.0 → 10.5 *
 beste Teiler 37.4 (32.) 59.4 (38.) 60.4 (36.)
 Trefferlage 0.90 mm rechts, 0.24 mm tief
 Streuwert 0.79, horizontal: 0.88, vertikal: 0.68


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **417.3** (399)
 Serien: 104.6 104.4 104.0 104.3
 Zähler: 39 1 0 0 0 0 0 0 0 0
 Innenzehner: 32
 weiteste: 306 (14), 249 (23), 244 (3)
 beste Teiler 6.0 (16.) 8.0 (25.) 23.0 (2.)
 Trefferlage 0.03 mm rechts, 0.08 mm tief
 Streuwert 1.07, horizontal: 1.27, vertikal: 0.84




Serie 1:
 10.2 * 10.9 * 10.0 ↘ 10.1 ↘ 10.4 *
 10.7 * 10.4 * 10.7 * 10.4 * 10.8 *
 beste Teiler 23.0 (2.) 46.0 (10.) 54.0 (8.)
 Trefferlage 0.09 mm rechts, 0.46 mm tief
 Streuwert 1.02, horizontal: 1.19, vertikal: 0.83



Serie 2:
 10.6 * 10.8 * 10.7 * 9.7 ↖ 10.7 *
 10.9 * 10.2 * 10.2 * 10.5 * 10.1 ↗
 beste Teiler 6.0 (16.) 45.6 (12.) 67.2 (13.)
 Trefferlage 0.17 mm links, 0.45 mm hoch
 Streuwert 1.10, horizontal: 1.32, vertikal: 0.83



Serie 3:
 10.8 * 10.7 * 10.0 → 10.2 * 10.9 *
 10.1 → 10.4 * 10.3 * 10.0 → 10.6 *
 beste Teiler 8.0 (25.) 42.4 (21.) 61.0 (22.)
 Trefferlage 0.58 mm rechts, 0.14 mm tief
 Streuwert 1.13, horizontal: 1.43, vertikal: 0.71





Serie 4:
 10.6 * 10.3 * 10.6 * 10.4 * 10.1 ↖
 10.4 * 10.6 * 10.3 * 10.3 * 10.7 *
 beste Teiler 60.0 (40.) 85.0 (33.) 91.6 (37.)
 Trefferlage 0.37 mm links, 0.16 mm tief
 Streuwert 0.97, horizontal: 1.10, vertikal: 0.81


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **412.1** (395)
 Serien: 101.0 103.5 104.0 103.6
 Zähler: 35 5 0 0 0 0 0 0 0 0
 Innenzehner: 26
 weiteste: 315 (7), 290 (10), 286 (38)
 beste Teiler 8.9 (31.) 55.4 (34.) 57.2 (23.)
 Trefferlage 0.21 mm links, 0.31 mm hoch
 Streuwert 1.25, horizontal: 1.27, vertikal: 1.24




Serie 1:
 10.3 * 10.2 * 10.0 ↖ 10.2 * 10.1 ↑
 10.4 * 9.7 ↘ 10.0 ↖ 10.3 * 9.8 ↖
 beste Teiler 133.0 (6.) 169.1 (9.) 170.8 (1.)
 Trefferlage 1.03 mm links, 0.42 mm hoch
 Streuwert 1.43, horizontal: 1.39, vertikal: 1.47



Serie 2:
 10.6 * 10.1 → 10.3 * 9.8 ↘ 10.6 *
 10.1 ↓ 10.6 * 10.6 * 10.1 ↖ 10.7 *
 beste Teiler 58.6 (20.) 78.6 (15.) 84.1 (18.)
 Trefferlage 0.51 mm rechts, 0.16 mm tief
 Streuwert 1.16, horizontal: 1.16, vertikal: 1.16



Serie 3:
 10.4 * 10.5 * 10.7 * 10.2 * 10.1 ↑
 9.9 ← 10.6 * 10.6 * 10.4 * 10.6 *
 beste Teiler 57.2 (23.) 92.5 (30.) 95.5 (28.)
 Trefferlage 0.02 mm links, 0.47 mm hoch
 Streuwert 1.09, horizontal: 1.18, vertikal: 0.98





Serie 4:
 10.9 * 10.3 * 10.5 * 10.7 * 10.4 *
 10.6 * 10.0 ↑ 9.8 ↘ 10.3 * 10.1 ↓
 beste Teiler 8.9 (31.) 55.4 (34.) 98.7 (36.)
 Trefferlage 0.31 mm links, 0.51 mm hoch
 Streuwert 1.15, horizontal: 0.93, vertikal: 1.34


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **414.8** (396)
 Serien: 103.5 102.4 103.8 105.1
 Zähler: 36 4 0 0 0 0 0 0 0 0
 Innenzehner: 31
 weiteste: 361 (18), 312 (8), 273 (24)
 beste Teiler 18.6 (10.) 20.8 (32.) 27.1 (29.)
 Trefferlage 0.25 mm links, 0.27 mm hoch
 Streuwert 1.16, horizontal: 1.41, vertikal: 0.84




Serie 1:
 10.8 * 10.3 * 10.3 * 10.2 * 10.5 *
 10.7 * 10.0 ↗ 9.7 → 10.1 ↗ 10.9 *
 beste Teiler 18.6 (10.) 28.4 (1.) 59.3 (6.)
 Trefferlage 0.51 mm rechts, 0.91 mm hoch
 Streuwert 1.05, horizontal: 1.34, vertikal: 0.65



Serie 2:
 10.5 * 10.2 * 10.1 ↖ 10.5 * 10.1 ↘
 10.8 * 10.2 * 9.5 ← 10.0 → 10.5 *
 beste Teiler 49.4 (16.) 103.3 (14.) 108.6 (11.)
 Trefferlage 0.29 mm links, 0.09 mm tief
 Streuwert 1.46, horizontal: 1.75, vertikal: 1.09





Serie 3:
 10.3 * 10.2 * 10.4 * 9.9 ↖ 10.6 *
 10.4 * 10.6 * 10.3 * 10.8 * 10.3 *
 beste Teiler 27.1 (29.) 78.5 (27.) 79.3 (25.)
 Trefferlage 0.39 mm links, 0.23 mm hoch
 Streuwert 1.09, horizontal: 1.36, vertikal: 0.72




Serie 4:
 10.5 * 10.9 * 10.4 * 10.3 * 9.9 ↖
 10.3 * 10.8 * 10.7 * 10.7 * 10.6 *
 beste Teiler 20.8 (32.) 27.8 (37.) 57.0 (38.)
 Trefferlage 0.83 mm links, 0.04 mm hoch
 Streuwert 0.75, horizontal: 0.91, vertikal: 0.54

Unterschrift des Schützen


Ergebnis: **412.2** (393)
 Serien: 101.9 105.0 103.0 102.3
 Zähler: 33 7 0 0 0 0 0 0 0 0
 Innenzehner: 27
 weiteste: 355 (24), 309 (9), 282 (23)
 beste Teiler 31.8 (17.) 43.0 (19.) 48.7 (22.)
 Trefferlage 0.08 mm rechts, 0.02 mm tief
 Streuwert 1.30, horizontal: 1.62, vertikal: 0.85




Serie 1:
 10.0 ↘ 10.4 * 10.5 * 10.3 * 10.0 →
 10.3 * 10.2 * 10.1 ↗ 9.7 ↖ 10.4 *
 beste Teiler 111.7 (3.) 126.1 (2.) 140.4 (10.)
 Trefferlage 0.51 mm rechts, 0.09 mm tief
 Streuwert 1.43, horizontal: 1.71, vertikal: 1.10



Serie 2:
 9.9 ← 10.7 * 10.1 ↗ 10.6 * 10.5 *
 10.6 * 10.8 * 10.7 * 10.8 * 10.3 *
 beste Teiler 31.8 (17.) 43.0 (19.) 75.1 (12.)
 Trefferlage 0.24 mm rechts, 0.02 mm hoch
 Streuwert 1.01, horizontal: 1.25, vertikal: 0.70



Serie 3:
 10.4 * 10.8 * 9.8 → 9.5 ← 10.6 *
 9.8 → 10.5 * 10.6 * 10.5 * 10.5 *
 beste Teiler 48.7 (22.) 93.0 (25.) 96.7 (28.)
 Trefferlage 0.02 mm rechts, 0.09 mm hoch
 Streuwert 1.41, horizontal: 1.85, vertikal: 0.75





Serie 4:
 10.0 → 10.1 ← 10.4 * 10.4 * 10.5 *
 9.9 → 10.4 * 10.3 * 9.8 ← 10.5 *
 beste Teiler 121.7 (40.) 123.1 (35.) 133.4 (34.)
 Trefferlage 0.45 mm links, 0.12 mm tief
 Streuwert 1.39, horizontal: 1.73, vertikal: 0.93


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **419.1** (397)
 Serien: 104.1 105.2 103.6 106.2
 Zähler: 37 3 0 0 0 0 0 0 0 0
 Innenzehner: 35
 weiteste: 283 (21), 266 (27), 265 (30)
 beste Teiler 10.8 (19.) 23.7 (22.) 33.1 (37.)
 Trefferlage 0.09 mm links, 0.11 mm hoch
 Streuwert 0.99, horizontal: 1.19, vertikal: 0.73




Serie 1:
 10.1 ← 10.6 * 10.4 * 10.5 * 10.2 *
 10.6 * 10.0 ← 10.7 * 10.5 * 10.5 *
 beste Teiler 70.0 (8.) 77.0 (2.) 77.4 (6.)
 Trefferlage 0.77 mm links, 0.27 mm hoch
 Streuwert 0.90, horizontal: 1.07, vertikal: 0.69



Serie 2:
 10.2 * 10.5 * 10.3 * 10.5 * 10.8 *
 10.5 * 10.7 * 10.5 * 10.9 * 10.3 *
 beste Teiler 10.8 (19.) 35.2 (15.) 58.0 (17.)
 Trefferlage 0.16 mm links, 0.15 mm hoch
 Streuwert 0.90, horizontal: 1.14, vertikal: 0.57



Serie 3:
 9.8 → 10.9 * 10.3 * 10.7 * 10.7 *
 10.6 * 9.9 → 10.6 * 10.2 * 9.9 ↘
 beste Teiler 23.7 (22.) 55.1 (24.) 70.3 (25.)
 Trefferlage 0.68 mm rechts, 0.08 mm tief
 Streuwert 1.21, horizontal: 1.42, vertikal: 0.96





Serie 4:
 10.7 * 10.6 * 10.2 * 10.8 * 10.7 *
 10.6 * 10.8 * 10.7 * 10.4 * 10.7 *
 beste Teiler 33.1 (37.) 48.7 (34.) 51.6 (35.)
 Trefferlage 0.12 mm links, 0.12 mm hoch
 Streuwert 0.70, horizontal: 0.68, vertikal: 0.71


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **406.5** (389)
 Serien: 103.3 100.8 101.1 101.3
 Zähler: 29 11 0 0 0 0 0 0 0 0
 Innenzehner: 18
 weiteste: 419 (17), 377 (29), 341 (30)
 beste Teiler 20.1 (15.) 25.8 (33.) 26.6 (22.)
 Trefferlage 0.55 mm links, 0.11 mm hoch
 Streuwert 1.53, horizontal: 1.63, vertikal: 1.42




Serie 1:
 10.5 * 10.8 * 10.5 * 9.8 ↘ 10.1 ↓
 10.5 * 10.1 ↑ 10.7 * 10.4 * 9.9 ←
 beste Teiler 34.2 (2.) 73.2 (8.) 123.4 (6.)
 Trefferlage 0.70 mm links, 0.39 mm tief
 Streuwert 1.20, horizontal: 1.14, vertikal: 1.26



Serie 2:
 10.4 * 10.3 * 10.1 ↓ 9.7 ← 10.9 *
 10.1 ↑ 9.3 ← 10.1 ↓ 9.7 ↘ 10.2 *
 beste Teiler 20.1 (15.) 143.3 (11.) 173.6 (12.)
 Trefferlage 1.15 mm links, 0.15 mm tief
 Streuwert 1.60, horizontal: 1.77, vertikal: 1.41



Serie 3:
 10.3 * 10.8 * 10.4 * 10.4 * 10.0 ↘
 9.6 → 10.6 * 10.0 ↑ 9.4 ↘ 9.6 ↓
 beste Teiler 26.6 (22.) 81.0 (27.) 127.4 (23.)
 Trefferlage 0.07 mm links, 0.53 mm hoch
 Streuwert 1.70, horizontal: 1.72, vertikal: 1.69





Serie 4:
 10.1 ↘ 10.1 ↑ 10.9 * 10.3 * 10.1 ↓
 9.9 ↗ 9.8 ↘ 10.1 ↘ 10.3 * 9.7 ←
 beste Teiler 25.8 (33.) 169.4 (34.) 173.2 (39.)
 Trefferlage 0.29 mm links, 0.48 mm hoch
 Streuwert 1.58, horizontal: 1.84, vertikal: 1.26


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **403.4** (385)
 Serien: 99.2 101.5 101.6 101.1
 Zähler: 26 13 1 0 0 0 0 0 0 0
 Innenzehner: 20
 weiteste: 514 (1), 443 (2), 364 (14)
 beste Teiler 60.2 (36.) 70.1 (8.) 104.2 (10.)
 Trefferlage 0.21 mm links, 0.04 mm hoch
 Streuwert 1.70, horizontal: 2.15, vertikal: 1.07




Serie 1:
 8.9 ↘ 9.2 ← 10.5 * 9.7 → 10.4 *
 9.9 ← 9.9 ↑ 10.7 * 9.5 → 10.5 *
 beste Teiler 70.1 (8.) 104.2 (10.) 121.2 (3.)
 Trefferlage 0.22 mm rechts, 0.15 mm tief
 Streuwert 2.19, horizontal: 2.89, vertikal: 1.11



Serie 2:
 10.3 * 10.3 * 10.3 * 9.5 ← 10.2 *
 9.6 ← 10.2 * 10.4 * 10.4 * 10.3 *
 beste Teiler 133.0 (18.) 144.4 (19.) 154.0 (20.)
 Trefferlage 0.19 mm links, 0.86 mm tief
 Streuwert 1.46, horizontal: 1.94, vertikal: 0.71



Serie 3:
 10.4 * 9.7 ← 10.5 * 10.1 ↘ 9.8 ←
 9.8 ← 10.5 * 10.3 * 10.4 * 10.1 ↘
 beste Teiler 110.0 (27.) 111.8 (23.) 134.8 (21.)
 Trefferlage 0.85 mm links, 0.65 mm hoch
 Streuwert 1.37, horizontal: 1.74, vertikal: 0.84



Serie 4:
 10.4 * 9.9 ← 10.5 * 10.0 ↗ 10.0 ←
 10.7 * 9.6 → 9.9 → 10.1 ↘ 10.0 ↘
 beste Teiler 60.2 (36.) 120.5 (33.) 146.5 (31.)
 Trefferlage 0.03 mm links, 0.53 mm hoch
 Streuwert 1.59, horizontal: 2.06, vertikal: 0.93

Unterschrift des Schützen

Meyton Elektronik