





Ergebnis: **372** (390.5)
 Serien: 94 94 92 92
 Zähler: 17 18 5 0 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2148 (6), 2014 (15), 1798 (39)
 beste Teiler 150.1 (34.) 207.3 (33.) 292.0 (20.)
 Trefferlage 0.41 mm links, 1.05 mm tief
 Streuwert 7.59, horizontal: 8.70, vertikal: 6.28




Serie 1:
 9.9 → 10.0 ← 9.9 ↙ 10.1 ↓ 10.0 →
 8.3 ← 9.7 ↓ 9.4 ← 10.0 ↖ 10.2 ↙
 beste Teiler 600.7 (10.) 720.0 (4.) 726.4 (2.)
 Trefferlage 3.76 mm links, 2.53 mm tief
 Streuwert 7.12, horizontal: 8.96, vertikal: 4.59



Serie 2:
 10.2 → 9.4 ← 8.9 ↘ 10.1 → 8.4 ←
 10.5 * 10.2 ↓ 9.8 → 10.4 * 10.6 *
 beste Teiler 292.0 (20.) 326.7 (16.) 440.3 (19.)
 Trefferlage 0.14 mm rechts, 3.11 mm tief
 Streuwert 7.40, horizontal: 9.75, vertikal: 3.78



Serie 3:
 9.8 ↘ 9.0 ↖ 10.3 ↑ 10.4 * 9.8 ←
 9.5 ↓ 9.4 ← 10.1 ↙ 9.8 ↓ 8.9 ↘
 beste Teiler 402.2 (24.) 496.6 (23.) 705.8 (28.)
 Trefferlage 0.64 mm links, 2.56 mm tief
 Streuwert 7.69, horizontal: 8.07, vertikal: 7.29





Serie 4:
 9.2 ↗ 9.9 ← 10.7 * 10.8 * 9.8 ↙
 10.3 → 9.2 ↗ 9.9 ↖ 8.7 ↗ 9.0 ↗
 beste Teiler 150.1 (34.) 207.3 (33.) 490.9 (36.)
 Trefferlage 2.61 mm rechts, 4.00 mm hoch
 Streuwert 7.37, horizontal: 8.03, vertikal: 6.65

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	360	(377.3)
Serien:	91	87 89 93
Zähler:	12 20 5 2 1 0 0 0 0 0	
Innenzehner:	3	
weiteste:	3419 (11), 2720 (2), 2528 (23)	
beste Teiler	221.0 (12.) 424.4 (27.) 432.2 (33.)	
Trefferlage	0.46 mm rechts, 0.31 mm hoch	
Streuwert	9.95, horizontal: 11.46, vertikal: 8.17	




Serie 1:

10.3 ↘	7.6 ←	8.4 ↘	9.2 →	9.4 ↓
9.8 ↗	10.2 →	10.1 ↘	9.1 ↘	10.1 ←
beste Teiler	553.5 (1.) 603.0 (7.) 641.8 (8.)			
Trefferlage	1.93 mm links, 1.08 mm hoch			
Streuwert	10.30, horizontal: 12.31, vertikal: 7.78			




Serie 2:

6.7 ↙	10.7 *	9.7 ↑	8.8 →	10.3 →
9.1 ↘	9.2 ↘	9.4 ↓	8.0 →	9.8 ←
beste Teiler	221.0 (12.) 505.6 (15.) 883.5 (20.)			
Trefferlage	2.73 mm rechts, 3.65 mm tief			
Streuwert	11.94, horizontal: 14.80, vertikal: 8.14			



Serie 3:

10.2 ↗	9.7 →	7.8 ↑	9.4 →	9.1 →
9.9 ↑	10.4 *	9.5 ↓	8.6 ←	9.8 ↑
beste Teiler	424.4 (27.) 611.7 (21.) 879.0 (26.)			
Trefferlage	2.52 mm rechts, 3.27 mm hoch			
Streuwert	9.57, horizontal: 9.44, vertikal: 9.70			





Serie 4:


9.2 ↓	10.0 ↓	10.4 *	9.5 ↘	10.2 →
9.8 ←	9.7 ↘	9.7 ←	10.1 ←	8.4 →
beste Teiler	432.2 (33.) 593.2 (35.) 700.3 (39.)			
Trefferlage	1.47 mm links, 0.57 mm hoch			
Streuwert	8.01, horizontal: 9.39, vertikal: 6.35			

Unterschrift des Schützen


Ergebnis: **365** (381.3)
 Serien: 93 91 90 91
 Zähler: 14 17 9 0 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 2371 (39), 2156 (23), 2139 (37)
 beste Teiler 244.5 (10.) 298.4 (11.) 330.9 (33.)
 Trefferlage 0.68 mm rechts, 5.47 mm tief
 Streuwert 8.29, horizontal: 8.69, vertikal: 7.87




Serie 1:
 9.3 ↗ 10.5 * 9.1 ↘ 9.8 ↙ 10.1 ↖
 9.8 → 8.6 ↘ 10.4 * 9.7 ↓ 10.6 *
 beste Teiler 244.5 (10.) 391.9 (2.) 417.6 (8.)
 Trefferlage 0.71 mm rechts, 2.88 mm tief
 Streuwert 7.52, horizontal: 6.74, vertikal: 8.23



Serie 2:
 10.6 * 9.8 ↘ 10.0 ↓ 8.5 ↓ 9.7 ←
 8.6 → 9.0 ↓ 9.5 ↘ 9.1 ↘ 10.5 *
 beste Teiler 298.4 (11.) 356.4 (20.) 733.4 (13.)
 Trefferlage 2.03 mm rechts, 6.97 mm tief
 Streuwert 7.68, horizontal: 8.53, vertikal: 6.72





Serie 3:
 9.2 → 8.5 ↓ 8.3 ↘ 10.4 * 9.8 →
 10.4 * 10.3 ↖ 9.5 ↘ 8.9 ↙ 9.6 ←
 beste Teiler 415.9 (26.) 418.9 (24.) 507.0 (27.)
 Trefferlage 2.49 mm links, 5.88 mm tief
 Streuwert 8.47, horizontal: 8.74, vertikal: 8.19



Serie 4:
 9.1 ↓ 8.3 → 10.5 * 10.0 ↓ 9.5 ↖
 9.1 ↘ 8.3 → 10.1 ↓ 8.0 ↓ 10.3 ↘
 beste Teiler 330.9 (33.) 533.0 (40.) 666.0 (38.)
 Trefferlage 2.47 mm rechts, 6.15 mm tief
 Streuwert 9.84, horizontal: 10.78, vertikal: 8.82


Unterschrift des Schützen

Ergebnis: **362** (380.2)
 Serien: 88 90 92 92
 Zähler: 9 24 7 0 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 2172 (8), 2133 (40), 2043 (6)
 beste Teiler 170.3 (22.) 300.9 (38.) 330.8 (25.)
 Trefferlage 0.52 mm rechts, 0.36 mm hoch
 Streuwert 9.03, horizontal: 8.65, vertikal: 9.40




Serie 1:
 9.3 ↑ 9.7 ↑ 9.5 ↗ 9.3 ↘ 9.8 ↙
 8.4 → 9.1 ↙ 8.2 ↓ 9.6 ↘ 9.6 →

beste Teiler 925.0 (5.) 974.0 (2.) 1086.2 (10.)
 Trefferlage 1.54 mm rechts, 1.34 mm hoch
 Streuwert 10.44, horizontal: 9.30, vertikal: 11.46




Serie 2:
 9.6 ↑ 9.5 ↙ 9.9 ↓ 9.6 ↑ 9.3 →
 9.7 ↙ 9.9 → 10.4 * 9.2 → 8.6 ↑

beste Teiler 441.3 (18.) 830.2 (17.) 866.0 (13.)
 Trefferlage 2.71 mm rechts, 1.70 mm hoch
 Streuwert 8.38, horizontal: 7.66, vertikal: 9.05



Serie 3:
 9.4 ↑ 10.7 * 9.0 ↓ 9.8 ↙ 10.5 *
 8.5 ↘ 10.1 ↘ 9.2 ↘ 8.7 ↙ 10.1 ↑

beste Teiler 170.3 (22.) 330.8 (25.) 668.3 (30.)
 Trefferlage 0.18 mm rechts, 4.06 mm tief
 Streuwert 8.51, horizontal: 7.65, vertikal: 9.29





Serie 4:
 9.1 ← 9.7 ↑ 9.2 ↗ 10.3 ↑ 9.8 ↙
 10.2 ← 8.5 ↙ 10.6 * 10.3 ↘ 8.3 →

beste Teiler 300.9 (38.) 499.1 (34.) 550.2 (39.)
 Trefferlage 2.36 mm links, 2.45 mm hoch
 Streuwert 8.88, horizontal: 10.23, vertikal: 7.30


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	363	(381.6)
Serien:	94 89 90 90	
Zähler:	12 20 7 1 0 0 0 0 0 0	
Innenzehner:	6	
weiteste:	2504 (11), 2291 (4), 1923 (19)	
beste Teiler	160.2 (3.) 220.4 (6.) 301.8 (17.)	
Trefferlage	2.89 mm rechts, 0.90 mm hoch	
Streuwert	8.82, horizontal: 8.10, vertikal: 9.47	




Serie 1:	9.6 ↑	10.1 ↑	10.8 *	8.1 ↘	9.7 →
	10.7 *	10.4 *	9.2 ↗	10.2 ↗	9.7 ↘
beste Teiler	160.2 (3.)	220.4 (6.)	445.7 (7.)		
Trefferlage	3.76 mm rechts, 2.93 mm hoch				
Streuwert	7.21, horizontal: 6.88, vertikal: 7.53				



Serie 2:	7.8 ↑	10.3 ←	10.2 ↑	9.1 ↘	9.4 ↘
	8.9 ↗	10.6 *	9.0 →	8.5 ↓	9.8 →
beste Teiler	301.8 (17.)	503.3 (12.)	610.2 (13.)		
Trefferlage	2.09 mm rechts, 2.33 mm hoch				
Streuwert	10.39, horizontal: 9.02, vertikal: 11.60				



Serie 3:	10.5 *	9.2 →	8.6 ↘	9.3 ↘	9.8 ↓
	9.4 ↗	10.3 ↖	9.2 ↗	9.2 ↗	8.6 ↑
beste Teiler	328.4 (21.)	494.4 (27.)	956.5 (25.)		
Trefferlage	2.29 mm rechts, 2.99 mm hoch				
Streuwert	9.41, horizontal: 8.39, vertikal: 10.34				





Serie 4:	10.3 ↘	9.9 ←	8.6 ↓	9.7 ↘	9.1 ↘
	9.9 ↗	8.8 ↘	9.6 ↘	9.0 ←	10.5 *
beste Teiler	347.7 (40.)	483.5 (31.)	804.8 (32.)		
Trefferlage	3.43 mm rechts, 4.66 mm tief				
Streuwert	7.99, horizontal: 9.12, vertikal: 6.68				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **363** (379.4)
 Serien: 88 92 90 93
 Zähler: 14 18 5 3 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 2803 (3), 2736 (9), 2615 (37)
 beste Teiler 147.8 (32.) 204.0 (20.) 225.8 (36.)
 Trefferlage 2.61 mm links, 2.08 mm tief
 Streuwert 9.32, horizontal: 10.55, vertikal: 7.90




Serie 1:
 9.3 ↓ 10.4 * 7.4 ← 9.2 ↓ 8.7 ←
 8.9 ↙ 10.1 ↖ 10.2 ↘ 7.5 ← 10.1 ↗
 beste Teiler 444.0 (2.) 633.7 (8.) 680.7 (10.)
 Trefferlage 7.99 mm links, 4.88 mm tief
 Streuwert 9.99, horizontal: 11.44, vertikal: 8.29



Serie 2:
 8.1 ↖ 9.3 ↓ 10.0 ↓ 9.5 ↘ 9.6 ↖
 9.1 ← 9.2 ↙ 9.5 ↖ 10.3 ↓ 10.7 *
 beste Teiler 204.0 (20.) 537.2 (19.) 722.5 (13.)
 Trefferlage 4.71 mm links, 2.65 mm tief
 Streuwert 8.45, horizontal: 8.14, vertikal: 8.75



Serie 3:
 9.0 ↗ 9.5 ↖ 10.0 ↗ 9.4 ↖ 9.5 ↖
 9.4 ↘ 9.8 ↗ 9.4 ↘ 9.4 ← 8.8 ↖
 beste Teiler 763.8 (23.) 923.8 (27.) 1179.0 (25.)
 Trefferlage 0.97 mm links, 0.68 mm tief
 Streuwert 9.27, horizontal: 10.59, vertikal: 7.74





Serie 4:
 8.5 ↗ 10.8 * 10.5 * 9.9 ↘ 10.3 ↖
 10.7 * 7.7 → 10.1 ↘ 10.0 ↓ 9.6 ←
 beste Teiler 147.8 (32.) 225.8 (36.) 389.4 (33.)
 Trefferlage 3.20 mm rechts, 0.12 mm tief
 Streuwert 8.53, horizontal: 9.79, vertikal: 7.04


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **334** (355.1)
 Serien: 84 86 85 79
 Zähler: 5 13 16 4 1 1 0 0 0 0
 Innenzehner: 1
 weiteste: 4197 (29), 3365 (33), 2784 (32)
 beste Teiler 369.2 (20.) 558.2 (25.) 681.0 (18.)
 Trefferlage 6.62 mm links, 0.18 mm hoch
 Streuwert 12.17, horizontal: 11.70, vertikal: 12.63




Serie 1:
 8.4 ← 8.6 ↓ 9.8 ↑ 8.5 ↘ 9.2 ↓
 9.0 ↓ 9.8 → 8.9 ← 7.7 ↙ 9.6 ←
 beste Teiler 892.5 (7.) 922.7 (3.) 1095.7 (10.)
 Trefferlage 7.21 mm links, 4.83 mm tief
 Streuwert 10.77, horizontal: 10.87, vertikal: 10.67



Serie 2:
 9.3 ↑ 8.5 ↙ 8.8 ↓ 8.5 ↓ 8.2 ↘
 9.0 ↗ 7.9 ↑ 10.1 ↘ 9.3 ↓ 10.5 *
 beste Teiler 369.2 (20.) 681.0 (18.) 1309.1 (11.)
 Trefferlage 0.14 mm links, 3.57 mm tief
 Streuwert 12.23, horizontal: 9.98, vertikal: 14.12





Serie 3:
 10.0 ↙ 8.7 ← 10.1 ↑ 7.6 ← 10.3 ↘
 9.2 ↙ 8.7 ↗ 9.6 ← 5.7 ↙ 9.5 ↑
 beste Teiler 558.2 (25.) 708.5 (23.) 739.9 (21.)
 Trefferlage 9.88 mm links, 0.57 mm tief
 Streuwert 12.26, horizontal: 13.83, vertikal: 10.45




Serie 4:
 9.8 ← 7.5 ↘ 6.7 ↑ 9.5 ↘ 8.9 ←
 8.7 ← 8.7 ↘ 8.7 ↘ 8.8 ↑ 8.8 →
 beste Teiler 903.4 (31.) 1134.7 (34.) 1634.3 (35.)
 Trefferlage 9.25 mm links, 9.74 mm hoch
 Streuwert 10.94, horizontal: 10.83, vertikal: 11.06

Unterschrift des Schützen


Ergebnis: **341** (358.4)
 Serien: 81 84 91 85
 Zähler: 5 18 12 3 2 0 0 0 0 0
 Innenzehner: 0
 weiteste: 3797 (4), 3343 (36), 3175 (1)
 beste Teiler 482.6 (25.) 527.0 (24.) 617.9 (26.)
 Trefferlage 4.21 mm links, 1.69 mm tief
 Streuwert 12.35, horizontal: 12.19, vertikal: 12.51




Serie 1:
 7.0 ↙ 9.0 ↙ 9.1 ↓ 6.2 ← 9.9 ↓
 8.3 ↓ 9.2 ↓ 9.4 ↗ 7.0 ↗ 8.6 ↗
 beste Teiler 873.3 (5.) 1267.2 (8.) 1381.2 (7.)
 Trefferlage 5.85 mm links, 4.75 mm tief
 Streuwert 15.94, horizontal: 14.87, vertikal: 16.95



Serie 2:
 9.6 ← 8.3 ↘ 9.9 ↗ 8.6 ↗ 9.6 ↑
 8.3 → 7.8 ↘ 8.2 ↗ 9.9 ↗ 9.2 ↘
 beste Teiler 809.0 (19.) 813.7 (13.) 1079.0 (15.)
 Trefferlage 4.96 mm links, 2.71 mm tief
 Streuwert 12.08, horizontal: 12.57, vertikal: 11.57



Serie 3:
 8.8 ↙ 8.1 ← 10.0 ↑ 10.3 ↘ 10.3 ↑
 10.2 ↓ 8.5 ↙ 9.3 ↑ 9.1 ← 9.9 ↓
 beste Teiler 482.6 (25.) 527.0 (24.) 617.9 (26.)
 Trefferlage 5.67 mm links, 2.79 mm tief
 Streuwert 8.90, horizontal: 7.94, vertikal: 9.76



Serie 4:
 8.8 → 9.9 ↑ 8.8 ↘ 9.8 ↓ 9.2 ↘
 6.8 ↗ 9.6 ← 9.5 ↓ 8.4 ← 10.0 ↘
 beste Teiler 741.5 (40.) 810.0 (32.) 907.7 (34.)
 Trefferlage 0.35 mm links, 3.49 mm hoch
 Streuwert 12.20, horizontal: 13.38, vertikal: 10.90

Unterschrift des Schützen