





Ergebnis: **360** (381.1)
 Serien: 86 88 93 93
 Zähler: 13 16 9 2 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 2832 (22), 2432 (10), 2190 (1)
 beste Teiler 273.7 (19.) 358.2 (36.) 375.9 (35.)
 Trefferlage 0.04 mm links, 3.78 mm tief
 Streuwert 8.99, horizontal: 8.51, vertikal: 9.45




Serie 1:
 8.2 ↘ 9.6 → 9.7 ↗ 8.3 → 10.5 *
 8.6 ↙ 8.7 ↙ 10.0 ← 9.7 ↓ 7.9 ↓
 beste Teiler 396.9 (5.) 759.5 (8.) 962.8 (3.)
 Trefferlage 0.62 mm rechts, 7.57 mm tief
 Streuwert 10.60, horizontal: 11.84, vertikal: 9.18



Serie 2:
 9.9 → 9.9 ↓ 8.9 ↙ 9.5 ↓ 8.7 →
 9.3 ↙ 8.7 → 10.2 ↓ 10.6 * 8.3 ↑
 beste Teiler 273.7 (19.) 575.6 (18.) 809.2 (12.)
 Trefferlage 2.38 mm rechts, 3.90 mm tief
 Streuwert 9.55, horizontal: 9.22, vertikal: 9.87





Serie 3:
 9.8 ↓ 7.4 ↓ 9.8 ↗ 10.4 * 9.9 ↑
 10.2 ↗ 10.5 * 9.2 ↓ 10.2 ↙ 10.5 *
 beste Teiler 376.3 (30.) 400.3 (27.) 417.9 (24.)
 Trefferlage 0.66 mm links, 3.56 mm tief
 Streuwert 8.27, horizontal: 4.83, vertikal: 10.65



Serie 4:
 9.6 ↘ 9.1 ↙ 9.9 ↙ 9.4 ↙ 10.5 *
 10.5 * 10.3 ↑ 10.3 ↑ 8.7 ↘ 9.7 ↗
 beste Teiler 358.2 (36.) 375.9 (35.) 507.5 (38.)
 Trefferlage 2.52 mm links, 0.06 mm tief
 Streuwert 7.47, horizontal: 7.15, vertikal: 7.78


Unterschrift des Schützen

Ergebnis:	347		(365.2)
Serien:	84	86	91 86
Zähler:	9	17	7 6 1 0 0 0 0 0
Innenzehner:	5		
weiteste:	3371 (13), 2985 (39), 2952 (19)		
beste Teiler	173.0 (40.)	222.4 (11.)	283.1 (26.)
Trefferlage	1.96 mm rechts, 4.46 mm hoch		
Streuwert	11.42, horizontal: 9.48, vertikal: 13.08		




Serie 1:

8.9 →	7.5 ↑	9.8 ↘	9.0 ↗	7.7 ↗
8.5 ↓	8.8 ↖	10.0 ↓	9.1 ↖	9.6 ↗
beste Teiler	798.1 (8.) 929.4 (3.) 1113.6 (10.)			
Trefferlage	3.28 mm rechts, 6.62 mm hoch			
Streuwert	11.92, horizontal: 9.04, vertikal: 14.23			




Serie 2:

10.7 *	9.7 ←	6.7 ↓	9.4 ↗	10.4 *
9.0 ↘	9.2 ↑	10.5 *	7.3 ↖	7.9 ↑
beste Teiler	222.4 (11.) 390.0 (18.) 472.7 (15.)			
Trefferlage	1.82 mm links, 2.47 mm hoch			
Streuwert	13.46, horizontal: 11.09, vertikal: 15.46			



Serie 3:

9.7 →	10.2 ↘	9.5 ↗	9.5 ↗	9.3 →
10.6 *	10.3 ↘	8.3 ↗	9.2 ↘	8.6 ↑
beste Teiler	283.1 (26.) 533.9 (27.) 576.4 (22.)			
Trefferlage	6.33 mm rechts, 3.30 mm hoch			
Streuwert	7.84, horizontal: 5.53, vertikal: 9.62			





Serie 4:


9.4 ↘	8.7 →	9.5 ↖	9.4 ↑	7.5 ↑
9.8 ↗	8.1 ←	10.0 ↓	7.2 ↑	10.7 *
beste Teiler	173.0 (40.) 748.1 (38.) 944.9 (36.)			
Trefferlage	0.07 mm rechts, 5.46 mm hoch			
Streuwert	12.38, horizontal: 10.53, vertikal: 13.98			

Unterschrift des Schützen


Ergebnis: **347** (369.5)
 Serien: 89 86 87 85
 Zähler: 9 13 14 4 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 3154 (20), 2553 (8), 2471 (33)
 beste Teiler 99.8 (40.) 229.0 (15.) 244.6 (16.)
 Trefferlage 1.02 mm rechts, 5.61 mm tief
 Streuwert 10.33, horizontal: 11.63, vertikal: 8.85




Serie 1:
 10.0 ↘ 9.9 ↙ 9.4 ↓ 10.0 ↑ 9.3 ↘
 8.5 → 9.8 ↙ 7.8 ↙ 9.2 ↙ 9.1 →
 beste Teiler 747.9 (1.) 753.0 (4.) 873.5 (2.)
 Trefferlage 0.10 mm links, 5.04 mm tief
 Streuwert 10.11, horizontal: 12.74, vertikal: 6.49



Serie 2:
 8.9 → 9.6 ↓ 8.7 ↓ 8.7 ↑ 10.7 *
 10.6 * 8.4 → 10.6 * 8.8 ↘ 7.0 ↘
 beste Teiler 229.0 (15.) 244.6 (16.) 257.7 (18.)
 Trefferlage 6.55 mm rechts, 3.23 mm tief
 Streuwert 11.06, horizontal: 10.58, vertikal: 11.53



Serie 3:
 10.6 * 7.9 ↙ 10.1 ↓ 8.9 ↙ 9.8 ↘
 8.9 ↙ 9.6 → 8.9 ↘ 8.2 ↓ 10.6 *
 beste Teiler 271.0 (30.) 292.3 (21.) 673.3 (23.)
 Trefferlage 2.13 mm links, 6.49 mm tief
 Streuwert 9.66, horizontal: 10.88, vertikal: 8.26





Serie 4:
 8.2 ↘ 9.5 ↓ 7.9 ← 9.7 ↑ 9.3 ↙
 8.7 ↓ 8.5 ↘ 9.8 ↓ 8.6 ↘ 10.8 *
 beste Teiler 99.8 (40.) 909.3 (38.) 991.2 (34.)
 Trefferlage 0.21 mm links, 7.69 mm tief
 Streuwert 10.70, horizontal: 12.06, vertikal: 9.15


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **345** (364.1)
 Serien: 90 84 86 85
 Zähler: 12 12 8 5 3 0 0 0 0
 Innenzehner: 5
 weiteste: 3725 (17), 3720 (19), 3496 (11)
 beste Teiler 87.2 (26.) 139.0 (3.) 239.3 (14.)
 Trefferlage 2.55 mm rechts, 1.32 mm tief
 Streuwert 12.40, horizontal: 14.07, vertikal: 10.48




Serie 1:
 9.5 ↘ 10.4 * 10.8 * 8.9 ↑ 9.6 →
 9.4 ↑ 9.9 ← 8.7 ↑ 9.3 ↓ 9.3 ↘
 beste Teiler 139.0 (3.) 466.0 (2.) 850.1 (7.)
 Trefferlage 2.16 mm rechts, 3.42 mm hoch
 Streuwert 8.48, horizontal: 7.12, vertikal: 9.65



Serie 2:
 6.6 ← 9.0 ↙ 10.0 ↑ 10.7 * 10.0 ↓
 10.1 ↘ 6.3 ← 8.5 ↘ 6.3 → 9.5 ↖
 beste Teiler 239.3 (14.) 713.6 (16.) 740.3 (15.)
 Trefferlage 3.98 mm links, 6.62 mm tief
 Streuwert 15.49, horizontal: 19.60, vertikal: 9.78





Serie 3:
 9.2 ↓ 10.5 * 9.2 ↗ 7.9 ← 10.3 ←
 10.8 * 8.7 ← 7.7 → 8.6 ↗ 8.9 ↘
 beste Teiler 87.2 (26.) 392.9 (22.) 524.7 (25.)
 Trefferlage 2.44 mm rechts, 3.31 mm tief
 Streuwert 11.69, horizontal: 13.91, vertikal: 8.93




Serie 4:
 8.7 ↓ 9.9 ↑ 10.3 ← 7.5 ↗ 9.2 ↑
 8.5 → 7.8 ↘ 10.3 ↓ 10.0 ↘ 7.3 ↗
 beste Teiler 481.8 (38.) 503.4 (33.) 754.5 (39.)
 Trefferlage 9.60 mm rechts, 1.20 mm hoch
 Streuwert 11.53, horizontal: 11.26, vertikal: 11.81

Unterschrift des Schützen


Ergebnis: **346** (366.3)
 Serien: 88 88 81 89
 Zähler: 6 19 12 2 0 1 0 0 0 0
 Innenzehner: 2
 weiteste: 4060 (22), 3098 (26), 2626 (25)
 beste Teiler 286.5 (21.) 361.8 (33.) 485.1 (9.)
 Trefferlage 0.00 mm , 4.06 mm tief
 Streuwert 11.38, horizontal: 11.41, vertikal: 11.35




Serie 1:
 9.8 ← 9.0 ↘ 8.8 ↙ 9.5 ↙ 8.1 ↗
 9.8 ← 8.9 ↘ 8.7 ↙ 10.3 ↗ 10.2 ←
 beste Teiler 485.1 (9.) 624.2 (10.) 941.5 (1.)
 Trefferlage 1.62 mm links, 3.72 mm tief
 Streuwert 10.24, horizontal: 12.16, vertikal: 7.87



Serie 2:
 9.8 ↙ 9.9 ↑ 9.6 → 9.8 ↙ 9.4 ↙
 8.1 ↘ 9.8 ← 8.5 ↙ 9.7 ↗ 9.9 ↘
 beste Teiler 842.6 (20.) 843.9 (12.) 909.5 (17.)
 Trefferlage 2.74 mm links, 2.61 mm tief
 Streuwert 9.27, horizontal: 8.81, vertikal: 9.71



Serie 3:
 10.6 * 5.9 ↓ 9.6 ↙ 9.0 → 7.7 ↙
 7.1 ↙ 8.9 ↑ 8.2 → 9.5 ↘ 9.3 ↘
 beste Teiler 286.5 (21.) 1049.4 (23.) 1171.9 (29.)
 Trefferlage 1.13 mm links, 6.56 mm tief
 Streuwert 15.42, horizontal: 13.53, vertikal: 17.09





Serie 4:
 10.1 ↘ 8.1 ↘ 10.5 * 9.3 ↓ 8.4 →
 9.7 ↙ 9.8 ↓ 8.6 ↑ 8.1 ↘ 10.3 ↑
 beste Teiler 361.8 (33.) 516.0 (40.) 681.5 (31.)
 Trefferlage 5.49 mm rechts, 3.37 mm tief
 Streuwert 10.24, horizontal: 10.47, vertikal: 10.02


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **354** (371.2)
 Serien: 86 91 85 92
 Zähler: 13 12 11 4 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 2938 (24), 2687 (29), 2586 (8)
 beste Teiler 74.3 (35.) 209.1 (21.) 406.6 (5.)
 Trefferlage 0.76 mm links, 0.49 mm hoch
 Streuwert 10.86, horizontal: 11.73, vertikal: 9.92




Serie 1:
 10.1 ↘ 8.2 ↖ 9.7 ↗ 8.9 ↙ 10.4 *
 8.2 ↙ 8.4 ↖ 7.7 ↘ 9.6 ↘ 9.6 ↖
 beste Teiler 406.6 (5.) 713.1 (1.) 997.5 (3.)
 Trefferlage 3.99 mm links, 1.05 mm tief
 Streuwert 11.84, horizontal: 12.39, vertikal: 11.25



Serie 2:
 9.2 ↖ 9.7 ↗ 8.4 ↗ 10.0 ↙ 9.4 ↗
 10.1 → 10.3 ↓ 8.8 → 8.8 ↘ 10.0 ↖
 beste Teiler 510.9 (17.) 687.4 (16.) 722.0 (14.)
 Trefferlage 4.02 mm rechts, 3.16 mm hoch
 Streuwert 8.78, horizontal: 10.28, vertikal: 6.97



Serie 3:
 10.7 * 7.9 ↓ 9.2 ↑ 7.3 ← 10.1 ↘
 8.0 ↖ 8.4 ↙ 10.1 ↖ 7.6 ↑ 9.5 ↘
 beste Teiler 209.1 (21.) 650.1 (25.) 696.7 (28.)
 Trefferlage 6.18 mm links, 0.98 mm hoch
 Streuwert 13.27, horizontal: 12.84, vertikal: 13.68





Serie 4:
 9.2 → 10.4 * 9.5 ↖ 10.3 ↖ 10.9 *
 8.6 ↘ 9.1 ← 8.9 ↘ 9.7 → 10.3 ↗
 beste Teiler 74.3 (35.) 432.9 (32.) 510.7 (40.)
 Trefferlage 3.10 mm rechts, 1.11 mm tief
 Streuwert 8.24, horizontal: 9.24, vertikal: 7.11


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **366** (387.0)
 Serien: 93 91 90 92
 Zähler: 11 24 5 0 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 1811 (27), 1763 (3), 1738 (29)
 beste Teiler 244.3 (15.) 266.7 (23.) 273.5 (4.)
 Trefferlage 0.55 mm links, 0.82 mm hoch
 Streuwert 7.88, horizontal: 7.65, vertikal: 8.11




Serie 1:
 9.7 → 9.5 ↗ 8.7 ↓ 10.6 * 9.9 ↗
 10.0 ↙ 10.1 ↘ 9.9 ↘ 10.5 * 9.9 ←
 beste Teiler 273.5 (4.) 390.0 (9.) 679.6 (7.)
 Trefferlage 0.05 mm links, 0.66 mm hoch
 Streuwert 7.04, horizontal: 6.09, vertikal: 7.87



Serie 2:
 8.9 ← 9.2 ↗ 9.7 ↘ 9.4 ↑ 10.6 *
 9.2 ↘ 9.6 ← 10.5 * 9.8 ↘ 9.4 ↓
 beste Teiler 244.3 (15.) 372.8 (18.) 926.9 (19.)
 Trefferlage 1.43 mm links, 0.80 mm tief
 Streuwert 8.37, horizontal: 9.06, vertikal: 7.63



Serie 3:
 9.3 ↙ 8.9 ↑ 10.6 * 9.2 ↓ 10.4 *
 10.1 ↘ 8.7 ↘ 9.3 → 8.8 ↑ 9.8 ↘
 beste Teiler 266.7 (23.) 462.4 (25.) 642.6 (26.)
 Trefferlage 0.05 mm links, 1.81 mm hoch
 Streuwert 9.25, horizontal: 7.81, vertikal: 10.50





Serie 4:
 9.4 ↑ 10.4 * 9.7 ← 9.4 ← 10.3 ←
 9.6 ↓ 9.4 ↗ 9.4 ↗ 9.7 ← 9.5 →
 beste Teiler 459.6 (32.) 543.6 (35.) 967.5 (39.)
 Trefferlage 0.69 mm links, 1.61 mm hoch
 Streuwert 7.81, horizontal: 8.49, vertikal: 7.07


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **344** (365.1)
 Serien: 89 83 88 84
 Zähler: 9 15 9 6 0 1 0 0 0 0
 Innenzehner: 5
 weiteste: 4298 (14), 3125 (31), 3100 (9)
 beste Teiler 100.6 (11.) 267.5 (4.) 297.4 (34.)
 Trefferlage 1.37 mm links, 4.21 mm tief
 Streuwert 12.00, horizontal: 12.48, vertikal: 11.50




Serie 1:
 9.7 ↘ 9.2 → 9.9 ↙ 10.6 * 8.9 ←
 9.6 ← 10.6 * 9.7 ← 7.1 ↙ 9.8 ↗
 beste Teiler 267.5 (4.) 316.9 (7.) 814.4 (3.)
 Trefferlage 3.81 mm links, 3.76 mm tief
 Streuwert 9.51, horizontal: 10.51, vertikal: 8.39



Serie 2:
 10.8 * 9.7 ↙ 8.4 ← 5.6 → 9.8 ↑
 8.5 ↗ 10.2 ↘ 7.9 ← 7.8 ↘ 10.3 ↖
 beste Teiler 100.6 (11.) 484.8 (20.) 635.1 (17.)
 Trefferlage 1.03 mm rechts, 0.09 mm hoch
 Streuwert 15.19, horizontal: 18.35, vertikal: 11.16



Serie 3:
 8.8 ↗ 10.3 ↑ 9.0 ↓ 7.5 ↓ 10.3 ←
 9.1 ↓ 9.7 → 9.5 ← 9.7 ↓ 8.5 ↑
 beste Teiler 533.4 (25.) 560.4 (22.) 980.4 (29.)
 Trefferlage 0.94 mm links, 3.39 mm tief
 Streuwert 11.00, horizontal: 6.29, vertikal: 14.22



Serie 4:
 7.0 ↓ 9.8 ← 8.2 → 10.6 * 10.5 *
 7.3 ↖ 8.8 ↙ 9.1 ↓ 8.5 ↘ 8.8 ↙
 beste Teiler 297.4 (34.) 321.5 (35.) 945.2 (32.)
 Trefferlage 1.79 mm links, 9.77 mm tief
 Streuwert 12.14, horizontal: 13.21, vertikal: 10.96

Unterschrift des Schützen

Meyton Elektronik