





Ergebnis: **365** (384.5)
 Serien: 92 94 92 87
 Zähler: 12 21 7 0 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 1959 (3), 1946 (39), 1736 (22)
 beste Teiler 144.2 (25.) 239.1 (12.) 283.2 (37.)
 Trefferlage 1.05 mm rechts, 2.48 mm tief
 Streuwert 8.22, horizontal: 7.90, vertikal: 8.52




Serie 1:
 10.1 ↙ 9.7 ↘ 8.5 ← 10.0 ↑ 9.1 ↓
 9.3 ↘ 9.9 ↙ 9.7 ↑ 9.1 → 10.3 →
 beste Teiler 497.8 (10.) 673.0 (1.) 780.0 (4.)
 Trefferlage 2.92 mm links, 0.92 mm tief
 Streuwert 8.54, horizontal: 9.08, vertikal: 7.97



Serie 2:
 9.6 ↑ 10.7 * 9.1 ↘ 8.8 ↓ 9.3 →
 10.5 * 10.0 ↓ 10.1 ↓ 9.3 ↙ 10.4 *
 beste Teiler 239.1 (12.) 382.4 (16.) 432.4 (20.)
 Trefferlage 2.71 mm rechts, 3.58 mm tief
 Streuwert 7.08, horizontal: 5.26, vertikal: 8.53



Serie 3:
 9.6 ↓ 8.8 ↘ 10.5 * 10.3 ↘ 10.8 *
 9.0 ↓ 9.7 ↑ 9.7 ↗ 9.2 ↗ 9.7 ↙
 beste Teiler 144.2 (25.) 377.6 (23.) 543.8 (24.)
 Trefferlage 2.07 mm rechts, 3.18 mm tief
 Streuwert 7.75, horizontal: 5.09, vertikal: 9.71





Serie 4:
 8.8 ↗ 9.8 → 9.9 ↑ 9.6 ↓ 8.9 ↙
 8.8 ↘ 10.6 * 9.7 ← 8.5 ↘ 9.1 ←
 beste Teiler 283.2 (37.) 877.9 (33.) 882.8 (32.)
 Trefferlage 2.35 mm rechts, 2.24 mm tief
 Streuwert 9.76, horizontal: 10.53, vertikal: 8.93


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **359** (379.5)
 Serien: 88 92 90 89
 Zähler: 8 23 9 0 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 2287 (34), 1967 (28), 1918 (3)
 beste Teiler 154.8 (39.) 211.8 (15.) 474.3 (24.)
 Trefferlage 4.27 mm links, 0.76 mm hoch
 Streuwert 8.55, horizontal: 8.32, vertikal: 8.77




Serie 1:
 9.9 ↗ 9.7 ← 8.6 ↑ 9.0 ↖ 9.2 ↘
 9.5 ← 8.9 ↑ 9.5 ← 9.5 ↗ 9.6 ↘
 beste Teiler 806.0 (1.) 1038.3 (2.) 1083.3 (10.)
 Trefferlage 5.30 mm links, 5.40 mm hoch
 Streuwert 8.12, horizontal: 7.73, vertikal: 8.50



Serie 2:
 10.1 ↑ 9.8 ↙ 10.3 ↓ 9.4 ↗ 10.7 *
 9.5 ↙ 9.3 ↙ 8.8 ↙ 8.7 ↘ 10.2 ←
 beste Teiler 211.8 (15.) 482.6 (13.) 634.3 (20.)
 Trefferlage 1.53 mm links, 3.74 mm tief
 Streuwert 7.95, horizontal: 8.39, vertikal: 7.50



Serie 3:
 9.6 ↙ 9.6 → 10.3 ↑ 10.4 * 9.1 ←
 9.6 ← 9.9 ↑ 8.5 ↘ 9.1 ↖ 8.7 ↙
 beste Teiler 474.3 (24.) 499.1 (23.) 835.8 (27.)
 Trefferlage 5.89 mm links, 1.57 mm hoch
 Streuwert 8.26, horizontal: 8.70, vertikal: 7.80





Serie 4:
 9.3 ↓ 9.7 ↙ 8.7 ↘ 8.1 ↘ 9.2 →
 8.9 ↙ 9.9 ↘ 9.6 ← 10.8 * 10.3 ←
 beste Teiler 154.8 (39.) 482.5 (40.) 844.0 (37.)
 Trefferlage 4.37 mm links, 0.19 mm tief
 Streuwert 9.42, horizontal: 9.03, vertikal: 9.79


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **356** (377.4)
 Serien: 87 89 92 88
 Zähler: 10 18 10 2 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 2785 (39), 2759 (12), 2311 (18)
 beste Teiler 243.0 (34.) 320.2 (19.) 329.6 (35.)
 Trefferlage 0.03 mm links, 6.12 mm tief
 Streuwert 8.71, horizontal: 9.51, vertikal: 7.83




Serie 1:
 9.9 ↙ 8.5 ↙ 10.1 ↓ 9.8 ↘ 8.2 ↓
 9.3 → 9.7 ↘ 8.8 ↙ 9.8 ↓ 8.8 →
 beste Teiler 665.5 (3.) 854.4 (1.) 925.4 (4.)
 Trefferlage 0.92 mm rechts, 9.20 mm tief
 Streuwert 7.99, horizontal: 10.07, vertikal: 5.13



Serie 2:
 10.1 ↓ 7.5 ↙ 10.0 ↑ 8.9 ↑ 9.2 ↓
 9.8 → 9.4 ↘ 8.1 ↙ 10.6 * 9.8 →
 beste Teiler 320.2 (19.) 650.2 (11.) 800.5 (13.)
 Trefferlage 2.53 mm links, 4.83 mm tief
 Streuwert 10.28, horizontal: 9.71, vertikal: 10.83



Serie 3:
 9.5 ↓ 10.5 * 8.9 ↙ 9.9 ↓ 9.4 ↓
 9.7 ↗ 8.5 ↓ 10.2 ↓ 10.1 ↘ 10.3 ↓
 beste Teiler 335.3 (22.) 500.7 (30.) 593.2 (28.)
 Trefferlage 0.05 mm links, 6.54 mm tief
 Streuwert 6.71, horizontal: 5.91, vertikal: 7.44





Serie 4:
 9.7 ↓ 9.6 ← 9.7 ↗ 10.6 * 10.5 *
 9.1 ↓ 8.9 ↘ 9.6 → 7.5 → 8.9 ←
 beste Teiler 243.0 (34.) 329.6 (35.) 981.0 (31.)
 Trefferlage 1.54 mm rechts, 3.92 mm tief
 Streuwert 9.97, horizontal: 12.26, vertikal: 6.98


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **359** (376.9)
 Serien: 88 91 92 88
 Zähler: 13 16 9 1 1 0 0 0 0 0
 Innenzehner: 5
 weiteste: 3899 (3), 2559 (32), 2067 (20)
 beste Teiler 33.2 (39.) 127.1 (14.) 277.2 (9.)
 Trefferlage 1.02 mm rechts, 0.60 mm hoch
 Streuwert 10.14, horizontal: 8.04, vertikal: 11.87




Serie 1:
 9.0 → 9.2 ↙ 6.1 ↑ 10.4 * 10.0 ↑
 9.6 ↘ 8.6 ↗ 9.4 ↘ 10.6 * 8.5 →
 beste Teiler 277.2 (9.) 405.4 (4.) 789.4 (5.)
 Trefferlage 4.80 mm rechts, 3.75 mm hoch
 Streuwert 12.17, horizontal: 9.29, vertikal: 14.49



Serie 2:
 8.6 ↙ 9.5 ↑ 8.6 → 10.8 * 10.3 ↘
 9.6 ↓ 9.2 ← 10.2 ↑ 10.3 ↗ 8.4 ↙
 beste Teiler 127.1 (14.) 533.6 (19.) 548.9 (15.)
 Trefferlage 2.82 mm links, 0.30 mm tief
 Streuwert 9.37, horizontal: 9.86, vertikal: 8.86



Serie 3:
 9.7 ↘ 9.8 ↘ 9.7 ↗ 10.5 * 10.0 ↓
 8.4 ↑ 10.2 ↓ 9.2 ↑ 9.8 ↙ 9.5 ↑
 beste Teiler 387.0 (24.) 588.4 (27.) 743.7 (25.)
 Trefferlage 0.92 mm rechts, 1.97 mm hoch
 Streuwert 8.05, horizontal: 4.43, vertikal: 10.48





Serie 4:
 9.7 ↖ 7.8 ↑ 10.0 ↓ 8.6 ↓ 10.2 ↘
 8.8 ↓ 9.1 ↓ 8.8 ↙ 10.9 * 9.3 ↗
 beste Teiler 33.2 (39.) 568.0 (35.) 743.7 (33.)
 Trefferlage 1.20 mm rechts, 2.99 mm tief
 Streuwert 10.71, horizontal: 6.71, vertikal: 13.57


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **355** (371.9)
 Serien: 90 89 87 89
 Zähler: 7 22 10 1 0 0 0 0 0 0
 Innenzehner: 2
 weiteste: 3004 (23), 2260 (31), 2198 (27)
 beste Teiler 296.2 (15.) 325.8 (11.) 635.0 (8.)
 Trefferlage 1.00 mm links, 4.71 mm hoch
 Streuwert 9.69, horizontal: 10.44, vertikal: 8.87




Serie 1:
 8.5 ↗ 9.4 ↗ 8.8 ↗ 9.4 ↘ 10.0 ↘
 9.0 ↗ 9.2 ↘ 10.2 ← 9.0 ↘ 9.9 ↖
 beste Teiler 635.0 (8.) 721.9 (5.) 868.9 (10.)
 Trefferlage 1.60 mm rechts, 7.17 mm hoch
 Streuwert 8.63, horizontal: 10.90, vertikal: 5.49



Serie 2:
 10.5 * 8.7 ↑ 9.5 ↘ 9.6 ↑ 10.6 *
 9.8 ↗ 9.8 ↑ 9.0 ← 8.4 ↑ 8.7 ↑
 beste Teiler 296.2 (15.) 325.8 (11.) 887.4 (17.)
 Trefferlage 1.25 mm links, 9.85 mm hoch
 Streuwert 6.49, horizontal: 6.12, vertikal: 6.83



Serie 3:
 8.7 ↘ 9.8 ↙ 7.2 ← 10.0 ↘ 8.6 ↓
 9.0 → 8.2 ↘ 9.3 ↑ 9.7 ↗ 10.1 →
 beste Teiler 663.1 (30.) 742.5 (24.) 951.0 (22.)
 Trefferlage 3.86 mm links, 1.41 mm hoch
 Streuwert 11.99, horizontal: 13.53, vertikal: 10.22





Serie 4:
 8.1 ↗ 9.7 ↗ 8.8 ↙ 10.0 → 9.0 ↙
 9.6 → 9.5 ← 9.4 ← 9.6 ↑ 9.6 ↙
 beste Teiler 782.6 (34.) 1035.4 (32.) 1089.3 (40.)
 Trefferlage 0.50 mm links, 0.41 mm hoch
 Streuwert 10.17, horizontal: 10.76, vertikal: 9.55


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **353** (372.2)
 Serien: 85 89 92 87
 Zähler: 9 20 6 5 0 0 0 0 0 0
 Innenzehner: 2
 weiteste: 2825 (7), 2689 (34), 2679 (24)
 beste Teiler 70.0 (29.) 387.2 (5.) 488.4 (14.)
 Trefferlage 4.35 mm links, 4.44 mm hoch
 Streuwert 9.64, horizontal: 10.16, vertikal: 9.10




Serie 1:
 9.6 ↙ 9.4 ↙ 9.8 ↑ 8.6 ↗ 10.5 *
 9.8 ↘ 7.4 ↑ 8.7 ← 9.4 ← 7.6 →
 beste Teiler 387.2 (5.) 911.6 (3.) 931.3 (6.)
 Trefferlage 0.13 mm rechts, 6.59 mm hoch
 Streuwert 11.48, horizontal: 13.10, vertikal: 9.59



Serie 2:
 9.4 ← 9.3 ← 9.3 ← 10.3 ↖ 9.5 ↑
 9.3 ↙ 9.8 ← 9.7 ↓ 9.3 ← 7.7 ←
 beste Teiler 488.4 (14.) 904.8 (17.) 976.1 (18.)
 Trefferlage 9.67 mm links, 1.58 mm hoch
 Streuwert 7.02, horizontal: 7.93, vertikal: 5.96



Serie 3:
 9.5 ↙ 10.2 ↑ 10.2 ↖ 7.6 ← 9.9 ↙
 8.8 ← 10.3 ↗ 9.6 ↑ 10.9 * 10.1 ↑
 beste Teiler 70.0 (29.) 492.7 (27.) 567.0 (23.)
 Trefferlage 5.42 mm links, 1.17 mm hoch
 Streuwert 8.08, horizontal: 9.67, vertikal: 6.09





Serie 4:
 10.3 ← 9.1 ↙ 8.7 ↖ 7.6 ↑ 8.4 ↑
 10.3 ← 9.1 ↗ 9.6 ↘ 9.2 ← 8.4 ↖
 beste Teiler 533.9 (31.) 549.0 (36.) 1050.9 (38.)
 Trefferlage 2.45 mm links, 8.43 mm hoch
 Streuwert 10.25, horizontal: 7.76, vertikal: 12.25


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **353** (372.8)
 Serien: 84 85 92 92
 Zähler: 11 19 5 2 3 0 0 0 0 0
 Innenzehner: 3
 weiteste: 3436 (19), 3283 (17), 3209 (7)
 beste Teiler 294.2 (39.) 297.1 (25.) 298.3 (35.)
 Trefferlage 1.98 mm rechts, 3.33 mm hoch
 Streuwert 10.79, horizontal: 11.21, vertikal: 10.36




Serie 1:
 9.7 ↑ 9.3 → 8.4 ↘ 10.1 ↙ 9.7 ↙
 9.8 ↘ 6.9 ↗ 8.1 ↓ 9.9 ↑ 7.3 ↗
 beste Teiler 689.5 (4.) 869.0 (9.) 881.0 (6.)
 Trefferlage 5.90 mm rechts, 3.64 mm hoch
 Streuwert 12.74, horizontal: 12.43, vertikal: 13.04



Serie 2:
 9.4 → 9.5 ↓ 9.9 ↖ 10.0 ↖ 9.6 ↗
 10.3 ↑ 6.8 ↗ 9.6 ↑ 6.7 → 8.2 ↑
 beste Teiler 501.6 (16.) 777.8 (14.) 854.1 (13.)
 Trefferlage 6.99 mm rechts, 7.90 mm hoch
 Streuwert 11.29, horizontal: 11.62, vertikal: 10.95



Serie 3:
 9.9 ↘ 9.9 ↖ 10.0 ↖ 9.7 ↓ 10.6 *
 9.6 ↑ 9.6 ↗ 8.7 ↖ 9.7 ↖ 10.0 →
 beste Teiler 297.1 (25.) 741.9 (23.) 769.1 (30.)
 Trefferlage 1.22 mm links, 2.50 mm hoch
 Streuwert 7.25, horizontal: 7.83, vertikal: 6.62





Serie 4:
 10.3 ↑ 8.4 ↙ 10.0 → 10.3 ↑ 10.6 *
 9.6 ↓ 7.3 ↙ 9.8 ↑ 10.6 * 9.0 ↗
 beste Teiler 294.2 (39.) 298.3 (35.) 526.1 (31.)
 Trefferlage 3.71 mm links, 0.72 mm tief
 Streuwert 9.76, horizontal: 10.06, vertikal: 9.44


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **365** (384.1)
 Serien: 92 92 90 91
 Zähler: 15 16 8 1 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2521 (6), 2288 (27), 2111 (37)
 beste Teiler 155.7 (38.) 173.0 (4.) 217.7 (8.)
 Trefferlage 3.17 mm rechts, 0.47 mm tief
 Streuwert 8.54, horizontal: 10.06, vertikal: 6.67




Serie 1:
 8.6 → 8.3 ↙ 10.4 * 10.7 * 10.3 ↑
 7.8 → 10.1 ↙ 10.7 * 9.6 ↑ 10.1 ←
 beste Teiler 173.0 (4.) 217.7 (8.) 429.1 (3.)
 Trefferlage 2.59 mm rechts, 0.61 mm tief
 Streuwert 9.54, horizontal: 10.99, vertikal: 7.83



Serie 2:
 9.6 → 9.7 ↘ 9.2 → 10.0 ↑ 9.4 ←
 9.7 ↙ 10.2 ↗ 9.8 ↑ 9.2 ↓ 9.7 ↑
 beste Teiler 600.2 (17.) 745.7 (14.) 948.0 (18.)
 Trefferlage 2.54 mm rechts, 0.48 mm tief
 Streuwert 7.77, horizontal: 7.99, vertikal: 7.54



Serie 3:
 9.3 → 8.8 → 9.9 ↗ 10.4 * 8.9 ↓
 10.5 * 8.1 → 10.2 ↑ 9.6 ↓ 9.9 ↘
 beste Teiler 357.9 (26.) 437.2 (24.) 625.4 (28.)
 Trefferlage 7.72 mm rechts, 1.72 mm tief
 Streuwert 7.31, horizontal: 7.57, vertikal: 7.03



Serie 4:
 8.9 → 9.4 ↘ 9.3 → 10.2 ↑ 8.6 ←
 9.6 → 8.3 ← 10.8 * 10.0 → 10.3 ↑
 beste Teiler 155.7 (38.) 552.3 (40.) 594.8 (34.)
 Trefferlage 0.18 mm links, 0.92 mm hoch
 Streuwert 9.54, horizontal: 12.67, vertikal: 4.64

Unterschrift des Schützen

Meyton Elektronik