





Ergebnis: **390** (410.0)
 Serien: 98 97 96 99
 Zähler: 30 10 0 0 0 0 0 0 0 0
 Innenzehner: 27
 weiteste: 433 (23), 361 (13), 361 (24)
 beste Teiler 28.2 (34.) 28.8 (19.) 31.8 (10.)
 Trefferlage 0.33 mm links, 0.03 mm hoch
 Streuwert 1.41, horizontal: 1.47, vertikal: 1.34




Serie 1:
 10.1 ← 9.6 ↘ 10.0 ↙ 10.3 * 10.2 *
 10.4 * 10.6 * 9.9 ↗ 10.6 * 10.8 *
 beste Teiler 31.8 (10.) 81.4 (9.) 89.4 (7.)
 Trefferlage 0.80 mm links, 0.10 mm tief
 Streuwert 1.31, horizontal: 1.33, vertikal: 1.29



Serie 2:
 10.5 * 10.4 * 9.5 ↘ 10.5 * 10.6 *
 9.9 ↙ 10.3 * 9.9 ↗ 10.8 * 10.3 *
 beste Teiler 28.8 (19.) 81.0 (15.) 105.3 (14.)
 Trefferlage 0.71 mm links, 0.11 mm tief
 Streuwert 1.34, horizontal: 1.20, vertikal: 1.46



Serie 3:
 10.5 * 10.2 * 9.2 → 9.5 ↗ 10.4 *
 10.7 * 9.9 ↘ 10.5 * 10.0 ↗ 9.8 ↙
 beste Teiler 75.8 (26.) 112.1 (28.) 122.6 (21.)
 Trefferlage 0.76 mm rechts, 0.02 mm hoch
 Streuwert 1.74, horizontal: 1.85, vertikal: 1.63





Serie 4:
 10.5 * 10.4 * 10.7 * 10.8 * 10.3 *
 10.8 * 10.2 * 9.8 ↙ 10.4 * 10.2 *
 beste Teiler 28.2 (34.) 46.4 (36.) 56.0 (33.)
 Trefferlage 0.60 mm links, 0.33 mm hoch
 Streuwert 1.03, horizontal: 0.97, vertikal: 1.08


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **395** (411.9)
 Serien: 98 98 100 99
 Zähler: 35 5 0 0 0 0 0 0 0 0
 Innenzehner: 26
 weiteste: 300 (33), 286 (9), 273 (7)
 beste Teiler 38.0 (5.) 38.3 (19.) 50.7 (26.)
 Trefferlage 0.03 mm rechts, 0.16 mm hoch
 Streuwert 1.28, horizontal: 1.29, vertikal: 1.26




Serie 1:
 10.2 * 10.2 * 10.2 * 10.7 * 10.8 *
 10.3 * 9.9 ↖ 10.0 → 9.8 ↓ 10.2 *
 beste Teiler 38.0 (5.) 68.4 (4.) 156.0 (6.)
 Trefferlage 0.13 mm links, 0.27 mm hoch
 Streuwert 1.43, horizontal: 1.36, vertikal: 1.49



Serie 2:
 9.9 ↖ 10.7 * 9.9 ↖ 10.7 * 10.1 →
 10.1 ↗ 10.4 * 10.5 * 10.8 * 10.1 ↓
 beste Teiler 38.3 (19.) 59.8 (14.) 74.6 (12.)
 Trefferlage 0.23 mm links, 0.16 mm hoch
 Streuwert 1.32, horizontal: 1.45, vertikal: 1.18





Serie 3:
 10.1 ↙ 10.6 * 10.0 → 10.3 * 10.5 *
 10.8 * 10.1 ↘ 10.4 * 10.5 * 10.4 *
 beste Teiler 50.7 (26.) 88.9 (22.) 115.2 (29.)
 Trefferlage 0.30 mm rechts, 0.11 mm tief
 Streuwert 1.17, horizontal: 1.32, vertikal: 1.00




Serie 4:
 10.3 * 10.3 * 9.8 ↓ 10.3 * 10.3 *
 10.5 * 10.1 → 10.7 * 10.1 ↑ 10.3 *
 beste Teiler 75.1 (38.) 124.9 (36.) 154.0 (31.)
 Trefferlage 0.20 mm rechts, 0.31 mm hoch
 Streuwert 1.32, horizontal: 1.16, vertikal: 1.46

Unterschrift des Schützen


Ergebnis: **398** (417.5)
 Serien: 100 98 100 100
 Zähler: 38 2 0 0 0 0 0 0 0 0
 Innenzehner: 33
 weiteste: 375 (20), 291 (17), 249 (29)
 beste Teiler 12.0 (37.) 17.8 (27.) 22.0 (1.)
 Trefferlage 0.01 mm links, 0.01 mm tief
 Streuwert 1.09, horizontal: 1.23, vertikal: 0.94




Serie 1:
 10.9 * 10.4 * 10.7 * 10.7 * 10.1 ↗
 10.2 * 10.2 * 10.5 * 10.9 * 10.0 ↑
 beste Teiler 22.0 (1.) 23.4 (9.) 64.4 (3.)
 Trefferlage 0.16 mm rechts, 0.32 mm hoch
 Streuwert 1.06, horizontal: 1.00, vertikal: 1.12



Serie 2:
 10.5 * 10.6 * 10.6 * 10.4 * 10.3 *
 10.8 * 9.8 ↙ 10.7 * 10.4 * 9.5 ↘
 beste Teiler 42.7 (16.) 75.2 (18.) 76.4 (13.)
 Trefferlage 0.01 mm links, 0.47 mm tief
 Streuwert 1.31, horizontal: 1.66, vertikal: 0.82



Serie 3:
 10.7 * 10.7 * 10.6 * 10.3 * 10.0 ←
 10.4 * 10.9 * 10.1 → 10.0 ↙ 10.5 *
 beste Teiler 17.8 (27.) 57.2 (21.) 67.2 (22.)
 Trefferlage 0.17 mm links, 0.12 mm hoch
 Streuwert 1.13, horizontal: 1.29, vertikal: 0.93





Serie 4:
 10.6 * 10.5 * 10.3 * 10.4 * 10.5 *
 10.4 * 10.9 * 10.2 * 10.7 * 10.6 *
 beste Teiler 12.0 (37.) 66.7 (39.) 89.4 (31.)
 Trefferlage 0.03 mm links, 0.05 mm tief
 Streuwert 0.93, horizontal: 1.03, vertikal: 0.82


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **388** (404.9)
 Serien: 94 98 100 96
 Zähler: 28 12 0 0 0 0 0 0 0 0
 Innenzehner: 24
 weiteste: 461 (3), 427 (34), 410 (9)
 beste Teiler 32.6 (16.) 41.7 (17.) 45.6 (30.)
 Trefferlage 0.40 mm links, 0.54 mm hoch
 Streuwert 1.60, horizontal: 1.80, vertikal: 1.37




Serie 1:
 10.2 * 10.0 ↑ 9.1 ↘ 10.4 * 9.6 ↑
 10.2 * 9.6 ↙ 9.8 ↗ 9.3 ↖ 9.6 →
 beste Teiler 136.8 (4.) 183.0 (1.) 188.1 (6.)
 Trefferlage 0.74 mm links, 1.91 mm hoch
 Streuwert 1.71, horizontal: 2.20, vertikal: 1.02



Serie 2:
 9.7 → 10.2 * 10.1 ← 10.2 * 10.7 *
 10.8 * 10.8 * 10.2 * 9.9 → 10.3 *
 beste Teiler 32.6 (16.) 41.7 (17.) 60.5 (15.)
 Trefferlage 0.55 mm rechts, 0.10 mm tief
 Streuwert 1.33, horizontal: 1.70, vertikal: 0.81



Serie 3:
 10.3 * 10.2 * 10.7 * 10.2 * 10.2 *
 10.5 * 10.3 * 10.1 ↗ 10.5 * 10.8 *
 beste Teiler 45.6 (30.) 73.2 (23.) 112.3 (26.)
 Trefferlage 0.28 mm links, 0.15 mm hoch
 Streuwert 1.12, horizontal: 1.42, vertikal: 0.70





Serie 4:
 9.7 ↑ 10.6 * 10.0 ↑ 9.2 ← 10.2 *
 9.5 ↙ 10.5 * 9.8 ← 10.6 * 10.3 *
 beste Teiler 90.7 (39.) 94.9 (32.) 103.9 (37.)
 Trefferlage 1.17 mm links, 0.21 mm hoch
 Streuwert 1.67, horizontal: 1.57, vertikal: 1.76


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **383** (400.5)
 Serien: 97 96 97 93
 Zähler: 25 14 0 1 0 0 0 0 0 0
 Innenzehner: 19
 weiteste: 779 (38), 485 (24), 408 (20)
 beste Teiler 31.3 (34.) 63.7 (14.) 70.2 (8.)
 Trefferlage 0.68 mm rechts, 0.56 mm hoch
 Streuwert 1.87, horizontal: 2.29, vertikal: 1.31




Serie 1:
 10.0 → 9.7 → 10.0 ↖ 10.3 * 10.2 *
 10.4 * 10.5 * 10.7 * 9.3 ↗ 9.4 ↗
 beste Teiler 70.2 (8.) 123.0 (7.) 144.0 (6.)
 Trefferlage 0.88 mm rechts, 1.08 mm hoch
 Streuwert 1.56, horizontal: 1.85, vertikal: 1.20



Serie 2:
 9.3 ← 10.4 * 10.3 * 10.7 * 10.0 ↗
 9.7 ↘ 10.6 * 10.2 * 9.7 → 9.3 ↘
 beste Teiler 63.7 (14.) 76.6 (17.) 128.0 (12.)
 Trefferlage 0.52 mm rechts, 0.05 mm hoch
 Streuwert 1.90, horizontal: 2.32, vertikal: 1.36



Serie 3:
 10.6 * 10.0 ↖ 10.3 * 9.0 → 9.7 ↖
 10.5 * 10.1 → 9.7 ↗ 10.2 * 10.1 ↑
 beste Teiler 93.1 (21.) 110.4 (26.) 172.9 (23.)
 Trefferlage 0.17 mm rechts, 0.79 mm hoch
 Streuwert 1.83, horizontal: 2.36, vertikal: 1.05





Serie 4:
 9.7 ↘ 9.9 ↖ 10.6 * 10.8 * 10.4 *
 9.6 → 10.7 * 7.8 → 9.7 ↑ 10.4 *
 beste Teiler 31.3 (34.) 70.2 (37.) 98.8 (33.)
 Trefferlage 1.13 mm rechts, 0.32 mm hoch
 Streuwert 2.25, horizontal: 2.80, vertikal: 1.51


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **375** (392.7)
 Serien: 96 90 96 93
 Zähler: 18 19 3 0 0 0 0 0 0 0
 Innenzehner: 15
 weiteste: 748 (13), 628 (27), 510 (34)
 beste Teiler 39.9 (22.) 57.7 (8.) 86.3 (39.)
 Trefferlage 0.31 mm rechts, 0.42 mm hoch
 Streuwert 2.27, horizontal: 2.15, vertikal: 2.39




Serie 1:
 10.2 * 10.4 * 9.8 ↖ 9.8 ↙ 10.1 ↘
 9.4 ↗ 10.3 * 10.7 * 9.6 ↘ 10.4 *
 beste Teiler 57.7 (8.) 138.6 (10.) 138.8 (2.)
 Trefferlage 0.35 mm links, 0.43 mm hoch
 Streuwert 1.74, horizontal: 1.74, vertikal: 1.75



Serie 2:
 10.6 * 9.7 ↙ 8.0 → 9.8 → 9.6 ↗
 9.1 ↘ 9.9 ↓ 9.6 ↘ 9.5 ↗ 9.6 ↘
 beste Teiler 93.5 (11.) 275.4 (17.) 287.5 (14.)
 Trefferlage 1.05 mm rechts, 0.83 mm tief
 Streuwert 2.74, horizontal: 2.83, vertikal: 2.64



Serie 3:
 10.4 * 10.8 * 9.7 ↗ 9.2 ↑ 10.2 *
 10.1 ↓ 8.4 → 10.5 * 10.2 * 10.3 *
 beste Teiler 39.9 (22.) 115.6 (28.) 131.7 (21.)
 Trefferlage 1.18 mm rechts, 0.89 mm hoch
 Streuwert 1.90, horizontal: 2.07, vertikal: 1.72





Serie 4:
 10.2 * 10.1 ↘ 9.2 ↗ 8.9 ↗ 10.2 *
 9.3 ↑ 9.1 ↘ 9.6 ↑ 10.6 * 9.6 ↙
 beste Teiler 86.3 (39.) 179.4 (35.) 187.4 (31.)
 Trefferlage 0.63 mm links, 1.20 mm hoch
 Streuwert 2.34, horizontal: 1.33, vertikal: 3.03


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **387** (407.3)
 Serien: 97 97 98 95
 Zähler: 27 13 0 0 0 0 0 0 0 0
 Innenzehner: 24
 weiteste: 374 (30), 366 (37), 356 (16)
 beste Teiler 35.7 (39.) 40.4 (6.) 60.7 (38.)
 Trefferlage 0.27 mm rechts, 0.75 mm hoch
 Streuwert 1.42, horizontal: 1.70, vertikal: 1.06




Serie 1:
 9.8 → 10.3 * 10.4 * 10.5 * 10.3 *
 10.8 * 10.4 * 10.7 * 9.9 → 9.7 →
 beste Teiler 40.4 (6.) 70.8 (8.) 110.4 (4.)
 Trefferlage 1.37 mm rechts, 0.51 mm hoch
 Streuwert 0.89, horizontal: 1.12, vertikal: 0.57



Serie 2:
 10.3 * 10.2 * 10.4 * 9.8 → 9.9 ↖
 9.5 ↗ 10.0 ↘ 10.0 ↗ 10.6 * 10.7 *
 beste Teiler 61.0 (20.) 98.0 (19.) 141.6 (13.)
 Trefferlage 0.58 mm rechts, 0.94 mm hoch
 Streuwert 1.39, horizontal: 1.59, vertikal: 1.17



Serie 3:
 9.9 ↗ 10.4 * 10.3 * 10.4 * 10.7 *
 10.0 ↘ 10.3 * 10.2 * 10.4 * 9.5 ←
 beste Teiler 64.1 (25.) 129.2 (29.) 132.1 (22.)
 Trefferlage 0.79 mm links, 0.45 mm hoch
 Streuwert 1.35, horizontal: 1.60, vertikal: 1.03





Serie 4:
 9.9 ↖ 9.7 ↘ 9.7 ↑ 10.3 * 9.6 ↑
 10.6 * 9.5 → 10.7 * 10.8 * 10.2 *
 beste Teiler 35.7 (39.) 60.7 (38.) 96.4 (36.)
 Trefferlage 0.05 mm links, 1.11 mm hoch
 Streuwert 1.61, horizontal: 1.85, vertikal: 1.34


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **380** (396.8)
 Serien: 92 97 95 96
 Zähler: 21 18 1 0 0 0 0 0 0 0
 Innenzehner: 17
 weiteste: 603 (3), 480 (1), 470 (33)
 beste Teiler 26.5 (24.) 63.0 (13.) 71.4 (39.)
 Trefferlage 0.09 mm links, 0.46 mm hoch
 Streuwert 2.07, horizontal: 2.32, vertikal: 1.79




Serie 1:
 9.0 ↗ 9.3 ← 8.5 ↖ 9.3 ↑ 10.2 *
 9.7 ← 9.3 → 10.4 * 10.0 ↑ 9.8 ↘
 beste Teiler 139.6 (8.) 184.2 (5.) 245.2 (9.)
 Trefferlage 0.14 mm links, 1.56 mm hoch
 Streuwert 2.53, horizontal: 3.12, vertikal: 1.75



Serie 2:
 9.5 ← 10.5 * 10.7 * 9.5 ↘ 10.3 *
 10.5 * 10.4 * 10.2 * 10.1 → 9.4 ↘
 beste Teiler 63.0 (13.) 113.0 (16.) 119.2 (12.)
 Trefferlage 0.62 mm links, 0.79 mm hoch
 Streuwert 1.65, horizontal: 2.02, vertikal: 1.16



Serie 3:
 9.9 ↘ 9.3 ← 10.2 * 10.8 * 10.5 *
 10.2 * 9.8 ↘ 10.1 ← 9.2 ↓ 9.8 ↙
 beste Teiler 26.5 (24.) 103.2 (25.) 186.1 (23.)
 Trefferlage 0.53 mm links, 0.45 mm tief
 Streuwert 1.93, horizontal: 1.94, vertikal: 1.92



Serie 4:
 9.7 → 9.4 → 9.1 ↓ 10.6 * 10.0 ↗
 10.4 * 10.3 * 10.6 * 10.7 * 9.6 →
 beste Teiler 71.4 (39.) 83.3 (38.) 99.7 (34.)
 Trefferlage 0.92 mm rechts, 0.02 mm tief
 Streuwert 1.88, horizontal: 1.99, vertikal: 1.75

Unterschrift des Schützen

Meyton Elektronik