





Ergebnis: **383** (400.2)
 Serien: 98 93 97 95
 Zähler: 24 15 1 0 0 0 0 0 0 0
 Innenzehner: 17
 weiteste: 501 (15), 470 (17), 430 (25)
 beste Teiler 31.7 (6.) 50.2 (3.) 82.2 (4.)
 Trefferlage 0.48 mm rechts, 0.15 mm tief
 Streuwert 1.87, horizontal: 1.99, vertikal: 1.74




Serie 1:
 9.9 ↖ 10.4 * 10.8 * 10.6 * 10.6 *
 10.8 * 9.8 ↘ 10.3 * 10.1 ↓ 10.2 *
 beste Teiler 31.7 (6.) 50.2 (3.) 82.2 (4.)
 Trefferlage 0.14 mm links, 0.66 mm tief
 Streuwert 1.17, horizontal: 1.23, vertikal: 1.11



Serie 2:
 9.9 ↘ 10.1 → 9.7 → 9.9 ↓ 8.9 ↑
 10.4 * 9.1 ↗ 10.2 * 10.6 * 9.6 →
 beste Teiler 91.3 (19.) 137.2 (16.) 198.6 (18.)
 Trefferlage 1.13 mm rechts, 0.82 mm hoch
 Streuwert 2.03, horizontal: 1.89, vertikal: 2.16



Serie 3:
 10.2 * 10.5 * 10.1 → 10.4 * 9.2 ↘
 10.1 ↖ 10.5 * 10.5 * 9.9 ← 9.3 →
 beste Teiler 106.7 (28.) 115.0 (27.) 125.7 (22.)
 Trefferlage 0.31 mm rechts, 0.02 mm hoch
 Streuwert 1.84, horizontal: 2.11, vertikal: 1.51





Serie 4:
 9.5 → 10.1 → 9.5 ↘ 9.2 ↘ 10.0 ←
 10.0 ↓ 10.4 * 9.2 ↘ 9.4 ← 10.3 *
 beste Teiler 148.3 (37.) 159.6 (40.) 215.0 (32.)
 Trefferlage 0.61 mm rechts, 0.80 mm tief
 Streuwert 2.21, horizontal: 2.59, vertikal: 1.76


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **370** (388.4)
 Serien: 91 93 93 93
 Zähler: 17 17 5 1 0 0 0 0 0 0
 Innenzehner: 14
 weiteste: 789 (26), 602 (37), 599 (20)
 beste Teiler 57.5 (27.) 60.4 (17.) 66.2 (29.)
 Trefferlage 0.94 mm links, 0.33 mm tief
 Streuwert 2.42, horizontal: 2.85, vertikal: 1.90




Serie 1:
 10.4 * 10.3 * 9.4 ← 8.9 ↓ 10.2 *
 10.5 * 8.7 ← 9.8 ↘ 8.9 ↓ 9.7 ↘
 beste Teiler 114.5 (6.) 129.0 (1.) 168.1 (2.)
 Trefferlage 0.58 mm links, 0.99 mm tief
 Streuwert 2.51, horizontal: 2.60, vertikal: 2.41



Serie 2:
 9.6 ↘ 9.4 ↗ 9.3 → 10.3 * 10.2 *
 9.8 ↘ 10.7 * 10.2 * 9.8 ← 8.6 ↙
 beste Teiler 60.4 (17.) 171.1 (14.) 178.9 (15.)
 Trefferlage 0.44 mm rechts, 0.33 mm tief
 Streuwert 2.42, horizontal: 2.68, vertikal: 2.13



Serie 3:
 9.1 ← 9.2 ← 10.1 ← 10.2 * 9.3 ↖
 7.8 ← 10.7 * 9.4 ← 10.7 * 10.2 *
 beste Teiler 57.5 (27.) 66.2 (29.) 182.8 (30.)
 Trefferlage 2.71 mm links, 0.70 mm hoch
 Streuwert 1.97, horizontal: 2.69, vertikal: 0.72





Serie 4:
 10.0 ← 10.4 * 10.2 * 9.9 ↘ 9.4 ↘
 10.1 ← 8.5 ↖ 9.5 → 9.6 ← 9.4 ↙
 beste Teiler 133.2 (32.) 183.1 (33.) 211.2 (36.)
 Trefferlage 0.93 mm links, 0.70 mm tief
 Streuwert 2.37, horizontal: 2.89, vertikal: 1.70


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **367** (387.1)
 Serien: 95 89 93 90
 Zähler: 13 21 6 0 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 581 (35), 559 (14), 554 (13)
 beste Teiler 92.4 (17.) 103.5 (22.) 114.7 (7.)
 Trefferlage 0.13 mm links, 0.49 mm tief
 Streuwert 2.46, horizontal: 2.78, vertikal: 2.08




Serie 1:
 10.4 * 9.6 ↑ 9.9 → 10.4 * 9.7 ↖
 9.3 ↙ 10.5 * 10.2 * 10.2 * 9.7 →
 beste Teiler 114.7 (7.) 128.5 (4.) 135.0 (1.)
 Trefferlage 0.11 mm rechts, 0.87 mm hoch
 Streuwert 1.82, horizontal: 2.16, vertikal: 1.39



Serie 2:
 9.6 ↗ 9.6 ↗ 8.7 → 8.7 → 10.0 ←
 8.9 ↘ 10.6 * 9.5 ↘ 9.4 ↘ 9.5 ↙
 beste Teiler 92.4 (17.) 231.6 (15.) 326.4 (12.)
 Trefferlage 1.97 mm rechts, 0.79 mm tief
 Streuwert 2.49, horizontal: 2.75, vertikal: 2.19



Serie 3:
 8.8 ↖ 10.5 * 10.5 * 10.3 * 9.0 ←
 9.9 ↙ 10.2 * 9.7 ↓ 10.3 * 8.7 ↙
 beste Teiler 103.5 (22.) 120.8 (23.) 170.4 (29.)
 Trefferlage 1.00 mm links, 1.24 mm tief
 Streuwert 2.19, horizontal: 2.48, vertikal: 1.85





Serie 4:
 9.7 ↑ 9.3 ↖ 9.3 ↖ 9.7 ↓ 8.6 ←
 9.6 ↓ 10.2 * 9.6 ↓ 9.6 ↓ 9.2 ←
 beste Teiler 196.3 (37.) 306.7 (34.) 322.6 (31.)
 Trefferlage 1.62 mm links, 0.79 mm tief
 Streuwert 2.51, horizontal: 2.62, vertikal: 2.40


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **375** (393.4)
 Serien: 92 93 95 95
 Zähler: 17 21 2 0 0 0 0 0 0 0
 Innenzehner: 13
 weiteste: 560 (10), 507 (25), 491 (31)
 beste Teiler 12.1 (5.) 42.7 (35.) 48.2 (38.)
 Trefferlage 0.80 mm rechts, 1.07 mm hoch
 Streuwert 2.06, horizontal: 2.14, vertikal: 1.99




Serie 1:
 10.0 ↘ 9.8 ↑ 9.3 ↗ 10.2 * 10.9 *
 9.9 ↑ 9.1 → 9.7 ↑ 9.1 → 8.7 ↘
 beste Teiler 12.1 (5.) 176.7 (4.) 244.4 (1.)
 Trefferlage 0.63 mm rechts, 1.92 mm hoch
 Streuwert 2.16, horizontal: 2.47, vertikal: 1.80



Serie 2:
 10.2 * 10.5 * 9.1 ← 9.1 ↗ 9.0 ↑
 9.4 ↑ 9.7 → 9.8 ↗ 10.2 * 9.1 ↑
 beste Teiler 123.7 (12.) 183.0 (19.) 187.6 (11.)
 Trefferlage 0.38 mm rechts, 2.36 mm hoch
 Streuwert 2.04, horizontal: 2.22, vertikal: 1.84





Serie 3:
 10.5 * 10.5 * 9.7 ↘ 10.0 → 8.9 →
 9.1 ↗ 9.6 ↑ 10.1 ↘ 10.6 * 10.7 *
 beste Teiler 73.7 (30.) 91.9 (29.) 105.1 (22.)
 Trefferlage 1.81 mm rechts, 0.38 mm hoch
 Streuwert 1.64, horizontal: 1.52, vertikal: 1.75




Serie 4:
 9.0 ↘ 9.7 → 9.9 ↘ 10.4 * 10.8 *
 9.9 ← 9.9 → 10.8 * 10.1 ↘ 10.4 *
 beste Teiler 42.7 (35.) 48.2 (38.) 129.0 (40.)
 Trefferlage 0.40 mm rechts, 0.37 mm tief
 Streuwert 1.85, horizontal: 2.21, vertikal: 1.40

Unterschrift des Schützen


Ergebnis: **378** (392.5)
 Serien: 92 94 95 97
 Zähler: 20 18 2 0 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 640 (21), 565 (3), 493 (37)
 beste Teiler 19.2 (39.) 51.2 (4.) 104.1 (1.)
 Trefferlage 0.38 mm links, 0.06 mm hoch
 Streuwert 2.26, horizontal: 2.64, vertikal: 1.82




Serie 1:
 10.5 * 9.3 ↓ 8.7 ↖ 10.7 * 9.4 ↖
 9.4 ↙ 9.4 → 9.5 ↘ 9.3 → 10.0 ↑
 beste Teiler 51.2 (4.) 104.1 (1.) 249.1 (10.)
 Trefferlage 0.77 mm links, 1.14 mm hoch
 Streuwert 2.51, horizontal: 2.85, vertikal: 2.13



Serie 2:
 9.8 ↑ 10.3 * 9.6 → 10.3 * 9.6 ↙
 9.4 ← 9.4 ↘ 9.8 → 10.2 * 10.4 *
 beste Teiler 137.0 (20.) 166.0 (14.) 166.4 (12.)
 Trefferlage 0.48 mm rechts, 0.18 mm hoch
 Streuwert 2.11, horizontal: 2.60, vertikal: 1.48



Serie 3:
 8.4 ↘ 10.4 * 9.3 ↖ 9.7 ↙ 10.4 *
 10.3 * 10.0 → 10.0 ↓ 10.0 ↘ 9.5 ↘
 beste Teiler 135.3 (22.) 146.7 (25.) 173.2 (26.)
 Trefferlage 0.08 mm rechts, 0.85 mm tief
 Streuwert 2.35, horizontal: 2.60, vertikal: 2.07





Serie 4:
 10.0 ← 10.3 * 9.7 → 10.3 * 10.0 ↓
 10.1 ↘ 9.0 ← 10.1 ← 10.9 * 9.1 ←
 beste Teiler 19.2 (39.) 172.0 (34.) 173.4 (32.)
 Trefferlage 1.34 mm links, 0.23 mm tief
 Streuwert 1.90, horizontal: 2.50, vertikal: 0.99

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	377	(398.3)
Serien:	91 94 96 96	
Zähler:	21 15 4 0 0 0 0 0 0 0	
Innenzehner:	18	
weiteste:	529 (13), 529 (17), 513 (9)	
beste Teiler	23.7 (22.) 26.0 (39.) 57.0 (19.)	
Trefferlage	0.21 mm links, 0.08 mm hoch	
Streuwert	2.05, horizontal: 2.45, vertikal: 1.55	




Serie 1:

8.9 →	10.7 *	9.6 ↗	10.4 *	9.7 ↘
9.5 ↓	9.5 ←	10.0 ↑	8.9 ←	9.2 ↖
beste Teiler	62.0 (2.) 143.1 (4.) 243.7 (8.)			
Trefferlage	0.24 mm links, 0.06 mm hoch			
Streuwert	2.64, horizontal: 3.12, vertikal: 2.05			




Serie 2:

10.3 *	9.9 →	8.8 ↖	10.2 *	10.4 *
10.5 *	8.8 →	10.2 *	10.7 *	9.8 ↖
beste Teiler	57.0 (19.) 118.1 (16.) 138.4 (15.)			
Trefferlage	0.29 mm links, 0.05 mm tief			
Streuwert	2.17, horizontal: 2.81, vertikal: 1.21			



Serie 3:

10.4 *	10.9 *	10.2 *	9.5 ←	9.8 →
9.6 ↓	9.6 ↘	10.7 *	10.2 *	10.4 *
beste Teiler	23.7 (22.) 73.6 (28.) 142.0 (30.)			
Trefferlage	0.22 mm rechts, 0.05 mm tief			
Streuwert	1.76, horizontal: 1.94, vertikal: 1.55			





Serie 4:

9.9 ←	9.4 ←	10.5 *	10.0 ↘	10.6 *
9.8 ↘	10.7 *	10.1 ←	10.8 *	9.2 ↗
beste Teiler	26.0 (39.) 70.3 (37.) 80.4 (35.)			
Trefferlage	0.55 mm links, 0.39 mm hoch			
Streuwert	1.80, horizontal: 2.08, vertikal: 1.47			


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **366** (381.3)
 Serien: 94 85 94 93
 Zähler: 18 18 3 0 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 592 (17), 591 (34), 543 (37)
 beste Teiler 79.0 (6.) 85.7 (33.) 121.4 (16.)
 Trefferlage 0.96 mm rechts, 0.09 mm tief
 Streuwert 2.20, horizontal: 2.68, vertikal: 1.59




Serie 1:
 9.4 ↗ 9.9 ↘ 10.1 ↖ 10.3 * 9.1 ↘
 10.6 * 10.2 * 9.4 → 9.0 → 9.6 →
 beste Teiler 79.0 (6.) 165.8 (4.) 189.1 (7.)
 Trefferlage 1.57 mm rechts, 0.08 mm tief
 Streuwert 2.11, horizontal: 2.53, vertikal: 1.57



Serie 2:
 9.6 ← 10.1 ↘ 10.1 ← 9.4 ↗ 10.1 →
 10.5 * 8.6 → 10.2 * 9.0 ← 0.0F _{MIS}
 beste Teiler 121.4 (16.) 185.4 (18.) 209.0 (12.)
 Trefferlage 0.14 mm rechts, 0.39 mm tief
 Streuwert 2.52, horizontal: 3.39, vertikal: 1.09



Serie 3:
 9.9 ↓ 9.0 ↗ 10.4 * 9.6 ← 9.9 ↗
 9.6 ↗ 10.3 * 10.3 * 10.0 ← 9.8 ↘
 beste Teiler 136.1 (23.) 162.5 (28.) 170.0 (27.)
 Trefferlage 0.65 mm rechts, 0.17 mm tief
 Streuwert 2.07, horizontal: 2.26, vertikal: 1.85





Serie 4:
 9.4 ↗ 9.7 ← 10.6 * 8.6 → 10.1 →
 10.1 ↘ 8.8 ↘ 9.8 → 10.0 ↘ 10.2 *
 beste Teiler 85.7 (33.) 180.5 (40.) 208.2 (35.)
 Trefferlage 1.41 mm rechts, 0.26 mm hoch
 Streuwert 2.31, horizontal: 2.67, vertikal: 1.88

MIS – Treffer wurde manuell eingefügt, da der Schütze die Scheibe verfehlt hat


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **370** (387.0)
 Serien: 92 90 95 93
 Zähler: 15 20 5 0 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 711 (23), 706 (1), 704 (17)
 beste Teiler 39.4 (22.) 55.0 (26.) 56.7 (38.)
 Trefferlage 0.27 mm links, 0.56 mm hoch
 Streuwert 2.59, horizontal: 3.15, vertikal: 1.85




Serie 1:
 8.1 ← 9.3 ↗ 9.7 ↗ 10.0 ↘ 10.2 *
 10.4 * 9.0 ↘ 9.8 ↓ 9.9 ↖ 9.8 →
 beste Teiler 135.8 (6.) 200.4 (5.) 249.0 (4.)
 Trefferlage 0.09 mm rechts, 0.26 mm hoch
 Streuwert 2.76, horizontal: 3.12, vertikal: 2.34



Serie 2:
 9.3 → 9.6 ↙ 9.6 → 9.2 ↗ 9.4 →
 10.4 * 8.1 ← 9.9 ← 10.1 ↓ 8.6 ↖
 beste Teiler 146.8 (16.) 202.6 (19.) 265.6 (18.)
 Trefferlage 0.18 mm links, 0.46 mm hoch
 Streuwert 3.07, horizontal: 3.87, vertikal: 1.96



Serie 3:
 9.5 ← 10.8 * 8.1 ↖ 10.6 * 9.7 ↑
 10.7 * 9.0 ← 10.1 ← 10.1 ← 10.7 *
 beste Teiler 39.4 (22.) 55.0 (26.) 65.7 (30.)
 Trefferlage 1.93 mm links, 0.64 mm hoch
 Streuwert 1.93, horizontal: 2.34, vertikal: 1.42



Serie 4:
 10.1 ↖ 10.1 ↗ 9.3 ↖ 8.6 ↘ 9.2 ↘
 9.9 ↖ 10.5 * 10.7 * 9.1 ↗ 9.8 ↗
 beste Teiler 56.7 (38.) 108.6 (37.) 210.2 (32.)
 Trefferlage 0.90 mm rechts, 0.89 mm hoch
 Streuwert 2.40, horizontal: 2.87, vertikal: 1.80

Unterschrift des Schützen

Meyton Elektronik