





Ergebnis: **376** (389.1)
 Serien: 95 93 96 92
 Zähler: 21 14 5 0 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 2344 (36), 2142 (32), 1998 (12)
 beste Teiler 162.2 (39.) 331.6 (40.) 367.2 (11.)
 Trefferlage 1.18 mm rechts, 2.59 mm tief
 Streuwert 7.80, horizontal: 6.96, vertikal: 8.56




Serie 1:
 10.4 * 10.2 ↗ 9.0 ↘ 10.2 → 10.4 *
 9.6 ↗ 9.7 ↓ 8.5 ↓ 10.3 → 10.1 ↘
 beste Teiler 420.1 (5.) 431.2 (1.) 519.3 (9.)
 Trefferlage 1.63 mm rechts, 3.98 mm tief
 Streuwert 6.77, horizontal: 4.95, vertikal: 8.19



Serie 2:
 10.5 * 8.5 ↓ 9.3 → 10.1 → 10.4 *
 9.6 ↗ 9.0 ↖ 9.8 → 10.4 * 9.8 ↖
 beste Teiler 367.2 (11.) 460.4 (19.) 468.2 (15.)
 Trefferlage 1.79 mm rechts, 2.11 mm tief
 Streuwert 7.92, horizontal: 7.79, vertikal: 8.04



Serie 3:
 9.2 ↘ 10.0 ↓ 10.3 ↗ 10.3 ← 9.2 ↓
 10.3 ↘ 9.5 ← 9.1 ↓ 10.1 ↘ 10.3 →
 beste Teiler 521.7 (26.) 521.8 (30.) 534.3 (24.)
 Trefferlage 0.05 mm links, 4.74 mm tief
 Streuwert 6.39, horizontal: 5.90, vertikal: 6.85





Serie 4:
 10.0 ↘ 8.3 → 10.0 ↗ 10.5 * 9.2 ↓
 8.0 ↑ 8.8 ↓ 9.0 ← 10.7 * 10.5 *
 beste Teiler 162.2 (39.) 331.6 (40.) 399.4 (34.)
 Trefferlage 1.36 mm rechts, 0.46 mm hoch
 Streuwert 10.21, horizontal: 9.36, vertikal: 10.99


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	362	(380.2)			
Serien:	93	89	89	91	
Zähler:	13	17	9	1	0 0 0 0 0 0
Innenzehner:	4				
weiteste:	2652 (29), 2328 (16), 2327 (40)				
beste Teiler	124.8 (12.) 239.6 (1.) 271.6 (32.)				
Trefferlage	1.11 mm links, 3.53 mm tief				
Streuwert	8.94, horizontal: 9.22, vertikal: 8.66				




Serie 1:	10.7 *	9.5 ↓	8.8 ←	10.3 ↗	10.3 ↘
	10.2 →	9.4 ←	8.6 ←	10.1 ↓	9.5 ↓
beste Teiler	239.6 (1.) 498.5 (5.) 513.3 (4.)				
Trefferlage	4.57 mm links, 3.15 mm tief				
Streuwert	7.16, horizontal: 8.69, vertikal: 5.20				



Serie 2:	10.1 ↙	10.8 *	9.7 ←	8.8 ↙	9.9 ↓
	8.0 →	10.4 *	8.4 ↙	9.4 ↓	8.8 →
beste Teiler	124.8 (12.) 423.5 (17.) 652.0 (11.)				
Trefferlage	1.49 mm links, 4.61 mm tief				
Streuwert	9.62, horizontal: 12.13, vertikal: 6.17				





Serie 3:	9.3 →	9.6 ↓	9.6 ↙	8.4 ↘	10.0 ↑
	10.2 ↘	9.4 ↓	9.3 →	7.6 ↓	9.9 ↘
beste Teiler	569.4 (26.) 744.4 (25.) 847.5 (30.)				
Trefferlage	0.07 mm links, 2.96 mm tief				
Streuwert	10.33, horizontal: 8.41, vertikal: 11.94				




Serie 4:	8.9 ↑	10.6 *	9.0 ↘	9.9 ↙	9.7 ↘
	9.7 ↘	10.2 ↗	10.2 →	9.0 ↓	8.0 ↓
beste Teiler	271.6 (32.) 587.4 (38.) 613.1 (37.)				
Trefferlage	1.67 mm rechts, 3.38 mm tief				
Streuwert	9.15, horizontal: 7.20, vertikal: 10.75				

Unterschrift des Schützen


Ergebnis: **358** (377.1)
 Serien: 90 90 91 87
 Zähler: 10 19 10 1 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2609 (7), 2162 (16), 2030 (23)
 beste Teiler 47.5 (12.) 343.0 (9.) 359.2 (20.)
 Trefferlage 3.63 mm rechts, 1.96 mm hoch
 Streuwert 9.20, horizontal: 8.57, vertikal: 9.79




Serie 1:
 9.4 ↗ 8.7 ↑ 10.0 → 9.6 ↘ 8.9 ↑
 10.3 ↗ 7.7 ↙ 9.0 ↑ 10.5 * 10.4 *
 beste Teiler 343.0 (9.) 456.7 (10.) 484.8 (6.)
 Trefferlage 1.42 mm rechts, 3.72 mm hoch
 Streuwert 9.82, horizontal: 7.53, vertikal: 11.67



Serie 2:
 8.9 ↗ 10.9 * 10.3 ↘ 8.8 ↗ 9.0 →
 8.2 → 9.1 ↑ 9.7 ↘ 9.0 ↓ 10.5 *
 beste Teiler 47.5 (12.) 359.2 (20.) 487.8 (13.)
 Trefferlage 7.64 mm rechts, 1.32 mm hoch
 Streuwert 8.38, horizontal: 7.98, vertikal: 8.77



Serie 3:
 9.3 ↓ 8.4 ↑ 8.4 ← 9.6 ↗ 9.2 →
 10.4 * 10.1 ↙ 9.9 ↑ 9.6 ↗ 10.4 *
 beste Teiler 405.2 (26.) 411.0 (30.) 719.1 (27.)
 Trefferlage 1.10 mm rechts, 2.60 mm hoch
 Streuwert 9.15, horizontal: 9.46, vertikal: 8.84





Serie 4:
 9.9 ← 9.5 ↗ 9.0 ↑ 8.9 → 8.6 ↓
 8.6 ↗ 9.9 ↓ 9.9 ↓ 9.5 ↗ 9.1 →
 beste Teiler 807.1 (38.) 826.5 (31.) 858.6 (37.)
 Trefferlage 4.36 mm rechts, 0.23 mm hoch
 Streuwert 9.85, horizontal: 8.80, vertikal: 10.79


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **358** (377.5)
 Serien: 91 90 88 89
 Zähler: 7 24 9 0 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 2158 (39), 2120 (10), 1816 (20)
 beste Teiler 113.7 (3.) 208.5 (19.) 263.1 (35.)
 Trefferlage 1.03 mm links, 3.11 mm hoch
 Streuwert 9.05, horizontal: 8.47, vertikal: 9.59




Serie 1:
 9.6 ↑ 8.8 ↗ 10.8 * 8.8 ↘ 9.8 ←
 10.3 → 9.1 ↘ 10.0 ↘ 10.2 ↓ 8.3 ↑
 beste Teiler 113.7 (3.) 539.4 (6.) 562.2 (9.)
 Trefferlage 0.32 mm rechts, 6.04 mm hoch
 Streuwert 8.20, horizontal: 7.37, vertikal: 8.96



Serie 2:
 9.0 ← 10.1 ↓ 9.3 ← 9.5 ↑ 9.1 ↘
 9.7 ↑ 9.8 ↗ 8.9 ↑ 10.7 * 8.7 ←
 beste Teiler 208.5 (19.) 667.8 (12.) 887.5 (17.)
 Trefferlage 5.44 mm links, 2.68 mm hoch
 Streuwert 8.28, horizontal: 6.89, vertikal: 9.46



Serie 3:
 9.6 ↓ 9.8 ← 9.4 → 8.9 ↑ 9.5 ↑
 9.4 ↓ 9.1 ← 9.3 ↑ 9.7 → 8.9 →
 beste Teiler 904.3 (22.) 1035.3 (29.) 1117.1 (21.)
 Trefferlage 0.88 mm rechts, 1.99 mm hoch
 Streuwert 9.61, horizontal: 9.75, vertikal: 9.46





Serie 4:
 9.6 ← 9.1 ← 9.3 ↑ 8.8 ↑ 10.6 *
 9.4 → 9.4 ↗ 9.0 ↓ 8.3 ↗ 9.9 →
 beste Teiler 263.1 (35.) 880.1 (40.) 1098.5 (31.)
 Trefferlage 0.08 mm rechts, 1.73 mm hoch
 Streuwert 10.27, horizontal: 9.21, vertikal: 11.23


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	355	(373.8)			
Serien:	85	87	90	93	
Zähler:	13	15	7	4	1 0 0 0 0 0
Innenzehner:	4				
weiteste:	3530 (3), 3199 (12), 2582 (14)				
beste Teiler	248.9 (20.) 408.0 (39.) 410.0 (37.)				
Trefferlage	4.71 mm rechts, 5.25 mm hoch				
Streuwert	9.56, horizontal: 8.45, vertikal: 10.55				




Serie 1:	9.5 ↘	9.1 ↖	6.5 ↗	10.2 ↗	7.8 ↗
	8.4 ↘	10.4 *	8.8 ↑	8.2 ↑	10.0 ↖
beste Teiler	469.5 (7.) 564.1 (4.) 756.1 (10.)				
Trefferlage	6.94 mm rechts, 7.12 mm hoch				
Streuwert	11.91, horizontal: 11.36, vertikal: 12.44				



Serie 2:	8.7 ↗	7.0 ↑	9.8 ↗	7.7 ↖	10.1 ↖
	10.0 ↙	10.3 ↖	8.3 ↗	8.6 ↘	10.6 *
beste Teiler	248.9 (20.) 484.4 (17.) 674.6 (15.)				
Trefferlage	2.09 mm rechts, 7.40 mm hoch				
Streuwert	11.69, horizontal: 8.80, vertikal: 13.99				





Serie 3:	9.1 ↗	10.2 ↗	10.0 ↑	9.9 ↗	10.3 →
	9.7 ↑	7.7 →	9.9 →	9.8 →	8.9 ↑
beste Teiler	525.7 (25.) 593.6 (22.) 738.3 (23.)				
Trefferlage	7.67 mm rechts, 5.25 mm hoch				
Streuwert	6.40, horizontal: 6.89, vertikal: 5.86				




Serie 4:	9.9 ↗	10.2 ↑	9.1 ↓	9.9 ↑	9.7 →
	9.7 ↑	10.4 *	9.7 ↗	10.4 *	9.3 ↓
beste Teiler	408.0 (39.) 410.0 (37.) 607.3 (32.)				
Trefferlage	2.13 mm rechts, 1.23 mm hoch				
Streuwert	6.93, horizontal: 5.02, vertikal: 8.42				

Unterschrift des Schützen


Ergebnis: **355** (377.0)
 Serien: 90 90 88 87
 Zähler: 7 23 8 2 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2988 (31), 2746 (40), 2116 (2)
 beste Teiler 145.0 (37.) 282.0 (11.) 318.4 (8.)
 Trefferlage 3.88 mm links, 3.56 mm hoch
 Streuwert 9.05, horizontal: 8.24, vertikal: 9.80




Serie 1:
 9.4 ↘ 8.3 ← 8.7 ← 9.4 ↑ 9.5 ←
 9.9 ↑ 9.5 ↙ 10.6 * 9.0 ↑ 10.5 *
 beste Teiler 318.4 (8.) 325.3 (10.) 867.2 (6.)
 Trefferlage 5.81 mm links, 2.96 mm hoch
 Streuwert 8.29, horizontal: 8.73, vertikal: 7.83



Serie 2:
 10.6 * 9.2 ↙ 9.6 ↘ 9.2 ← 8.5 ↙
 8.8 ↘ 9.9 ↑ 9.6 ← 10.5 * 9.5 ↘
 beste Teiler 282.0 (11.) 331.4 (19.) 860.1 (17.)
 Trefferlage 6.71 mm links, 1.03 mm tief
 Streuwert 7.78, horizontal: 7.24, vertikal: 8.28



Serie 3:
 10.2 ↑ 8.8 ← 8.8 ↑ 9.6 ↑ 9.6 ←
 9.6 ↘ 9.8 ↘ 9.6 ↘ 8.6 ↑ 9.9 ↑
 beste Teiler 620.1 (21.) 868.5 (30.) 944.1 (27.)
 Trefferlage 2.53 mm links, 4.91 mm hoch
 Streuwert 8.62, horizontal: 7.49, vertikal: 9.61





Serie 4:
 7.2 ↑ 9.5 ↘ 8.8 ↘ 9.8 ↑ 9.1 ←
 9.5 ↑ 10.8 * 9.6 ↓ 10.5 * 7.5 ↑
 beste Teiler 145.0 (37.) 347.6 (39.) 949.3 (34.)
 Trefferlage 0.47 mm links, 7.43 mm hoch
 Streuwert 10.79, horizontal: 9.04, vertikal: 12.30


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **364** (381.3)
 Serien: 89 93 93 89
 Zähler: 11 22 7 0 0 0 0 0 0 0
 Innenzehner: 2
 weiteste: 2397 (6), 2061 (10), 2007 (32)
 beste Teiler 267.5 (17.) 317.3 (26.) 506.6 (30.)
 Trefferlage 0.12 mm rechts, 3.11 mm tief
 Streuwert 8.60, horizontal: 8.11, vertikal: 9.07




Serie 1:
 9.4 ← 10.3 ↓ 9.7 ↓ 9.0 ↓ 9.1 ↗
 8.0 ↘ 9.4 ↓ 8.7 ↘ 10.1 ↘ 8.4 ↓
 beste Teiler 517.4 (2.) 713.1 (9.) 1021.9 (3.)
 Trefferlage 1.56 mm rechts, 8.90 mm tief
 Streuwert 9.05, horizontal: 9.28, vertikal: 8.82



Serie 2:
 10.0 → 9.4 ↓ 10.2 ↖ 9.6 ↑ 9.7 ←
 8.8 ↓ 10.6 * 9.1 ↘ 9.4 ↘ 10.2 →
 beste Teiler 267.5 (17.) 592.1 (20.) 611.8 (13.)
 Trefferlage 1.91 mm rechts, 3.09 mm tief
 Streuwert 7.65, horizontal: 7.36, vertikal: 7.92



Serie 3:
 8.6 ↗ 9.8 ↓ 10.2 ↓ 9.6 ↖ 9.2 ↖
 10.6 * 10.3 ↗ 9.9 ↑ 9.1 ← 10.3 ↓
 beste Teiler 317.3 (26.) 506.6 (30.) 531.0 (27.)
 Trefferlage 2.27 mm links, 0.61 mm hoch
 Streuwert 7.77, horizontal: 7.32, vertikal: 8.20





Serie 4:
 9.4 ↑ 8.4 ↘ 9.9 ← 9.7 ↓ 9.7 ←
 9.5 ← 9.5 ↑ 8.9 ↓ 10.1 → 9.5 ↗
 beste Teiler 677.1 (39.) 857.6 (33.) 961.9 (34.)
 Trefferlage 0.69 mm links, 1.06 mm tief
 Streuwert 9.21, horizontal: 8.84, vertikal: 9.56


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **348** (365.4)
 Serien: 84 90 87 87
 Zähler: 11 10 16 2 1 0 0 0 0 0
 Innenzehner: 5
 weiteste: 3220 (30), 2830 (36), 2719 (8)
 beste Teiler 203.0 (17.) 223.6 (28.) 340.9 (20.)
 Trefferlage 4.97 mm rechts, 2.20 mm tief
 Streuwert 11.09, horizontal: 9.89, vertikal: 12.17




Serie 1:
 10.0 ↘ 9.4 → 8.2 ↗ 8.8 ↖ 8.0 →
 9.7 ↗ 8.8 ← 7.6 → 8.6 → 9.3 ↑
 beste Teiler 741.7 (1.) 967.5 (6.) 1241.4 (2.)
 Trefferlage 7.04 mm rechts, 4.92 mm hoch
 Streuwert 11.60, horizontal: 13.74, vertikal: 8.98



Serie 2:
 8.1 ↑ 8.5 ↗ 9.0 ↗ 9.8 ↘ 9.6 ↘
 9.3 ↓ 10.7 * 10.4 * 8.1 → 10.5 *
 beste Teiler 203.0 (17.) 340.9 (20.) 435.4 (18.)
 Trefferlage 5.19 mm rechts, 1.64 mm hoch
 Streuwert 9.93, horizontal: 8.46, vertikal: 11.22



Serie 3:
 8.5 ↓ 9.7 → 10.0 ↙ 10.0 ↘ 8.3 ↗
 8.7 ↘ 10.0 ↓ 10.7 * 8.8 ↑ 6.9 ↘
 beste Teiler 223.6 (28.) 758.3 (24.) 764.3 (27.)
 Trefferlage 5.24 mm rechts, 5.32 mm tief
 Streuwert 11.20, horizontal: 7.12, vertikal: 14.14



Serie 4:
 9.8 ↓ 8.3 ↙ 8.4 ↘ 9.7 ↘ 10.1 ↗
 7.4 ↓ 8.3 ↘ 10.4 * 8.8 ↘ 10.2 ↘
 beste Teiler 471.4 (38.) 638.9 (40.) 648.3 (35.)
 Trefferlage 2.43 mm rechts, 10.07 mm tief
 Streuwert 9.58, horizontal: 10.05, vertikal: 9.09

Unterschrift des Schützen

Meyton Elektronik