




Ergebnis:	360	(380.6)
Serien:	89 92 93 86	
Zähler:	14 16 6 4 0 0 0 0 0 0	
Innenzehner:	6	
weiteste:	3069 (34), 2797 (40), 2754 (5)	
beste Teiler	74.2 (10.) 241.5 (32.) 265.6 (4.)	
Trefferlage	1.68 mm links, 3.00 mm hoch	
Streuwert	9.46, horizontal: 8.84, vertikal: 10.03	



Serie 1:

10.6 *	8.8 ↘	7.7 ↗	10.6 *	7.5 ↖
9.2 ↓	10.1 ↗	9.6 ↘	9.1 ←	10.9 *


beste Teiler 74.2 (10.) 265.6 (4.) 298.6 (1.)
 Trefferlage 1.13 mm links, 4.13 mm hoch
 Streuwert 10.99, horizontal: 8.95, vertikal: 12.71



Serie 2:

9.5 ↘	9.3 ↖	10.4 *	10.2 ↑	9.6 ←
8.9 ↗	10.3 →	10.2 ↑	8.7 ↓	9.9 →


beste Teiler 417.9 (13.) 496.9 (17.) 566.3 (18.)
 Trefferlage 0.60 mm links, 2.55 mm hoch
 Streuwert 7.98, horizontal: 6.31, vertikal: 9.36



Serie 3:

10.2 ↙	10.1 ↘	9.8 ↖	8.8 →	9.4 ↗
9.8 ←	10.0 ←	9.9 ←	10.0 ←	9.6 →

beste Teiler 575.0 (21.) 669.5 (22.) 736.5 (29.)
 Trefferlage 2.42 mm links, 0.60 mm tief
 Streuwert 7.22, horizontal: 9.21, vertikal: 4.40



Serie 4:



10.4 *	10.6 *	9.7 ↓	7.1 ↗	8.7 ↖
9.9 ↗	8.2 ↑	9.9 ↘	9.9 ↗	7.5 ←

beste Teiler 241.5 (32.) 410.5 (31.) 854.8 (38.)
 Trefferlage 2.55 mm links, 5.92 mm hoch
 Streuwert 11.69, horizontal: 11.46, vertikal: 11.91

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	372	(389.4)			
Serien:	94	87	97	94	
Zähler:	20	14	4	2	0 0 0 0 0 0
Innenzehner:	11				
weiteste:	2935 (15), 2454 (11), 2230 (28)				
beste Teiler	272.3 (21.) 296.2 (26.) 302.9 (13.)				
Trefferlage	4.36 mm links, 2.11 mm hoch				
Streuwert	7.54, horizontal: 8.49, vertikal: 6.46				




Serie 1:

8.7 ↖	10.3 ↖	9.5 ↙	9.7 ↘	10.4 *
10.2 ↑	9.1 ←	9.9 ↘	10.3 ↗	10.4 *
beste Teiler	409.3 (5.) 435.9 (10.) 526.0 (9.)			
Trefferlage	5.11 mm links, 3.18 mm hoch			
Streuwert	5.86, horizontal: 6.64, vertikal: 4.96			




Serie 2:

7.9 ←	9.9 ↙	10.6 *	9.4 ↖	7.3 ←
9.8 ↘	9.4 ↘	8.5 ↑	9.6 ↗	10.1 ↙
beste Teiler	302.9 (13.) 667.9 (20.) 832.7 (12.)			
Trefferlage	5.05 mm links, 1.16 mm hoch			
Streuwert	11.15, horizontal: 13.01, vertikal: 8.92			



Serie 3:

10.6 *	10.4 *	10.3 ↑	10.4 *	9.4 ↑
10.6 *	10.5 *	8.2 ←	10.0 ↘	10.0 ↖
beste Teiler	272.3 (21.) 296.2 (26.) 395.7 (27.)			
Trefferlage	2.51 mm links, 3.39 mm hoch			
Streuwert	6.14, horizontal: 7.57, vertikal: 4.27			





Serie 4:

9.3 ↑	8.9 ←	9.5 ←	10.4 *	9.4 ↙
9.3 ↖	10.5 *	10.1 ←	10.1 ↗	10.5 *
beste Teiler	353.8 (40.) 379.3 (37.) 439.1 (34.)			
Trefferlage	4.78 mm links, 0.72 mm hoch			
Streuwert	6.65, horizontal: 6.03, vertikal: 7.21			


Unterschrift des Schützen

Ergebnis:	362	(380.1)
Serien:	93 93 87 89	
Zähler:	13 17 9 1 0 0 0 0 0 0	
Innenzehner:	7	
weiteste:	3025 (37), 2357 (23), 2292 (18)	
beste Teiler	82.0 (14.) 222.2 (5.) 283.1 (32.)	
Trefferlage	4.37 mm links, 2.52 mm hoch	
Streuwert	8.86, horizontal: 7.37, vertikal: 10.13	




Serie 1:

10.5 *	9.0 ↑	9.2 ↙	10.3 ↘	10.7 *
9.7 ↘	9.0 ←	8.9 ↑	9.7 ↘	10.1 ↓
beste Teiler	222.2 (5.) 379.4 (1.) 544.6 (4.)			
Trefferlage	1.98 mm links, 0.32 mm tief			
Streuwert	8.19, horizontal: 7.46, vertikal: 8.85			




Serie 2:

9.7 →	10.5 *	10.6 *	10.8 *	9.2 ←
10.0 ↘	10.0 ↘	8.1 ↓	8.9 ↙	9.6 ↖
beste Teiler	82.0 (14.) 284.0 (13.) 355.8 (12.)			
Trefferlage	4.35 mm links, 1.50 mm hoch			
Streuwert	7.93, horizontal: 7.33, vertikal: 8.48			



Serie 3:

9.7 →	9.8 ↖	8.0 ↑	8.5 ↑	9.0 ↖
8.9 ↙	9.5 ↑	9.3 ↓	9.4 ↖	9.6 ↓
beste Teiler	931.2 (22.) 989.9 (21.) 1113.1 (30.)			
Trefferlage	4.41 mm links, 4.54 mm hoch			
Streuwert	10.08, horizontal: 6.62, vertikal: 12.62			





Serie 4:


8.7 ↙	10.6 *	10.5 *	10.2 ↖	8.2 ↖
9.5 ↑	7.2 ↑	9.9 ←	8.8 ←	10.3 ↓
beste Teiler	283.1 (32.) 360.5 (33.) 491.7 (40.)			
Trefferlage	6.76 mm links, 4.37 mm hoch			
Streuwert	9.64, horizontal: 8.34, vertikal: 10.79			

Unterschrift des Schützen


Ergebnis: **371** (389.4)
 Serien: 94 90 93 94
 Zähler: 17 17 6 0 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2361 (31), 2034 (18), 1849 (26)
 beste Teiler 229.6 (30.) 247.1 (35.) 283.1 (7.)
 Trefferlage 0.04 mm rechts, 1.25 mm hoch
 Streuwert 7.84, horizontal: 8.12, vertikal: 7.55




Serie 1:
 10.4 ↙ 10.2 ↑ 10.2 ↙ 10.1 → 9.4 ↘
 9.6 ↙ 10.6 * 9.7 ↖ 8.7 → 9.7 →
 beste Teiler 283.1 (7.) 478.1 (1.) 608.3 (3.)
 Trefferlage 0.69 mm links, 0.69 mm hoch
 Streuwert 7.20, horizontal: 9.40, vertikal: 3.91



Serie 2:
 9.5 ← 9.1 ↑ 8.7 ← 9.7 ↙ 9.6 ↘
 9.8 ↗ 10.5 * 8.4 ↓ 9.8 → 10.3 →
 beste Teiler 331.6 (17.) 544.1 (20.) 943.4 (19.)
 Trefferlage 1.32 mm links, 2.48 mm tief
 Streuwert 8.93, horizontal: 8.39, vertikal: 9.44



Serie 3:
 10.2 ↘ 10.4 ↓ 9.8 ↖ 9.9 ↘ 9.4 ↗
 8.6 ↗ 10.0 ↑ 10.5 * 8.6 ↗ 10.7 *
 beste Teiler 229.6 (30.) 367.0 (28.) 479.1 (22.)
 Trefferlage 1.56 mm rechts, 4.08 mm hoch
 Streuwert 7.26, horizontal: 6.44, vertikal: 8.00





Serie 4:
 8.0 ↗ 9.2 ↑ 9.8 ↑ 9.2 ← 10.6 *
 10.3 → 10.0 ↘ 9.7 ↓ 10.1 ↖ 10.4 *
 beste Teiler 247.1 (35.) 430.2 (40.) 497.0 (36.)
 Trefferlage 0.65 mm rechts, 2.72 mm hoch
 Streuwert 8.11, horizontal: 8.95, vertikal: 7.17


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **354** (374.7)
 Serien: 83 90 88 93
 Zähler: 10 16 13 0 1 0 0 0 0 0
 Innenzehner: 7
 weiteste: 3406 (10), 2262 (7), 2258 (30)
 beste Teiler 156.2 (23.) 254.0 (40.) 288.1 (38.)
 Trefferlage 1.59 mm links, 0.50 mm tief
 Streuwert 10.27, horizontal: 10.40, vertikal: 10.15




Serie 1:
 9.9 ↑ 8.7 ← 8.6 ↙ 9.4 ↘ 8.4 →
 9.5 ← 8.1 ← 9.3 ↓ 9.0 ↑ 6.7 ←
 beste Teiler 855.4 (1.) 1138.0 (6.) 1217.8 (4.)
 Trefferlage 8.28 mm links, 1.63 mm hoch
 Streuwert 12.55, horizontal: 14.88, vertikal: 9.67



Serie 2:
 9.7 → 8.3 ↓ 9.4 ↑ 8.9 ↑ 10.0 →
 10.0 ↓ 10.3 → 9.8 ← 9.5 ↑ 8.8 ←
 beste Teiler 504.6 (17.) 758.0 (15.) 767.6 (16.)
 Trefferlage 0.23 mm rechts, 0.42 mm hoch
 Streuwert 9.45, horizontal: 7.83, vertikal: 10.82



Serie 3:
 9.7 ↗ 8.4 ← 10.8 * 9.4 ↗ 9.7 ↑
 8.3 ↓ 10.5 * 9.9 ↗ 8.7 ↓ 8.1 ↓
 beste Teiler 156.2 (23.) 328.3 (27.) 840.7 (28.)
 Trefferlage 0.04 mm links, 1.89 mm tief
 Streuwert 10.82, horizontal: 8.81, vertikal: 12.51





Serie 4:
 10.4 * 8.6 ↓ 9.3 ↗ 9.7 → 9.8 →
 10.4 * 8.9 ↙ 10.6 * 10.6 * 10.6 *
 beste Teiler 254.0 (40.) 288.1 (38.) 314.8 (39.)
 Trefferlage 1.70 mm rechts, 2.17 mm tief
 Streuwert 7.34, horizontal: 6.31, vertikal: 8.24


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **368** (384.3)
 Serien: 92 92 91 93
 Zähler: 12 25 2 1 0 0 0 0 0 0
 Innenzehner: 2
 weiteste: 2654 (24), 2153 (36), 1611 (20)
 beste Teiler 357.4 (14.) 444.3 (10.) 476.7 (3.)
 Trefferlage 4.02 mm links, 0.74 mm tief
 Streuwert 7.84, horizontal: 7.72, vertikal: 7.96




Serie 1:
 9.4 ↘ 9.1 ↑ 10.4 ↘ 9.1 ↑ 9.9 ↘
 9.2 ↓ 9.7 ← 9.3 ↙ 9.4 ↑ 10.4 *
 beste Teiler 444.3 (10.) 476.7 (3.) 811.3 (5.)
 Trefferlage 0.98 mm links, 1.91 mm hoch
 Streuwert 8.39, horizontal: 6.03, vertikal: 10.22



Serie 2:
 9.8 ↙ 9.3 ← 9.1 ↘ 10.5 * 9.7 ↙
 9.5 ↘ 10.1 ↘ 10.3 ← 9.7 ← 8.9 ↙
 beste Teiler 357.4 (14.) 485.7 (18.) 681.7 (17.)
 Trefferlage 7.07 mm links, 2.46 mm tief
 Streuwert 5.76, horizontal: 6.30, vertikal: 5.16



Serie 3:
 9.6 → 9.0 ← 10.0 ↙ 7.6 ↙ 9.2 ↖
 9.6 ↑ 10.1 → 9.7 ↘ 10.3 ↘ 9.7 ←
 beste Teiler 535.2 (29.) 643.1 (27.) 773.8 (23.)
 Trefferlage 4.05 mm links, 0.47 mm hoch
 Streuwert 9.27, horizontal: 7.91, vertikal: 10.45





Serie 4:
 10.2 ↙ 9.4 ↙ 10.1 ↙ 9.8 → 10.2 ↖
 8.3 ← 9.8 → 9.1 ← 9.7 ↘ 10.1 ↘
 beste Teiler 589.1 (35.) 622.9 (31.) 660.0 (33.)
 Trefferlage 3.98 mm links, 2.89 mm tief
 Streuwert 7.59, horizontal: 9.94, vertikal: 4.07


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **374** (392.2)
 Serien: 89 95 94 96
 Zähler: 20 14 6 0 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 2100 (7), 1989 (4), 1650 (3)
 beste Teiler 51.6 (5.) 95.2 (11.) 214.4 (20.)
 Trefferlage 0.25 mm rechts, 3.19 mm tief
 Streuwert 7.21, horizontal: 7.88, vertikal: 6.48




Serie 1:
 9.3 → 9.4 ↙ 8.9 ↘ 8.5 ↓ 10.9 *
 9.5 ↘ 8.3 → 10.1 ↓ 9.9 ↑ 9.4 ←
 beste Teiler 51.6 (5.) 650.1 (8.) 838.0 (9.)
 Trefferlage 3.27 mm rechts, 4.64 mm tief
 Streuwert 9.21, horizontal: 10.27, vertikal: 8.01



Serie 2:
 10.8 * 10.5 * 10.1 ↘ 8.9 ← 10.4 *
 10.4 * 9.1 ↘ 10.6 * 8.9 ↗ 10.7 *
 beste Teiler 95.2 (11.) 214.4 (20.) 308.9 (18.)
 Trefferlage 1.57 mm links, 3.93 mm tief
 Streuwert 6.14, horizontal: 6.83, vertikal: 5.37



Serie 3:
 9.7 → 10.2 ↙ 9.3 ↓ 9.4 ↑ 9.8 ←
 10.3 ↖ 8.9 ← 10.5 * 10.0 ↓ 10.0 ↘
 beste Teiler 334.8 (28.) 536.1 (26.) 627.9 (22.)
 Trefferlage 2.87 mm links, 0.93 mm tief
 Streuwert 6.96, horizontal: 6.79, vertikal: 7.13





Serie 4:
 9.5 ↘ 10.1 ↗ 10.4 ↖ 9.4 ↘ 9.5 ↘
 10.3 ← 10.5 * 10.2 → 9.1 ↗ 10.5 *
 beste Teiler 323.6 (40.) 390.4 (37.) 476.1 (33.)
 Trefferlage 2.20 mm rechts, 3.27 mm tief
 Streuwert 5.98, horizontal: 6.46, vertikal: 5.45

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	354	(375.2)
Serien:	86	91 90 87
Zähler:	7	21 11 1 0 0 0 0 0 0
Innenzehner:	2	
weiteste:	2896 (3), 2153 (15), 2061 (36)	
beste Teiler	292.6 (17.)	388.0 (11.) 569.8 (14.)
Trefferlage	0.91 mm rechts,	4.73 mm tief
Streuwert	9.23,	horizontal: 10.36, vertikal: 7.96




Serie 1:

9.9 ↘	9.6 ←	7.3 ↘	9.3 ↘	8.6 ↘
9.7 ←	9.5 →	9.6 ←	9.9 →	8.7 ←
beste Teiler	848.7 (1.)	851.9 (9.)	1035.5 (6.)	
Trefferlage	1.95 mm rechts, 5.04 mm tief			
Streuwert	10.56, horizontal: 12.68, vertikal: 7.89			




Serie 2:

10.5 *	9.7 ←	8.5 ↙	10.2 ↖	8.3 ↗
9.9 ↘	10.6 *	8.9 ↓	9.2 ↗	10.1 ↘
beste Teiler	292.6 (17.)	388.0 (11.)	569.8 (14.)	
Trefferlage	1.03 mm links, 0.82 mm tief			
Streuwert	9.30, horizontal: 8.87, vertikal: 9.70			



Serie 3:

10.2 →	9.8 ↘	9.9 ↘	9.5 →	9.5 ↘
9.6 ↑	8.5 ↙	9.8 ↘	9.6 ↘	9.4 →
beste Teiler	583.0 (21.)	850.3 (23.)	936.3 (28.)	
Trefferlage	4.36 mm rechts, 4.07 mm tief			
Streuwert	7.29, horizontal: 7.83, vertikal: 6.71			



Serie 4:

8.6 ↓	10.2 ↙	8.6 ↙	9.1 ←	9.9 ↙
8.4 →	10.2 ↘	9.0 →	8.8 ↓	8.6 ↙
beste Teiler	600.1 (32.)	633.7 (37.)	849.7 (35.)	
Trefferlage	1.64 mm links, 9.01 mm tief			
Streuwert	9.30, horizontal: 11.74, vertikal: 5.92			

Unterschrift des Schützen