




Ergebnis:	375	(394.4)
Serien:	94 94 94 93	
Zähler:	19 17 4 0 0 0 0 0 0 0	
Innenzehner:	7	
weiteste:	1922 (24), 1722 (39), 1708 (9)	
beste Teiler	63.0 (37.) 155.2 (27.) 161.3 (32.)	
Trefferlage	0.18 mm rechts, 0.24 mm hoch	
Streuwert	7.05, horizontal: 7.15, vertikal: 6.94	



Serie 1:

10.1 ↗	9.7 ↗	10.6 *	10.3 ↘	10.2 ↑
9.8 ←	9.4 →	9.9 ↑	8.8 ↙	10.1 →


beste Teiler 290.7 (3.) 548.3 (4.) 639.4 (5.)
 Trefferlage 0.21 mm rechts, 1.43 mm hoch
 Streuwert 6.84, horizontal: 7.32, vertikal: 6.32



Serie 2:

9.4 →	9.4 →	10.0 ↘	9.6 ↘	10.6 *
9.9 ↓	10.1 ↙	10.0 ↗	9.9 ←	9.7 ←


beste Teiler 278.8 (15.) 689.5 (17.) 742.8 (13.)
 Trefferlage 0.66 mm rechts, 1.28 mm tief
 Streuwert 6.73, horizontal: 8.15, vertikal: 4.91



Serie 3:

9.7 ↓	10.2 →	10.0 ↘	8.5 ↑	10.1 ↘
9.1 ←	10.8 *	9.9 ↖	10.6 *	9.8 ↑

beste Teiler 155.2 (27.) 293.2 (29.) 608.3 (22.)
 Trefferlage 1.07 mm links, 0.40 mm hoch
 Streuwert 7.35, horizontal: 6.15, vertikal: 8.37



Serie 4:



9.5 ↘	10.7 *	10.3 ↘	10.0 ←	9.1 ↓
9.3 →	10.9 *	8.9 →	8.8 ↑	10.7 *

beste Teiler 63.0 (37.) 161.3 (32.) 232.2 (40.)
 Trefferlage 0.92 mm rechts, 0.42 mm hoch
 Streuwert 8.10, horizontal: 7.80, vertikal: 8.39


Unterschrift des Schützen

Meyton Elektronik

Ergebnis:	371	(389.3)
Serien:	90	94 95 92
Zähler:	15	21 4 0 0 0 0 0 0 0
Innenzehner:	7	
weiteste:	1970	(14), 1846 (5), 1746 (40)
beste Teiler	200.0	(31.) 262.7 (27.) 314.2 (21.)
Trefferlage	1.04 mm	links, 2.83 mm tief
Streuwert	7.31,	horizontal: 7.89, vertikal: 6.66




Serie 1:	9.3 ↘	9.3 ↓	9.3 ←	10.0 ←	8.6 ↓
	9.6 ↗	9.6 ↗	10.2 ↗	8.9 →	9.5 ↘
beste Teiler	633.7	(8.) 787.9 (4.)	1085.4 (7.)		
Trefferlage	0.77 mm	links, 2.74 mm tief			
Streuwert	9.15,	horizontal: 9.68, vertikal: 8.60			



Serie 2:	10.2 ↗	10.5 *	10.1 ↑	8.5 ↗	9.8 ↓
	10.4 *	9.9 ↘	10.3 ↘	9.0 ↘	9.5 ↘
beste Teiler	340.0	(12.) 415.2 (16.)	541.9 (18.)		
Trefferlage	1.80 mm	links, 1.80 mm tief			
Streuwert	7.39,	horizontal: 7.86, vertikal: 6.89			



Serie 3:	10.6 *	10.4 *	9.7 →	9.2 ↗	9.8 ←
	9.4 ↗	10.6 *	10.1 ↓	9.3 ↗	10.4 *
beste Teiler	262.7	(27.) 314.2 (21.)	422.6 (22.)		
Trefferlage	1.43 mm	links, 1.95 mm tief			
Streuwert	6.40,	horizontal: 7.35, vertikal: 5.27			





Serie 4:	10.7 *	9.5 ↘	9.5 ↗	9.9 ↓	9.3 →
	9.9 ↓	9.5 ←	10.0 ↑	10.2 ↘	8.8 ↗
beste Teiler	200.0	(31.) 562.2 (39.)	722.4 (38.)		
Trefferlage	0.15 mm	links, 4.83 mm tief			
Streuwert	6.92,	horizontal: 7.67, vertikal: 6.07			

Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	371	(388.5)
Serien:	90 92 94 95	
Zähler:	17 17 6 0 0 0 0 0 0 0	
Innenzehner:	8	
weiteste:	2361 (8), 2142 (5), 1832 (1)	
beste Teiler	44.3 (14.) 84.8 (11.) 284.1 (22.)	
Trefferlage	2.77 mm links, 2.48 mm hoch	
Streuwert	7.70, horizontal: 6.76, vertikal: 8.53	



Serie 1:

8.7 ↑	9.4 ↗	10.2 ↙	9.2 ↑	8.3 ↘
9.8 ↑	9.2 ←	8.0 ↘	10.0 ↓	10.3 ↖


beste Teiler 529.1 (10.) 607.9 (3.) 725.1 (9.)
 Trefferlage 3.72 mm links, 3.81 mm hoch
 Streuwert 10.10, horizontal: 8.40, vertikal: 11.54



Serie 2:

10.8 *	9.9 ←	9.9 ←	10.9 *	10.2 ↘
9.7 ←	10.6 *	8.8 ↑	9.3 ↘	8.7 ↘


beste Teiler 44.3 (14.) 84.8 (11.) 306.1 (17.)
 Trefferlage 4.58 mm links, 3.68 mm hoch
 Streuwert 6.36, horizontal: 5.01, vertikal: 7.48



Serie 3:

10.0 ↑	10.6 *	10.0 ↙	10.4 *	8.7 ←
10.0 ↗	9.4 ↓	9.6 ↓	9.0 ↑	9.2 ↘

beste Teiler 284.1 (22.) 453.8 (24.) 739.6 (23.)
 Trefferlage 1.55 mm links, 1.25 mm hoch
 Streuwert 8.29, horizontal: 7.78, vertikal: 8.76



Serie 4:



10.5 *	10.0 ↑	9.7 ↙	9.3 ↗	9.8 ↘
9.9 ↑	10.4 *	10.1 ↓	9.6 ↘	10.4 *

beste Teiler 381.4 (31.) 428.5 (40.) 458.9 (37.)
 Trefferlage 1.25 mm links, 1.18 mm hoch
 Streuwert 6.14, horizontal: 5.74, vertikal: 6.52


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **344** (364.1)
 Serien: 91 82 87 84
 Zähler: 6 18 11 4 1 0 0 0 0 0
 Innenzehner: 1
 weiteste: 3358 (19), 2820 (40), 2751 (8)
 beste Teiler 369.0 (4.) 521.0 (13.) 579.6 (10.)
 Trefferlage 4.15 mm links, 5.37 mm tief
 Streuwert 10.66, horizontal: 10.86, vertikal: 10.45




Serie 1:
 10.0 ← 9.7 ↘ 9.7 ← 10.5 * 9.3 ↓
 9.2 ← 9.4 ↘ 7.5 ← 9.7 ↗ 10.2 ↗
 beste Teiler 369.0 (4.) 579.6 (10.) 747.0 (1.)
 Trefferlage 2.65 mm links, 4.20 mm tief
 Streuwert 8.99, horizontal: 10.59, vertikal: 7.02



Serie 2:
 9.8 ↓ 8.6 ↗ 10.3 → 8.3 ↓ 9.7 ↓
 8.5 ← 8.6 → 9.9 ← 6.8 ↓ 7.6 ↗
 beste Teiler 521.0 (13.) 824.0 (18.) 921.0 (11.)
 Trefferlage 1.09 mm links, 7.38 mm tief
 Streuwert 13.11, horizontal: 11.90, vertikal: 14.22





Serie 3:
 10.0 ← 9.6 ↗ 8.5 ← 7.8 ↓ 9.7 ↗
 9.4 ↘ 9.9 ↗ 8.5 ← 8.8 ↘ 10.0 ↓
 beste Teiler 745.6 (21.) 787.6 (30.) 839.6 (27.)
 Trefferlage 5.25 mm links, 2.59 mm tief
 Streuwert 10.28, horizontal: 10.90, vertikal: 9.61




Serie 4:
 8.5 ← 9.4 ↘ 8.7 ↑ 8.2 ← 9.3 ←
 8.4 ↓ 9.0 ← 9.9 ↓ 9.8 ↓ 7.4 ↗
 beste Teiler 874.8 (38.) 920.7 (39.) 1237.2 (32.)
 Trefferlage 7.61 mm links, 7.31 mm tief
 Streuwert 10.53, horizontal: 10.53, vertikal: 10.52

Unterschrift des Schützen


Ergebnis: **359** (375.1)
 Serien: 91 86 90 92
 Zähler: 12 15 13 0 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 2339 (35), 2269 (11), 2265 (5)
 beste Teiler 244.9 (8.) 331.7 (26.) 367.1 (32.)
 Trefferlage 7.43 mm links, 2.21 mm hoch
 Streuwert 8.31, horizontal: 7.77, vertikal: 8.82




Serie 1:
 10.3 ↙ 10.1 ↑ 10.0 ↑ 8.5 ↙ 8.1 ↑
 8.9 ↘ 10.0 ↑ 10.6 * 9.3 ↗ 8.1 ↘
 beste Teiler 244.9 (8.) 487.6 (1.) 658.0 (2.)
 Trefferlage 6.23 mm links, 6.97 mm hoch
 Streuwert 7.98, horizontal: 7.40, vertikal: 8.53



Serie 2:
 8.1 ↘ 8.3 ← 10.2 → 9.4 ↙ 9.7 ↑
 8.4 ← 8.3 ↘ 9.9 ← 8.9 ← 9.3 ↑
 beste Teiler 591.2 (13.) 831.0 (18.) 991.0 (15.)
 Trefferlage 10.85 mm links, 2.24 mm hoch
 Streuwert 8.91, horizontal: 9.71, vertikal: 8.04





Serie 3:
 10.1 ↘ 10.0 ↙ 8.7 ← 8.7 ↑ 9.8 ↘
 10.5 * 9.4 ↓ 9.7 ↗ 8.6 ↙ 9.5 ↑
 beste Teiler 331.7 (26.) 668.2 (21.) 794.6 (22.)
 Trefferlage 4.95 mm links, 1.98 mm hoch
 Streuwert 8.57, horizontal: 8.01, vertikal: 9.09




Serie 4:
 9.4 ← 10.5 * 9.9 ↑ 10.3 ↘ 8.0 ↙
 10.3 ← 9.5 ↙ 9.3 ← 9.3 ↙ 9.2 ↘
 beste Teiler 367.1 (32.) 496.2 (34.) 537.4 (36.)
 Trefferlage 7.69 mm links, 2.33 mm tief
 Streuwert 6.93, horizontal: 5.17, vertikal: 8.32

Unterschrift des Schützen


Ergebnis:	364	(384.7)
Serien:	89 92 89 94	
Zähler:	11 23 5 1 0 0 0 0 0 0	
Innenzehner:	4	
weiteste:	2755 (17), 2144 (26), 2011 (28)	
beste Teiler	228.6 (34.) 247.2 (38.) 260.1 (18.)	
Trefferlage	1.20 mm links, 1.73 mm hoch	
Streuwert	8.41, horizontal: 8.38, vertikal: 8.44	




Serie 1:	8.7 ←	9.3 ↑	9.8 ↑	9.7 ↙	8.6 ↑
	9.4 ↘	10.0 ↙	9.6 ↘	9.8 ↙	9.6 ↗
beste Teiler	727.5 (7.) 898.7 (3.) 907.8 (9.)				
Trefferlage	2.61 mm links, 2.85 mm hoch				
Streuwert	8.82, horizontal: 7.92, vertikal: 9.63				



Serie 2:	9.0 →	9.2 ↘	9.8 ↘	9.9 ↗	10.1 ←
	10.3 ↓	7.5 ↑	10.6 *	10.4 *	9.8 ←
beste Teiler	260.1 (18.) 437.3 (19.) 490.8 (16.)				
Trefferlage	2.40 mm rechts, 3.07 mm hoch				
Streuwert	8.80, horizontal: 8.42, vertikal: 9.17				





Serie 3:	9.7 ↓	8.9 →	10.3 ↗	9.9 ↘	10.3 ←
	8.3 ↙	9.9 ↑	8.4 ↘	9.6 ↓	9.8 ↓
beste Teiler	491.4 (25.) 549.7 (23.) 817.8 (27.)				
Trefferlage	1.48 mm links, 0.70 mm tief				
Streuwert	9.44, horizontal: 10.36, vertikal: 8.41				



Serie 4:	9.8 ↘	10.3 ↓	9.9 ↘	10.7 *	9.1 ←
	9.2 ↘	9.4 ↑	10.6 *	10.0 ←	9.5 ↑
beste Teiler	228.6 (34.) 247.2 (38.) 515.5 (32.)				
Trefferlage	3.13 mm links, 1.71 mm hoch				
Streuwert	6.85, horizontal: 6.55, vertikal: 7.14				


Unterschrift des Schützen

Ergebnis:	363	(380.6)
Serien:	92 89 92 90	
Zähler:	13 18 8 1 0 0 0 0 0 0	
Innenzehner:	8	
weiteste:	2703 (15), 2257 (7), 2068 (3)	
beste Teiler	180.7 (34.) 286.4 (22.) 304.4 (30.)	
Trefferlage	2.97 mm links, 0.12 mm hoch	
Streuwert	8.96, horizontal: 10.25, vertikal: 7.46	




Serie 1:

10.4 *	8.8 ↑	8.4 ←	10.5 *	9.3 ↖
10.1 ↑	8.1 ↘	9.5 ←	10.4 *	10.2 ←
beste Teiler	376.6 (4.)	434.2 (1.)	456.6 (9.)	
Trefferlage	7.28 mm links, 4.88 mm hoch			
Streuwert	7.06, horizontal: 7.01, vertikal: 7.11			




Serie 2:

8.9 ↙	9.1 →	10.1 ↘	9.7 →	7.6 →
9.4 ←	9.1 ←	9.3 ↓	10.4 *	9.6 ←
beste Teiler	409.5 (19.)	698.3 (13.)	1020.1 (14.)	
Trefferlage	0.05 mm rechts, 4.21 mm tief			
Streuwert	10.27, horizontal: 13.06, vertikal: 6.38			



Serie 3:

9.5 ←	10.6 *	10.3 ↘	9.5 ↘	9.2 ↘
9.3 ←	10.0 ←	8.8 ↑	8.8 →	10.6 *
beste Teiler	286.4 (22.)	304.4 (30.)	497.5 (23.)	
Trefferlage	0.42 mm links, 0.17 mm hoch			
Streuwert	8.50, horizontal: 9.13, vertikal: 7.82			





Serie 4:

8.8 ←	10.5 *	9.1 ↓	10.7 *	9.6 ↖
9.7 →	8.6 ←	9.8 ↑	9.2 →	9.1 ←
beste Teiler	180.7 (34.)	334.5 (32.)	945.7 (38.)	
Trefferlage	4.23 mm links, 0.36 mm tief			
Streuwert	8.80, horizontal: 10.61, vertikal: 6.52			


Unterschrift des Schützen

Ergebnis:	362	(379.4)								
Serien:	92	87	92	91						
Zähler:	14	15	10	1	0	0	0	0	0	0
Innenzehner:	2									
weiteste:	2695 (7), 2193 (20), 2048 (36)									
beste Teiler	176.0 (22.)	475.7 (17.)	493.7 (10.)							
Trefferlage	2.14 mm rechts,	0.03 mm tief								
Streuwert	9.29, horizontal: 9.87, vertikal: 8.67									




Serie 1:

10.1 ↙	8.9 ↙	9.9 ↗	10.2 ↘	10.3 ↘
10.1 ↘	7.6 ↗	9.1 ↙	9.9 ↗	10.3 ↘
beste Teiler	493.7 (10.)	560.5 (5.)	622.5 (4.)	
Trefferlage	1.91 mm rechts,	1.47 mm tief		
Streuwert	9.13, horizontal: 9.75, vertikal: 8.46			




Serie 2:

9.4 ↙	8.7 →	9.3 ↖	9.3 →	8.6 ↙
9.4 →	10.4 *	8.7 →	9.9 ↗	8.2 ↙
beste Teiler	475.7 (17.)	866.0 (19.)	1221.8 (11.)	
Trefferlage	2.81 mm rechts,	1.04 mm tief		
Streuwert	10.83, horizontal: 11.20, vertikal: 10.45			



Serie 3:

8.5 ←	10.7 *	10.3 ↑	8.6 →	10.3 ↖
8.6 ↘	10.2 →	9.2 ↘	10.2 ↘	9.5 ↗
beste Teiler	176.0 (22.)	497.1 (23.)	558.6 (25.)	
Trefferlage	1.03 mm links,	2.90 mm hoch		
Streuwert	8.99, horizontal: 10.74, vertikal: 6.79			



Serie 4:

10.0 ↗	9.5 ↘	9.1 ↗	8.6 ↘	10.3 ↗
8.4 →	9.4 ↖	10.3 ←	9.8 ↘	9.6 ↙
beste Teiler	507.1 (35.)	534.2 (38.)	798.6 (31.)	
Trefferlage	4.87 mm rechts,	0.51 mm tief		
Streuwert	8.71, horizontal: 8.14, vertikal: 9.25			

Unterschrift des Schützen

Meyton Elektronik