




Ergebnis:	<b>362</b>	(380.3)								
Serien:	89	89	93	91	10					
Zähler:	12	22	6	0	1	0	0	0	0	0
Innenzehner:	4									
weiteste:	3406 (7), 2352 (4), 2255 (24)									
beste Teiler	376.1 (3.) 411.2 (1.) 412.9 (30.)									
Trefferlage	4.87 mm links, 0.23 mm tief									
Streuwert	8.61, horizontal: 8.98, vertikal: 8.24									



Serie 1:

10.4 *	10.0 ↙	10.5 *	8.0 ↙	9.3 ↙
9.4 ↙	6.7 ↖	10.2 ↓	8.5 ↘	9.5 ↓


beste Teiler 376.1 (3.) 411.2 (1.) 588.7 (8.)  
 Trefferlage 10.32 mm links, 1.54 mm tief  
 Streuwert 9.44, horizontal: 11.08, vertikal: 7.46



Serie 2:

9.6 ↓	9.4 ↙	9.5 ↘	9.6 ↙	9.9 ↓
8.4 ↓	10.3 ↑	9.7 ↙	9.9 ↓	8.5 ↖


beste Teiler 501.5 (17.) 818.9 (19.) 835.1 (15.)  
 Trefferlage 6.55 mm links, 4.26 mm tief  
 Streuwert 7.38, horizontal: 6.86, vertikal: 7.87



Serie 3:

9.5 ↑	10.3 →	9.8 ↙	8.1 ↑	9.3 ↓
10.2 ↙	10.4 *	9.6 ↖	9.6 ↙	10.4 *


beste Teiler 412.9 (30.) 450.4 (27.) 549.9 (22.)  
 Trefferlage 2.56 mm links, 1.57 mm hoch  
 Streuwert 7.91, horizontal: 5.40, vertikal: 9.80



Serie 4:

9.8 ↖	9.9 ↑	9.6 ↑	10.1 ↑	9.4 →
9.8 ↘	9.0 →	10.2 ↓	8.4 ↘	9.6 ↙

beste Teiler 638.2 (38.) 717.6 (34.) 804.0 (32.)  
 Trefferlage 0.93 mm links, 2.85 mm hoch  
 Streuwert 8.46, horizontal: 9.58, vertikal: 7.18



Serie 5:



10.3 ↗				
--------	--	--	--	--

beste Teiler  
 Trefferlage 3.76 mm rechts, 4.08 mm hoch  
 Streuwert 0.00, horizontal: 0.00, vertikal: 0.00


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>375</b>	(393.8)
Serien:	92 92 97 94 9	
Zähler:	18 20 3 0 0 0 0 0 0 0	
Innenzehner:	9	
weiteste:	1939 (7), 1913 (12), 1656 (14)	
beste Teiler	84.7 (3.) 301.3 (22.) 303.0 (29.)	
Trefferlage	0.47 mm links, 0.09 mm tief	
Streuwert	7.06, horizontal: 7.03, vertikal: 7.09	




Serie 1:	10.4 *	9.6 →	10.8 *	9.8 ↘	9.9 ↘
	9.9 ↓	8.5 ←	9.9 ↓	9.8 ↑	10.0 ←
beste Teiler	84.7 (3.)	407.7 (1.)	741.8 (10.)		
Trefferlage	0.66 mm links, 1.14 mm tief				
Streuwert	7.20, horizontal: 8.30, vertikal: 5.91				




Serie 2:	9.7 ↘	8.6 ↑	9.3 ↓	8.9 ←	10.5 *
	9.4 →	10.1 ↓	10.4 *	9.2 ↘	10.5 *
beste Teiler	331.5 (20.)	377.3 (15.)	407.9 (18.)		
Trefferlage	0.98 mm rechts, 0.82 mm tief				
Streuwert	8.52, horizontal: 7.67, vertikal: 9.29				



Serie 3:	10.2 ↑	10.6 *	10.2 ↗	9.2 ✓	9.7 ↘
	10.1 ↖	9.1 ↓	10.1 →	10.6 *	10.3 ↑
beste Teiler	301.3 (22.)	303.0 (29.)	482.9 (30.)		
Trefferlage	0.87 mm rechts, 0.71 mm tief				
Streuwert	6.29, horizontal: 5.58, vertikal: 6.92				



Serie 4:	10.3 ↖	10.1 ↖	10.5 *	9.7 ✓	9.4 →
	9.6 ↘	9.5 ←	10.5 *	9.9 ↓	9.0 ↘
beste Teiler	360.2 (38.)	384.0 (33.)	481.8 (31.)		
Trefferlage	2.57 mm links, 1.64 mm hoch				
Streuwert	6.78, horizontal: 6.95, vertikal: 6.60				





Serie 5:	9.9 ↘				
beste Teiler					
Trefferlage	5.53 mm links, 6.73 mm hoch				
Streuwert	0.00, horizontal: 0.00, vertikal: 0.00				

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	<b>371</b>	(388.5)
Serien:	94 92 91 94 8	
Zähler:	17 18 5 1 0 0 0 0 0	
Innenzehner:	6	
weiteste:	2568 (28), 1985 (36), 1859 (3)	
beste Teiler	141.9 (37.) 225.6 (32.) 242.0 (11.)	
Trefferlage	0.51 mm rechts, 2.39 mm tief	
Streuwert	7.99, horizontal: 8.22, vertikal: 7.75	




Serie 1:

9.4 ↘	10.1 →	8.6 ↓	9.6 ↗	10.4 *
10.1 ↓	9.3 ↗	9.0 →	10.4 *	10.2 ↖
beste Teiler	456.8 (5.) 473.7 (9.) 567.5 (10.)			
Trefferlage	5.59 mm rechts, 0.60 mm tief			
Streuwert	7.00, horizontal: 6.10, vertikal: 7.80			




Serie 2:

10.6 *	10.1 ↓	9.9 ↘	8.9 ↘	8.8 ↘
9.0 →	9.9 ↓	10.5 *	9.2 ↓	10.2 ↖
beste Teiler	242.0 (11.) 327.1 (18.) 601.1 (20.)			
Trefferlage	4.53 mm rechts, 6.65 mm tief			
Streuwert	5.78, horizontal: 7.14, vertikal: 3.98			




Serie 3:

9.8 ↖	9.5 ↓	9.8 ←	9.1 ↙	9.5 →
10.2 ↖	9.8 ↖	7.7 ↓	10.2 ↖	10.3 ↓
beste Teiler	504.2 (30.) 568.6 (29.) 632.6 (26.)			
Trefferlage	4.73 mm links, 3.78 mm tief			
Streuwert	8.00, horizontal: 6.47, vertikal: 9.28			



Serie 4:

9.2 ↙	10.7 *	9.8 ↗	10.2 ↖	9.9 ↖
8.5 ↙	10.8 *	10.3 ↓	10.0 →	9.0 ↑
beste Teiler	141.9 (37.) 225.6 (32.) 504.8 (38.)			
Trefferlage	1.65 mm links, 1.04 mm hoch			
Streuwert	7.73, horizontal: 7.49, vertikal: 7.96			





Serie 5:

8.9 ←				
beste Teiler	16.39 mm links, 1.72 mm hoch			
Trefferlage	0.00, horizontal: 0.00, vertikal: 0.00			
Streuwert				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **338** (359.0)  
 Serien: 84 83 85 86 7  
 Zähler: 5 15 14 6 1 0 0 0 0 0  
 Innenzehner: 4  
 weiteste: 3208 (21), 3087 (4), 2806 (22)  
 beste Teiler 184.4 (7.) 323.5 (29.) 401.1 (11.)  
 Trefferlage 1.79 mm links, 2.66 mm hoch  
 Streuwert 12.46, horizontal: 15.47, vertikal: 8.45




Serie 1:  
 8.9 ↖ 9.2 ↗ 9.9 ↑ 7.1 → 8.4 ←  
 9.3 ↑ 10.7 \* 7.6 ← 9.7 ← 8.7 →  
 beste Teiler 184.4 (7.) 834.6 (3.) 971.8 (9.)  
 Trefferlage 0.80 mm links, 1.96 mm hoch  
 Streuwert 13.29, horizontal: 17.47, vertikal: 6.92




Serie 2:  
 10.4 \* 8.3 ↗ 8.5 ← 8.4 ↖ 9.8 →  
 8.6 → 8.4 ↗ 7.9 ← 9.0 ↖ 8.7 ↑  
 beste Teiler 401.1 (11.) 923.8 (15.) 1540.0 (19.)  
 Trefferlage 0.83 mm links, 4.66 mm hoch  
 Streuwert 13.02, horizontal: 15.94, vertikal: 9.21



Serie 3:  
 6.9 ↖ 7.4 ↖ 8.2 → 10.2 ↖ 9.9 ↓  
 9.7 ↘ 9.8 ← 8.7 → 10.5 \* 9.2 ↗  
 beste Teiler 323.5 (29.) 584.9 (24.) 827.7 (25.)  
 Trefferlage 0.89 mm links, 2.04 mm hoch  
 Streuwert 13.07, horizontal: 17.06, vertikal: 7.11



Serie 4:  
 9.3 ↖ 9.4 ← 7.8 ↘ 8.7 ↘ 9.8 ↓  
 10.4 \* 9.3 ← 8.2 ↖ 9.5 ↗ 8.6 ↖  
 beste Teiler 453.5 (36.) 903.0 (35.) 1189.1 (39.)  
 Trefferlage 2.78 mm links, 0.69 mm hoch  
 Streuwert 11.74, horizontal: 13.05, vertikal: 10.27





Serie 5:  
 7.8 ↖  
 beste Teiler  
 Trefferlage 20.33 mm links, 15.55 mm hoch  
 Streuwert 0.00, horizontal: 0.00, vertikal: 0.00

Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>361</b>	(381.1)
Serien:	89 90 87 95 9	
Zähler:	11 22 6 2 0 0 0 0 0 0	
Innenzehner:	6	
weiteste:	2532 (20), 2470 (5), 2159 (19)	
beste Teiler	275.3 (17.) 336.7 (3.) 339.4 (9.)	
Trefferlage	6.48 mm links, 3.50 mm tief	
Streuwert	7.44, horizontal: 8.02, vertikal: 6.81	



Serie 1:

9.6 ↙	9.9 ←	10.5 *	9.7 →	7.9 ←
9.9 ↘	9.2 ←	8.4 ←	10.5 *	9.9 ↓


beste Teiler 336.7 (3.) 339.4 (9.) 816.2 (2.)  
 Trefferlage 7.31 mm links, 3.24 mm tief  
 Streuwert 7.68, horizontal: 9.80, vertikal: 4.70



Serie 2:

9.1 ↙	9.8 ↘	9.8 ↘	9.9 ←	10.3 ↓
9.4 ↙	10.6 *	10.1 ↓	8.3 ←	7.8 ←


beste Teiler 275.3 (17.) 513.5 (15.) 709.8 (18.)  
 Trefferlage 8.03 mm links, 2.79 mm tief  
 Streuwert 7.81, horizontal: 8.85, vertikal: 6.60



Serie 3:

8.7 ↓	9.7 ↙	9.4 ←	9.8 ↓	8.7 ↘
9.5 ↙	9.4 ↘	9.4 →	9.0 ↓	8.9 ←


beste Teiler 890.7 (24.) 981.3 (22.) 1124.1 (26.)  
 Trefferlage 5.65 mm links, 3.00 mm tief  
 Streuwert 9.20, horizontal: 7.70, vertikal: 10.48



Serie 4:

10.4 *	9.0 ↓	10.5 *	8.4 ←	9.5 ↙
9.7 ↙	10.0 ↙	10.1 ←	10.0 ↓	10.4 *

beste Teiler 377.8 (33.) 435.6 (31.) 452.2 (40.)  
 Trefferlage 4.93 mm links, 4.64 mm tief  
 Streuwert 6.02, horizontal: 6.75, vertikal: 5.18



Serie 5:



9.8 ↙				
-------	--	--	--	--

beste Teiler  
 Trefferlage 6.52 mm links, 6.76 mm tief  
 Streuwert 0.00, horizontal: 0.00, vertikal: 0.00

Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>351</b>	(366.5)								
Serien:	88	84	89	90	8					
Zähler:	11	15	11	2	2	0	0	0	0	0
Innenzehner:	5									
weiteste:	3897 (31), 3364 (13), 3124 (19)									
beste Teiler	232.3 (10.) 326.0 (32.) 364.0 (36.)									
Trefferlage	1.07 mm rechts, 2.13 mm tief									
Streuwert	11.86, horizontal: 11.04, vertikal: 12.62									



Serie 1:

8.0 ↗	10.2 →	8.6 ↖	9.4 ↓	7.3 ↓
10.1 ←	9.7 ↓	9.5 ↘	8.1 ↖	10.7 *


beste Teiler 232.3 (10.) 603.7 (2.) 654.1 (6.)  
 Trefferlage 1.24 mm links, 0.34 mm tief  
 Streuwert 12.38, horizontal: 7.87, vertikal: 15.64



Serie 2:

9.7 ↗	8.7 ↓	6.7 ↓	8.3 ↘	9.8 ↖
9.6 ↓	8.4 →	10.4 *	7.0 →	10.0 →


beste Teiler 472.0 (18.) 782.7 (20.) 932.1 (15.)  
 Trefferlage 6.90 mm rechts, 5.36 mm tief  
 Streuwert 12.74, horizontal: 11.02, vertikal: 14.26



Serie 3:

9.0 ↖	9.5 ↖	10.1 ↖	9.8 →	9.4 ↘
8.9 ↘	9.6 ↓	9.2 ↓	9.1 →	8.3 ↙


beste Teiler 690.3 (23.) 943.5 (24.) 1092.4 (27.)  
 Trefferlage 2.08 mm rechts, 1.80 mm tief  
 Streuwert 10.13, horizontal: 9.12, vertikal: 11.05



Serie 4:

6.1 ↖	10.5 *	8.3 ←	8.4 ↘	10.4 *
10.5 *	9.5 ↑	10.2 ←	10.2 →	9.3 ↓

beste Teiler 326.0 (32.) 364.0 (36.) 419.8 (35.)  
 Trefferlage 3.96 mm links, 0.28 mm hoch  
 Streuwert 12.15, horizontal: 14.11, vertikal: 9.80



Serie 5:



8.9 ↓
-------

beste Teiler  
 Trefferlage 6.21 mm rechts, 15.48 mm tief  
 Streuwert 0.00, horizontal: 0.00, vertikal: 0.00

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	<b>354</b>	(368.6)					
Serien:	85	91	90	88	8		
Zähler:	10	19	8	3	1	0	0
Innenzehner:	1						
weiteste:	3703 (5), 3147 (40), 2998 (12)						
beste Teiler	125.0 (29.) 522.1 (18.) 603.2 (14.)						
Trefferlage	4.74 mm rechts, 2.16 mm tief						
Streuwert	10.91, horizontal: 12.59, vertikal: 8.92						




Serie 1:

9.1 ↗	9.8 →	8.1 ↙	10.1 ↓	6.3 →
8.8 →	9.3 ↓	9.2 →	8.5 →	9.3 ↘
beste Teiler	667.2 (4.) 957.5 (2.) 1299.0 (7.)			
Trefferlage	7.72 mm rechts, 1.31 mm tief			
Streuwert	12.51, horizontal: 15.19, vertikal: 9.08			




Serie 2:

10.2 ↗	7.2 →	9.3 ↓	10.2 ↗	9.0 →
9.6 →	8.6 ↙	10.3 ↑	9.1 ↓	10.1 ↘
beste Teiler	522.1 (18.) 603.2 (14.) 621.9 (11.)			
Trefferlage	4.51 mm rechts, 1.15 mm tief			
Streuwert	10.42, horizontal: 12.71, vertikal: 7.46			




Serie 3:

9.7 ↓	7.5 ↙	8.1 →	9.9 ↘	10.2 ↑
9.5 ↘	9.7 ↙	10.0 →	10.8 *	9.9 ←
beste Teiler	125.0 (29.) 606.3 (25.) 775.3 (28.)			
Trefferlage	1.13 mm links, 0.34 mm tief			
Streuwert	10.12, horizontal: 12.77, vertikal: 6.45			



Serie 4:

9.5 →	9.7 ↘	8.8 ↓	9.0 ↘	9.4 ↘
9.1 ↓	10.1 →	10.2 →	8.4 →	7.0 ↓
beste Teiler	627.3 (38.) 701.6 (37.) 1023.8 (32.)			
Trefferlage	6.01 mm rechts, 5.63 mm tief			
Streuwert	10.37, horizontal: 7.79, vertikal: 12.43			





Serie 5:

8.0 →				
beste Teiler	23.31 mm rechts, 4.10 mm tief			
Trefferlage	0.00, horizontal: 0.00, vertikal: 0.00			
Streuwert				

Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>363</b>	(379.2)
Serien:	93 93 86 91 10	
Zähler:	15 18 5 3 0 0 0 0 0 0	
Innenzehner:	3	
weiteste:	2660 (34), 2641 (32), 2570 (25)	
beste Teiler	246.6 (31.) 328.5 (16.) 338.1 (21.)	
Trefferlage	4.25 mm links, 1.96 mm tief	
Streuwert	8.92, horizontal: 10.47, vertikal: 7.04	



Serie 1:

9.4 →	10.3 ↗	9.4 ←	9.9 ←	10.4 →
10.3 ←	9.6 ↑	9.0 ←	9.5 →	9.4 →


beste Teiler 479.5 (5.) 514.2 (6.) 548.8 (2.)  
 Trefferlage 0.10 mm rechts, 0.15 mm tief  
 Streuwert 7.90, horizontal: 10.07, vertikal: 4.83



Serie 2:

9.9 →	9.7 ←	9.2 ←	8.4 ←	10.0 ←
10.5 *	9.9 ←	9.0 ↓	10.2 ↓	10.2 ←


beste Teiler 328.5 (16.) 566.2 (19.) 584.5 (20.)  
 Trefferlage 5.72 mm links, 1.66 mm tief  
 Streuwert 7.05, horizontal: 7.98, vertikal: 5.98



Serie 3:

10.5 *	8.8 →	9.6 ←	8.9 ←	7.7 ←
9.7 ↑	8.1 ←	8.1 ↓	9.2 ↑	10.1 ↙


beste Teiler 338.1 (21.) 713.4 (30.) 1032.5 (26.)  
 Trefferlage 5.17 mm links, 2.13 mm tief  
 Streuwert 11.58, horizontal: 12.42, vertikal: 10.69



Serie 4:

10.6 *	7.6 ←	9.0 ←	7.6 ←	10.3 ↘
9.3 ↘	10.0 ←	10.2 ↑	10.0 ↘	9.7 ↙

beste Teiler 246.6 (31.) 499.8 (35.) 587.5 (38.)  
 Trefferlage 6.77 mm links, 3.43 mm tief  
 Streuwert 9.25, horizontal: 11.53, vertikal: 6.17



Serie 5:

10.1 ↓				
--------	--	--	--	--

beste Teiler  
 Trefferlage 1.24 mm rechts, 6.68 mm tief  
 Streuwert 0.00, horizontal: 0.00, vertikal: 0.00

Unterschrift des Schützen