





Ergebnis:	365	(383.2)			
Serien:	92	91	90	92	
Zähler:	18	12	7	3	0 0 0 0 0 0
Innenzehner:	8				
weiteste:	2544 (2), 2410 (24), 2404 (27)				
beste Teiler	140.0 (22.) 156.9 (15.) 261.7 (40.)				
Trefferlage	1.84 mm rechts, 6.06 mm hoch				
Streuwert	8.09, horizontal: 8.12, vertikal: 8.06				




Serie 1:					
	10.6 *	7.8 ↗	9.6 ↘	9.9 ↓	10.4 *
	10.5 *	8.3 ↗	9.7 ↓	10.0 ↑	10.6 *
beste Teiler	290.8 (10.) 296.6 (1.) 383.7 (6.)				
Trefferlage	1.44 mm rechts, 3.93 mm hoch				
Streuwert	8.61, horizontal: 6.60, vertikal: 10.24				



Serie 2:					
	8.3 ↗	8.9 ↑	9.6 ↘	9.0 →	10.8 *
	9.2 ↑	9.6 ↘	10.2 ↘	10.2 ←	9.2 ↖
beste Teiler	156.9 (15.) 567.8 (19.) 635.6 (18.)				
Trefferlage	0.49 mm rechts, 7.11 mm hoch				
Streuwert	8.00, horizontal: 8.86, vertikal: 7.03				





Serie 3:					
	10.3 ↑	10.8 *	10.2 ↘	7.9 →	8.7 ↖
	10.3 ↗	7.9 ↗	10.2 ↓	8.6 ↖	10.4 *
beste Teiler	140.0 (22.) 471.4 (30.) 546.7 (21.)				
Trefferlage	3.30 mm rechts, 6.38 mm hoch				
Streuwert	9.09, horizontal: 9.35, vertikal: 8.82				



Serie 4:					
	8.6 →	10.0 ↑	9.4 ←	8.4 ↑	9.4 ↖
	10.3 ←	10.0 ↗	9.4 →	9.4 ↑	10.6 *
beste Teiler	261.7 (40.) 518.2 (36.) 736.8 (32.)				
Trefferlage	2.13 mm rechts, 6.82 mm hoch				
Streuwert	7.54, horizontal: 8.47, vertikal: 6.49				

Unterschrift des Schützen


Ergebnis:	378	(393.5)
Serien:	92 95 96 95	
Zähler:	21 16 3 0 0 0 0 0 0 0	
Innenzehner:	9	
weiteste:	2151 (38), 2082 (1), 1964 (39)	
beste Teiler	285.4 (18.) 289.6 (21.) 291.4 (29.)	
Trefferlage	0.92 mm rechts, 0.09 mm hoch	
Streuwert	7.26, horizontal: 8.04, vertikal: 6.38	



Serie 1:

8.3 ↙	10.3 ↗	9.9 ↓	9.1 →	9.4 ↓
10.3 ←	9.6 ↑	9.3 ↖	10.0 ↖	9.2 ↓


beste Teiler 522.5 (2.) 546.7 (6.) 755.9 (9.)
 Trefferlage 2.80 mm links, 3.80 mm tief
 Streuwert 8.44, horizontal: 7.50, vertikal: 9.28



Serie 2:

10.4 *	10.0 ↗	10.1 ↖	9.2 →	9.9 ←
9.4 ↖	10.5 *	10.6 *	9.9 ↖	9.3 →


beste Teiler 285.4 (18.) 355.0 (17.) 468.1 (11.)
 Trefferlage 0.85 mm links, 1.21 mm hoch
 Streuwert 6.61, horizontal: 8.67, vertikal: 3.49



Serie 3:

10.6 *	10.1 ↖	9.7 →	9.8 →	9.1 →
10.1 ↗	10.2 ↖	10.2 ↗	10.6 *	9.7 ↗

beste Teiler 289.6 (21.) 291.4 (29.) 574.7 (27.)
 Trefferlage 4.12 mm rechts, 2.97 mm hoch
 Streuwert 4.78, horizontal: 5.83, vertikal: 3.43



Serie 4:



10.2 ↖	10.2 →	10.4 *	10.2 ↖	9.6 →
10.4 *	10.4 *	8.3 ↘	8.5 ↗	10.5 *

beste Teiler 399.2 (40.) 418.4 (36.) 459.8 (37.)
 Trefferlage 3.25 mm rechts, 0.01 mm tief
 Streuwert 7.65, horizontal: 8.85, vertikal: 6.21


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **361** (378.4)
 Serien: 89 93 93 86
 Zähler: 12 19 7 2 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 3086 (33), 2611 (40), 2220 (8)
 beste Teiler 343.5 (38.) 367.5 (15.) 411.8 (1.)
 Trefferlage 3.15 mm links, 3.26 mm hoch
 Streuwert 9.12, horizontal: 7.84, vertikal: 10.24




Serie 1:
 10.4 * 9.7 ↙ 8.9 → 9.4 ↗ 9.0 ↘
 10.3 ↙ 9.5 ↘ 8.2 ↓ 9.9 ↖ 8.9 ↙
 beste Teiler 411.8 (1.) 549.6 (6.) 842.3 (9.)
 Trefferlage 3.00 mm links, 1.47 mm tief
 Streuwert 9.62, horizontal: 9.10, vertikal: 10.11



Serie 2:
 10.2 ↗ 10.4 * 9.2 ↘ 9.8 ↗ 10.5 *
 9.1 ↙ 10.0 ↘ 8.6 ↑ 9.2 ← 9.4 ↑
 beste Teiler 367.5 (15.) 433.8 (12.) 575.8 (11.)
 Trefferlage 3.02 mm links, 4.08 mm hoch
 Streuwert 7.66, horizontal: 6.53, vertikal: 8.65



Serie 3:
 10.1 ↖ 9.3 ↘ 9.5 ↙ 8.6 ↑ 9.9 ↗
 9.1 ← 10.1 ← 9.5 → 10.2 ↖ 10.4 *
 beste Teiler 445.1 (30.) 597.0 (29.) 687.1 (27.)
 Trefferlage 3.68 mm links, 3.64 mm hoch
 Streuwert 7.43, horizontal: 7.86, vertikal: 6.99





Serie 4:
 9.1 ↓ 9.9 ↘ 7.1 ↘ 8.5 ↑ 10.2 ↗
 9.8 ↙ 8.4 ↑ 10.5 * 9.9 ↑ 7.7 ↘
 beste Teiler 343.5 (38.) 633.5 (35.) 831.8 (32.)
 Trefferlage 2.91 mm links, 6.81 mm hoch
 Streuwert 11.56, horizontal: 8.89, vertikal: 13.73

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	356	(376.3)			
Serien:	86	89	90	91	
Zähler:	13	13	12	1	1 0 0 0 0 0
Innenzehner:	4				
weiteste:	3533 (6), 2482 (12), 2037 (14)				
beste Teiler	70.7 (19.) 369.0 (34.) 372.1 (17.)				
Trefferlage	6.54 mm links, 2.40 mm hoch				
Streuwert	8.71, horizontal: 9.86, vertikal: 7.39				




Serie 1:

9.9 ↓	9.4 ↙	9.8 ↘	8.5 ←	10.4 *
6.5 ←	8.8 ↙	9.6 ←	10.1 →	8.9 ←
beste Teiler	466.4 (5.) 685.2 (9.) 854.0 (1.)			
Trefferlage	10.73 mm links, 2.40 mm tief			
Streuwert	9.03, horizontal: 11.40, vertikal: 5.76			




Serie 2:

8.9 ↙	7.8 ←	9.7 ↓	8.4 ↗	9.4 ←
8.8 ←	10.5 *	10.2 →	10.9 *	10.2 ↘
beste Teiler	70.7 (19.) 372.1 (17.) 591.2 (20.)			
Trefferlage	5.21 mm links, 0.36 mm tief			
Streuwert	9.61, horizontal: 11.13, vertikal: 7.80			



Serie 3:

8.7 ↑	9.1 ↗	9.3 →	10.0 ↑	10.2 →
8.5 ↘	9.2 ↘	8.9 ↘	9.4 ↑	10.1 ↘
beste Teiler	584.0 (25.) 684.8 (30.) 764.0 (24.)			
Trefferlage	3.13 mm links, 8.32 mm hoch			
Streuwert	7.57, horizontal: 8.93, vertikal: 5.90			





Serie 4:

8.6 ↙	9.8 ↑	10.1 ↑	10.5 *	9.7 ↘
8.8 ↘	9.5 ↘	10.3 ↘	10.3 ↘	8.6 ←
beste Teiler	369.0 (34.) 508.9 (39.) 558.1 (38.)			
Trefferlage	7.11 mm links, 4.04 mm hoch			
Streuwert	6.50, horizontal: 7.26, vertikal: 5.63			


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **350** (365.2)
 Serien: 85 87 90 88
 Zähler: 12 14 7 6 1 0 0 0 0 0
 Innenzehner: 3
 weiteste: 3705 (35), 2766 (11), 2744 (5)
 beste Teiler 253.8 (3.) 432.1 (23.) 449.1 (21.)
 Trefferlage 2.62 mm rechts, 5.07 mm tief
 Streuwert 11.23, horizontal: 10.88, vertikal: 11.57




Serie 1:
 7.9 ↙ 9.7 ↑ 10.6 * 9.0 → 7.5 ↘
 7.7 ↓ 9.0 → 9.7 ↓ 9.2 ↓ 9.6 ↑
 beste Teiler 253.8 (3.) 982.3 (8.) 1003.4 (2.)
 Trefferlage 0.05 mm links, 6.40 mm tief
 Streuwert 12.12, horizontal: 10.38, vertikal: 13.65



Serie 2:
 7.5 → 9.5 ↘ 9.1 ← 10.2 ↘ 9.7 ↙
 8.8 ↘ 7.9 ↘ 9.3 ↘ 9.1 ↘ 10.3 ↓
 beste Teiler 513.4 (20.) 635.6 (14.) 1022.4 (15.)
 Trefferlage 5.53 mm rechts, 2.85 mm tief
 Streuwert 11.09, horizontal: 14.07, vertikal: 6.91





Serie 3:
 10.4 * 9.4 ↓ 10.4 * 9.8 ↘ 8.7 ↙
 8.3 ↓ 8.4 ↓ 10.0 ↘ 8.2 ↑ 10.0 ↑
 beste Teiler 432.1 (23.) 449.1 (21.) 783.9 (28.)
 Trefferlage 0.40 mm links, 2.41 mm tief
 Streuwert 10.60, horizontal: 7.59, vertikal: 12.93




Serie 4:
 8.4 ↓ 10.0 ↓ 10.1 ↑ 7.8 ↓ 6.3 ↘
 8.0 → 10.0 ↓ 10.2 ↓ 10.2 ← 9.3 ↓
 beste Teiler 603.7 (39.) 629.5 (38.) 718.3 (33.)
 Trefferlage 5.43 mm rechts, 8.59 mm tief
 Streuwert 11.48, horizontal: 10.65, vertikal: 12.26

Unterschrift des Schützen


Ergebnis:	357	(375.6)			
Serien:	90	88	92	87	
Zähler:	5	27	8	0	0 0 0 0 0 0
Innenzehner:	3				
weiteste:	2285 (4), 2244 (8), 2240 (33)				
beste Teiler	253.2 (23.) 409.8 (5.) 463.4 (9.)				
Trefferlage	4.76 mm links, 4.21 mm hoch				
Streuwert	8.42, horizontal: 7.96, vertikal: 8.86				




Serie 1:	10.0 ↓	9.4 ←	8.8 ←	8.1 ↑	10.4 *
	9.3 ↘	9.5 ←	8.1 ↘	10.4 *	9.0 ←
beste Teiler	409.8 (5.) 463.4 (9.) 724.7 (1.)				
Trefferlage	8.86 mm links, 2.68 mm hoch				
Streuwert	8.39, horizontal: 6.59, vertikal: 9.87				



Serie 2:	9.1 ↘	9.4 ←	8.5 ←	8.6 ↑	9.4 ↗
	9.9 ↘	9.7 ←	9.9 ←	9.7 ↘	9.7 ↑
beste Teiler	815.4 (18.) 820.5 (16.) 977.4 (19.)				
Trefferlage	6.99 mm links, 4.79 mm hoch				
Streuwert	7.33, horizontal: 6.59, vertikal: 7.99				





Serie 3:	9.8 ↗	9.2 ↓	10.6 *	9.4 ←	10.3 ↘
	9.4 ↘	9.6 ←	9.5 ←	9.1 ↑	9.4 →
beste Teiler	253.2 (23.) 490.4 (25.) 903.8 (21.)				
Trefferlage	2.64 mm links, 0.29 mm hoch				
Streuwert	8.09, horizontal: 8.26, vertikal: 7.93				




Serie 4:	9.7 →	9.2 ↘	8.2 ↗	9.9 ←	8.6 ↗
	9.8 ↘	9.5 ↘	8.7 ↑	9.5 ↗	9.3 ↗
beste Teiler	841.3 (34.) 893.3 (36.) 1016.0 (31.)				
Trefferlage	0.55 mm links, 9.09 mm hoch				
Streuwert	8.36, horizontal: 8.40, vertikal: 8.32				

Unterschrift des Schützen


Ergebnis: **342** (362.8)
 Serien: 85 88 84 85
 Zähler: 9 14 10 5 1 1 0 0 0 0
 Innenzehner: 5
 weiteste: 4205 (6), 3901 (39), 2613 (24)
 beste Teiler 141.1 (20.) 212.5 (12.) 280.6 (25.)
 Trefferlage 0.86 mm rechts, 1.12 mm tief
 Streuwert 12.51, horizontal: 10.96, vertikal: 13.89




Serie 1:
 10.3 ↖ 9.8 ↓ 9.1 ↘ 9.0 ↗ 8.4 ↓
 5.7 ↓ 9.0 → 10.2 → 9.4 ↗ 7.8 ↘
 beste Teiler 531.9 (1.) 627.1 (8.) 888.7 (2.)
 Trefferlage 5.47 mm rechts, 7.01 mm tief
 Streuwert 12.97, horizontal: 7.73, vertikal: 16.63



Serie 2:
 8.9 ↗ 10.7 * 7.7 ↖ 8.6 ↗ 9.4 ↘
 9.1 ← 10.3 ↗ 8.9 ↘ 9.8 ↑ 10.8 *
 beste Teiler 141.1 (20.) 212.5 (12.) 552.3 (17.)
 Trefferlage 0.87 mm links, 4.90 mm hoch
 Streuwert 10.05, horizontal: 12.07, vertikal: 7.49



Serie 3:
 9.6 ↘ 8.6 ↑ 8.8 ↘ 7.7 ↗ 10.6 *
 10.4 * 8.8 ↗ 8.6 ↘ 9.3 ↑ 7.9 ↓
 beste Teiler 280.6 (25.) 410.5 (26.) 1107.3 (21.)
 Trefferlage 2.12 mm links, 1.58 mm hoch
 Streuwert 12.57, horizontal: 10.40, vertikal: 14.41





Serie 4:
 10.0 ↓ 7.9 ↑ 9.5 ↓ 10.5 * 8.5 ↓
 9.8 ↓ 9.3 → 9.1 ↓ 6.1 ↖ 8.9 ↗
 beste Teiler 364.0 (34.) 788.5 (31.) 944.3 (36.)
 Trefferlage 0.97 mm rechts, 3.97 mm tief
 Streuwert 13.58, horizontal: 13.03, vertikal: 14.11


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **361** (376.3)
 Serien: 87 94 91 89
 Zähler: 13 18 6 3 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 3000 (17), 2576 (7), 2508 (10)
 beste Teiler 216.9 (1.) 388.8 (13.) 399.4 (20.)
 Trefferlage 4.30 mm links, 0.69 mm tief
 Streuwert 9.56, horizontal: 9.52, vertikal: 9.60




Serie 1:
 10.7 * 10.1 ← 8.3 ↑ 8.4 ↓ 10.4 *
 9.6 ↙ 7.7 ↓ 9.5 ↘ 9.0 → 7.8 ←
 beste Teiler 216.9 (1.) 432.8 (5.) 696.7 (2.)
 Trefferlage 2.46 mm links, 4.44 mm tief
 Streuwert 11.72, horizontal: 10.32, vertikal: 12.97



Serie 2:
 9.1 ↓ 10.2 ← 10.5 * 10.2 ↑ 10.3 ↓
 9.5 ↙ 7.2 ← 9.7 ← 10.0 ← 10.5 *
 beste Teiler 388.8 (13.) 399.4 (20.) 499.2 (15.)
 Trefferlage 6.78 mm links, 2.65 mm tief
 Streuwert 7.52, horizontal: 8.83, vertikal: 5.93



Serie 3:
 9.1 ↖ 8.0 ↖ 9.4 ↖ 9.3 ← 10.1 ↙
 10.3 ↗ 9.5 ↙ 10.1 ↖ 9.1 ← 8.9 ↘
 beste Teiler 483.2 (26.) 702.1 (25.) 718.7 (28.)
 Trefferlage 7.70 mm links, 0.42 mm hoch
 Streuwert 8.44, horizontal: 10.10, vertikal: 6.35



Serie 4:
 9.4 ↙ 10.1 ↓ 8.6 ↑ 9.7 ↖ 8.9 ↗
 9.7 ↑ 9.2 ↑ 9.8 ↑ 9.0 ↘ 9.4 ←
 beste Teiler 664.2 (32.) 906.4 (38.) 1011.7 (36.)
 Trefferlage 0.28 mm links, 3.88 mm hoch
 Streuwert 9.37, horizontal: 8.02, vertikal: 10.55

Unterschrift des Schützen

Meyton Elektronik