





Ergebnis: **363** (382.8)
 Serien: 94 87 93 89
 Zähler: 13 17 10 0 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 1964 (6), 1938 (37), 1792 (16)
 beste Teiler 157.8 (8.) 173.7 (26.) 220.0 (3.)
 Trefferlage 0.46 mm rechts, 3.20 mm tief
 Streuwert 8.47, horizontal: 9.03, vertikal: 7.86




Serie 1:
 9.0 ↙ 9.5 ↗ 10.7 * 9.3 → 10.1 ↖
 8.5 ↘ 9.4 ↘ 10.8 * 10.5 * 10.3 ↖
 beste Teiler 157.8 (8.) 220.0 (3.) 389.3 (9.)
 Trefferlage 0.30 mm links, 4.28 mm tief
 Streuwert 7.42, horizontal: 8.09, vertikal: 6.67



Serie 2:
 9.9 ↓ 9.4 → 10.3 ↓ 9.1 ↖ 8.8 ↖
 8.7 → 8.8 ↓ 9.1 ↓ 9.6 → 8.7 ↖
 beste Teiler 559.3 (13.) 862.0 (11.) 1111.1 (19.)
 Trefferlage 1.33 mm links, 6.77 mm tief
 Streuwert 9.40, horizontal: 11.69, vertikal: 6.33



Serie 3:
 10.2 ↖ 10.5 * 9.6 ↖ 8.9 ↖ 9.4 ↖
 10.7 * 9.1 ↓ 9.7 ↗ 9.5 → 10.4 *
 beste Teiler 173.7 (26.) 350.4 (22.) 441.2 (30.)
 Trefferlage 0.01 mm rechts, 0.67 mm tief
 Streuwert 7.67, horizontal: 7.80, vertikal: 7.54





Serie 4:
 10.2 ↗ 8.9 ↖ 10.3 ↗ 8.8 ↘ 9.2 ↖
 9.9 ↗ 8.5 ↘ 8.9 ↗ 10.0 ↘ 9.6 ↗
 beste Teiler 543.0 (33.) 592.3 (31.) 746.0 (39.)
 Trefferlage 3.46 mm rechts, 1.09 mm tief
 Streuwert 9.35, horizontal: 8.71, vertikal: 9.95


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **373** (391.6)
 Serien: 93 94 91 95
 Zähler: 15 23 2 0 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 1888 (26), 1845 (1), 1505 (22)
 beste Teiler 139.6 (19.) 200.0 (30.) 290.6 (5.)
 Trefferlage 0.58 mm links, 0.43 mm tief
 Streuwert 7.20, horizontal: 6.66, vertikal: 7.69




Serie 1:
 8.6 ↙ 9.9 ← 9.9 ↘ 9.3 ↗ 10.6 *
 10.1 ↓ 10.3 ← 9.7 ↘ 9.5 ↗ 10.5 *
 beste Teiler 290.6 (5.) 347.3 (10.) 483.8 (7.)
 Trefferlage 3.87 mm links, 1.46 mm tief
 Streuwert 6.70, horizontal: 4.43, vertikal: 8.38



Serie 2:
 9.4 → 10.1 ← 10.3 ↓ 9.6 ↗ 9.3 ↓
 9.9 → 10.0 ↘ 9.5 ↓ 10.8 * 9.6 ↑
 beste Teiler 139.6 (19.) 504.9 (13.) 685.3 (12.)
 Trefferlage 0.18 mm links, 1.79 mm tief
 Streuwert 6.89, horizontal: 6.42, vertikal: 7.33



Serie 3:
 10.2 ↗ 9.1 ← 9.3 ↑ 9.7 ↘ 9.8 ↗
 8.6 ↖ 9.9 ↓ 9.6 ↘ 9.8 → 10.7 *
 beste Teiler 200.0 (30.) 600.6 (21.) 866.3 (27.)
 Trefferlage 1.97 mm links, 1.04 mm hoch
 Streuwert 8.21, horizontal: 7.53, vertikal: 8.84





Serie 4:
 10.2 → 9.3 ↗ 9.6 ↘ 10.2 → 10.0 ↗
 9.4 ↗ 10.2 ↘ 9.8 → 10.1 ↑ 9.2 ↗
 beste Teiler 572.0 (37.) 599.7 (31.) 634.9 (34.)
 Trefferlage 3.69 mm rechts, 0.48 mm hoch
 Streuwert 6.64, horizontal: 6.34, vertikal: 6.92


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **370** (387.7)
 Serien: 89 93 94 94
 Zähler: 18 15 6 1 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2547 (36), 2172 (10), 2096 (16)
 beste Teiler 21.0 (37.) 39.0 (5.) 47.5 (15.)
 Trefferlage 3.29 mm rechts, 2.63 mm hoch
 Streuwert 7.90, horizontal: 8.53, vertikal: 7.21




Serie 1:
 9.7 ← 9.4 → 8.4 ↑ 9.9 ↗ 10.9 *
 9.8 ↙ 9.1 ↘ 9.6 ↑ 9.7 ↘ 8.2 ↗
 beste Teiler 39.0 (5.) 838.1 (4.) 900.3 (6.)
 Trefferlage 3.20 mm rechts, 4.20 mm hoch
 Streuwert 8.93, horizontal: 8.22, vertikal: 9.58



Serie 2:
 8.4 ↗ 9.6 ← 10.6 * 10.3 ↖ 10.9 *
 8.3 ↗ 9.8 ↑ 10.0 ↓ 10.1 ↑ 9.8 →
 beste Teiler 47.5 (15.) 270.7 (13.) 525.9 (14.)
 Trefferlage 2.34 mm rechts, 4.38 mm hoch
 Streuwert 7.59, horizontal: 8.22, vertikal: 6.92



Serie 3:
 9.7 ↓ 10.4 * 10.0 ← 9.3 ↗ 10.3 ↑
 9.2 → 10.3 ↘ 8.5 → 9.3 ↘ 10.2 ↗
 beste Teiler 437.6 (22.) 510.1 (25.) 533.2 (27.)
 Trefferlage 5.50 mm rechts, 0.39 mm hoch
 Streuwert 7.11, horizontal: 8.49, vertikal: 5.39





Serie 4:
 8.8 ↙ 10.1 → 10.3 → 10.1 ↑ 10.2 ↙
 7.8 → 10.9 * 10.1 ↑ 9.3 ↗ 10.4 *
 beste Teiler 21.0 (37.) 422.8 (40.) 536.1 (33.)
 Trefferlage 2.14 mm rechts, 1.55 mm hoch
 Streuwert 8.48, horizontal: 10.01, vertikal: 6.59


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **336** (354.0)
 Serien: 84 85 84 83
 Zähler: 7 11 15 5 2 0 0 0 0 0
 Innenzehner: 1
 weiteste: 3394 (13), 3313 (3), 2855 (33)
 beste Teiler 426.9 (24.) 507.0 (36.) 601.4 (19.)
 Trefferlage 2.41 mm rechts, 5.35 mm tief
 Streuwert 12.52, horizontal: 13.40, vertikal: 11.57




Serie 1:
 8.8 → 10.0 ↘ 6.8 ↑ 10.1 ↑ 8.8 ↖
 8.0 ↙ 10.1 → 9.1 ↙ 8.1 ↘ 7.8 ↘
 beste Teiler 663.7 (7.) 682.5 (4.) 780.7 (2.)
 Trefferlage 2.27 mm rechts, 0.70 mm tief
 Streuwert 14.42, horizontal: 11.60, vertikal: 16.77



Serie 2:
 8.7 ↘ 8.5 ← 6.7 → 9.0 → 9.5 →
 9.1 ↘ 10.1 ↑ 7.6 → 10.2 ↑ 9.7 ↙
 beste Teiler 601.4 (19.) 700.4 (17.) 968.0 (20.)
 Trefferlage 7.68 mm rechts, 4.29 mm tief
 Streuwert 11.95, horizontal: 14.85, vertikal: 8.08





Serie 3:
 8.3 → 7.5 ↙ 9.7 ↙ 10.4 * 8.2 ↓
 9.1 ↘ 8.7 ↙ 8.3 ↓ 9.0 ↙ 8.7 ↓
 beste Teiler 426.9 (24.) 967.8 (23.) 1461.4 (26.)
 Trefferlage 2.50 mm links, 12.23 mm tief
 Streuwert 10.08, horizontal: 11.60, vertikal: 8.28




Serie 4:
 8.4 → 9.9 ↓ 7.4 ↘ 9.2 ← 8.8 ↘
 10.3 ↗ 8.9 ↙ 7.9 ← 8.7 → 9.9 ↓
 beste Teiler 507.0 (36.) 833.8 (40.) 849.7 (32.)
 Trefferlage 2.21 mm rechts, 4.17 mm tief
 Streuwert 12.57, horizontal: 15.18, vertikal: 9.26

Unterschrift des Schützen


Ergebnis: **350** (366.1)
 Serien: 89 88 86 87
 Zähler: 11 13 11 5 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 2961 (14), 2627 (33), 2511 (16)
 beste Teiler 295.1 (24.) 335.8 (8.) 342.1 (32.)
 Trefferlage 5.04 mm links, 1.94 mm tief
 Streuwert 10.90, horizontal: 10.38, vertikal: 11.39




Serie 1:
 8.7 ↘ 10.0 ↑ 9.1 ↖ 9.9 ↑ 9.5 ↗
 8.9 ← 9.0 ↘ 10.5 * 9.6 ↘ 8.0 ↙
 beste Teiler 335.8 (8.) 739.0 (2.) 857.4 (4.)
 Trefferlage 7.13 mm links, 3.18 mm hoch
 Streuwert 8.86, horizontal: 8.63, vertikal: 9.08



Serie 2:
 9.9 ↓ 10.3 ↘ 10.2 ← 7.2 ↓ 9.4 ↗
 7.8 ↙ 8.2 ← 10.0 ↘ 8.0 ↓ 10.4 *
 beste Teiler 460.9 (20.) 542.2 (12.) 606.3 (13.)
 Trefferlage 4.63 mm links, 6.30 mm tief
 Streuwert 11.31, horizontal: 8.76, vertikal: 13.38



Serie 3:
 9.6 ↑ 9.1 ↘ 8.3 ↙ 10.6 * 8.3 ↖
 10.0 ↙ 8.8 ↓ 9.2 ← 8.7 ↗ 7.8 ↙
 beste Teiler 295.1 (24.) 788.5 (26.) 1053.2 (21.)
 Trefferlage 4.03 mm links, 2.97 mm tief
 Streuwert 11.73, horizontal: 11.66, vertikal: 11.80





Serie 4:
 10.1 ↓ 10.5 * 7.7 ↖ 9.1 ↙ 9.5 ↙
 8.3 ↖ 8.1 ↗ 9.8 ↓ 10.1 ↖ 7.9 ↘
 beste Teiler 342.1 (32.) 651.0 (31.) 690.8 (39.)
 Trefferlage 4.37 mm links, 1.67 mm tief
 Streuwert 11.90, horizontal: 13.16, vertikal: 10.50


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **345** (361.6)
 Serien: 80 88 89 88
 Zähler: 8 16 14 1 0 0 0 0 1 0
 Innenzehner: 2
 weiteste: 6551 (5), 2899 (27), 2275 (38)
 beste Teiler 452.1 (1.) 459.1 (19.) 546.4 (22.)
 Trefferlage 0.33 mm links, 1.87 mm tief
 Streuwert 13.01, horizontal: 14.94, vertikal: 10.74




Serie 1:
 10.4 * 8.3 ↙ 9.4 ↙ 8.9 ↓ 2.8 →
 9.6 ↘ 9.3 ↓ 9.1 ↘ 8.4 ↖ 8.2 ↖
 beste Teiler 452.1 (1.) 1063.6 (6.) 1211.1 (3.)
 Trefferlage 1.07 mm rechts, 7.16 mm tief
 Streuwert 18.35, horizontal: 24.31, vertikal: 9.08



Serie 2:
 8.5 ↑ 8.7 ↘ 9.9 ↖ 8.3 ↖ 9.6 →
 9.0 ↓ 10.3 ↘ 9.3 ↘ 10.4 * 8.8 →
 beste Teiler 459.1 (19.) 558.2 (17.) 820.8 (13.)
 Trefferlage 2.93 mm rechts, 1.28 mm tief
 Streuwert 10.60, horizontal: 9.77, vertikal: 11.37



Serie 3:
 10.0 ↑ 10.3 ↖ 9.9 ↑ 8.1 ↘ 10.1 ↑
 9.6 ↑ 7.3 ← 9.8 ← 9.7 ↗ 8.2 ↑
 beste Teiler 546.4 (22.) 694.5 (25.) 781.7 (21.)
 Trefferlage 0.27 mm links, 4.58 mm hoch
 Streuwert 10.89, horizontal: 12.22, vertikal: 9.38





Serie 4:
 9.5 ↖ 8.7 ↙ 8.7 ↙ 9.3 ← 8.7 ↘
 9.3 ↓ 10.0 ↖ 8.1 ↙ 9.1 ↑ 10.0 →
 beste Teiler 733.0 (40.) 758.4 (37.) 1128.4 (31.)
 Trefferlage 5.05 mm links, 3.64 mm tief
 Streuwert 10.29, horizontal: 9.64, vertikal: 10.90


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **361** (378.4)
 Serien: 88 92 92 89
 Zähler: 11 20 8 1 0 0 0 0 0 0
 Innenzehner: 2
 weiteste: 2934 (39), 2314 (8), 1955 (29)
 beste Teiler 138.3 (26.) 145.2 (23.) 524.2 (17.)
 Trefferlage 1.57 mm rechts, 0.00 mm
 Streuwert 9.36, horizontal: 8.51, vertikal: 10.13




Serie 1:
 8.5 ↗ 9.4 ↘ 10.3 ↑ 9.9 ↖ 10.0 ↘
 8.9 ↘ 9.1 → 8.1 ↗ 8.7 ↑ 9.4 ↗
 beste Teiler 554.4 (3.) 768.3 (5.) 869.0 (4.)
 Trefferlage 6.66 mm rechts, 2.75 mm hoch
 Streuwert 9.61, horizontal: 7.96, vertikal: 11.01



Serie 2:
 9.0 ↑ 9.8 ↗ 9.1 ↖ 9.7 → 10.3 ↓
 10.2 ↓ 10.3 ↓ 9.8 ↑ 8.9 ↑ 9.3 ←
 beste Teiler 524.2 (17.) 537.6 (15.) 564.1 (16.)
 Trefferlage 0.97 mm rechts, 4.61 mm hoch
 Streuwert 7.52, horizontal: 6.47, vertikal: 8.44



Serie 3:
 9.7 ↗ 10.2 ↖ 10.8 * 9.3 ↘ 9.1 →
 10.8 * 9.8 ↑ 9.0 ↓ 8.5 ↘ 9.5 ↘
 beste Teiler 138.3 (26.) 145.2 (23.) 622.2 (22.)
 Trefferlage 0.29 mm links, 3.23 mm tief
 Streuwert 8.30, horizontal: 8.62, vertikal: 7.97





Serie 4:
 9.9 → 8.8 ← 8.8 ↘ 10.1 ↓ 10.0 ↖
 10.0 → 9.7 ← 9.1 ↑ 7.3 ↓ 9.3 ↘
 beste Teiler 651.0 (34.) 755.4 (36.) 789.5 (35.)
 Trefferlage 1.07 mm links, 4.11 mm tief
 Streuwert 10.48, horizontal: 9.66, vertikal: 11.24


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **333** (352.8)
 Serien: 81 84 81 87
 Zähler: 5 15 12 5 2 1 0 0 0 0
 Innenzehner: 3
 weiteste: 4351 (21), 3478 (10), 3243 (20)
 beste Teiler 357.7 (27.) 377.7 (15.) 378.6 (6.)
 Trefferlage 2.08 mm rechts, 8.00 mm hoch
 Streuwert 12.38, horizontal: 10.33, vertikal: 14.13




Serie 1:
 8.6 ↙ 8.0 ← 7.7 ↑ 8.7 ↗ 9.8 ↘
 10.5 * 7.5 → 9.4 ↘ 9.5 ↙ 6.6 ↑
 beste Teiler 378.6 (6.) 901.7 (5.) 1135.8 (9.)
 Trefferlage 0.34 mm links, 4.69 mm hoch
 Streuwert 14.99, horizontal: 13.36, vertikal: 16.46



Serie 2:
 9.6 ↗ 9.2 ← 8.6 ↗ 8.0 ↑ 10.5 *
 9.6 → 9.1 ↙ 8.5 ↗ 8.9 ↗ 6.9 ↘
 beste Teiler 377.7 (15.) 1043.5 (11.) 1097.0 (16.)
 Trefferlage 2.41 mm rechts, 8.77 mm hoch
 Streuwert 11.73, horizontal: 12.24, vertikal: 11.20



Serie 3:
 5.5 ↑ 8.7 ↘ 8.6 ↑ 9.2 → 8.4 ↑
 7.8 ↘ 10.5 * 9.5 ↗ 9.6 ↑ 8.0 ↑
 beste Teiler 357.7 (27.) 1044.6 (29.) 1145.9 (28.)
 Trefferlage 4.53 mm rechts, 12.95 mm hoch
 Streuwert 12.32, horizontal: 8.86, vertikal: 15.00



Serie 4:
 7.8 ↑ 9.2 ↗ 10.3 ↙ 7.7 ↑ 9.4 ↘
 8.7 ↑ 9.7 ← 10.3 → 9.6 ↑ 9.1 ↓
 beste Teiler 529.7 (38.) 533.9 (33.) 1025.1 (37.)
 Trefferlage 1.75 mm rechts, 5.60 mm hoch
 Streuwert 10.94, horizontal: 6.47, vertikal: 14.06

Unterschrift des Schützen

Meyton Elektronik