





Ergebnis: **378** (395.8)
 Serien: 94 93 95 96
 Zähler: 20 18 2 0 0 0 0 0 0 0
 Innenzehner: 13
 weiteste: 647 (20), 531 (7), 464 (39)
 beste Teiler 38.5 (36.) 40.8 (17.) 41.0 (40.)
 Trefferlage 0.28 mm links, 0.55 mm hoch
 Streuwert 2.09, horizontal: 2.47, vertikal: 1.61




Serie 1:
 9.9 ↗ 10.0 ↑ 10.2 * 10.0 ↑ 9.4 ←
 9.4 ↘ 8.8 → 10.7 * 10.3 * 9.3 ←
 beste Teiler 68.4 (8.) 168.1 (9.) 195.0 (3.)
 Trefferlage 0.05 mm links, 1.19 mm hoch
 Streuwert 2.20, horizontal: 2.84, vertikal: 1.28



Serie 2:
 9.8 → 9.6 ← 9.7 ← 10.0 ↖ 10.3 *
 9.5 ↘ 10.8 * 10.0 ↑ 9.9 ↗ 8.4 →
 beste Teiler 40.8 (17.) 162.6 (15.) 228.5 (18.)
 Trefferlage 0.06 mm links, 0.70 mm hoch
 Streuwert 2.37, horizontal: 3.08, vertikal: 1.30



Serie 3:
 9.2 ← 10.3 * 10.1 ↘ 9.6 ↑ 10.4 *
 9.9 ↑ 10.6 * 9.8 ← 10.5 * 9.7 ↙
 beste Teiler 89.0 (27.) 103.2 (29.) 136.6 (25.)
 Trefferlage 0.99 mm links, 0.85 mm hoch
 Streuwert 1.69, horizontal: 1.81, vertikal: 1.56





Serie 4:
 10.2 * 9.7 ↘ 10.2 * 10.0 ↑ 9.4 ↙
 10.8 * 10.1 ↗ 9.4 ↘ 9.1 ↙ 10.8 *
 beste Teiler 38.5 (36.) 41.0 (40.) 182.5 (33.)
 Trefferlage 0.02 mm links, 0.54 mm tief
 Streuwert 2.06, horizontal: 2.20, vertikal: 1.90


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **389** (409.8)
 Serien: 97 99 96 97
 Zähler: 30 9 1 0 0 0 0 0 0 0
 Innenzehner: 24
 weiteste: 516 (28), 420 (33), 397 (10)
 beste Teiler 18.0 (13.) 32.0 (11.) 34.0 (20.)
 Trefferlage 0.46 mm rechts, 0.36 mm tief
 Streuwert 1.47, horizontal: 1.07, vertikal: 1.79




Serie 1:
 10.7 * 10.3 * 10.7 * 10.5 * 10.7 *
 10.1 ↓ 10.8 * 9.8 ↓ 9.5 ↗ 9.4 ↘
 beste Teiler 44.2 (7.) 56.9 (5.) 67.1 (3.)
 Trefferlage 0.30 mm rechts, 0.49 mm tief
 Streuwert 1.54, horizontal: 1.13, vertikal: 1.87



Serie 2:
 10.8 * 9.7 ↗ 10.9 * 10.4 * 10.6 *
 10.0 ↓ 10.6 * 10.5 * 10.6 * 10.8 *
 beste Teiler 18.0 (13.) 32.0 (11.) 34.0 (20.)
 Trefferlage 0.11 mm rechts, 0.15 mm tief
 Streuwert 1.05, horizontal: 0.91, vertikal: 1.18





Serie 3:
 10.5 * 9.9 ↘ 10.3 * 10.1 ↗ 10.6 *
 10.7 * 9.6 ↓ 8.9 ↓ 10.7 * 10.2 *
 beste Teiler 74.3 (29.) 74.9 (26.) 78.0 (25.)
 Trefferlage 0.73 mm rechts, 0.72 mm tief
 Streuwert 1.63, horizontal: 0.77, vertikal: 2.18




Serie 4:
 9.6 ↑ 10.4 * 9.3 ↗ 10.6 * 10.1 ↗
 10.4 * 10.1 → 9.6 ↙ 10.0 ↓ 10.8 *
 beste Teiler 47.0 (40.) 91.3 (34.) 127.1 (32.)
 Trefferlage 0.72 mm rechts, 0.08 mm tief
 Streuwert 1.72, horizontal: 1.40, vertikal: 1.99

Unterschrift des Schützen


Ergebnis: **377** (395.1)
 Serien: 94 93 94 96
 Zähler: 18 21 1 0 0 0 0 0 0 0
 Innenzehner: 13
 weiteste: 723 (19), 473 (17), 442 (11)
 beste Teiler 19.6 (4.) 24.7 (40.) 44.5 (23.)
 Trefferlage 0.29 mm rechts, 0.41 mm hoch
 Streuwert 2.13, horizontal: 2.41, vertikal: 1.81




Serie 1:
 10.2 * 9.5 ↑ 9.6 ← 10.9 * 9.6 ↓
 10.0 → 9.7 ← 10.1 ↘ 9.5 ← 9.8 ←
 beste Teiler 19.6 (4.) 198.9 (1.) 219.1 (8.)
 Trefferlage 0.95 mm links, 0.21 mm tief
 Streuwert 1.98, horizontal: 2.18, vertikal: 1.75



Serie 2:
 9.2 → 9.5 ↘ 9.7 ↘ 10.2 * 10.2 *
 10.4 * 9.1 ↑ 9.9 → 8.1 → 10.4 *
 beste Teiler 127.0 (20.) 148.9 (16.) 183.0 (15.)
 Trefferlage 0.78 mm rechts, 0.37 mm hoch
 Streuwert 2.67, horizontal: 3.19, vertikal: 2.01



Serie 3:
 9.5 ↑ 9.7 → 10.8 * 10.2 * 10.4 *
 9.4 ↘ 9.3 ↘ 10.3 * 9.7 → 9.8 ↘
 beste Teiler 44.5 (23.) 132.9 (25.) 155.6 (28.)
 Trefferlage 0.94 mm rechts, 0.45 mm hoch
 Streuwert 1.99, horizontal: 2.16, vertikal: 1.80





Serie 4:
 9.3 ↑ 10.1 → 9.6 ↑ 10.5 * 9.6 →
 10.4 * 10.1 ← 9.8 ↘ 10.1 ↘ 10.9 *
 beste Teiler 24.7 (40.) 113.6 (34.) 145.1 (36.)
 Trefferlage 0.42 mm rechts, 1.04 mm hoch
 Streuwert 1.75, horizontal: 1.74, vertikal: 1.75


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **385** (403.4)
 Serien: 96 96 98 95
 Zähler: 25 15 0 0 0 0 0 0 0 0
 Innenzehner: 19
 weiteste: 473 (15), 400 (39), 391 (1)
 beste Teiler 38.4 (2.) 42.4 (28.) 86.2 (19.)
 Trefferlage 0.59 mm links, 0.40 mm hoch
 Streuwert 1.65, horizontal: 1.73, vertikal: 1.56




Serie 1:
 9.4 ↘ 10.8 * 10.4 * 10.3 * 10.4 *
 9.9 ↘ 9.8 ↑ 10.2 * 9.6 ↘ 10.3 *
 beste Teiler 38.4 (2.) 126.1 (3.) 136.7 (5.)
 Trefferlage 0.76 mm links, 0.66 mm hoch
 Streuwert 1.60, horizontal: 1.58, vertikal: 1.62



Serie 2:
 9.7 ↙ 10.6 * 10.2 * 10.6 * 9.1 ↘
 9.5 ↗ 10.2 * 9.7 ↘ 10.6 * 10.6 *
 beste Teiler 86.2 (19.) 88.5 (14.) 90.6 (20.)
 Trefferlage 0.31 mm links, 0.82 mm hoch
 Streuwert 1.79, horizontal: 2.15, vertikal: 1.34



Serie 3:
 10.4 * 10.3 * 9.8 ↗ 10.1 ↘ 10.0 ↘
 10.4 * 10.4 * 10.8 * 9.7 ↘ 10.1 ↘
 beste Teiler 42.4 (28.) 129.3 (27.) 140.3 (21.)
 Trefferlage 0.87 mm links, 0.68 mm hoch
 Streuwert 1.30, horizontal: 1.48, vertikal: 1.09





Serie 4:
 10.1 ↘ 10.0 ↗ 9.8 ↓ 9.8 ← 9.9 ↓
 10.3 * 9.9 ↓ 10.3 * 9.4 ↘ 10.0 ↘
 beste Teiler 160.5 (38.) 169.1 (36.) 217.8 (31.)
 Trefferlage 0.42 mm links, 0.55 mm tief
 Streuwert 1.87, horizontal: 1.87, vertikal: 1.88


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	381	(399.8)
Serien:	94 95 96 96	
Zähler:	24 13 3 0 0 0 0 0 0 0	
Innenzehner:	19	
weiteste:	564 (9), 512 (27), 502 (8)	
beste Teiler	43.1 (23.) 61.8 (40.) 63.0 (26.)	
Trefferlage	0.25 mm rechts, 0.04 mm hoch	
Streuwert	1.97, horizontal: 2.29, vertikal: 1.59	




Serie 1:	10.0 ↖	10.2 *	10.7 *	9.5 ←	10.0 →
	10.1 ↖	9.6 ↖	8.9 →	8.7 ↖	10.6 *
beste Teiler	68.4 (3.)	99.3 (10.)	199.4 (2.)		
Trefferlage	0.69 mm links, 0.60 mm hoch				
Streuwert	2.28, horizontal: 3.10, vertikal: 0.90				



Serie 2:	9.5 ↗	9.8 →	9.5 ↓	10.5 *	10.2 *
	9.8 ↘	10.4 *	9.1 ↗	10.1 ↗	10.4 *
beste Teiler	108.1 (14.)	145.3 (17.)	150.2 (20.)		
Trefferlage	1.15 mm rechts, 0.00 mm				
Streuwert	1.91, horizontal: 1.40, vertikal: 2.31				



Serie 3:	10.6 *	10.6 *	10.8 *	10.3 *	9.1 ↓
	10.7 *	8.9 →	10.6 *	9.7 ↘	10.6 *
beste Teiler	43.1 (23.)	63.0 (26.)	78.2 (30.)		
Trefferlage	0.97 mm rechts, 0.60 mm tief				
Streuwert	1.66, horizontal: 1.81, vertikal: 1.49				





Serie 4:	9.8 →	10.3 *	9.5 ↖	10.4 *	9.8 ↖
	9.3 ↖	10.2 *	10.3 *	10.0 →	10.7 *
beste Teiler	61.8 (40.)	132.8 (34.)	153.1 (32.)		
Trefferlage	0.42 mm links, 0.20 mm hoch				
Streuwert	1.82, horizontal: 2.20, vertikal: 1.32				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **384** (398.7)
 Serien: 96 95 96 97
 Zähler: 27 10 3 0 0 0 0 0 0 0
 Innenzehner: 20
 weiteste: 679 (13), 665 (28), 564 (3)
 beste Teiler 26.4 (6.) 58.0 (2.) 73.0 (27.)
 Trefferlage 0.18 mm rechts, 0.06 mm hoch
 Streuwert 2.10, horizontal: 2.02, vertikal: 2.17




Serie 1:
 10.3 * 10.7 * 8.7 ↘ 10.4 * 10.2 *
 10.8 * 9.9 ↙ 10.3 * 10.3 * 9.9 ↙
 beste Teiler 26.4 (6.) 58.0 (2.) 138.4 (4.)
 Trefferlage 0.13 mm rechts, 0.85 mm tief
 Streuwert 1.71, horizontal: 1.78, vertikal: 1.63



Serie 2:
 10.0 → 10.5 * 8.2 ↓ 10.4 * 10.0 ↓
 10.0 ↙ 9.0 ↑ 10.6 * 9.1 ← 9.3 ↘
 beste Teiler 94.8 (18.) 125.2 (12.) 147.2 (14.)
 Trefferlage 0.43 mm links, 0.38 mm tief
 Streuwert 2.66, horizontal: 2.04, vertikal: 3.16



Serie 3:
 10.4 * 10.2 * 10.4 * 9.6 ↗ 10.2 *
 10.4 * 10.7 * 8.3 → 9.1 ↘ 10.1 ←
 beste Teiler 73.0 (27.) 138.4 (26.) 139.3 (23.)
 Trefferlage 0.86 mm rechts, 0.39 mm hoch
 Streuwert 2.20, horizontal: 2.48, vertikal: 1.88





Serie 4:
 10.2 * 9.8 → 10.0 ↗ 9.8 ← 10.5 *
 10.1 ↘ 10.5 * 9.3 ↑ 10.0 → 10.5 *
 beste Teiler 106.0 (35.) 107.5 (40.) 117.3 (37.)
 Trefferlage 0.15 mm rechts, 1.08 mm hoch
 Streuwert 1.59, horizontal: 1.80, vertikal: 1.35


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	375	(393.6)
Serien:	97 93 91 94	
Zähler:	20 16 3 1 0 0 0 0 0 0	
Innenzehner:	16	
weiteste:	840 (21), 598 (32), 553 (30)	
beste Teiler	32.2 (10.) 43.5 (34.) 52.2 (35.)	
Trefferlage	0.17 mm rechts, 0.31 mm tief	
Streuwert	2.37, horizontal: 2.86, vertikal: 1.74	




Serie 1:	10.6 *	10.3 *	9.4 →	9.7 ↓	10.7 *
	10.5 *	10.3 *	9.6 ←	10.4 *	10.8 *
beste Teiler	32.2 (10.)	56.0 (5.)	80.6 (1.)		
Trefferlage	0.03 mm rechts, 0.34 mm tief				
Streuwert	1.59, horizontal: 1.86, vertikal: 1.26				



Serie 2:	10.1 ↗	9.2 ↖	9.0 ↗	9.4 ↘	9.5 →
	10.1 ↘	10.4 *	9.5 ↘	9.8 ↓	9.0 →
beste Teiler	127.6 (17.)	203.6 (11.)	216.9 (16.)		
Trefferlage	0.90 mm rechts, 0.52 mm hoch				
Streuwert	2.54, horizontal: 2.79, vertikal: 2.26				



Serie 3:	7.6 →	9.9 ↗	10.1 ↗	9.6 ↘	9.2 ↘
	10.7 *	10.7 *	10.5 *	9.5 ←	8.7 ←
beste Teiler	56.0 (26.)	74.3 (27.)	104.1 (28.)		
Trefferlage	0.20 mm rechts, 0.78 mm tief				
Streuwert	2.91, horizontal: 3.76, vertikal: 1.65				





Serie 4:	10.3 *	8.6 ←	10.5 *	10.8 *	10.7 *
	10.5 *	8.9 ↘	9.1 ←	10.1 →	9.3 →
beste Teiler	43.5 (34.)	52.2 (35.)	112.9 (33.)		
Trefferlage	0.42 mm links, 0.63 mm tief				
Streuwert	2.42, horizontal: 3.03, vertikal: 1.60				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **349** (371.7)
 Serien: 86 87 87 89
 Zähler: 8 17 12 2 1 0 0 0 0 0
 Innenzehner: 7
 weiteste: 1077 (31), 987 (15), 757 (2)
 beste Teiler 33.6 (40.) 45.0 (16.) 61.7 (37.)
 Trefferlage 0.22 mm rechts, 0.14 mm hoch
 Streuwert 3.39, horizontal: 4.11, vertikal: 2.46




Serie 1:
 9.9 ← 7.9 ← 9.2 ↗ 8.6 ↑ 9.9 →
 9.5 → 9.8 ↘ 9.6 ↖ 8.8 ↗ 9.6 ↘
 beste Teiler 253.0 (5.) 264.6 (1.) 278.1 (7.)
 Trefferlage 0.21 mm rechts, 1.20 mm hoch
 Streuwert 3.17, horizontal: 3.72, vertikal: 2.48



Serie 2:
 8.9 ↗ 10.2 * 8.8 → 9.8 ↗ 7.0 ←
 10.8 * 8.1 ↗ 9.8 ↘ 10.1 ↘ 8.7 →
 beste Teiler 45.0 (16.) 193.8 (12.) 206.4 (19.)
 Trefferlage 0.97 mm rechts, 0.93 mm hoch
 Streuwert 3.66, horizontal: 4.69, vertikal: 2.20



Serie 3:
 8.9 → 8.9 ↖ 10.2 * 9.4 ↖ 9.9 ↗
 8.9 → 9.4 → 8.2 ← 9.7 ↗ 9.7 ↘
 beste Teiler 180.0 (23.) 265.8 (25.) 319.5 (29.)
 Trefferlage 0.25 mm links, 0.51 mm tief
 Streuwert 3.17, horizontal: 4.09, vertikal: 1.84



Serie 4:
 6.6 → 9.7 ↗ 10.2 * 9.3 ↖ 8.3 ←
 9.3 ↓ 10.7 * 10.4 * 8.2 ↓ 10.8 *
 beste Teiler 33.6 (40.) 61.7 (37.) 148.2 (38.)
 Trefferlage 0.05 mm links, 1.03 mm tief
 Streuwert 3.70, horizontal: 4.43, vertikal: 2.79

Unterschrift des Schützen

Meyton Elektronik