





| | | | | | | | | | |
|--------------|--|------------|------------|----|---|---|---|---|---|
| Ergebnis: | 370 | (393.2) | | | | | | | |
| Serien: | 91 | 92 | 94 | 93 | | | | | |
| Zähler: | 14 | 22 | 4 | 0 | 0 | 0 | 0 | 0 | 0 |
| Innenzehner: | 14 | | | | | | | | |
| weiteste: | 559 (19), | 544 (7), | 533 (22) | | | | | | |
| beste Teiler | 7.8 (30.) | 11.4 (35.) | 24.0 (28.) | | | | | | |
| Trefferlage | 0.48 mm rechts, 0.89 mm hoch | | | | | | | | |
| Streuwert | 2.20, horizontal: 2.82, vertikal: 1.30 | | | | | | | | |




| | | | | | |
|--------------|--|--------|--------|-------|-------|
| Serie 1: | 9.4 → | 10.5 * | 10.2 * | 9.7 ↖ | 9.4 ↖ |
| | 9.6 → | 8.8 → | 9.3 ↗ | 9.8 ↖ | 9.8 ↖ |
| beste Teiler | 123.0 (2.) 176.4 (3.) 284.3 (10.) | | | | |
| Trefferlage | 0.68 mm rechts, 1.20 mm hoch | | | | |
| Streuwert | 2.39, horizontal: 3.19, vertikal: 1.10 | | | | |



| | | | | | |
|--------------|--|--------|--------|-------|--------|
| Serie 2: | 9.7 → | 10.3 * | 10.8 * | 9.3 ← | 10.4 * |
| | 9.7 ↗ | 9.2 → | 9.3 ↖ | 8.7 → | 9.5 → |
| beste Teiler | 32.2 (13.) 133.6 (15.) 153.3 (12.) | | | | |
| Trefferlage | 1.52 mm rechts, 1.09 mm hoch | | | | |
| Streuwert | 2.17, horizontal: 2.83, vertikal: 1.20 | | | | |





| | | | | | |
|--------------|--|--------|--------|--------|--------|
| Serie 3: | 9.9 ↖ | 8.8 ↖ | 9.3 → | 9.8 ↖ | 9.6 → |
| | 10.4 * | 10.8 * | 10.9 * | 10.3 * | 10.9 * |
| beste Teiler | 7.8 (30.) 24.0 (28.) 40.1 (27.) | | | | |
| Trefferlage | 0.17 mm links, 0.70 mm hoch | | | | |
| Streuwert | 2.02, horizontal: 2.55, vertikal: 1.29 | | | | |




| | | | | | |
|--------------|--|--------|-------|--------|--------|
| Serie 4: | 9.8 ↓ | 10.6 * | 9.5 ↗ | 10.4 * | 10.9 * |
| | 8.9 ← | 10.6 * | 9.7 ↖ | 9.0 ↗ | 9.7 → |
| beste Teiler | 11.4 (35.) 80.9 (32.) 87.0 (37.) | | | | |
| Trefferlage | 0.08 mm links, 0.56 mm hoch | | | | |
| Streuwert | 2.29, horizontal: 2.79, vertikal: 1.63 | | | | |

Unterschrift des Schützen


Ergebnis: **370** (391.2)
 Serien: 95 91 94 90
 Zähler: 17 19 2 1 1 0 0 0 0 0
 Innenzehner: 13
 weiteste: 1007 (19), 834 (36), 535 (4)
 beste Teiler 25.0 (2.) 31.5 (10.) 44.7 (30.)
 Trefferlage 1.41 mm rechts, 0.65 mm hoch
 Streuwert 2.29, horizontal: 2.71, vertikal: 1.78




Serie 1:
 10.7 * 10.9 * 9.7 → 8.8 → 10.7 *
 10.2 * 9.9 † 10.1 † 9.4 † 10.8 *
 beste Teiler 25.0 (2.) 31.5 (10.) 56.9 (5.)
 Trefferlage 0.91 mm rechts, 0.39 mm hoch
 Streuwert 1.81, horizontal: 2.08, vertikal: 1.49



Serie 2:
 9.2 † 9.7 → 10.0 ↗ 10.0 ← 10.3 *
 10.5 * 9.8 † 9.7 † 6.9 → 9.4 →
 beste Teiler 108.2 (16.) 167.5 (15.) 231.1 (14.)
 Trefferlage 1.87 mm rechts, 0.93 mm hoch
 Streuwert 2.73, horizontal: 3.39, vertikal: 1.85



Serie 3:
 9.5 † 10.6 * 10.5 * 9.9 → 9.4 →
 10.2 * 9.0 → 9.4 ↓ 9.8 † 10.8 *
 beste Teiler 44.7 (30.) 87.9 (22.) 112.2 (23.)
 Trefferlage 1.03 mm rechts, 0.13 mm tief
 Streuwert 2.09, horizontal: 2.15, vertikal: 2.03





Serie 4:
 9.2 ↗ 10.1 → 10.7 * 9.4 † 10.6 *
 7.6 → 9.8 → 9.6 → 9.5 ↗ 8.9 ←
 beste Teiler 55.5 (33.) 96.2 (35.) 213.7 (32.)
 Trefferlage 1.83 mm rechts, 1.40 mm hoch
 Streuwert 2.53, horizontal: 3.22, vertikal: 1.56


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **381** (399.0)
 Serien: 95 95 96 95
 Zähler: 22 17 1 0 0 0 0 0 0 0
 Innenzehner: 16
 weiteste: 559 (35), 462 (20), 396 (7)
 beste Teiler 64.4 (16.) 75.3 (36.) 91.4 (29.)
 Trefferlage 0.27 mm rechts, 0.68 mm hoch
 Streuwert 1.86, horizontal: 2.14, vertikal: 1.53




Serie 1:
 10.3 * 9.6 ↑ 9.4 ↗ 10.0 → 10.2 *
 9.5 ↗ 9.4 → 9.7 → 10.2 * 10.6 *
 beste Teiler 99.8 (10.) 153.2 (1.) 177.7 (9.)
 Trefferlage 1.92 mm rechts, 0.62 mm hoch
 Streuwert 1.50, horizontal: 1.50, vertikal: 1.49



Serie 2:
 10.3 * 9.7 ↖ 9.5 ↖ 10.0 → 10.0 →
 10.7 * 9.9 ← 9.8 ↖ 10.3 * 9.1 ←
 beste Teiler 64.4 (16.) 159.1 (19.) 164.4 (11.)
 Trefferlage 1.07 mm links, 1.09 mm hoch
 Streuwert 1.75, horizontal: 2.20, vertikal: 1.14



Serie 3:
 10.2 * 9.7 → 9.8 ↗ 10.1 → 10.2 *
 9.9 ↑ 9.9 ↖ 10.1 ↓ 10.6 * 10.5 *
 beste Teiler 91.4 (29.) 118.4 (30.) 198.7 (25.)
 Trefferlage 0.37 mm rechts, 0.53 mm hoch
 Streuwert 1.63, horizontal: 1.70, vertikal: 1.56





Serie 4:
 10.4 * 10.3 * 10.3 * 9.5 ↓ 8.7 ↗
 10.7 * 9.6 ← 10.4 * 9.9 ↖ 10.0 ↘
 beste Teiler 75.3 (36.) 130.9 (38.) 146.5 (31.)
 Trefferlage 0.13 mm links, 0.47 mm hoch
 Streuwert 2.06, horizontal: 2.13, vertikal: 1.98


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **371** (390.3)
 Serien: 91 96 91 93
 Zähler: 15 21 4 0 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 601 (35), 586 (6), 520 (34)
 beste Teiler 58.1 (11.) 61.0 (7.) 88.0 (40.)
 Trefferlage 0.22 mm rechts, 0.64 mm tief
 Streuwert 2.33, horizontal: 2.91, vertikal: 1.54




Serie 1:
 9.3 ← 10.5 * 9.5 ← 9.9 ← 9.5 ↓
 8.6 ← 10.7 * 9.5 → 9.8 → 9.3 ↓
 beste Teiler 61.0 (7.) 118.5 (2.) 260.9 (4.)
 Trefferlage 1.19 mm links, 0.96 mm tief
 Streuwert 2.41, horizontal: 2.94, vertikal: 1.72



Serie 2:
 10.7 * 9.5 → 9.7 → 10.2 * 9.2 ↘
 10.6 * 10.1 ↘ 10.0 → 9.3 ← 10.5 *
 beste Teiler 58.1 (11.) 91.6 (16.) 124.1 (20.)
 Trefferlage 0.92 mm rechts, 0.44 mm tief
 Streuwert 1.93, horizontal: 2.47, vertikal: 1.16



Serie 3:
 9.2 ↘ 9.6 ← 10.5 * 9.7 ↖ 9.5 ↘
 9.5 ↓ 8.9 ↘ 9.6 ↖ 10.1 ↗ 9.9 ←
 beste Teiler 111.4 (23.) 202.4 (29.) 266.0 (30.)
 Trefferlage 0.00 mm , 0.68 mm tief
 Streuwert 2.49, horizontal: 2.82, vertikal: 2.11





Serie 4:
 9.0 → 10.2 * 9.9 ↓ 8.9 → 8.5 →
 10.3 * 10.4 * 9.4 ↘ 10.2 * 10.6 *
 beste Teiler 88.0 (40.) 138.3 (37.) 155.7 (36.)
 Trefferlage 1.17 mm rechts, 0.50 mm tief
 Streuwert 2.39, horizontal: 3.19, vertikal: 1.14


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **364** (383.5)
 Serien: 89 92 91 92
 Zähler: 12 21 6 1 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 834 (1), 720 (2), 656 (8)
 beste Teiler 42.2 (14.) 75.0 (11.) 77.1 (28.)
 Trefferlage 0.64 mm links, 0.16 mm hoch
 Streuwert 2.72, horizontal: 2.79, vertikal: 2.66




Serie 1:
 7.6 ↘ 8.1 ↘ 9.4 ↘ 9.8 ↙ 9.5 ↖
 10.2 * 9.0 ↓ 8.3 ↘ 10.4 * 10.2 *
 beste Teiler 141.0 (9.) 176.4 (6.) 199.8 (10.)
 Trefferlage 1.97 mm links, 0.99 mm hoch
 Streuwert 3.20, horizontal: 3.14, vertikal: 3.26



Serie 2:
 10.7 * 10.4 * 9.3 ↘ 10.8 * 8.9 ↙
 9.4 ↖ 9.2 ↘ 9.6 ↓ 9.8 ↖ 9.9 ↘
 beste Teiler 42.2 (14.) 75.0 (11.) 150.6 (12.)
 Trefferlage 1.70 mm links, 0.48 mm tief
 Streuwert 2.07, horizontal: 2.16, vertikal: 1.98



Serie 3:
 9.7 → 9.1 ↖ 9.9 ↙ 9.8 ↓ 10.1 ↘
 9.6 → 8.7 ↘ 10.6 * 9.4 ↗ 9.7 ↖
 beste Teiler 77.1 (28.) 224.8 (25.) 261.4 (23.)
 Trefferlage 0.86 mm rechts, 0.29 mm tief
 Streuwert 2.52, horizontal: 2.38, vertikal: 2.65





Serie 4:
 10.4 * 9.6 ↓ 10.1 ↓ 9.0 ↘ 10.3 *
 8.9 ↗ 9.0 ↘ 8.8 ↘ 9.9 ↘ 10.4 *
 beste Teiler 139.3 (31.) 149.2 (40.) 157.1 (35.)
 Trefferlage 0.23 mm rechts, 0.43 mm hoch
 Streuwert 2.69, horizontal: 2.64, vertikal: 2.74


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **362** (381.1)
 Serien: 91 90 91 90
 Zähler: 10 25 2 3 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 882 (24), 809 (31), 790 (9)
 beste Teiler 70.0 (17.) 70.2 (10.) 74.0 (36.)
 Trefferlage 0.19 mm links, 1.31 mm hoch
 Streuwert 2.73, horizontal: 2.96, vertikal: 2.49




Serie 1:
 9.7 ↗ 9.0 ↗ 10.5 * 9.3 ↘ 10.3 *
 9.0 ↑ 9.9 ← 9.4 → 7.8 ↘ 10.7 *
 beste Teiler 70.2 (10.) 118.3 (3.) 175.1 (5.)
 Trefferlage 0.25 mm links, 2.17 mm hoch
 Streuwert 2.51, horizontal: 2.83, vertikal: 2.15



Serie 2:
 8.9 ↘ 8.1 ↗ 9.5 ↗ 9.8 ↗ 9.5 ↘
 10.1 ↘ 10.7 * 9.3 ↘ 9.1 ↑ 9.7 ↓
 beste Teiler 70.0 (17.) 216.3 (16.) 288.5 (14.)
 Trefferlage 0.57 mm rechts, 1.15 mm hoch
 Streuwert 2.88, horizontal: 3.11, vertikal: 2.64



Serie 3:
 10.5 * 10.1 ↖ 9.5 ↗ 7.4 ↘ 9.3 →
 9.9 ↑ 9.9 ← 9.8 ↑ 9.1 ↙ 10.0 ↓
 beste Teiler 118.5 (21.) 202.3 (22.) 233.3 (30.)
 Trefferlage 0.58 mm links, 0.28 mm hoch
 Streuwert 2.98, horizontal: 3.36, vertikal: 2.55



Serie 4:
 7.7 ↗ 9.5 ↙ 9.8 ↑ 9.1 ← 9.4 ↘
 10.7 * 10.2 * 9.6 ↘ 9.5 ↑ 9.8 ↑
 beste Teiler 74.0 (36.) 199.2 (37.) 284.0 (33.)
 Trefferlage 0.50 mm links, 1.64 mm hoch
 Streuwert 2.70, horizontal: 2.81, vertikal: 2.60

Unterschrift des Schützen

Meyton Elektronik

