





Ergebnis: **390** (408.8)  
 Serien: 97 99 99 95  
 Zähler: 30 10 0 0 0 0 0 0 0 0  
 Innenzehner: 26  
 weiteste: 416 (39), 406 (15), 401 (7)  
 beste Teiler 7.2 (28.) 29.0 (27.) 39.4 (11.)  
 Trefferlage 0.48 mm rechts, 0.09 mm hoch  
 Streuwert 1.50, horizontal: 1.73, vertikal: 1.23




Serie 1:  
 10.4 \* 10.2 \* 10.4 \* 10.3 \* 9.7 ↙  
 10.2 \* 9.3 → 10.5 \* 10.3 \* 9.8 ↖  
 beste Teiler 101.0 (8.) 141.0 (3.) 144.6 (1.)  
 Trefferlage 0.56 mm links, 0.16 mm tief  
 Streuwert 1.66, horizontal: 2.09, vertikal: 1.06



Serie 2:  
 10.8 \* 10.8 \* 10.4 \* 10.8 \* 9.3 ↓  
 10.8 \* 10.4 \* 10.6 \* 10.6 \* 10.3 \*  
 beste Teiler 39.4 (11.) 40.0 (12.) 46.6 (16.)  
 Trefferlage 0.14 mm rechts, 0.40 mm tief  
 Streuwert 1.16, horizontal: 0.77, vertikal: 1.45





Serie 3:  
 10.4 \* 10.2 \* 10.1 ↗ 10.1 ↘ 10.0 →  
 10.3 \* 10.8 \* 10.9 \* 9.8 ↖ 10.4 \*  
 beste Teiler 7.2 (28.) 29.0 (27.) 129.4 (21.)  
 Trefferlage 0.66 mm rechts, 0.02 mm tief  
 Streuwert 1.28, horizontal: 1.51, vertikal: 1.01




Serie 4:  
 10.0 → 10.5 \* 10.7 \* 9.8 → 9.5 →  
 10.7 \* 10.2 \* 9.5 ↑ 9.3 → 9.7 →  
 beste Teiler 52.3 (36.) 54.0 (33.) 103.0 (32.)  
 Trefferlage 1.71 mm rechts, 0.97 mm hoch  
 Streuwert 1.39, horizontal: 1.66, vertikal: 1.05

Unterschrift des Schützen


Ergebnis: **371** (391.6)  
 Serien: 94 90 95 92  
 Zähler: 13 25 2 0 0 0 0 0 0 0  
 Innenzehner: 10  
 weiteste: 614 (14), 566 (37), 449 (20)  
 beste Teiler 6.0 (29.) 28.1 (35.) 63.7 (31.)  
 Trefferlage 0.30 mm links, 0.48 mm tief  
 Streuwert 2.25, horizontal: 2.44, vertikal: 2.03




Serie 1:  
 10.2 \* 9.4 ↘ 9.6 ↖ 9.3 ↓ 10.6 \*  
 9.5 ↓ 10.2 \* 9.6 ↓ 9.8 ↓ 10.5 \*  
 beste Teiler 100.6 (5.) 107.8 (10.) 178.7 (1.)  
 Trefferlage 0.02 mm rechts, 1.44 mm tief  
 Streuwert 1.88, horizontal: 1.64, vertikal: 2.10



Serie 2:  
 9.9 ↗ 9.4 ↖ 9.5 ↖ 8.5 ↙ 9.6 ↓  
 9.7 → 10.1 ↖ 9.9 ↗ 9.6 ↗ 9.2 ↘  
 beste Teiler 209.0 (17.) 266.0 (11.) 274.2 (18.)  
 Trefferlage 0.08 mm rechts, 0.35 mm hoch  
 Streuwert 2.75, horizontal: 2.64, vertikal: 2.86



Serie 3:  
 9.5 ← 9.2 ← 9.8 → 10.1 ↖ 9.4 ↓  
 10.2 \* 10.0 ↗ 10.5 \* 10.9 \* 9.7 ←  
 beste Teiler 6.0 (29.) 124.9 (28.) 195.0 (26.)  
 Trefferlage 0.58 mm links, 0.16 mm tief  
 Streuwert 2.09, horizontal: 2.51, vertikal: 1.56





Serie 4:  
 10.7 \* 9.3 ← 9.7 → 9.6 ← 10.8 \*  
 9.7 ← 8.7 ← 9.5 → 9.8 ↘ 10.4 \*  
 beste Teiler 28.1 (35.) 63.7 (31.) 146.9 (40.)  
 Trefferlage 0.75 mm links, 0.69 mm tief  
 Streuwert 2.26, horizontal: 3.06, vertikal: 0.91


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **391** (406.7)  
 Serien: 97 98 99 97  
 Zähler: 32 7 1 0 0 0 0 0 0 0  
 Innenzehner: 25  
 weiteste: 524 (33), 478 (27), 430 (9)  
 beste Teiler 40.7 (23.) 70.6 (4.) 73.0 (17.)  
 Trefferlage 0.46 mm rechts, 0.10 mm tief  
 Streuwert 1.58, horizontal: 1.94, vertikal: 1.12




Serie 1:  
 9.9 ← 10.5 \* 10.4 \* 10.7 \* 10.4 \*  
 10.6 \* 10.0 ↘ 9.3 → 9.2 ↖ 10.4 \*  
 beste Teiler 70.6 (4.) 79.3 (6.) 111.8 (2.)  
 Trefferlage 0.27 mm links, 0.34 mm hoch  
 Streuwert 1.71, horizontal: 2.23, vertikal: 0.96



Serie 2:  
 10.4 \* 9.9 ↘ 9.3 ↘ 10.6 \* 10.4 \*  
 10.3 \* 10.7 \* 10.2 \* 10.5 \* 10.0 ↑  
 beste Teiler 73.0 (17.) 89.5 (14.) 114.1 (19.)  
 Trefferlage 0.47 mm rechts, 0.18 mm tief  
 Streuwert 1.48, horizontal: 1.43, vertikal: 1.53



Serie 3:  
 10.0 → 10.0 → 10.8 \* 10.6 \* 10.6 \*  
 10.3 \* 9.0 ← 10.2 \* 10.4 \* 10.4 \*  
 beste Teiler 40.7 (23.) 76.8 (24.) 77.0 (25.)  
 Trefferlage 0.35 mm rechts, 0.11 mm hoch  
 Streuwert 1.55, horizontal: 2.01, vertikal: 0.89





Serie 4:  
 10.0 → 10.5 \* 8.9 → 10.0 ↘ 10.4 \*  
 10.0 ← 10.2 \* 9.9 ↘ 10.6 \* 10.2 \*  
 beste Teiler 83.7 (39.) 107.6 (32.) 148.9 (35.)  
 Trefferlage 1.30 mm rechts, 0.69 mm tief  
 Streuwert 1.51, horizontal: 1.97, vertikal: 0.84


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **276** (290.8)  
 Serien: 92 94 90  
 Zähler: 13 11 5 1 0 0 0 0 0 0  
 Innenzehner: 9  
 weiteste: 843 (28), 613 (1), 565 (3)  
 beste Teiler 21.0 (29.) 55.6 (8.) 62.9 (15.)  
 Trefferlage 0.13 mm links, 1.09 mm tief  
 Streuwert 2.54, horizontal: 3.05, vertikal: 1.91



Serie 1:  
 8.5 ↖ 10.0 ← 8.7 ↓ 10.0 ← 10.6 \*  
 9.1 ↙ 10.0 ↙ 10.7 \* 9.5 ← 8.8 ↙  
 beste Teiler 55.6 (8.) 89.8 (5.) 229.3 (7.)  
 Trefferlage 2.07 mm links, 1.17 mm tief  
 Streuwert 2.29, horizontal: 2.02, vertikal: 2.53





Serie 2:  
 9.8 ↙ 9.7 ← 10.0 ← 9.6 ↘ 10.7 \*  
 10.3 \* 9.5 ↓ 10.6 \* 10.4 \* 8.9 →  
 beste Teiler 62.9 (15.) 85.3 (18.) 146.8 (19.)  
 Trefferlage 0.65 mm links, 0.60 mm tief  
 Streuwert 2.02, horizontal: 2.49, vertikal: 1.41




Serie 3:  
 9.6 ↘ 10.6 \* 8.9 → 10.4 \* 9.2 ↓  
 9.6 ↓ 9.6 → 7.6 ↘ 10.9 \* 9.0 →  
 beste Teiler 21.0 (29.) 78.0 (22.) 133.2 (24.)  
 Trefferlage 2.32 mm rechts, 1.50 mm tief  
 Streuwert 2.38, horizontal: 2.90, vertikal: 1.70

Unterschrift des Schützen


Ergebnis: **393** (408.7)  
 Serien: 98 98 99 98  
 Zähler: 33 7 0 0 0 0 0 0 0 0  
 Innenzehner: 26  
 weiteste: 367 (5), 361 (20), 356 (32)  
 beste Teiler 23.3 (37.) 58.2 (23.) 74.9 (33.)  
 Trefferlage 0.13 mm rechts, 0.80 mm hoch  
 Streuwert 1.32, horizontal: 1.53, vertikal: 1.08




Serie 1:  
 10.1 ↘ 10.4 \* 10.1 ↑ 10.1 ↑ 9.5 ↗  
 10.3 \* 10.2 \* 9.6 → 10.5 \* 10.4 \*  
 beste Teiler 112.0 (9.) 139.4 (10.) 148.4 (2.)  
 Trefferlage 0.40 mm rechts, 0.88 mm hoch  
 Streuwert 1.51, horizontal: 1.73, vertikal: 1.25



Serie 2:  
 10.6 \* 10.0 ↘ 10.0 ↘ 10.2 \* 10.1 ↗  
 10.1 ↘ 10.3 \* 9.6 → 10.4 \* 9.5 →  
 beste Teiler 99.8 (11.) 139.2 (19.) 168.8 (17.)  
 Trefferlage 0.40 mm rechts, 0.60 mm hoch  
 Streuwert 1.65, horizontal: 1.97, vertikal: 1.25



Serie 3:  
 10.3 \* 10.5 \* 10.7 \* 10.6 \* 10.4 \*  
 10.4 \* 10.2 \* 9.9 ↗ 10.2 \* 10.2 \*  
 beste Teiler 58.2 (23.) 99.7 (24.) 102.0 (22.)  
 Trefferlage 0.03 mm rechts, 0.75 mm hoch  
 Streuwert 1.07, horizontal: 1.13, vertikal: 1.01





Serie 4:  
 10.6 \* 9.5 ↘ 10.7 \* 10.4 \* 10.2 \*  
 10.3 \* 10.9 \* 9.9 ↘ 10.4 \* 10.4 \*  
 beste Teiler 23.3 (37.) 74.9 (33.) 83.2 (31.)  
 Trefferlage 0.29 mm links, 0.97 mm hoch  
 Streuwert 1.11, horizontal: 1.28, vertikal: 0.90


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **373** (389.3)  
 Serien: 94 96 91 92  
 Zähler: 17 19 4 0 0 0 0 0 0 0  
 Innenzehner: 13  
 weiteste: 730 (20), 703 (8), 585 (21)  
 beste Teiler 48.0 (17.) 51.6 (9.) 52.2 (11.)  
 Trefferlage 1.08 mm rechts, 0.26 mm tief  
 Streuwert 2.36, horizontal: 2.80, vertikal: 1.83




Serie 1:  
 10.2 \* 9.5 ↘ 9.6 → 10.3 \* 9.7 ↘  
 10.3 \* 10.6 \* 8.1 ↘ 10.7 \* 9.1 ←  
 beste Teiler 51.6 (9.) 95.4 (7.) 154.9 (6.)  
 Trefferlage 1.04 mm rechts, 1.27 mm tief  
 Streuwert 2.22, horizontal: 2.90, vertikal: 1.20



Serie 2:  
 10.7 \* 10.5 \* 10.2 \* 9.7 ↘ 10.3 \*  
 10.1 → 10.8 \* 9.2 ↘ 10.1 ← 8.0 →  
 beste Teiler 48.0 (17.) 52.2 (11.) 104.4 (12.)  
 Trefferlage 1.07 mm rechts, 0.27 mm hoch  
 Streuwert 2.22, horizontal: 2.69, vertikal: 1.62





Serie 3:  
 8.6 ← 9.5 → 9.5 → 9.8 ↘ 10.1 ↘  
 9.6 ↗ 9.0 ↘ 9.4 → 9.6 ↑ 10.5 \*  
 beste Teiler 102.6 (30.) 222.3 (25.) 295.4 (24.)  
 Trefferlage 0.00 mm , 0.85 mm hoch  
 Streuwert 2.69, horizontal: 3.26, vertikal: 1.96



Serie 4:  
 8.9 → 10.5 \* 10.1 → 9.4 → 10.5 \*  
 9.3 → 9.0 ↓ 9.5 → 9.8 ↓ 9.0 ↘  
 beste Teiler 108.4 (35.) 122.1 (32.) 213.3 (33.)  
 Trefferlage 2.21 mm rechts, 0.92 mm tief  
 Streuwert 2.03, horizontal: 2.21, vertikal: 1.82


Unterschrift des Schützen

Ergebnis:	<b>384</b>	(399.6)
Serien:	95 96 96 97	
Zähler:	26 12 2 0 0 0 0 0 0 0	
Innenzehner:	17	
weiteste:	684 (31), 683 (18), 461 (10)	
beste Teiler	21.4 (6.) 29.4 (9.) 33.2 (26.)	
Trefferlage	0.66 mm links, 0.33 mm hoch	
Streuwert	1.92, horizontal: 2.19, vertikal: 1.61	




Serie 1:

9.6 ↙	9.4 →	10.4 *	10.0 ↘	9.6 ↙
10.9 *	9.9 ↘	10.2 *	10.8 *	9.1 ←
beste Teiler	21.4 (6.) 29.4 (9.) 135.4 (3.)			
Trefferlage	0.93 mm links, 0.28 mm tief			
Streuwert	1.96, horizontal: 2.39, vertikal: 1.40			




Serie 2:

10.2 *	10.7 *	10.0 →	10.0 ↗	10.2 *
9.9 ↙	10.0 ←	8.2 ←	9.9 ↘	10.5 *
beste Teiler	66.0 (12.) 119.5 (20.) 176.8 (15.)			
Trefferlage	0.95 mm links, 0.04 mm hoch			
Streuwert	2.07, horizontal: 2.65, vertikal: 1.24			



Serie 3:

9.4 ↗	9.9 ←	9.6 →	10.4 *	10.2 *
10.8 *	10.1 ↘	10.5 *	9.7 ↘	10.1 ↘
beste Teiler	33.2 (26.) 117.1 (28.) 141.7 (24.)			
Trefferlage	0.08 mm links, 0.42 mm hoch			
Streuwert	1.76, horizontal: 1.82, vertikal: 1.70			





Serie 4:

8.2 ↘	9.6 →	10.2 *	10.1 ↘	10.2 *
10.2 *	10.0 ←	10.5 *	10.1 ↙	10.3 *
beste Teiler	110.6 (38.) 158.5 (40.) 177.5 (33.)			
Trefferlage	0.67 mm links, 1.16 mm hoch			
Streuwert	1.97, horizontal: 2.04, vertikal: 1.90			


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **371** (388.6)  
 Serien: 94 93 91 93  
 Zähler: 17 17 6 0 0 0 0 0 0 0  
 Innenzehner: 10  
 weiteste: 700 (23), 667 (36), 537 (34)  
 beste Teiler 10.4 (12.) 66.3 (30.) 106.5 (10.)  
 Trefferlage 0.65 mm links, 0.57 mm tief  
 Streuwert 2.39, horizontal: 2.81, vertikal: 1.88




Serie 1:  
 9.7 ↗ 9.8 ↘ 10.3 \* 10.0 ↓ 9.7 ↙  
 9.8 ↘ 9.5 ↘ 9.6 ↗ 10.3 \* 10.5 \*  
 beste Teiler 106.5 (10.) 154.1 (3.) 171.8 (9.)  
 Trefferlage 0.14 mm rechts, 0.45 mm tief  
 Streuwert 1.97, horizontal: 1.80, vertikal: 2.13



Serie 2:  
 8.9 ↖ 10.9 \* 10.0 ↙ 10.0 ↘ 9.4 ↗  
 9.6 ↑ 9.6 ↑ 10.0 ↘ 10.1 ← 8.8 ↘  
 beste Teiler 10.4 (12.) 202.2 (19.) 229.6 (14.)  
 Trefferlage 0.19 mm links, 0.56 mm hoch  
 Streuwert 2.48, horizontal: 2.67, vertikal: 2.27



Serie 3:  
 9.9 ↙ 8.9 ← 8.2 ↙ 9.2 ↘ 9.5 ↓  
 10.5 \* 9.3 ↖ 10.2 \* 9.5 ↘ 10.7 \*  
 beste Teiler 66.3 (30.) 114.8 (26.) 179.7 (28.)  
 Trefferlage 0.83 mm links, 1.38 mm tief  
 Streuwert 2.64, horizontal: 3.41, vertikal: 1.52



Serie 4:  
 10.2 \* 10.0 → 9.3 ← 8.8 ← 9.4 ↘  
 8.3 ← 10.0 ← 9.6 ← 10.4 \* 10.2 \*  
 beste Teiler 148.0 (39.) 186.7 (31.) 188.5 (40.)  
 Trefferlage 1.75 mm links, 1.02 mm tief  
 Streuwert 2.31, horizontal: 3.13, vertikal: 0.93

Unterschrift des Schützen

Meyton Elektronik