





Ergebnis: **386** (403.7)  
 Serien: 94 97 97 98  
 Zähler: 26 14 0 0 0 0 0 0 0 0  
 Innenzehner: 17  
 weiteste: 460 (10), 457 (3), 430 (4)  
 beste Teiler 32.0 (18.) 50.6 (23.) 57.3 (37.)  
 Trefferlage 0.31 mm rechts, 0.49 mm hoch  
 Streuwert 1.66, horizontal: 1.46, vertikal: 1.84




Serie 1:  
 9.9 ↘ 10.4 \* 9.1 ↑ 9.2 ↗ 10.1 ↗  
 9.6 ↘ 9.9 ↘ 10.3 \* 10.5 \* 9.1 ↗  
 beste Teiler 122.6 (9.) 148.1 (2.) 151.4 (8.)  
 Trefferlage 1.20 mm rechts, 0.66 mm hoch  
 Streuwert 2.10, horizontal: 1.32, vertikal: 2.66



Serie 2:  
 10.3 \* 10.3 \* 10.1 ↙ 9.8 ↑ 9.6 ↘  
 10.0 → 10.1 ↘ 10.8 \* 9.8 ↑ 10.5 \*  
 beste Teiler 32.0 (18.) 119.9 (20.) 152.7 (11.)  
 Trefferlage 0.09 mm rechts, 0.46 mm hoch  
 Streuwert 1.66, horizontal: 1.65, vertikal: 1.67



Serie 3:  
 10.4 \* 10.7 \* 10.8 \* 10.1 ↘ 9.9 ↘  
 9.9 ↑ 9.8 → 10.3 \* 10.4 \* 10.0 ↑  
 beste Teiler 50.6 (23.) 71.1 (22.) 141.6 (29.)  
 Trefferlage 0.06 mm rechts, 0.97 mm hoch  
 Streuwert 1.30, horizontal: 1.51, vertikal: 1.05





Serie 4:  
 10.2 \* 10.1 ↘ 10.4 \* 10.3 \* 10.0 ↘  
 9.9 ↓ 10.7 \* 10.1 ↗ 10.4 \* 9.9 ↘  
 beste Teiler 57.3 (37.) 132.8 (33.) 149.6 (39.)  
 Trefferlage 0.11 mm links, 0.10 mm tief  
 Streuwert 1.46, horizontal: 1.13, vertikal: 1.74


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **384** (400.4)  
 Serien: 96 97 95 96  
 Zähler: 24 16 0 0 0 0 0 0 0 0  
 Innenzehner: 16  
 weiteste: 457 (24), 441 (20), 422 (1)  
 beste Teiler 30.6 (13.) 37.1 (22.) 47.5 (29.)  
 Trefferlage 0.23 mm links, 0.20 mm hoch  
 Streuwert 1.87, horizontal: 2.23, vertikal: 1.43




Serie 1:  
 9.3 ↖ 10.0 → 10.6 \* 9.6 ↘ 10.3 \*  
 10.5 \* 9.8 ↙ 9.6 ← 10.7 \* 10.4 \*  
 beste Teiler 54.4 (9.) 94.4 (3.) 114.2 (6.)  
 Trefferlage 0.24 mm links, 0.28 mm hoch  
 Streuwert 1.82, horizontal: 2.24, vertikal: 1.26



Serie 2:  
 10.1 → 10.5 \* 10.8 \* 10.1 ← 10.2 \*  
 10.1 ↖ 9.8 ← 10.0 ↑ 9.5 ↑ 9.2 ↙  
 beste Teiler 30.6 (13.) 118.8 (12.) 200.4 (15.)  
 Trefferlage 0.50 mm links, 1.01 mm hoch  
 Streuwert 1.69, horizontal: 1.71, vertikal: 1.66



Serie 3:  
 9.5 ← 10.8 \* 9.4 → 9.1 ← 9.4 ↘  
 10.2 \* 9.7 ↘ 10.2 \* 10.8 \* 10.1 ↘  
 beste Teiler 37.1 (22.) 47.5 (29.) 188.0 (26.)  
 Trefferlage 0.42 mm rechts, 0.76 mm tief  
 Streuwert 2.10, horizontal: 2.82, vertikal: 0.92





Serie 4:  
 10.2 \* 10.7 \* 10.1 ↙ 9.6 ← 10.4 \*  
 10.0 ↗ 9.7 ↗ 9.6 ↘ 9.3 ← 10.5 \*  
 beste Teiler 71.4 (32.) 102.9 (40.) 147.8 (35.)  
 Trefferlage 0.62 mm links, 0.26 mm hoch  
 Streuwert 1.84, horizontal: 2.20, vertikal: 1.39


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **387** (409.9)  
 Serien: 95 97 97 98  
 Zähler: 28 11 1 0 0 0 0 0 0 0  
 Innenzehner: 25  
 weiteste: 559 (10), 483 (13), 419 (19)  
 beste Teiler 25.0 (14.) 27.2 (9.) 29.0 (40.)  
 Trefferlage 0.35 mm links, 0.48 mm tief  
 Streuwert 1.53, horizontal: 0.92, vertikal: 1.96




Serie 1:  
 10.7 \* 9.7 ↙ 10.2 \* 10.6 \* 9.5 ↓  
 10.1 ↗ 9.7 ↓ 10.3 \* 10.8 \* 8.7 ↘  
 beste Teiler 27.2 (9.) 60.2 (1.) 76.5 (4.)  
 Trefferlage 0.44 mm links, 1.18 mm tief  
 Streuwert 1.83, horizontal: 1.08, vertikal: 2.35



Serie 2:  
 10.5 \* 9.5 ↓ 9.0 ↓ 10.9 \* 10.7 \*  
 10.8 \* 10.1 ↓ 10.6 \* 9.3 ↘ 10.6 \*  
 beste Teiler 25.0 (14.) 47.5 (16.) 75.6 (15.)  
 Trefferlage 0.17 mm links, 1.45 mm tief  
 Streuwert 1.50, horizontal: 0.86, vertikal: 1.94





Serie 3:  
 9.7 ← 10.8 \* 10.4 \* 10.8 \* 10.8 \*  
 10.8 \* 9.8 ↘ 9.8 ↑ 10.7 \* 10.1 ↗  
 beste Teiler 30.2 (24.) 43.5 (22.) 43.6 (25.)  
 Trefferlage 0.44 mm links, 0.50 mm hoch  
 Streuwert 1.27, horizontal: 1.17, vertikal: 1.37




Serie 4:  
 10.5 \* 10.7 \* 10.3 \* 10.5 \* 9.9 ↑  
 10.6 \* 9.8 ↑ 10.2 \* 10.6 \* 10.8 \*  
 beste Teiler 29.0 (40.) 58.0 (32.) 81.0 (39.)  
 Trefferlage 0.36 mm links, 0.17 mm hoch  
 Streuwert 1.13, horizontal: 0.58, vertikal: 1.50

Unterschrift des Schützen


Ergebnis: **376** (394.6)  
 Serien: 93 96 92 95  
 Zähler: 17 22 1 0 0 0 0 0 0 0  
 Innenzehner: 12  
 weiteste: 556 (7), 499 (30), 491 (8)  
 beste Teiler 49.3 (31.) 51.4 (4.) 74.2 (13.)  
 Trefferlage 0.13 mm links, 0.04 mm tief  
 Streuwert 2.15, horizontal: 2.63, vertikal: 1.54




Serie 1:  
 9.8 ↘ 10.1 ↓ 10.2 \* 10.7 \* 9.6 ↖  
 9.8 ← 8.7 ← 9.0 ↘ 10.3 \* 9.9 ↘  
 beste Teiler 51.4 (4.) 168.0 (9.) 179.7 (3.)  
 Trefferlage 0.40 mm links, 1.15 mm tief  
 Streuwert 2.18, horizontal: 2.81, vertikal: 1.27



Serie 2:  
 9.7 ← 10.3 \* 10.7 \* 10.5 \* 10.5 \*  
 10.1 ↖ 10.0 ↘ 9.8 → 9.0 ↖ 9.9 ↗  
 beste Teiler 74.2 (13.) 101.5 (14.) 109.2 (15.)  
 Trefferlage 0.40 mm links, 0.42 mm hoch  
 Streuwert 1.82, horizontal: 2.37, vertikal: 1.01



Serie 3:  
 9.2 → 9.7 ↖ 9.6 ← 9.0 → 10.1 ↖  
 9.9 ↖ 9.6 → 9.5 ↘ 10.3 \* 9.0 ↖  
 beste Teiler 167.5 (29.) 216.0 (25.) 258.7 (26.)  
 Trefferlage 0.06 mm rechts, 0.59 mm hoch  
 Streuwert 2.62, horizontal: 3.29, vertikal: 1.70





Serie 4:  
 10.8 \* 9.4 ↘ 10.3 \* 9.8 ← 10.5 \*  
 9.8 ← 9.4 ↖ 10.1 ↗ 10.6 \* 9.4 →  
 beste Teiler 49.3 (31.) 100.6 (39.) 102.8 (35.)  
 Trefferlage 0.21 mm rechts, 0.03 mm tief  
 Streuwert 1.98, horizontal: 2.29, vertikal: 1.62


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **385** (405.5)  
 Serien: 95 97 97 96  
 Zähler: 26 13 1 0 0 0 0 0 0 0  
 Innenzehner: 23  
 weiteste: 564 (4), 436 (27), 416 (17)  
 beste Teiler 15.2 (6.) 20.2 (26.) 26.0 (15.)  
 Trefferlage 0.26 mm links, 0.38 mm hoch  
 Streuwert 1.69, horizontal: 1.95, vertikal: 1.39




Serie 1:  
 9.8 ↘ 10.4 \* 10.4 \* 8.7 → 9.5 ↓  
 10.9 \* 10.5 \* 10.1 ↑ 9.3 ↖ 10.2 \*  
 beste Teiler 15.2 (6.) 102.1 (7.) 142.2 (2.)  
 Trefferlage 0.30 mm rechts, 0.61 mm hoch  
 Streuwert 2.09, horizontal: 2.19, vertikal: 1.97



Serie 2:  
 10.3 \* 10.3 \* 9.7 ← 10.6 \* 10.8 \*  
 10.1 ← 9.3 ↘ 10.5 \* 9.9 ↘ 10.0 ↙  
 beste Teiler 26.0 (15.) 96.8 (14.) 109.7 (18.)  
 Trefferlage 0.74 mm links, 0.13 mm hoch  
 Streuwert 1.62, horizontal: 1.88, vertikal: 1.30



Serie 3:  
 10.7 \* 9.9 ← 10.7 \* 10.4 \* 9.8 →  
 10.9 \* 9.2 ← 10.4 \* 10.2 \* 10.4 \*  
 beste Teiler 20.2 (26.) 59.9 (21.) 62.2 (23.)  
 Trefferlage 0.50 mm links, 0.58 mm hoch  
 Streuwert 1.48, horizontal: 1.92, vertikal: 0.83





Serie 4:  
 10.8 \* 9.8 → 9.7 ← 9.8 ↗ 10.2 \*  
 10.2 \* 10.8 \* 9.7 ↑ 10.4 \* 10.2 \*  
 beste Teiler 27.0 (37.) 36.2 (31.) 150.8 (39.)  
 Trefferlage 0.10 mm links, 0.22 mm hoch  
 Streuwert 1.67, horizontal: 1.91, vertikal: 1.39


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **367** (384.4)  
 Serien: 91 93 91 92  
 Zähler: 15 20 3 1 1 0 0 0 0 0  
 Innenzehner: 11  
 weiteste: 1067 (11), 844 (26), 591 (7)  
 beste Teiler 64.1 (33.) 70.3 (38.) 97.7 (14.)  
 Trefferlage 1.35 mm rechts, 0.24 mm hoch  
 Streuwert 2.63, horizontal: 3.25, vertikal: 1.81




Serie 1:  
 9.4 → 10.0 ← 10.1 → 10.0 ↓ 9.3 ↘  
 8.7 → 8.6 ↗ 9.0 ← 9.9 ↖ 9.4 ↙  
 beste Teiler 219.3 (3.) 229.9 (4.) 234.0 (2.)  
 Trefferlage 0.75 mm rechts, 0.00 mm  
 Streuwert 2.95, horizontal: 3.60, vertikal: 2.11



Serie 2:  
 6.7 → 10.3 \* 9.0 ↗ 10.6 \* 10.4 \*  
 9.1 ↗ 10.4 \* 10.2 \* 9.7 → 10.5 \*  
 beste Teiler 97.7 (14.) 115.4 (20.) 141.0 (15.)  
 Trefferlage 2.04 mm rechts, 1.30 mm hoch  
 Streuwert 2.62, horizontal: 3.45, vertikal: 1.36





Serie 3:  
 10.3 \* 9.7 ↘ 9.2 → 10.4 \* 9.2 →  
 7.6 ↘ 10.1 ← 9.9 ↓ 9.8 ↑ 9.7 →  
 beste Teiler 150.2 (24.) 166.8 (21.) 222.2 (27.)  
 Trefferlage 1.71 mm rechts, 0.36 mm tief  
 Streuwert 2.61, horizontal: 2.87, vertikal: 2.32




Serie 4:  
 9.2 → 9.6 ← 10.7 \* 9.3 → 9.7 →  
 9.7 → 10.2 \* 10.7 \* 9.3 → 8.8 ←  
 beste Teiler 64.1 (33.) 70.3 (38.) 184.9 (37.)  
 Trefferlage 0.90 mm rechts, 0.03 mm hoch  
 Streuwert 2.47, horizontal: 3.38, vertikal: 0.88

Unterschrift des Schützen


Ergebnis: **379** (395.1)  
 Serien: 96 95 92 96  
 Zähler: 21 17 2 0 0 0 0 0 0 0  
 Innenzehner: 13  
 weiteste: 626 (40), 591 (27), 485 (33)  
 beste Teiler 68.2 (16.) 70.2 (15.) 71.1 (3.)  
 Trefferlage 0.39 mm rechts, 0.18 mm hoch  
 Streuwert 2.15, horizontal: 2.35, vertikal: 1.92




Serie 1:  
 10.0 ↙ 10.4 \* 10.7 \* 9.4 ↘ 9.9 ↖  
 10.4 \* 10.7 \* 9.5 ↑ 9.8 ↗ 10.4 \*  
 beste Teiler 71.1 (3.) 71.6 (7.) 133.2 (6.)  
 Trefferlage 0.01 mm rechts, 0.47 mm hoch  
 Streuwert 1.73, horizontal: 1.43, vertikal: 1.98



Serie 2:  
 9.2 → 10.1 ↘ 9.9 ↖ 9.5 ↓ 10.7 \*  
 10.7 \* 9.2 ↘ 10.2 \* 9.6 ↙ 10.0 ↗  
 beste Teiler 68.2 (16.) 70.2 (15.) 200.1 (18.)  
 Trefferlage 0.68 mm rechts, 0.72 mm tief  
 Streuwert 2.05, horizontal: 2.21, vertikal: 1.88





Serie 3:  
 10.0 ↙ 9.1 ↖ 9.9 → 9.6 ← 10.1 ↘  
 9.3 ↗ 8.6 → 10.4 \* 9.6 ↙ 9.7 →  
 beste Teiler 139.1 (28.) 222.7 (25.) 231.3 (21.)  
 Trefferlage 0.72 mm rechts, 0.39 mm hoch  
 Streuwert 2.55, horizontal: 2.99, vertikal: 2.03




Serie 4:  
 10.0 ↓ 10.1 ↖ 9.0 ↖ 10.2 \* 10.2 \*  
 9.5 ↗ 10.4 \* 10.1 → 10.6 \* 8.4 →  
 beste Teiler 99.9 (39.) 131.4 (37.) 179.8 (35.)  
 Trefferlage 0.17 mm rechts, 0.60 mm hoch  
 Streuwert 2.33, horizontal: 2.77, vertikal: 1.78

Unterschrift des Schützen


Ergebnis: **363** (382.1)  
 Serien: 91 90 92 90  
 Zähler: 12 19 9 0 0 0 0 0 0 0  
 Innenzehner: 8  
 weiteste: 718 (39), 671 (40), 622 (5)  
 beste Teiler 37.7 (18.) 54.5 (31.) 81.0 (26.)  
 Trefferlage 0.32 mm rechts, 0.73 mm hoch  
 Streuwert 2.73, horizontal: 3.15, vertikal: 2.22




Serie 1:  
 10.0 ↗ 9.1 ↗ 10.1 ← 10.2 \* 8.5 →  
 9.3 → 10.1 ↓ 9.1 ↑ 8.9 → 8.8 ↑  
 beste Teiler 180.8 (4.) 213.4 (7.) 215.2 (3.)  
 Trefferlage 2.19 mm rechts, 1.44 mm hoch  
 Streuwert 2.39, horizontal: 2.52, vertikal: 2.27



Serie 2:  
 9.3 → 8.8 → 8.6 ↖ 8.8 ↖ 9.3 →  
 10.4 \* 10.2 \* 10.8 \* 9.6 ← 9.5 ↖  
 beste Teiler 37.7 (18.) 131.0 (16.) 179.3 (17.)  
 Trefferlage 0.02 mm links, 1.33 mm hoch  
 Streuwert 2.78, horizontal: 3.26, vertikal: 2.21



Serie 3:  
 9.9 ↑ 9.9 ↖ 9.2 ↘ 9.7 ↓ 9.7 ↓  
 10.6 \* 9.2 ← 9.8 ← 10.0 ↖ 9.6 ←  
 beste Teiler 81.0 (26.) 226.6 (29.) 267.3 (21.)  
 Trefferlage 1.02 mm links, 0.61 mm tief  
 Streuwert 2.16, horizontal: 2.14, vertikal: 2.17



Serie 4:  
 10.7 \* 10.4 \* 9.5 → 10.4 \* 9.7 →  
 9.9 ↗ 8.9 ↖ 9.2 ← 8.1 ← 8.3 →  
 beste Teiler 54.5 (31.) 131.0 (32.) 135.9 (34.)  
 Trefferlage 0.13 mm rechts, 0.75 mm hoch  
 Streuwert 3.09, horizontal: 3.94, vertikal: 1.90

Unterschrift des Schützen

Meyton Elektronik