




Ergebnis: **181** (190.6)  
 Serien: 89 92  
 Zähler: 3 15 2 0 0 0 0 0 0 0  
 Innenzehner: 0  
 weiteste: 1857 (4), 1813 (6), 1486 (20)  
 beste Teiler 691.7 (16.) 774.3 (18.) 787.1 (8.)  
 Trefferlage 0.36 mm links, 1.72 mm tief  
 Streuwert 8.52, horizontal: 9.88, vertikal: 6.89





Serie 1:  
 9.5 ↘                      9.8 ←                      9.6 ↓                      8.6 ↖                      9.2 ↖  
 8.7 ↗                      9.4 →                      10.0 ↑                      9.9 ←                      9.8 ←  
 beste Teiler 787.1 (8.) 831.3 (9.) 896.0 (2.)  
 Trefferlage 3.96 mm links, 2.62 mm hoch  
 Streuwert 8.69, horizontal: 10.53, vertikal: 6.34




Serie 2:  
 9.4 →                      9.5 ↓                      9.4 →                      9.7 ↘                      9.9 →  
 10.1 →                      9.1 ←                      10.0 ↓                      9.9 ↘                      9.1 ↙  
 beste Teiler 691.7 (16.) 774.3 (18.) 839.6 (19.)  
 Trefferlage 3.22 mm rechts, 6.07 mm tief  
 Streuwert 6.49, horizontal: 8.14, vertikal: 4.24

Unterschrift des Schützen

Ergebnis: **179** (188.0)  
 Serien: 90 89  
 Zähler: 5 10 4 1 0 0 0 0 0 0  
 Innenzehner: 2  
 weiteste: 2694 (5), 2219 (3), 1913 (19)  
 beste Teiler 266.5 (9.) 529.2 (16.) 629.1 (4.)  
 Trefferlage 2.44 mm rechts, 2.00 mm hoch  
 Streuwert 9.82, horizontal: 10.03, vertikal: 9.60



Serie 1:  
 9.8 ↖                      10.1 ↖                      8.2 ↖                      10.2 →                      7.6 ↗  
 9.3 →                      10.0 ↑                      8.6 ↗                      10.6 \*                      9.6 ↖  
 beste Teiler 266.5 (9.) 629.1 (4.) 696.8 (2.)  
 Trefferlage 1.79 mm rechts, 7.20 mm hoch  
 Streuwert 9.33, horizontal: 12.30, vertikal: 4.80





Serie 2:  
 9.5 ↑                      9.7 ↘                      8.7 ↑                      9.1 ↙                      9.2 →  
 10.3 \*                      9.8 ↓                      9.2 ↘                      8.6 ↓                      9.9 →  
 beste Teiler 529.2 (16.) 868.3 (20.) 931.4 (17.)  
 Trefferlage 3.09 mm rechts, 3.19 mm tief  
 Streuwert 9.26, horizontal: 7.76, vertikal: 10.56


Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **148** (157.0)  
 Serien: 74 74  
 Zähler: 0 4 8 2 5 0 1 0 0 0  
 Innenzehner: 0  
 weiteste: 4915 (14), 3906 (4), 3896 (7)  
 beste Teiler 942.6 (8.) 965.0 (17.) 1014.8 (2.)  
 Trefferlage 1.50 mm links, 0.48 mm tief  
 Streuwert 19.67, horizontal: 24.33, vertikal: 13.50



Serie 1:  
 6.3 →                      9.7 ←                      7.9 ↘                      6.1 ↖                      8.8 ↗  
 7.2 ↖                      6.1 ←                      9.8 ↗                      8.3 ↑                      8.2 →  
 beste Teiler 942.6 (8.) 1014.8 (2.) 1736.2 (5.)  
 Trefferlage 4.66 mm links, 5.01 mm hoch  
 Streuwert 19.48, horizontal: 24.42, vertikal: 12.76



Serie 2:  
 9.1 ↓                      8.7 ←                      8.3 ↘                      4.8 ←                      6.4 ↘  
 6.2 ↘                      9.7 ↗                      8.8 ←                      8.6 ↗                      8.0 ↓  
 beste Teiler 965.0 (17.) 1465.4 (11.) 1696.6 (18.)  
 Trefferlage 1.64 mm rechts, 5.98 mm tief  
 Streuwert 19.82, horizontal: 25.11, vertikal: 12.45

Unterschrift des Schützen