





Ergebnis: **362** (380.3)
 Serien: 93 89 94 86
 Zähler: 12 20 7 0 1 0 0 0 0 0
 Innenzehner: 11
 weiteste: 1044 (34), 739 (35), 738 (33)
 beste Teiler 38.4 (23.) 45.8 (15.) 70.7 (39.)
 Trefferlage 0.03 mm links, 1.17 mm hoch
 Streuwert 2.88, horizontal: 3.49, vertikal: 2.10




Serie 1:
 10.2 * 9.5 ↗ 10.2 * 10.0 ↗ 8.7 ←
 9.4 ↑ 10.6 * 9.4 ↗ 9.6 ↑ 9.3 →
 beste Teiler 76.9 (7.) 190.1 (3.) 191.9 (1.)
 Trefferlage 0.49 mm rechts, 1.56 mm hoch
 Streuwert 2.28, horizontal: 2.66, vertikal: 1.83



Serie 2:
 10.2 * 8.8 ↗ 9.8 ← 9.3 ↑ 10.8 *
 9.8 ↑ 9.2 ↘ 8.0 ← 9.9 ↓ 8.6 →
 beste Teiler 45.8 (15.) 192.2 (11.) 252.0 (19.)
 Trefferlage 0.68 mm links, 1.03 mm hoch
 Streuwert 3.01, horizontal: 3.22, vertikal: 2.80



Serie 3:
 10.3 * 8.6 ← 10.8 * 9.7 ↑ 9.3 →
 10.2 * 10.3 * 10.2 * 9.9 → 9.8 ↑
 beste Teiler 38.4 (23.) 157.1 (27.) 173.9 (21.)
 Trefferlage 0.33 mm rechts, 0.91 mm hoch
 Streuwert 2.14, horizontal: 2.63, vertikal: 1.50



Serie 4:
 9.6 ↘ 9.0 ← 8.0 → 6.8 → 8.0 ←
 9.7 ← 9.0 ↑ 9.5 ↗ 10.7 * 9.6 ↘
 beste Teiler 70.7 (39.) 305.6 (36.) 329.9 (40.)
 Trefferlage 0.30 mm links, 1.16 mm hoch
 Streuwert 4.06, horizontal: 5.25, vertikal: 2.31

Unterschrift des Schützen

Ergebnis: **339** (357.8)

Serien: 92 77 84 86

Zähler: 8 15 9 5 2 1 0 0 0 0



Innenzehner: 5

weiteste: 1380 (30), 1176 (16), 1115 (12)

beste Teiler 29.0 (40.) 43.6 (10.) 93.2 (15.)

Trefferlage 0.37 mm rechts, 0.35 mm hoch

Streuwert 4.19, horizontal: 5.05, vertikal: 3.09




Serie 1:

| | | | | |
|-------|--------|--------|--------|--------|
| 9.8 ↘ | 10.0 ↓ | 9.1 ← | 10.4 * | 10.0 ← |
| 8.4 ↗ | 7.8 ← | 10.4 * | 9.8 ↙ | 10.8 * |

beste Teiler 43.6 (10.) 131.9 (8.) 135.2 (4.)

Trefferlage 1.76 mm links, 0.19 mm hoch

Streuwert 2.67, horizontal: 2.87, vertikal: 2.45




Serie 2:

| | | | | |
|-------|-------|-------|-------|--------|
| 9.2 ↓ | 6.5 ↗ | 7.9 ↙ | 8.0 ↗ | 10.6 * |
| 6.2 ↗ | 8.7 → | 7.5 → | 8.9 ← | 8.9 → |

beste Teiler 93.2 (15.) 437.5 (11.) 508.2 (20.)

Trefferlage 2.91 mm rechts, 0.78 mm hoch

Streuwert 5.08, horizontal: 6.00, vertikal: 3.96




Serie 3:

| | | | | |
|--------|-------|-------|-------|-------|
| 10.0 ↘ | 9.7 ↑ | 9.6 ↙ | 8.1 → | 9.8 ↗ |
| 9.2 ← | 9.7 ↗ | 8.9 ← | 8.5 ↙ | 5.4 → |

beste Teiler 231.6 (21.) 299.3 (25.) 317.0 (22.)

Trefferlage 0.75 mm rechts, 0.19 mm hoch

Streuwert 4.49, horizontal: 5.76, vertikal: 2.68



Serie 4:

| | | | | |
|-------|-------|-------|-------|--------|
| 9.2 → | 9.0 ↙ | 9.3 → | 7.8 ↘ | 9.0 ↗ |
| 7.2 ↘ | 9.3 ↑ | 9.9 ↘ | 8.5 ↓ | 10.8 * |

beste Teiler 29.0 (40.) 255.7 (38.) 401.4 (33.)



Trefferlage 0.42 mm links, 0.26 mm hoch

Streuwert 4.01, horizontal: 4.45, vertikal: 3.52


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **383** (399.9)
 Serien: 96 94 95 98
 Zähler: 25 13 2 0 0 0 0 0 0 0
 Innenzehner: 17
 weiteste: 750 (16), 515 (25), 499 (3)
 beste Teiler 31.0 (24.) 40.3 (32.) 62.4 (8.)
 Trefferlage 0.30 mm links, 0.32 mm hoch
 Streuwert 2.01, horizontal: 2.45, vertikal: 1.46




Serie 1:
 10.4 * 9.5 → 9.0 → 10.0 → 9.9 ↗
 10.3 * 9.0 ← 10.7 * 10.1 ← 10.7 *
 beste Teiler 62.4 (8.) 69.6 (10.) 143.2 (1.)
 Trefferlage 0.48 mm rechts, 0.56 mm hoch
 Streuwert 2.11, horizontal: 2.87, vertikal: 0.83



Serie 2:
 10.6 * 9.5 ↘ 10.1 ↑ 9.6 ↖ 10.2 *
 8.0 ↗ 10.5 * 9.7 ↖ 10.2 * 9.2 ↙
 beste Teiler 81.2 (11.) 113.0 (17.) 178.3 (19.)
 Trefferlage 0.12 mm links, 0.73 mm hoch
 Streuwert 2.57, horizontal: 2.95, vertikal: 2.12



Serie 3:
 10.1 ↖ 10.1 ← 9.9 ↘ 10.8 * 8.9 ←
 9.6 ← 10.0 → 10.6 * 10.0 ↓ 9.7 ←
 beste Teiler 31.0 (24.) 91.0 (28.) 213.2 (21.)
 Trefferlage 0.94 mm links, 0.33 mm tief
 Streuwert 1.93, horizontal: 2.45, vertikal: 1.20





Serie 4:
 9.6 ↘ 10.8 * 10.3 * 10.6 * 9.6 ↖
 10.4 * 10.4 * 10.6 * 10.1 ↓ 10.6 *
 beste Teiler 40.3 (32.) 85.7 (34.) 87.0 (40.)
 Trefferlage 0.62 mm links, 0.34 mm hoch
 Streuwert 1.33, horizontal: 1.29, vertikal: 1.36


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **376** (391.2)
 Serien: 97 95 92 92
 Zähler: 23 12 3 2 0 0 0 0 0 0
 Innenzehner: 14
 weiteste: 992 (23), 948 (35), 627 (16)
 beste Teiler 31.8 (19.) 40.7 (1.) 51.1 (21.)
 Trefferlage 0.64 mm links, 0.30 mm hoch
 Streuwert 2.56, horizontal: 3.07, vertikal: 1.90




Serie 1:
 10.8 * 9.7 ↖ 10.3 * 9.1 ↙ 10.4 *
 10.1 ↑ 10.0 ↖ 9.8 ↗ 10.3 * 10.1 ↓
 beste Teiler 40.7 (1.) 140.9 (5.) 167.6 (3.)
 Trefferlage 0.82 mm links, 0.11 mm hoch
 Streuwert 1.77, horizontal: 1.63, vertikal: 1.91



Serie 2:
 10.0 ↙ 9.9 ↓ 10.1 ↓ 10.1 → 10.4 *
 8.4 → 8.5 ↗ 10.4 * 10.8 * 10.5 *
 beste Teiler 31.8 (19.) 118.2 (20.) 146.9 (15.)
 Trefferlage 0.93 mm rechts, 0.20 mm tief
 Streuwert 2.29, horizontal: 2.56, vertikal: 1.99



Serie 3:
 10.7 * 10.1 ↖ 7.0 ↖ 9.9 ↓ 10.3 *
 10.3 * 8.6 ← 9.9 ↘ 9.4 → 10.0 ↗
 beste Teiler 51.1 (21.) 161.9 (26.) 163.2 (25.)
 Trefferlage 1.24 mm links, 0.34 mm hoch
 Streuwert 2.98, horizontal: 3.82, vertikal: 1.78





Serie 4:
 9.3 ↗ 9.0 ↙ 9.6 ↖ 10.3 * 7.2 ←
 9.5 ↖ 9.2 ↑ 10.5 * 10.7 * 10.0 ↑
 beste Teiler 75.9 (39.) 117.4 (38.) 168.0 (34.)
 Trefferlage 1.42 mm links, 0.97 mm hoch
 Streuwert 2.94, horizontal: 3.64, vertikal: 2.02


Unterschrift des Schützen

Meyton Elektronik


| | | |
|--------------|--|----------|
| Ergebnis: | 352 | (369.2) |
| Serien: | 94 | 88 89 81 |
| Zähler: | 12 12 12 4 0 0 0 0 0 0 | |
| Innenzehner: | 6 | |
| weiteste: | 944 (38), 917 (31), 890 (36) | |
| beste Teiler | 41.0 (6.) 94.3 (20.) 121.2 (3.) | |
| Trefferlage | 1.85 mm rechts, 0.55 mm hoch | |
| Streuwert | 3.21, horizontal: 3.83, vertikal: 2.45 | |




| | | | | | |
|--------------|--|------------|------------|--------|--------|
| Serie 1: | 9.6 ↓ | 9.1 ↖ | 10.5 * | 8.1 ↙ | 10.1 ↖ |
| | 10.8 * | 9.9 ← | 10.1 ← | 10.0 → | 9.8 ↘ |
| beste Teiler | 41.0 (6.) | 121.2 (3.) | 214.4 (5.) | | |
| Trefferlage | 1.11 mm links, 0.68 mm tief | | | | |
| Streuwert | 2.33, horizontal: 2.54, vertikal: 2.10 | | | | |



| | | | | | |
|--------------|--|-------------|-------------|--------|--------|
| Serie 2: | 8.4 → | 8.7 ↗ | 9.2 ↘ | 10.0 ← | 8.6 ↘ |
| | 10.1 ↗ | 8.7 → | 8.8 ↕ | 9.3 → | 10.6 * |
| beste Teiler | 94.3 (20.) | 206.4 (16.) | 229.8 (14.) | | |
| Trefferlage | 2.51 mm rechts, 0.74 mm hoch | | | | |
| Streuwert | 2.90, horizontal: 3.11, vertikal: 2.67 | | | | |



| | | | | | |
|--------------|--|-------------|-------------|-------|-------|
| Serie 3: | 7.9 → | 10.2 * | 10.2 * | 8.5 ↘ | 8.9 ↑ |
| | 10.0 ↗ | 10.4 * | 9.3 → | 8.5 → | 9.2 → |
| beste Teiler | 135.0 (27.) | 196.2 (22.) | 200.1 (23.) | | |
| Trefferlage | 2.85 mm rechts, 0.77 mm hoch | | | | |
| Streuwert | 2.61, horizontal: 3.07, vertikal: 2.06 | | | | |





| | | | | | |
|--------------|--|-------------|-------------|-------|-------|
| Serie 4: | 7.3 → | 9.5 ↗ | 8.6 ↑ | 9.4 → | 9.3 ↗ |
| | 7.4 ↘ | 8.9 → | 7.2 ↖ | 8.3 → | 9.8 → |
| beste Teiler | 296.5 (40.) | 370.3 (32.) | 378.2 (34.) | | |
| Trefferlage | 3.17 mm rechts, 1.36 mm hoch | | | | |
| Streuwert | 4.02, horizontal: 4.96, vertikal: 2.78 | | | | |


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **358** (377.4)
 Serien: 90 90 90 88
 Zähler: 12 16 10 2 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 832 (39), 773 (15), 715 (35)
 beste Teiler 75.2 (14.) 85.0 (31.) 97.0 (25.)
 Trefferlage 0.24 mm links, 0.76 mm hoch
 Streuwert 2.99, horizontal: 3.55, vertikal: 2.30




Serie 1:
 10.2 * 9.5 ↘ 9.6 ↘ 10.2 * 10.1 ↙
 9.4 ↗ 8.7 ↘ 9.9 ↑ 8.7 → 8.7 ↘
 beste Teiler 188.4 (1.) 194.5 (4.) 201.1 (5.)
 Trefferlage 0.80 mm rechts, 0.62 mm hoch
 Streuwert 2.83, horizontal: 3.12, vertikal: 2.51



Serie 2:
 9.7 ↘ 9.8 ↖ 8.6 ↖ 10.7 * 7.9 →
 10.0 ↘ 10.3 * 9.4 → 8.5 ← 10.1 ↙
 beste Teiler 75.2 (14.) 170.6 (17.) 220.4 (20.)
 Trefferlage 0.35 mm links, 0.07 mm hoch
 Streuwert 3.15, horizontal: 4.09, vertikal: 1.79



Serie 3:
 8.5 ↘ 9.4 ↖ 8.9 ↖ 9.5 ↑ 10.6 *
 9.8 → 10.3 * 9.5 → 9.8 ↘ 9.3 ↑
 beste Teiler 97.0 (25.) 165.2 (27.) 290.9 (29.)
 Trefferlage 0.79 mm links, 1.52 mm hoch
 Streuwert 2.50, horizontal: 2.99, vertikal: 1.89





Serie 4:
 10.6 * 9.1 ↗ 10.0 → 10.1 ← 8.1 ↘
 8.7 ↘ 8.6 ↙ 9.4 ↖ 7.6 ↘ 9.6 ↗
 beste Teiler 85.0 (31.) 224.3 (34.) 229.4 (33.)
 Trefferlage 0.63 mm links, 0.82 mm hoch
 Streuwert 3.61, horizontal: 4.16, vertikal: 2.94


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **374** (391.5)
 Serien: 96 95 91 92
 Zähler: 19 18 1 2 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 926 (25), 760 (21), 730 (36)
 beste Teiler 28.3 (27.) 38.4 (32.) 50.4 (33.)
 Trefferlage 0.28 mm links, 0.09 mm tief
 Streuwert 2.49, horizontal: 3.06, vertikal: 1.73




Serie 1:
 10.2 * 10.6 * 10.3 * 10.5 * 9.6 ↙
 9.1 ↖ 9.4 ↓ 9.1 ↖ 10.0 ↖ 10.0 →
 beste Teiler 94.2 (2.) 103.0 (4.) 172.1 (3.)
 Trefferlage 0.83 mm links, 0.33 mm hoch
 Streuwert 2.14, horizontal: 2.31, vertikal: 1.95



Serie 2:
 10.7 * 9.3 ↘ 9.5 ↘ 9.7 ↗ 9.8 ↖
 10.0 → 9.9 → 10.0 ↗ 10.5 * 10.4 *
 beste Teiler 58.6 (11.) 103.0 (19.) 150.6 (20.)
 Trefferlage 0.36 mm rechts, 0.23 mm hoch
 Streuwert 1.95, horizontal: 2.15, vertikal: 1.72



Serie 3:
 7.9 ↖ 10.1 ↖ 9.1 → 9.8 ↗ 7.2 ↙
 10.4 * 10.8 * 9.2 → 10.1 ↖ 10.2 *
 beste Teiler 28.3 (27.) 126.1 (26.) 189.3 (30.)
 Trefferlage 1.20 mm links, 0.51 mm tief
 Streuwert 3.26, horizontal: 4.15, vertikal: 2.02



Serie 4:
 9.7 ↓ 10.8 * 10.8 * 9.7 → 9.4 →
 8.0 ← 10.1 ↖ 9.8 ↗ 9.9 → 9.9 →
 beste Teiler 38.4 (32.) 50.4 (33.) 202.6 (37.)
 Trefferlage 0.55 mm rechts, 0.42 mm tief
 Streuwert 2.49, horizontal: 3.29, vertikal: 1.24

Unterschrift des Schützen

Meyton Elektronik