





Ergebnis: **394** (412.0)
 Serien: 99 96 99 100
 Zähler: 34 6 0 0 0 0 0 0 0 0
 Innenzehner: 26
 weiteste: 377 (6), 335 (16), 327 (11)
 beste Teiler 25.0 (34.) 52.4 (37.) 53.8 (12.)
 Trefferlage 0.28 mm links, 0.17 mm hoch
 Streuwert 1.29, horizontal: 1.40, vertikal: 1.17




Serie 1:
 10.3 * 10.4 * 10.3 * 10.5 * 10.4 *
 9.4 ← 10.1 ↘ 10.4 * 10.6 * 10.1 ↗
 beste Teiler 86.4 (9.) 110.9 (4.) 126.0 (8.)
 Trefferlage 0.25 mm rechts, 0.30 mm tief
 Streuwert 1.38, horizontal: 1.56, vertikal: 1.17



Serie 2:
 9.6 ↙ 10.7 * 10.0 ↘ 10.5 * 9.8 ↗
 9.6 ↘ 9.9 ↘ 10.3 * 10.2 * 10.6 *
 beste Teiler 53.8 (12.) 96.8 (20.) 112.0 (14.)
 Trefferlage 0.52 mm links, 0.01 mm hoch
 Streuwert 1.65, horizontal: 1.69, vertikal: 1.61



Serie 3:
 10.6 * 10.1 → 10.4 * 10.1 ← 10.1 →
 10.3 * 10.5 * 10.6 * 10.7 * 9.9 ↘
 beste Teiler 55.5 (29.) 83.3 (21.) 97.0 (28.)
 Trefferlage 0.13 mm links, 0.29 mm hoch
 Streuwert 1.24, horizontal: 1.48, vertikal: 0.93





Serie 4:
 10.1 ↑ 10.7 * 10.7 * 10.9 * 10.7 *
 10.3 * 10.7 * 10.0 ↘ 10.4 * 10.5 *
 beste Teiler 25.0 (34.) 52.4 (37.) 55.1 (33.)
 Trefferlage 0.75 mm links, 0.68 mm hoch
 Streuwert 0.66, horizontal: 0.60, vertikal: 0.72


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	352	(371.0)
Serien:	87 85 90 90	
Zähler:	10 16 10 4 0 0 0 0 0 0	
Innenzehner:	8	
weiteste:	937 (7), 927 (15), 917 (33)	
beste Teiler	14.0 (31.) 83.2 (30.) 146.5 (13.)	
Trefferlage	0.10 mm rechts, 0.42 mm hoch	
Streuwert	3.41, horizontal: 3.85, vertikal: 2.90	




Serie 1:	9.6 ↘	9.3 ↑	8.7 ↗	8.9 ↓	9.5 ↖
	8.3 ↘	7.2 ↙	10.1 ←	9.2 ←	10.3 *
beste Teiler	168.0 (10.)	205.1 (8.)	336.8 (1.)		
Trefferlage	0.05 mm rechts, 0.79 mm hoch				
Streuwert	3.73, horizontal: 3.78, vertikal: 3.68				



Serie 2:	8.3 ↙	9.5 ↖	10.4 *	8.2 →	7.2 →
	8.6 ←	9.5 ↙	9.1 ←	7.9 →	10.3 *
beste Teiler	146.5 (13.)	162.5 (20.)	357.1 (12.)		
Trefferlage	0.44 mm rechts, 0.29 mm hoch				
Streuwert	4.19, horizontal: 5.58, vertikal: 2.00				





Serie 3:	9.9 ↗	10.3 *	8.8 ↙	8.7 ↘	8.6 ↘
	9.1 ↘	9.3 ↓	9.7 ↓	10.4 *	10.6 *
beste Teiler	83.2 (30.)	147.6 (29.)	167.1 (22.)		
Trefferlage	1.23 mm rechts, 1.26 mm tief				
Streuwert	2.65, horizontal: 2.53, vertikal: 2.76				




Serie 4:	10.9 *	9.7 ↙	7.3 ↙	9.1 ↑	9.8 ↙
	9.9 ↙	10.3 *	10.1 ↑	8.9 ↑	9.5 ↙
beste Teiler	14.0 (31.)	172.7 (37.)	211.7 (38.)		
Trefferlage	1.32 mm links, 1.88 mm hoch				
Streuwert	2.64, horizontal: 2.89, vertikal: 2.36				

Unterschrift des Schützen


Ergebnis: **386** (402.0)
 Serien: 97 96 96 97
 Zähler: 28 10 2 0 0 0 0 0 0 0
 Innenzehner: 19
 weiteste: 579 (22), 503 (20), 423 (25)
 beste Teiler 19.2 (38.) 51.9 (19.) 86.0 (39.)
 Trefferlage 0.07 mm links, 0.91 mm hoch
 Streuwert 1.72, horizontal: 1.81, vertikal: 1.62




Serie 1:
 10.1 ↖ 9.9 ↗ 10.6 * 10.1 ↑ 10.1 ↘
 9.4 ↑ 10.3 * 10.0 ↓ 9.8 ↑ 10.6 *
 beste Teiler 93.4 (3.) 98.8 (10.) 162.8 (7.)
 Trefferlage 0.03 mm rechts, 1.24 mm hoch
 Streuwert 1.47, horizontal: 1.25, vertikal: 1.66



Serie 2:
 10.0 ↖ 10.3 * 9.8 ↑ 9.3 ↓ 10.4 *
 10.3 * 10.1 ↑ 10.0 ↘ 10.7 * 8.9 ↗
 beste Teiler 51.9 (19.) 126.5 (15.) 163.9 (16.)
 Trefferlage 0.15 mm rechts, 0.42 mm hoch
 Streuwert 2.00, horizontal: 1.63, vertikal: 2.30





Serie 3:
 10.4 * 8.6 ↖ 10.2 * 10.4 * 9.3 →
 10.5 * 10.2 * 9.9 ← 10.4 * 10.2 *
 beste Teiler 107.7 (26.) 126.1 (21.) 140.5 (24.)
 Trefferlage 0.60 mm links, 0.46 mm hoch
 Streuwert 1.99, horizontal: 2.64, vertikal: 0.96




Serie 4:
 10.1 ↑ 9.6 ↖ 10.0 ↑ 9.5 ↑ 10.6 *
 10.3 * 10.2 * 10.9 * 10.6 * 9.4 →
 beste Teiler 19.2 (38.) 86.0 (39.) 87.8 (35.)
 Trefferlage 0.11 mm rechts, 1.50 mm hoch
 Streuwert 1.42, horizontal: 1.61, vertikal: 1.19

Unterschrift des Schützen


Ergebnis:	333	(347.7)
Serien:	79 86 82 86	
Zähler:	5 14 11 9 1 0 0 0 0 0	
Innenzehner:	3	
weiteste:	1236 (40), 992 (22), 943 (1)	
beste Teiler	111.0 (21.) 124.6 (32.) 161.8 (28.)	
Trefferlage	0.01 mm links, 0.51 mm hoch	
Streuwert	4.44, horizontal: 4.55, vertikal: 4.33	




Serie 1:	7.2 ←	7.2 ↘	8.1 ↗	8.9 ↑	7.7 ↗
	9.8 ↘	8.9 ↘	7.8 ↘	9.0 ↘	9.1 ↓
beste Teiler	290.8 (6.) 474.9 (10.) 499.6 (9.)				
Trefferlage	0.82 mm links, 2.31 mm hoch				
Streuwert	4.73, horizontal: 5.03, vertikal: 4.41				



Serie 2:	10.1 ↑	8.2 ↑	9.1 ↙	8.2 ←	8.2 ↘
	9.8 →	8.5 →	9.2 ↙	8.5 →	9.6 ↑
beste Teiler	212.2 (11.) 295.0 (16.) 333.7 (20.)				
Trefferlage	0.85 mm rechts, 0.08 mm hoch				
Streuwert	3.90, horizontal: 4.17, vertikal: 3.60				





Serie 3:	10.5 *	7.0 ↗	8.4 ↘	7.4 ↘	9.5 ↘
	9.0 ↓	8.7 ←	10.3 *	7.3 ↓	7.4 ←
beste Teiler	111.0 (21.) 161.8 (28.) 374.9 (25.)				
Trefferlage	0.43 mm rechts, 1.90 mm tief				
Streuwert	4.81, horizontal: 5.28, vertikal: 4.29				




Serie 4:	9.0 ↑	10.5 *	7.8 ↘	10.0 ↘	9.3 ←
	9.0 ←	9.7 ↑	8.5 ↗	9.3 ↘	6.0 ↘
beste Teiler	124.6 (32.) 230.9 (34.) 314.8 (37.)				
Trefferlage	0.53 mm links, 1.55 mm hoch				
Streuwert	4.24, horizontal: 4.15, vertikal: 4.33				

Unterschrift des Schützen


Ergebnis:	380	(400.3)
Serien:	93 94 96 97	
Zähler:	21 18 1 0 0 0 0 0 0 0	
Innenzehner:	16	
weiteste:	650 (11), 427 (4), 400 (26)	
beste Teiler	42.9 (39.) 65.0 (34.) 77.0 (31.)	
Trefferlage	0.72 mm rechts, 0.16 mm hoch	
Streuwert	1.84, horizontal: 1.89, vertikal: 1.80	




Serie 1:	10.2 *	10.1 →	9.9 ↓	9.2 ↗	10.3 *
	9.5 ↘	9.4 ↖	9.7 ↑	9.5 ↙	9.9 →
beste Teiler	162.9 (5.)	193.2 (1.)	218.5 (2.)		
Trefferlage	0.02 mm rechts, 0.88 mm hoch				
Streuwert	2.20, horizontal: 2.26, vertikal: 2.14				



Serie 2:	8.4 ↘	9.9 ↘	10.3 *	10.2 *	9.8 →
	10.6 *	9.5 ↗	10.4 *	9.9 →	10.5 *
beste Teiler	80.8 (16.)	107.8 (20.)	144.1 (18.)		
Trefferlage	1.47 mm rechts, 0.17 mm tief				
Streuwert	1.92, horizontal: 1.92, vertikal: 1.91				





Serie 3:	10.6 *	9.5 →	9.9 ↓	9.8 ↓	10.6 *
	9.4 ↘	10.4 *	10.1 →	10.1 ↗	10.1 ↑
beste Teiler	77.8 (21.)	82.6 (25.)	144.8 (27.)		
Trefferlage	0.59 mm rechts, 0.31 mm hoch				
Streuwert	1.78, horizontal: 1.54, vertikal: 2.00				




Serie 4:	10.6 *	10.4 *	9.8 ↘	10.7 *	10.6 *
	9.9 →	9.4 →	10.0 ↙	10.8 *	10.4 *
beste Teiler	42.9 (39.)	65.0 (34.)	77.0 (31.)		
Trefferlage	0.79 mm rechts, 0.36 mm tief				
Streuwert	1.37, horizontal: 1.74, vertikal: 0.86				

Unterschrift des Schützen


Ergebnis:	361	(380.6)
Serien:	87 94 94 86	
Zähler:	15 14 9 1 1 0 0 0 0 0	
Innenzehner:	12	
weiteste:	1059 (10), 907 (7), 739 (13)	
beste Teiler	23.5 (27.) 63.3 (8.) 69.9 (24.)	
Trefferlage	0.87 mm links, 1.23 mm hoch	
Streuwert	2.88, horizontal: 3.62, vertikal: 1.85	




Serie 1:	9.7 ↙	9.4 ↑	10.2 *	8.5 ↗	10.1 ↗
	9.6 ↗	7.3 ↖	10.7 *	9.9 ↖	6.7 ↖
beste Teiler	63.3 (8.)	185.7 (3.)	206.7 (5.)		
Trefferlage	1.37 mm links, 1.47 mm hoch				
Streuwert	3.68, horizontal: 4.84, vertikal: 1.90				



Serie 2:	10.5 *	10.2 *	8.0 ↘	10.1 ↗	8.9 ←
	10.4 *	10.4 *	9.6 →	10.2 *	9.3 ↘
beste Teiler	122.4 (11.)	127.2 (16.)	141.4 (17.)		
Trefferlage	0.87 mm links, 1.07 mm hoch				
Streuwert	2.45, horizontal: 2.89, vertikal: 1.92				





Serie 3:	9.4 ↗	9.1 ↗	9.1 ↖	10.7 *	10.5 *
	8.4 ←	10.9 *	10.5 *	10.1 ↙	9.9 ↖
beste Teiler	23.5 (27.)	69.9 (24.)	107.3 (25.)		
Trefferlage	0.30 mm links, 1.15 mm hoch				
Streuwert	2.37, horizontal: 2.85, vertikal: 1.76				




Serie 4:	9.8 →	8.9 →	10.2 *	9.8 ↙	9.2 ↖
	8.2 ↖	8.8 →	8.9 ←	9.6 ↖	8.9 ↖
beste Teiler	199.9 (33.)	281.5 (34.)	300.7 (31.)		
Trefferlage	0.94 mm links, 1.23 mm hoch				
Streuwert	3.22, horizontal: 4.05, vertikal: 2.09				

Unterschrift des Schützen


Ergebnis: **366** (384.3)
 Serien: 89 90 93 94
 Zähler: 12 23 4 1 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 851 (7), 649 (5), 613 (12)
 beste Teiler 55.0 (33.) 93.0 (24.) 108.2 (38.)
 Trefferlage 0.41 mm rechts, 0.12 mm hoch
 Streuwert 2.69, horizontal: 3.00, vertikal: 2.33




Serie 1:
 9.5 ↙ 9.5 ↖ 9.4 ↖ 9.0 → 8.4 →
 10.4 * 7.5 → 9.7 ← 10.4 * 9.4 ↖
 beste Teiler 136.4 (6.) 150.2 (9.) 301.3 (8.)
 Trefferlage 0.34 mm rechts, 0.31 mm hoch
 Streuwert 3.38, horizontal: 4.48, vertikal: 1.66



Serie 2:
 9.0 ↗ 8.5 → 10.2 * 9.8 ↗ 9.0 ↖
 10.1 ↘ 9.8 ↑ 8.9 ↑ 9.2 ↘ 9.1 ←
 beste Teiler 196.7 (13.) 207.1 (16.) 286.1 (17.)
 Trefferlage 0.96 mm rechts, 1.35 mm hoch
 Streuwert 2.88, horizontal: 2.88, vertikal: 2.88



Serie 3:
 9.9 ↗ 10.2 * 10.4 * 10.6 * 10.1 ↑
 9.2 ↘ 8.7 ← 9.7 ↘ 9.9 ↖ 9.3 ↙
 beste Teiler 93.0 (24.) 129.0 (23.) 198.3 (22.)
 Trefferlage 0.68 mm links, 0.39 mm tief
 Streuwert 2.31, horizontal: 2.59, vertikal: 2.00





Serie 4:
 9.9 ↓ 9.5 ↑ 10.7 * 10.4 * 10.5 *
 9.1 → 9.9 ↓ 10.5 * 9.9 ↘ 9.1 ↓
 beste Teiler 55.0 (33.) 108.2 (38.) 125.0 (35.)
 Trefferlage 1.02 mm rechts, 0.75 mm tief
 Streuwert 1.94, horizontal: 1.40, vertikal: 2.35


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **348** (363.8)
 Serien: 84 92 90 82
 Zähler: 10 13 14 1 2 0 0 0 0 0
 Innenzehner: 7
 weiteste: 1047 (2), 1013 (34), 968 (27)
 beste Teiler 97.5 (32.) 134.6 (22.) 140.6 (18.)
 Trefferlage 0.03 mm rechts, 1.26 mm tief
 Streuwert 3.63, horizontal: 4.46, vertikal: 2.55




Serie 1:
 8.2 ↗ 6.8 → 9.4 ↘ 9.2 → 8.5 →
 8.1 → 8.4 ← 10.0 ↘ 9.0 ↓ 9.7 ↙
 beste Teiler 250.8 (8.) 316.2 (10.) 395.6 (3.)
 Trefferlage 3.09 mm rechts, 1.25 mm tief
 Streuwert 3.71, horizontal: 4.58, vertikal: 2.57



Serie 2:
 8.8 ← 9.5 ↖ 9.5 → 9.5 ← 10.3 *
 9.1 ← 8.0 ↓ 10.4 * 10.0 ↘ 10.2 *
 beste Teiler 140.6 (18.) 161.4 (15.) 188.9 (20.)
 Trefferlage 1.11 mm links, 0.47 mm tief
 Streuwert 2.83, horizontal: 3.17, vertikal: 2.44



Serie 3:
 10.0 ↗ 10.4 * 10.2 * 10.3 * 9.6 ↙
 9.8 ↓ 7.1 ← 8.2 ↖ 9.1 ↘ 8.4 ←
 beste Teiler 134.6 (22.) 173.6 (24.) 198.8 (23.)
 Trefferlage 1.61 mm links, 0.30 mm tief
 Streuwert 3.42, horizontal: 4.29, vertikal: 2.22



Serie 4:
 9.7 ↓ 10.6 * 8.8 ↓ 6.9 ← 8.6 ↓
 8.3 ↙ 8.8 → 8.4 ↘ 9.4 ↙ 8.6 →
 beste Teiler 97.5 (32.) 324.7 (31.) 382.4 (39.)
 Trefferlage 0.22 mm links, 3.01 mm tief
 Streuwert 3.70, horizontal: 4.67, vertikal: 2.37

Unterschrift des Schützen

Meyton Elektronik