





Ergebnis: **375** (392.7)
 Serien: 93 94 93 95
 Zähler: 17 21 2 0 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 527 (24), 512 (8), 466 (25)
 beste Teiler 36.0 (5.) 58.2 (17.) 82.2 (30.)
 Trefferlage 0.43 mm rechts, 0.12 mm hoch
 Streuwert 2.18, horizontal: 2.49, vertikal: 1.83




Serie 1:
 9.4 ← 9.3 ↘ 9.5 → 10.0 ← 10.8 *
 10.2 * 9.5 → 8.9 → 9.2 ↑ 10.5 *
 beste Teiler 36.0 (5.) 112.2 (10.) 179.6 (6.)
 Trefferlage 0.37 mm rechts, 0.09 mm hoch
 Streuwert 2.50, horizontal: 2.92, vertikal: 1.99



Serie 2:
 9.9 ↘ 9.3 ↘ 10.0 ↗ 10.4 * 10.0 ↓
 9.4 ↗ 10.7 * 9.8 ↘ 9.3 ↓ 9.8 ↓
 beste Teiler 58.2 (17.) 129.7 (14.) 239.7 (15.)
 Trefferlage 1.39 mm rechts, 0.84 mm tief
 Streuwert 1.84, horizontal: 1.62, vertikal: 2.04





Serie 3:
 9.7 ↖ 10.1 ← 9.5 ↗ 8.8 ↖ 9.1 →
 10.3 * 9.9 ↖ 10.1 ↑ 9.9 ← 10.6 *
 beste Teiler 82.2 (30.) 175.5 (26.) 204.8 (28.)
 Trefferlage 0.66 mm links, 0.87 mm hoch
 Streuwert 2.21, horizontal: 2.84, vertikal: 1.32




Serie 4:
 10.1 ↗ 10.4 * 10.2 * 9.7 ← 9.6 ↗
 10.1 → 9.6 ↗ 9.3 ← 10.2 * 9.6 ↓
 beste Teiler 149.5 (32.) 187.0 (39.) 189.6 (33.)
 Trefferlage 0.62 mm rechts, 0.37 mm hoch
 Streuwert 2.01, horizontal: 2.29, vertikal: 1.68

Unterschrift des Schützen


Ergebnis: **361** (378.8)
 Serien: 88 92 94 87
 Zähler: 14 15 9 2 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 816 (19), 774 (38), 651 (1)
 beste Teiler 27.8 (5.) 59.0 (16.) 99.3 (8.)
 Trefferlage 0.12 mm rechts, 0.26 mm hoch
 Streuwert 3.00, horizontal: 3.39, vertikal: 2.54




Serie 1:
 8.3 → 8.9 → 9.6 ↘ 8.6 ← 10.8 *
 9.0 ← 9.3 ↖ 10.6 * 8.4 ← 9.2 ↑
 beste Teiler 27.8 (5.) 99.3 (8.) 345.4 (3.)
 Trefferlage 0.57 mm links, 0.72 mm hoch
 Streuwert 3.39, horizontal: 4.48, vertikal: 1.73



Serie 2:
 9.8 ↙ 10.1 ↑ 8.9 ↖ 10.2 * 10.4 *
 10.7 * 9.6 → 9.3 ↑ 7.7 ← 10.0 →
 beste Teiler 59.0 (16.) 140.6 (15.) 199.6 (14.)
 Trefferlage 0.50 mm links, 1.15 mm hoch
 Streuwert 2.70, horizontal: 3.42, vertikal: 1.71



Serie 3:
 10.1 ↑ 10.0 ↓ 8.9 → 10.1 ↘ 10.2 *
 10.5 * 9.1 ↖ 10.0 ↘ 9.0 ↖ 8.4 ↘
 beste Teiler 117.8 (26.) 200.2 (25.) 206.7 (21.)
 Trefferlage 0.69 mm rechts, 0.19 mm tief
 Streuwert 2.71, horizontal: 3.06, vertikal: 2.32





Serie 4:
 9.9 ↗ 9.6 ← 10.2 * 9.8 ↑ 9.3 ↗
 9.1 ↙ 8.6 ↘ 7.9 ↓ 8.8 ↑ 9.9 ↘
 beste Teiler 182.5 (33.) 265.3 (40.) 266.1 (31.)
 Trefferlage 0.90 mm rechts, 0.61 mm tief
 Streuwert 3.26, horizontal: 2.61, vertikal: 3.79


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **382** (402.6)
 Serien: 96 96 95 95
 Zähler: 24 14 2 0 0 0 0 0 0 0
 Innenzehner: 19
 weiteste: 521 (16), 504 (7), 468 (10)
 beste Teiler 15.5 (15.) 34.5 (4.) 34.6 (26.)
 Trefferlage 0.27 mm rechts, 0.16 mm hoch
 Streuwert 1.85, horizontal: 1.94, vertikal: 1.75




Serie 1:
 10.6 * 10.3 * 10.2 * 10.8 * 10.0 ↗
 10.3 * 8.9 ↘ 9.7 ↘ 10.4 * 9.1 ←
 beste Teiler 34.5 (4.) 84.3 (1.) 143.0 (9.)
 Trefferlage 0.41 mm links, 0.47 mm hoch
 Streuwert 1.97, horizontal: 2.03, vertikal: 1.92



Serie 2:
 9.8 ← 10.1 ↗ 10.3 * 10.6 * 10.9 *
 8.9 ↓ 10.3 * 9.9 ↓ 10.7 * 10.1 ↗
 beste Teiler 15.5 (15.) 57.7 (19.) 90.7 (14.)
 Trefferlage 0.14 mm rechts, 0.59 mm tief
 Streuwert 1.73, horizontal: 1.47, vertikal: 1.95



Serie 3:
 9.4 ↘ 10.8 * 10.4 * 9.8 ↗ 9.3 ↘
 10.8 * 9.5 ↘ 10.3 * 10.6 * 9.8 →
 beste Teiler 34.6 (26.) 39.6 (22.) 90.2 (29.)
 Trefferlage 1.04 mm rechts, 0.11 mm hoch
 Streuwert 1.80, horizontal: 2.09, vertikal: 1.46





Serie 4:
 9.8 ← 10.4 * 9.7 ↗ 10.5 * 9.5 ↘
 10.8 * 10.0 ↗ 10.0 ↗ 9.4 ↓ 9.9 ↗
 beste Teiler 47.9 (36.) 105.4 (34.) 147.0 (32.)
 Trefferlage 0.33 mm rechts, 0.68 mm hoch
 Streuwert 1.88, horizontal: 2.10, vertikal: 1.62


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **357** (374.6)
 Serien: 84 90 92 91
 Zähler: 9 20 10 1 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 944 (4), 745 (14), 653 (37)
 beste Teiler 108.0 (36.) 142.2 (31.) 164.6 (38.)
 Trefferlage 0.70 mm links, 1.12 mm hoch
 Streuwert 2.97, horizontal: 3.26, vertikal: 2.65




Serie 1:
 8.5 ↘ 9.3 ↘ 9.3 ↗ 7.2 ↗ 10.1 ↘
 9.5 ↗ 8.7 ↑ 8.8 ↖ 8.7 ← 8.9 →
 beste Teiler 217.3 (5.) 356.8 (6.) 404.9 (3.)
 Trefferlage 0.08 mm links, 2.30 mm hoch
 Streuwert 3.68, horizontal: 4.59, vertikal: 2.46



Serie 2:
 9.5 ↘ 10.1 → 9.4 ↗ 8.0 ↘ 9.0 ↗
 9.4 ↗ 10.0 ← 8.9 ↘ 9.4 ↗ 9.7 ↗
 beste Teiler 224.2 (12.) 236.8 (17.) 311.3 (20.)
 Trefferlage 0.16 mm rechts, 2.64 mm hoch
 Streuwert 2.53, horizontal: 3.20, vertikal: 1.59



Serie 3:
 9.7 ↘ 10.3 * 9.6 ↑ 10.2 * 9.4 ↘
 9.0 ↓ 8.5 ← 9.6 ← 10.1 ↓ 9.4 ↘
 beste Teiler 168.3 (22.) 191.0 (24.) 221.3 (29.)
 Trefferlage 2.13 mm links, 0.23 mm hoch
 Streuwert 2.25, horizontal: 1.99, vertikal: 2.48





Serie 4:
 10.4 * 8.5 ↖ 9.9 ↑ 9.3 ↘ 9.9 ↖
 10.5 * 8.3 ↓ 10.3 * 9.5 ← 9.8 ↘
 beste Teiler 108.0 (36.) 142.2 (31.) 164.6 (38.)
 Trefferlage 0.75 mm links, 0.68 mm tief
 Streuwert 2.68, horizontal: 2.69, vertikal: 2.67


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **371** (392.4)
 Serien: 92 92 94 93
 Zähler: 19 14 6 1 0 0 0 0 0 0
 Innenzehner: 16
 weiteste: 788 (19), 666 (39), 605 (28)
 beste Teiler 24.3 (1.) 30.0 (40.) 39.0 (16.)
 Trefferlage 1.08 mm links, 0.32 mm hoch
 Streuwert 2.31, horizontal: 2.66, vertikal: 1.88




Serie 1:
 10.9 * 9.7 ← 10.2 * 8.9 ↖ 9.6 ↗
 10.3 * 9.9 ↓ 10.4 * 9.4 ↖ 8.6 ←
 beste Teiler 24.3 (1.) 139.6 (8.) 157.0 (6.)
 Trefferlage 2.25 mm links, 0.11 mm hoch
 Streuwert 1.86, horizontal: 2.10, vertikal: 1.58



Serie 2:
 9.9 → 10.3 * 9.4 ↗ 10.2 * 9.9 ↖
 10.8 * 9.5 ↑ 9.1 ↘ 7.8 ↘ 10.5 *
 beste Teiler 39.0 (16.) 112.4 (20.) 159.7 (12.)
 Trefferlage 0.49 mm links, 1.21 mm hoch
 Streuwert 2.55, horizontal: 3.04, vertikal: 1.94



Serie 3:
 10.4 * 10.1 ↖ 10.1 ↘ 10.5 * 8.9 ←
 10.8 * 10.6 * 8.5 ↓ 9.8 ↘ 9.8 ←
 beste Teiler 40.5 (26.) 92.9 (27.) 106.5 (24.)
 Trefferlage 0.97 mm links, 0.32 mm tief
 Streuwert 2.13, horizontal: 2.28, vertikal: 1.97





Serie 4:
 9.8 ↗ 8.8 → 9.4 ← 10.0 ← 10.7 *
 10.4 * 10.3 * 9.1 ↖ 8.3 ↖ 10.8 *
 beste Teiler 30.0 (40.) 65.1 (35.) 138.0 (36.)
 Trefferlage 0.61 mm links, 0.30 mm hoch
 Streuwert 2.60, horizontal: 3.12, vertikal: 1.96


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	347	(364.5)			
Serien:	88	84	86	89	
Zähler:	9	14	12	5	0 0 0 0 0 0
Innenzehner:	6				
weiteste:	880 (24), 873 (27), 845 (18)				
beste Teiler	106.9 (2.) 112.6 (20.) 113.8 (21.)				
Trefferlage	1.58 mm links, 1.33 mm tief				
Streuwert	3.33, horizontal: 4.12, vertikal: 2.28				




Serie 1:	10.4 *	10.5 *	8.9 ↙	8.4 ↙	9.2 ↘
	8.4 ↙	9.9 ↙	8.0 ↙	8.8 ↙	10.5 *
beste Teiler	106.9 (2.) 122.2 (10.) 131.7 (1.)				
Trefferlage	2.50 mm links, 1.55 mm tief				
Streuwert	2.76, horizontal: 3.49, vertikal: 1.75				



Serie 2:	7.9 →	9.3 →	7.9 ↙	8.5 ↙	9.3 ↓
	10.3 *	8.8 ↙	7.6 ↙	9.5 ↘	10.5 *
beste Teiler	112.6 (20.) 174.5 (16.) 373.5 (19.)				
Trefferlage	1.27 mm links, 2.00 mm tief				
Streuwert	3.71, horizontal: 4.53, vertikal: 2.65				





Serie 3:	10.5 *	10.0 ↘	9.5 →	7.4 →	8.5 ←
	8.8 ↙	7.5 →	8.8 ←	9.1 ←	10.1 ↙
beste Teiler	113.8 (21.) 219.5 (30.) 244.9 (22.)				
Trefferlage	0.21 mm rechts, 0.49 mm tief				
Streuwert	4.05, horizontal: 5.45, vertikal: 1.75				




Serie 4:	9.6 ↙	8.8 ↙	10.0 ←	9.0 ↑	9.0 ↙
	8.0 ↙	9.1 ↙	9.4 ↙	9.4 ↓	9.4 ←
beste Teiler	230.4 (33.) 331.6 (31.) 376.4 (40.)				
Trefferlage	2.75 mm links, 1.29 mm tief				
Streuwert	2.57, horizontal: 2.27, vertikal: 2.84				

Unterschrift des Schützen


Ergebnis: **368** (384.6)
 Serien: 89 91 92 96
 Zähler: 14 21 4 1 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 771 (9), 725 (20), 558 (30)
 beste Teiler 84.6 (33.) 89.0 (40.) 113.5 (16.)
 Trefferlage 0.22 mm links, 0.46 mm hoch
 Streuwert 2.65, horizontal: 2.93, vertikal: 2.35




Serie 1:
 9.8 → 9.1 ↑ 9.4 → 8.8 ↑ 9.1 →
 10.2 * 9.7 ↗ 10.1 ↖ 7.9 ↖ 9.3 →
 beste Teiler 176.0 (6.) 225.6 (8.) 287.7 (1.)
 Trefferlage 0.94 mm rechts, 2.21 mm hoch
 Streuwert 2.70, horizontal: 3.28, vertikal: 1.96



Serie 2:
 9.4 ↗ 9.3 ↘ 10.2 * 9.4 ↖ 9.6 →
 10.5 * 9.6 ↘ 9.0 ↘ 9.8 ← 8.1 ↖
 beste Teiler 113.5 (16.) 189.7 (13.) 280.1 (19.)
 Trefferlage 0.01 mm links, 0.21 mm tief
 Streuwert 2.96, horizontal: 3.42, vertikal: 2.42



Serie 3:
 10.4 * 9.6 → 10.4 * 9.1 ↓ 8.8 ←
 10.4 * 10.5 * 9.1 ↓ 9.6 → 8.7 ←
 beste Teiler 115.9 (27.) 127.6 (26.) 129.6 (23.)
 Trefferlage 0.91 mm links, 0.52 mm tief
 Streuwert 2.60, horizontal: 2.98, vertikal: 2.16





Serie 4:
 10.2 * 9.6 ↖ 10.6 * 10.3 * 9.2 ↗
 9.5 ↓ 10.5 * 9.1 ↖ 10.1 ← 10.6 *
 beste Teiler 84.6 (33.) 89.0 (40.) 122.8 (37.)
 Trefferlage 0.92 mm links, 0.37 mm hoch
 Streuwert 1.96, horizontal: 1.77, vertikal: 2.14


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	347	(364.3)
Serien:	87 88 83 89	
Zähler:	6 22 7 4 0 1 0 0 0 0	
Innenzehner:	1	
weiteste:	1322 (22), 977 (2), 824 (30)	
beste Teiler	70.2 (34.) 215.4 (35.) 221.4 (6.)	
Trefferlage	2.07 mm links, 1.23 mm hoch	
Streuwert	3.30, horizontal: 3.49, vertikal: 3.10	




Serie 1:	9.3 ↗	7.0 ←	8.0 ←	9.5 ↑	8.2 ↑
	10.1 ↘	9.3 ↘	9.6 ←	10.0 ↙	8.9 ←
beste Teiler	221.4 (6.)	245.8 (9.)	339.5 (8.)		
Trefferlage	2.38 mm links, 1.63 mm hoch				
Streuwert	3.40, horizontal: 4.01, vertikal: 2.64				



Serie 2:	7.9 ←	9.9 ↘	9.2 ↘	9.5 ↘	9.2 ↘
	9.5 ↙	10.0 ↘	9.5 ←	9.7 ↑	8.0 ↘
beste Teiler	242.2 (17.)	270.8 (12.)	320.1 (19.)		
Trefferlage	2.07 mm links, 0.83 mm hoch				
Streuwert	2.99, horizontal: 2.87, vertikal: 3.10				



Serie 3:	9.8 ↗	5.7 ↘	7.8 ↑	10.0 ↘	9.1 ↙
	9.6 ↑	9.9 ↑	9.7 ←	9.6 ←	7.7 ←
beste Teiler	228.8 (24.)	272.0 (27.)	280.5 (21.)		
Trefferlage	2.27 mm links, 1.39 mm hoch				
Streuwert	4.12, horizontal: 4.09, vertikal: 4.15				



Serie 4:	8.0 ↘	8.3 ↙	9.8 ←	10.7 *	10.1 ↗
	9.1 ↗	9.4 ↘	8.6 ↘	9.7 ↙	9.4 ↗
beste Teiler	70.2 (34.)	215.4 (35.)	300.8 (33.)		
Trefferlage	1.58 mm links, 1.09 mm hoch				
Streuwert	3.07, horizontal: 3.37, vertikal: 2.73				

Unterschrift des Schützen