





Ergebnis: **378.4** (360)
 Serien: 98.1 90.9 95.5 93.9
 Zaehler: 8 24 8 0 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 711 (11), 684 (20), 607 (19)
 beste Teiler 67.8 (5.) 80.7 (28.) 144.3 (33.)
 Trefferlage 0.56 mm rechts, 0.35 mm hoch
 Streuwert 2.84, horizontal: 3.29, vertikal: 2.31




Serie 1:
 9.7 ↗ 9.4 ↘ 10.0 ↗ 9.6 ↘ 10.7 *
 10.0 ↗ 10.2 * 9.8 ↓ 9.4 → 9.3 →
 beste Teiler 67.8 (5.) 194.3 (7.) 228.7 (6.)
 Trefferlage 1.56 mm rechts, 0.05 mm tief
 Streuwert 1.91, horizontal: 1.76, vertikal: 2.05



Serie 2:
 8.1 → 9.3 ↙ 8.6 → 10.1 ↘ 9.6 ↘
 9.7 ← 9.7 ← 9.1 ↘ 8.5 → 8.2 ↑
 beste Teiler 223.7 (14.) 314.3 (17.) 317.3 (16.)
 Trefferlage 0.93 mm rechts, 0.33 mm hoch
 Streuwert 3.61, horizontal: 4.20, vertikal: 2.91



Serie 3:
 9.5 ↖ 10.2 * 9.8 ↗ 9.0 ↖ 9.3 ↖
 9.4 → 8.7 ↙ 10.6 * 9.2 ← 9.8 ↑
 beste Teiler 80.7 (28.) 199.8 (22.) 280.1 (30.)
 Trefferlage 1.19 mm links, 0.92 mm hoch
 Streuwert 2.57, horizontal: 2.83, vertikal: 2.27





Serie 4:
 9.9 ↗ 9.0 ↗ 10.4 * 9.8 ↓ 8.9 →
 9.8 → 9.0 ↘ 9.4 → 8.9 ← 8.8 ↖
 beste Teiler 144.3 (33.) 267.4 (31.) 276.3 (34.)
 Trefferlage 0.93 mm rechts, 0.20 mm hoch
 Streuwert 2.99, horizontal: 3.63, vertikal: 2.16


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **360.1** (342)
 Serien: 93.8 92.6 87.6 86.1
 Zaehler: 10 13 9 5 3 0 0 0 0 0
 Innenzehner: 6
 weiteste: 1105 (25), 1083 (15), 1052 (35)
 beste Teiler 110.9 (8.) 118.9 (14.) 121.5 (6.)
 Trefferlage 0.34 mm links, 0.97 mm hoch
 Streuwert 4.05, horizontal: 5.23, vertikal: 2.31




Serie 1:
 10.0 ↘ 8.3 → 9.5 ↙ 7.0 ← 10.1 ↘
 10.5 * 10.1 ↘ 10.5 * 9.4 ← 8.4 →
 beste Teiler 110.9 (8.) 121.5 (6.) 203.9 (5.)
 Trefferlage 0.57 mm links, 0.53 mm tief
 Streuwert 3.52, horizontal: 4.64, vertikal: 1.80



Serie 2:
 10.0 ↗ 9.8 ↙ 9.8 ← 10.5 * 6.6 ←
 10.2 * 9.8 ↙ 9.6 ↑ 7.0 ↘ 9.3 ↑
 beste Teiler 118.9 (14.) 181.1 (16.) 240.1 (11.)
 Trefferlage 1.98 mm links, 1.15 mm hoch
 Streuwert 3.56, horizontal: 4.04, vertikal: 3.00



Serie 3:
 10.3 * 9.9 → 9.5 ↖ 8.7 ↘ 6.5 →
 8.8 ← 7.6 → 8.1 ← 9.9 ↗ 8.3 →
 beste Teiler 172.7 (21.) 266.3 (29.) 267.6 (22.)
 Trefferlage 0.87 mm rechts, 1.50 mm hoch
 Streuwert 4.41, horizontal: 6.10, vertikal: 1.31





Serie 4:
 9.9 ↘ 8.3 ↘ 10.4 * 8.8 → 6.7 ←
 7.5 ↘ 8.3 ↗ 7.0 ↗ 9.8 ↑ 9.4 ←
 beste Teiler 150.8 (33.) 270.2 (31.) 290.2 (39.)
 Trefferlage 0.30 mm rechts, 1.76 mm hoch
 Streuwert 4.70, horizontal: 6.20, vertikal: 2.38


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **379.4** (365)
 Serien: 93.1 94.7 95.1 96.5
 Zaehler: 16 14 9 1 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 778 (20), 739 (19), 730 (5)
 beste Teiler 45.3 (16.) 57.2 (40.) 65.7 (15.)
 Trefferlage 0.91 mm links, 0.03 mm tief
 Streuwert 2.92, horizontal: 3.49, vertikal: 2.21




Serie 1:
 9.4 ↙ 10.3 * 9.5 ↘ 8.9 ← 8.0 ←
 8.4 ↘ 9.4 ↙ 9.6 → 9.5 ↘ 10.1 ↗
 beste Teiler 159.4 (2.) 215.2 (10.) 346.8 (8.)
 Trefferlage 0.34 mm links, 1.24 mm tief
 Streuwert 3.13, horizontal: 4.06, vertikal: 1.79



Serie 2:
 10.2 * 10.4 * 8.2 ↗ 9.2 ↗ 10.7 *
 10.8 * 9.1 ↙ 10.3 * 8.0 ← 7.8 ↖
 beste Teiler 45.3 (16.) 65.7 (15.) 136.4 (12.)
 Trefferlage 1.07 mm links, 0.76 mm hoch
 Streuwert 3.27, horizontal: 3.94, vertikal: 2.43



Serie 3:
 9.4 ↘ 10.5 * 8.3 ← 10.0 → 9.4 ←
 9.2 ↘ 10.0 ← 9.4 ↗ 8.7 ← 10.2 *
 beste Teiler 124.6 (22.) 179.7 (30.) 235.8 (27.)
 Trefferlage 0.83 mm links, 0.35 mm hoch
 Streuwert 2.87, horizontal: 3.61, vertikal: 1.84





Serie 4:
 10.0 ↙ 10.4 * 9.2 ↘ 9.1 ↙ 10.3 *
 8.3 ↖ 8.9 ↘ 9.5 ↑ 10.1 ↙ 10.7 *
 beste Teiler 57.2 (40.) 129.0 (32.) 159.3 (35.)
 Trefferlage 1.39 mm links, 0.00 mm
 Streuwert 2.58, horizontal: 2.68, vertikal: 2.49


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **374.3** (358)
 Serien: 95.5 94.8 88.3 95.7
 Zaehler: 16 12 6 6 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 969 (4), 910 (24), 841 (19)
 beste Teiler 90.1 (16.) 100.4 (9.) 113.0 (28.)
 Trefferlage 0.11 mm rechts, 0.32 mm tief
 Streuwert 3.38, horizontal: 3.67, vertikal: 3.07




Serie 1:
 10.0 ← 10.2 * 9.2 ↑ 7.1 ← 10.0 ↖
 9.6 ↑ 9.5 ↘ 9.9 ↘ 10.6 * 9.4 →
 beste Teiler 100.4 (9.) 187.4 (2.) 231.3 (5.)
 Trefferlage 1.30 mm links, 1.17 mm hoch
 Streuwert 2.84, horizontal: 3.52, vertikal: 1.94



Serie 2:
 8.9 ↙ 10.2 * 10.2 * 10.1 ↓ 9.1 →
 10.6 * 10.5 * 9.9 ↓ 7.6 ↘ 7.7 ↓
 beste Teiler 90.1 (16.) 121.0 (17.) 185.5 (12.)
 Trefferlage 0.20 mm links, 1.08 mm tief
 Streuwert 3.26, horizontal: 2.60, vertikal: 3.80



Serie 3:
 10.5 * 9.7 ↓ 8.3 ↘ 7.3 → 7.7 ↓
 8.0 ↘ 7.7 ↘ 10.5 * 9.2 ↓ 9.4 →
 beste Teiler 113.0 (28.) 122.4 (21.) 310.3 (22.)
 Trefferlage 1.42 mm rechts, 0.74 mm tief
 Streuwert 4.29, horizontal: 4.92, vertikal: 3.55





Serie 4:
 9.5 ↘ 10.1 ↘ 10.4 * 10.0 ↖ 8.6 →
 9.4 ← 8.9 → 10.5 * 8.0 ↓ 10.3 *
 beste Teiler 116.0 (38.) 140.3 (33.) 169.3 (40.)
 Trefferlage 0.55 mm rechts, 0.62 mm tief
 Streuwert 2.92, horizontal: 3.24, vertikal: 2.57


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **340.1** (320)
 Serien: 86.2 83.9 85.4 84.6
 Zaehler: 7 10 8 9 3 3 0 0 0 0
 Innenzehner: 6
 weiteste: 1472 (26), 1469 (14), 1455 (16)
 beste Teiler 74.4 (1.) 84.9 (27.) 86.3 (15.)
 Trefferlage 2.01 mm links, 0.21 mm tief
 Streuwert 4.95, horizontal: 5.92, vertikal: 3.75




Serie 1:
 10.7 * 9.3 ↗ 7.6 ↖ 7.4 → 9.0 ↘
 6.5 ↖ 9.8 ↗ 9.3 ↖ 8.0 ↙ 8.6 ↗
 beste Teiler 74.4 (1.) 286.0 (7.) 412.8 (8.)
 Trefferlage 0.68 mm links, 0.12 mm hoch
 Streuwert 4.86, horizontal: 6.08, vertikal: 3.22



Serie 2:
 9.8 → 7.7 ↖ 6.9 ↙ 5.1 ↖ 10.6 *
 5.1 ↖ 8.4 ↓ 10.1 ↓ 10.5 * 9.7 →
 beste Teiler 86.3 (15.) 115.0 (19.) 203.0 (18.)
 Trefferlage 3.57 mm links, 1.98 mm tief
 Streuwert 5.25, horizontal: 6.67, vertikal: 3.25



Serie 3:
 8.5 ↙ 7.8 ↖ 7.6 ↗ 9.2 ↓ 9.5 ↓
 5.1 ↖ 10.6 * 9.5 ↘ 9.8 ↗ 7.8 ↖
 beste Teiler 84.9 (27.) 284.4 (29.) 360.9 (28.)
 Trefferlage 2.77 mm links, 0.52 mm tief
 Streuwert 4.85, horizontal: 5.57, vertikal: 4.00





Serie 4:
 7.9 → 8.8 ↘ 7.2 ↗ 10.3 * 8.4 →
 8.9 ↖ 6.1 ↖ 10.3 * 8.9 ↖ 7.8 ↘
 beste Teiler 166.4 (34.) 170.7 (38.) 508.4 (39.)
 Trefferlage 1.02 mm links, 1.53 mm hoch
 Streuwert 5.00, horizontal: 5.76, vertikal: 4.09


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **370.6** (355)
 Serien: 91.0 92.0 95.6 92.0
 Zaehler: 8 21 9 2 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 952 (7), 793 (32), 746 (14)
 beste Teiler 95.7 (24.) 116.2 (8.) 126.6 (23.)
 Trefferlage 0.02 mm rechts, 0.40 mm tief
 Streuwert 3.37, horizontal: 3.71, vertikal: 2.98




Serie 1:
 9.6 ↑ 8.1 ↙ 9.5 ↘ 10.3 * 9.0 ↙
 9.5 ↓ 7.1 → 10.5 * 9.3 ↓ 8.1 ↓
 beste Teiler 116.2 (8.) 156.7 (4.) 336.9 (1.)
 Trefferlage 0.46 mm rechts, 2.11 mm tief
 Streuwert 3.58, horizontal: 3.95, vertikal: 3.17



Serie 2:
 9.4 ↘ 9.2 ↓ 8.0 ↘ 8.0 ↘ 9.4 ↓
 9.5 ↑ 9.7 ↘ 10.2 * 10.0 ↘ 8.6 ↘
 beste Teiler 184.7 (18.) 239.7 (19.) 310.7 (17.)
 Trefferlage 1.63 mm rechts, 1.35 mm tief
 Streuwert 3.18, horizontal: 3.33, vertikal: 3.03



Serie 3:
 8.6 ↗ 9.9 ↗ 10.4 * 10.6 * 9.4 ↖
 9.8 ↘ 9.8 ↖ 9.7 ↖ 9.0 ↓ 8.4 ↖
 beste Teiler 95.7 (24.) 126.6 (23.) 268.7 (22.)
 Trefferlage 0.53 mm links, 0.53 mm hoch
 Streuwert 2.87, horizontal: 3.14, vertikal: 2.57





Serie 4:
 9.3 ↗ 7.8 ← 9.7 ↖ 9.2 → 9.9 ↗
 10.2 * 10.0 ↓ 8.2 ↖ 9.5 ↑ 8.2 ↖
 beste Teiler 185.1 (36.) 235.5 (37.) 266.6 (35.)
 Trefferlage 1.43 mm links, 1.30 mm hoch
 Streuwert 3.29, horizontal: 4.17, vertikal: 2.06


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis:	364.6	(346)
Serien:	92.8	91.8 90.8 89.2
Zähler:	7	18 9 6 0 0 0 0 0 0
Innenzehner:	6	
weiteste:	995 (6), 955 (28), 933 (13)	
beste Teiler	90.9 (14.)	119.6 (23.) 129.6 (22.)
Trefferlage	1.51 mm rechts,	0.24 mm hoch
Streuwert	3.55, horizontal:	4.38, vertikal: 2.46




Serie 1:	9.5 ↗	10.4 *	8.8 ↘	9.7 ↙	9.7 ↖
	7.0 →	9.9 ↙	8.5 →	9.6 ↙	9.7 →
beste Teiler	142.6 (2.)	259.6 (7.)	307.8 (5.)		
Trefferlage	1.71 mm rechts,	0.70 mm tief			
Streuwert	3.31, horizontal:	4.31, vertikal: 1.83			



Serie 2:	9.0 ↙	8.6 →	7.2 →	10.6 *	8.1 ↖
	9.4 ↘	10.3 *	10.2 *	8.9 →	9.5 ↖
beste Teiler	90.9 (14.)	156.1 (17.)	193.3 (18.)		
Trefferlage	0.84 mm rechts,	0.05 mm tief			
Streuwert	3.72, horizontal:	4.70, vertikal: 2.38			





Serie 3:	9.5 ↘	10.4 *	10.5 *	9.1 ↗	8.6 →
	9.4 ↖	9.2 ↑	7.1 →	8.7 ↗	8.3 →
beste Teiler	119.6 (23.)	129.6 (22.)	362.2 (21.)		
Trefferlage	3.06 mm rechts,	1.13 mm hoch			
Streuwert	3.03, horizontal:	3.74, vertikal: 2.10			




Serie 4:	7.7 ↘	9.1 ↗	9.9 ↑	9.7 ↓	7.5 ↖
	7.9 ↗	10.0 ↘	9.6 ↘	9.5 ←	8.3 ↖
beste Teiler	243.2 (37.)	273.4 (33.)	318.5 (34.)		
Trefferlage	0.41 mm rechts,	0.62 mm hoch			
Streuwert	4.16, horizontal:	4.89, vertikal: 3.29			

Unterschrift des Schuetzen


Ergebnis: **380.1** (363)
 Serien: 98.5 93.3 95.3 93.0
 Zaehler: 15 16 7 1 1 0 0 0 0 0
 Innenzehner: 14
 weiteste: 1016 (40), 832 (23), 711 (19)
 beste Teiler 52.4 (34.) 62.9 (6.) 67.7 (32.)
 Trefferlage 1.07 mm links, 0.15 mm hoch
 Streuwert 2.94, horizontal: 3.33, vertikal: 2.48




Serie 1:
 10.6 * 9.8 → 9.5 → 9.5 ← 10.1 ↖
 10.7 * 10.3 * 8.4 ← 10.2 * 9.4 ↘
 beste Teiler 62.9 (6.) 82.0 (1.) 169.4 (7.)
 Trefferlage 0.45 mm links, 0.35 mm tief
 Streuwert 2.35, horizontal: 2.97, vertikal: 1.47



Serie 2:
 9.5 → 8.8 ↘ 9.6 ↓ 8.6 ← 9.6 ↘
 10.2 * 9.0 ← 10.2 * 8.1 ↖ 9.7 ↖
 beste Teiler 179.9 (18.) 197.5 (16.) 319.0 (20.)
 Trefferlage 1.21 mm links, 0.40 mm tief
 Streuwert 3.13, horizontal: 3.52, vertikal: 2.69



Serie 3:
 9.2 ↗ 10.2 * 7.6 ← 10.2 * 10.3 *
 10.4 * 9.5 → 9.3 ← 10.4 * 8.2 ↖
 beste Teiler 128.6 (26.) 146.4 (29.) 151.7 (25.)
 Trefferlage 1.06 mm links, 0.01 mm hoch
 Streuwert 3.04, horizontal: 3.33, vertikal: 2.71





Serie 4:
 10.4 * 10.7 * 9.2 ↑ 10.7 * 8.5 ↖
 9.6 ↖ 9.1 ↘ 8.4 ↑ 9.5 ← 6.9 ←
 beste Teiler 52.4 (34.) 67.7 (32.) 134.1 (31.)
 Trefferlage 1.56 mm links, 1.35 mm hoch
 Streuwert 3.38, horizontal: 3.89, vertikal: 2.77


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **391.2** (370)
 Serien: 99.6 94.3 100.6 96.7
 Zaehler: 14 22 4 0 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 595 (12), 543 (33), 532 (11)
 beste Teiler 42.1 (30.) 52.0 (22.) 72.5 (31.)
 Trefferlage 0.25 mm rechts, 0.11 mm hoch
 Streuwert 2.30, horizontal: 2.33, vertikal: 2.27




Serie 1:
 9.8 ↘ 10.5 * 9.9 ↘ 9.8 ↘ 9.6 ↗
 9.8 ← 10.3 * 9.5 → 10.1 ↗ 10.3 *
 beste Teiler 122.9 (2.) 157.3 (10.) 165.7 (7.)
 Trefferlage 0.05 mm rechts, 0.62 mm hoch
 Streuwert 1.88, horizontal: 2.27, vertikal: 1.39



Serie 2:
 8.8 ↘ 8.6 ↙ 9.1 ↑ 9.4 ↖ 9.4 ↗
 10.5 * 9.5 ↙ 9.2 ↑ 9.8 ↙ 10.0 ↘
 beste Teiler 116.7 (16.) 234.8 (20.) 293.5 (19.)
 Trefferlage 0.26 mm links, 0.31 mm tief
 Streuwert 3.00, horizontal: 2.63, vertikal: 3.32



Serie 3:
 9.5 → 10.7 * 9.6 ↖ 10.4 * 9.9 ↗
 9.9 ↑ 10.1 ↓ 9.7 → 10.0 ↓ 10.8 *
 beste Teiler 42.1 (30.) 52.0 (22.) 144.0 (24.)
 Trefferlage 0.62 mm rechts, 0.42 mm hoch
 Streuwert 1.76, horizontal: 1.86, vertikal: 1.64





Serie 4:
 10.7 * 10.3 * 8.8 → 9.9 → 9.3 ↑
 9.7 ↘ 9.4 ↙ 8.9 ↖ 9.5 ↓ 10.2 *
 beste Teiler 72.5 (31.) 162.3 (32.) 178.9 (40.)
 Trefferlage 0.61 mm rechts, 0.28 mm tief
 Streuwert 2.57, horizontal: 2.71, vertikal: 2.42


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **339.5** (321)
 Serien: 92.5 84.6 75.8 86.6
 Zaehler: 8 10 12 5 1 1 2 0 0 1
 Innenzehner: 8
 weiteste: 2405 (28), 1529 (21), 1514 (18)
 beste Teiler 94.1 (26.) 107.8 (31.) 114.0 (7.)
 Trefferlage 0.10 mm rechts, 1.42 mm hoch
 Streuwert 5.39, horizontal: 6.94, vertikal: 3.15




Serie 1:
 9.1 ↘ 9.5 ↘ 7.9 → 9.7 → 10.4 *
 8.9 → 10.5 * 8.4 ↘ 9.2 ↙ 8.9 ↗
 beste Teiler 114.0 (7.) 147.0 (5.) 307.1 (4.)
 Trefferlage 1.75 mm rechts, 0.66 mm hoch
 Streuwert 3.20, horizontal: 3.73, vertikal: 2.56



Serie 2:
 9.0 ↗ 10.4 * 9.0 ↙ 8.8 ↘ 10.2 *
 8.1 ↘ 8.5 ← 4.9 → 8.5 → 7.2 →
 beste Teiler 146.5 (12.) 197.6 (15.) 482.3 (11.)
 Trefferlage 3.24 mm rechts, 0.29 mm tief
 Streuwert 4.82, horizontal: 6.20, vertikal: 2.83



Serie 3:
 4.8 ↖ 9.7 ← 7.7 ↘ 10.3 * 8.5 ↗
 10.6 * 7.1 ↘ 1.3 ← 7.7 ↘ 8.1 →
 beste Teiler 94.1 (26.) 162.9 (24.) 307.1 (22.)
 Trefferlage 4.54 mm links, 3.58 mm hoch
 Streuwert 6.70, horizontal: 8.99, vertikal: 2.98





Serie 4:
 10.5 * 10.4 * 8.7 ↙ 8.7 ↗ 6.9 ↘
 9.1 ↘ 9.1 ← 9.6 ↗ 5.6 → 8.0 ↘
 beste Teiler 107.8 (31.) 145.5 (32.) 334.7 (38.)
 Trefferlage 0.01 mm links, 1.72 mm hoch
 Streuwert 4.90, horizontal: 6.14, vertikal: 3.23


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **381.3** (362)
 Serien: 93.5 95.7 98.2 93.9
 Zaehler: 14 18 4 4 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 934 (10), 789 (6), 779 (40)
 beste Teiler 53.8 (30.) 84.8 (20.) 107.0 (22.)
 Trefferlage 0.60 mm links, 1.36 mm hoch
 Streuwert 2.79, horizontal: 3.36, vertikal: 2.07




Serie 1:
 9.1 ← 9.9 ← 9.3 ↗ 10.5 * 10.0 →
 7.8 → 9.9 ↘ 10.4 * 9.4 ← 7.2 ↘
 beste Teiler 111.6 (4.) 126.8 (8.) 238.4 (5.)
 Trefferlage 1.06 mm links, 0.64 mm hoch
 Streuwert 3.43, horizontal: 4.36, vertikal: 2.12



Serie 2:
 9.8 ↗ 9.8 ↗ 9.4 → 10.3 * 10.4 *
 7.9 ↗ 8.9 ↘ 8.4 ↘ 10.2 * 10.6 *
 beste Teiler 84.8 (20.) 138.7 (15.) 172.2 (14.)
 Trefferlage 0.40 mm rechts, 1.76 mm hoch
 Streuwert 2.70, horizontal: 3.13, vertikal: 2.18



Serie 3:
 9.1 ← 10.5 * 10.1 → 9.9 ↑ 9.5 ←
 9.5 ↗ 9.1 ← 10.4 * 9.4 → 10.7 *
 beste Teiler 53.8 (30.) 107.0 (22.) 134.3 (28.)
 Trefferlage 0.55 mm links, 0.76 mm hoch
 Streuwert 2.25, horizontal: 2.88, vertikal: 1.37





Serie 4:
 9.8 → 8.4 ↑ 9.6 ↑ 9.5 ↑ 9.8 ↑
 10.1 ↘ 8.0 ↘ 10.5 * 10.4 * 7.8 ←
 beste Teiler 122.7 (38.) 142.2 (39.) 224.5 (36.)
 Trefferlage 1.22 mm links, 2.28 mm hoch
 Streuwert 2.76, horizontal: 3.15, vertikal: 2.30


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **360.9** (345)
 Serien: 87.0 91.4 88.0 94.5
 Zaehler: 9 13 12 6 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 947 (27), 896 (22), 882 (4)
 beste Teiler 77.7 (38.) 108.2 (14.) 124.2 (34.)
 Trefferlage 1.25 mm rechts, 1.49 mm hoch
 Streuwert 3.56, horizontal: 3.98, vertikal: 3.09




Serie 1:
 9.0 ← 8.3 ↑ 10.0 ← 7.4 → 9.5 ↗
 8.6 ← 7.7 ↗ 8.6 ← 8.3 → 9.6 ↑
 beste Teiler 231.4 (3.) 343.2 (10.) 366.6 (5.)
 Trefferlage 0.62 mm rechts, 2.26 mm hoch
 Streuwert 4.04, horizontal: 5.05, vertikal: 2.67



Serie 2:
 8.5 ↘ 8.0 ↗ 9.2 ↘ 10.5 * 8.9 ↗
 8.7 → 10.1 ↗ 9.9 ↓ 8.0 ↑ 9.6 ↓
 beste Teiler 108.2 (14.) 224.6 (17.) 257.7 (18.)
 Trefferlage 0.79 mm rechts, 1.98 mm hoch
 Streuwert 3.34, horizontal: 2.96, vertikal: 3.68



Serie 3:
 10.0 → 7.4 ↑ 10.1 ↑ 8.4 ↘ 9.1 ↗
 9.6 ↑ 7.2 → 8.8 ↘ 9.2 → 8.2 →
 beste Teiler 222.6 (23.) 226.0 (21.) 349.0 (26.)
 Trefferlage 2.38 mm rechts, 2.14 mm hoch
 Streuwert 3.69, horizontal: 3.91, vertikal: 3.46





Serie 4:
 7.9 → 7.8 ↘ 10.2 * 10.5 * 10.2 *
 9.4 → 9.4 ← 10.6 * 9.0 ← 9.5 →
 beste Teiler 77.7 (38.) 124.2 (34.) 182.3 (33.)
 Trefferlage 1.20 mm rechts, 0.43 mm tief
 Streuwert 3.16, horizontal: 4.10, vertikal: 1.80


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **383.5** (364)
 Serien: 95.7 90.9 100.6 96.3
 Zaehler: 11 22 7 0 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 669 (14), 666 (15), 665 (13)
 beste Teiler 79.0 (24.) 89.2 (38.) 92.6 (22.)
 Trefferlage 0.32 mm links, 0.88 mm tief
 Streuwert 2.63, horizontal: 3.02, vertikal: 2.16




Serie 1:
 10.4 * 9.5 → 9.4 ↙ 9.6 → 9.5 ↙
 10.0 ↗ 9.2 ↘ 9.1 ↓ 9.7 ↘ 9.3 ↖
 beste Teiler 148.2 (1.) 244.6 (6.) 303.4 (9.)
 Trefferlage 0.39 mm rechts, 1.21 mm tief
 Streuwert 2.52, horizontal: 2.85, vertikal: 2.14



Serie 2:
 8.4 ↙ 9.8 → 8.3 ← 8.3 ↙ 8.3 ↘
 10.0 ↘ 9.4 ↖ 8.8 ↘ 9.9 ↘ 9.7 ↖
 beste Teiler 249.6 (16.) 252.5 (19.) 297.0 (12.)
 Trefferlage 1.35 mm links, 0.60 mm tief
 Streuwert 3.57, horizontal: 4.23, vertikal: 2.75



Serie 3:
 9.6 ↖ 10.6 * 10.3 * 10.6 * 10.3 *
 9.8 ↗ 9.7 ↓ 10.2 * 9.7 ↘ 9.8 ↘
 beste Teiler 79.0 (24.) 92.6 (22.) 155.7 (23.)
 Trefferlage 0.12 mm links, 0.60 mm tief
 Streuwert 1.77, horizontal: 1.94, vertikal: 1.58





Serie 4:
 8.5 ↙ 9.4 ← 8.9 ↘ 10.2 * 9.8 ↘
 9.5 ↗ 9.4 ↓ 10.6 * 9.6 ↖ 10.4 *
 beste Teiler 89.2 (38.) 149.6 (40.) 197.4 (34.)
 Trefferlage 0.21 mm links, 1.11 mm tief
 Streuwert 2.58, horizontal: 2.83, vertikal: 2.29


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **352.3** (331)
 Serien: 88.0 86.0 91.4 86.9
 Zaehler: 6 13 11 6 4 0 0 0 0 0
 Innenzehner: 4
 weiteste: 1139 (18), 1118 (29), 1046 (1)
 beste Teiler 80.5 (22.) 83.6 (23.) 161.9 (12.)
 Trefferlage 0.50 mm links, 0.64 mm hoch
 Streuwert 4.31, horizontal: 5.11, vertikal: 3.32




Serie 1:
 6.8 → 8.9 ← 9.7 → 10.2 * 9.6 ↗
 9.6 ↗ 7.4 → 7.8 ↑ 9.6 ↓ 8.4 ←
 beste Teiler 182.6 (4.) 323.3 (3.) 326.9 (5.)
 Trefferlage 1.92 mm rechts, 0.94 mm hoch
 Streuwert 4.21, horizontal: 5.24, vertikal: 2.82



Serie 2:
 6.8 ← 10.3 * 7.1 → 8.4 ↘ 9.7 ↖
 9.8 ← 10.1 ↑ 6.4 ↖ 7.9 → 9.5 ↓
 beste Teiler 161.9 (12.) 211.0 (17.) 293.0 (16.)
 Trefferlage 0.27 mm links, 0.18 mm tief
 Streuwert 5.08, horizontal: 6.60, vertikal: 2.86



Serie 3:
 10.1 ↓ 10.6 * 10.6 * 8.6 ↘ 8.9 ↖
 9.1 ↓ 9.3 ↗ 8.9 ↖ 6.5 ↖ 8.8 ↗
 beste Teiler 80.5 (22.) 83.6 (23.) 217.3 (21.)
 Trefferlage 2.48 mm links, 0.27 mm hoch
 Streuwert 3.54, horizontal: 3.70, vertikal: 3.37





Serie 4:
 9.6 → 7.4 ↖ 8.0 ↖ 9.2 ↗ 9.5 →
 7.8 ↗ 9.7 ← 8.6 ↖ 8.2 ↓ 8.9 ↖
 beste Teiler 325.7 (37.) 334.1 (31.) 371.1 (35.)
 Trefferlage 1.17 mm links, 1.54 mm hoch
 Streuwert 4.20, horizontal: 4.12, vertikal: 4.29


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **382.6** (363)
 Serien: 95.1 97.6 95.5 94.4
 Zaehler: 15 14 10 1 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 805 (33), 681 (29), 663 (10)
 beste Teiler 16.4 (22.) 48.3 (14.) 48.5 (13.)
 Trefferlage 1.04 mm links, 0.32 mm tief
 Streuwert 2.74, horizontal: 3.52, vertikal: 1.60




Serie 1:
 9.9 ↘ 9.1 ← 10.4 * 10.4 * 8.6 ←
 9.2 ← 9.8 ← 9.3 ← 10.1 ↙ 8.3 ←
 beste Teiler 129.8 (4.) 147.7 (3.) 204.3 (9.)
 Trefferlage 2.87 mm links, 0.78 mm tief
 Streuwert 1.96, horizontal: 2.59, vertikal: 0.99



Serie 2:
 10.3 * 9.0 ↗ 10.8 * 10.8 * 10.0 ↗
 8.4 ↖ 10.5 * 8.9 ← 9.9 ↗ 9.0 ←
 beste Teiler 48.3 (14.) 48.5 (13.) 111.8 (17.)
 Trefferlage 0.99 mm links, 0.32 mm hoch
 Streuwert 2.55, horizontal: 3.20, vertikal: 1.68



Serie 3:
 10.0 ← 10.9 * 8.8 ↘ 10.3 * 9.9 ↘
 9.2 ↘ 10.1 ↙ 8.7 → 8.2 ↖ 9.4 ←
 beste Teiler 16.4 (22.) 175.3 (24.) 209.4 (27.)
 Trefferlage 0.24 mm rechts, 0.97 mm tief
 Streuwert 2.88, horizontal: 3.71, vertikal: 1.69





Serie 4:
 8.5 ↖ 10.2 * 7.7 ← 9.9 → 8.9 ↖
 9.9 ↓ 9.9 ↘ 8.7 ↗ 10.2 * 10.5 *
 beste Teiler 119.4 (40.) 181.6 (39.) 196.4 (32.)
 Trefferlage 0.54 mm links, 0.11 mm hoch
 Streuwert 3.18, horizontal: 4.15, vertikal: 1.76


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **374.1** (355)
 Serien: 97.0 92.4 91.5 93.2
 Zaehler: 8 20 11 1 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 777 (38), 727 (13), 722 (18)
 beste Teiler 53.3 (31.) 101.0 (8.) 118.8 (12.)
 Trefferlage 0.67 mm rechts, 1.30 mm hoch
 Streuwert 2.97, horizontal: 3.22, vertikal: 2.69




Serie 1:
 9.3 ← 9.4 ↖ 9.0 ↑ 10.1 ↑ 9.5 ↖
 9.3 → 9.7 ← 10.5 * 10.3 * 9.9 ↙
 beste Teiler 101.0 (8.) 161.8 (9.) 214.5 (4.)
 Trefferlage 0.55 mm links, 1.27 mm hoch
 Streuwert 2.25, horizontal: 2.43, vertikal: 2.07



Serie 2:
 10.0 → 10.5 * 8.0 ← 8.3 ↑ 8.9 →
 9.5 ↘ 9.9 ← 8.1 ← 9.4 ↗ 9.8 ↗
 beste Teiler 118.8 (12.) 228.1 (11.) 264.4 (17.)
 Trefferlage 0.21 mm links, 0.85 mm hoch
 Streuwert 3.49, horizontal: 4.24, vertikal: 2.53



Serie 3:
 9.4 → 8.2 ↖ 8.9 ↗ 9.7 ↖ 9.0 →
 9.2 ↘ 8.8 ↑ 8.6 → 9.3 → 10.4 *
 beste Teiler 148.7 (30.) 301.8 (24.) 378.2 (21.)
 Trefferlage 1.81 mm rechts, 1.14 mm hoch
 Streuwert 3.13, horizontal: 3.40, vertikal: 2.83





Serie 4:
 10.7 * 9.5 → 9.5 ↑ 9.9 → 8.3 →
 8.5 ↑ 9.9 ↙ 7.8 ↑ 8.8 ↑ 10.3 *
 beste Teiler 53.3 (31.) 154.0 (40.) 264.0 (37.)
 Trefferlage 1.67 mm rechts, 1.94 mm hoch
 Streuwert 2.88, horizontal: 2.14, vertikal: 3.46


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **364.3** (347)
 Serien: 94.8 91.1 90.1 88.3
 Zaehler: 12 11 12 3 1 1 0 0 0 0
 Innenzehner: 7
 weiteste: 1336 (24), 1212 (12), 870 (34)
 beste Teiler 36.0 (26.) 82.0 (18.) 146.8 (19.)
 Trefferlage 2.82 mm links, 0.16 mm hoch
 Streuwert 3.29, horizontal: 3.89, vertikal: 2.56




Serie 1:
 9.5 ↓ 8.9 ← 8.4 ↘ 10.1 ✓ 10.0 ↘
 8.9 ← 9.6 ✓ 10.4 * 10.2 * 8.8 ←
 beste Teiler 150.4 (8.) 200.3 (9.) 205.9 (4.)
 Trefferlage 1.95 mm links, 1.28 mm tief
 Streuwert 2.45, horizontal: 3.20, vertikal: 1.33



Serie 2:
 9.1 ← 6.1 ← 9.9 ← 8.3 ← 10.2 *
 8.7 ← 10.1 ↑ 10.6 * 10.4 * 7.7 ←
 beste Teiler 82.0 (18.) 146.8 (19.) 186.2 (15.)
 Trefferlage 4.09 mm links, 0.13 mm tief
 Streuwert 3.02, horizontal: 4.14, vertikal: 1.01



Serie 3:
 9.5 ↗ 9.0 ← 8.2 ← 5.6 ← 10.0 ↑
 10.8 * 8.5 ← 9.8 ↘ 9.5 ↗ 9.2 ←
 beste Teiler 36.0 (26.) 239.9 (25.) 294.5 (28.)
 Trefferlage 3.13 mm links, 0.61 mm hoch
 Streuwert 3.66, horizontal: 4.90, vertikal: 1.68





Serie 4:
 8.7 ↗ 9.0 ← 8.8 ↘ 7.5 ↑ 7.6 ↘
 10.0 ↘ 10.2 * 8.7 ↘ 9.5 ↓ 8.3 ✓
 beste Teiler 191.4 (37.) 248.0 (36.) 359.2 (39.)
 Trefferlage 2.13 mm links, 1.45 mm hoch
 Streuwert 3.82, horizontal: 3.31, vertikal: 4.27


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **369.4** (352)
 Serien: 97.9 87.3 87.7 96.5
 Zaehler: 14 11 9 5 1 0 0 0 0 0
 Innenzehner: 10
 weiteste: 1083 (13), 988 (19), 902 (39)
 beste Teiler 46.3 (10.) 61.0 (7.) 78.5 (6.)
 Trefferlage 1.26 mm links, 0.18 mm hoch
 Streuwert 3.56, horizontal: 4.49, vertikal: 2.28




Serie 1:
 10.0 ← 9.6 ↘ 8.9 → 10.5 * 8.6 ←
 10.6 * 10.7 * 9.6 ↙ 8.6 ← 10.8 *
 beste Teiler 46.3 (10.) 61.0 (7.) 78.5 (6.)
 Trefferlage 0.83 mm links, 0.07 mm tief
 Streuwert 2.56, horizontal: 3.28, vertikal: 1.53



Serie 2:
 10.0 → 9.1 → 6.6 ← 10.0 ← 10.6 *
 8.3 ← 9.0 ↘ 8.6 ← 7.0 ← 8.1 →
 beste Teiler 100.7 (15.) 228.3 (11.) 234.6 (14.)
 Trefferlage 1.76 mm links, 0.33 mm hoch
 Streuwert 4.54, horizontal: 6.14, vertikal: 1.86



Serie 3:
 9.4 ← 8.8 ↖ 7.4 → 7.5 ↙ 9.7 ↗
 9.6 ↑ 8.6 ↖ 7.4 ← 10.3 * 9.0 ←
 beste Teiler 166.3 (29.) 322.6 (25.) 332.7 (26.)
 Trefferlage 2.27 mm links, 0.19 mm tief
 Streuwert 4.16, horizontal: 4.63, vertikal: 3.64





Serie 4:
 9.6 ← 9.9 ↑ 10.5 * 9.0 → 10.4 *
 10.2 * 10.1 ↑ 10.6 * 7.3 ↖ 8.9 →
 beste Teiler 100.6 (38.) 105.1 (33.) 133.1 (35.)
 Trefferlage 0.17 mm links, 0.66 mm hoch
 Streuwert 2.97, horizontal: 3.82, vertikal: 1.73


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **408.3** (392)
 Serien: 99.3 104.1 102.6 102.3
 Zaehler: 32 8 0 0 0 0 0 0 0 0
 Innenzehner: 26
 weiteste: 411 (5), 407 (10), 318 (7)
 beste Teiler 47.4 (26.) 61.0 (20.) 76.8 (24.)
 Trefferlage 0.21 mm rechts, 0.33 mm hoch
 Streuwert 1.43, horizontal: 1.51, vertikal: 1.35




Serie 1:
 9.8 ↘ 9.9 ↑ 10.4 * 10.5 * 9.3 ↙
 10.1 ↘ 9.7 ↘ 10.2 * 10.1 ↗ 9.3 ↗
 beste Teiler 101.1 (4.) 133.7 (3.) 179.0 (8.)
 Trefferlage 0.46 mm links, 0.81 mm hoch
 Streuwert 1.90, horizontal: 1.98, vertikal: 1.82



Serie 2:
 10.2 * 10.6 * 10.4 * 10.5 * 10.5 *
 10.2 * 10.4 * 10.0 ↗ 10.6 * 10.7 *
 beste Teiler 61.0 (20.) 92.0 (19.) 95.1 (12.)
 Trefferlage 0.49 mm rechts, 0.11 mm tief
 Streuwert 1.01, horizontal: 1.03, vertikal: 1.00



Serie 3:
 10.0 ↘ 9.8 → 10.4 * 10.6 * 10.3 *
 10.8 * 10.2 * 10.2 * 10.4 * 9.9 ↙
 beste Teiler 47.4 (26.) 76.8 (24.) 126.1 (29.)
 Trefferlage 0.03 mm links, 0.61 mm hoch
 Streuwert 1.32, horizontal: 1.51, vertikal: 1.09





Serie 4:
 10.2 * 10.1 ↗ 10.4 * 10.3 * 10.6 *
 10.4 * 9.8 → 10.2 * 10.1 ↓ 10.2 *
 beste Teiler 83.8 (35.) 135.5 (36.) 148.3 (33.)
 Trefferlage 0.86 mm rechts, 0.03 mm hoch
 Streuwert 1.26, horizontal: 1.20, vertikal: 1.31


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **341.8** (324)
 Serien: 88.1 87.2 85.3 81.2
 Zaehler: 3 14 12 7 3 1 0 0 0 0
 Innenzehner: 2
 weiteste: 1399 (30), 1156 (38), 1142 (12)
 beste Teiler 111.1 (3.) 141.8 (2.) 202.7 (28.)
 Trefferlage 1.66 mm rechts, 0.42 mm tief
 Streuwert 4.63, horizontal: 4.78, vertikal: 4.48




Serie 1:
 9.9 ↘ 10.4 * 10.5 * 7.9 ↑ 7.2 ↘
 9.1 ↑ 7.3 ↓ 8.4 ↖ 8.8 ↘ 8.6 ↑
 beste Teiler 111.1 (3.) 141.8 (2.) 262.5 (1.)
 Trefferlage 0.55 mm rechts, 1.18 mm hoch
 Streuwert 4.38, horizontal: 3.99, vertikal: 4.75



Serie 2:
 9.6 → 6.4 → 9.6 ↓ 9.2 ↖ 7.3 ←
 9.5 ↘ 8.7 ↘ 8.4 ↖ 9.1 ↑ 9.4 ↓
 beste Teiler 328.3 (11.) 342.5 (13.) 354.2 (16.)
 Trefferlage 0.69 mm rechts, 0.79 mm tief
 Streuwert 4.49, horizontal: 5.76, vertikal: 2.67



Serie 3:
 6.4 ↘ 9.3 ↑ 9.5 → 8.3 ↙ 8.0 ↓
 9.7 ← 8.7 ↖ 10.1 ↖ 9.9 ↑ 5.4 →
 beste Teiler 202.7 (28.) 252.3 (29.) 311.8 (26.)
 Trefferlage 1.53 mm rechts, 1.29 mm tief
 Streuwert 5.09, horizontal: 5.95, vertikal: 4.06





Serie 4:
 8.5 → 8.1 ↑ 7.4 ↓ 7.6 ↓ 9.2 ↓
 8.7 ↘ 9.1 ↑ 6.3 ↗ 7.9 ↓ 8.4 →
 beste Teiler 447.5 (35.) 473.9 (37.) 559.9 (36.)
 Trefferlage 3.87 mm rechts, 0.78 mm tief
 Streuwert 4.66, horizontal: 2.60, vertikal: 6.06


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **403.1** (385)
 Serien: 100.9 101.1 102.6 98.5
 Zaehler: 26 13 1 0 0 0 0 0 0 0
 Innenzehner: 17
 weiteste: 582 (33), 384 (38), 363 (35)
 beste Teiler 38.0 (22.) 79.1 (30.) 88.2 (1.)
 Trefferlage 0.34 mm rechts, 0.08 mm hoch
 Streuwert 1.71, horizontal: 1.95, vertikal: 1.43




Serie 1:
 10.6 * 9.9 ↘ 10.1 ↗ 10.1 ↑ 10.3 *
 9.7 ← 9.8 ↘ 9.9 → 9.9 ↓ 10.6 *
 beste Teiler 88.2 (1.) 92.0 (10.) 160.3 (5.)
 Trefferlage 0.72 mm rechts, 0.16 mm hoch
 Streuwert 1.64, horizontal: 1.75, vertikal: 1.53



Serie 2:
 10.4 * 10.4 * 10.1 ✓ 10.2 * 9.9 ←
 9.8 → 10.1 ↗ 9.6 ↑ 10.1 ↓ 10.5 *
 beste Teiler 122.0 (20.) 135.6 (11.) 135.6 (12.)
 Trefferlage 0.08 mm rechts, 0.05 mm hoch
 Streuwert 1.66, horizontal: 1.60, vertikal: 1.71



Serie 3:
 10.0 ↗ 10.8 * 10.3 * 10.2 * 10.2 *
 9.6 ↗ 10.0 ← 10.5 * 10.4 * 10.6 *
 beste Teiler 38.0 (22.) 79.1 (30.) 113.6 (28.)
 Trefferlage 0.03 mm rechts, 0.83 mm hoch
 Streuwert 1.27, horizontal: 1.58, vertikal: 0.87





Serie 4:
 10.4 * 10.1 ↓ 8.6 ↘ 10.3 * 9.5 ←
 9.8 → 10.1 ↗ 9.4 ↘ 9.9 ← 10.4 *
 beste Teiler 141.8 (40.) 150.9 (31.) 161.0 (34.)
 Trefferlage 0.54 mm rechts, 0.69 mm tief
 Streuwert 2.19, horizontal: 2.83, vertikal: 1.25


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **413.0** (393)
 Serien: 102.9 103.3 103.6 103.2
 Zaehler: 33 7 0 0 0 0 0 0 0 0
 Innenzehner: 26
 weiteste: 328 (17), 309 (36), 275 (29)
 beste Teiler 21.5 (14.) 22.2 (35.) 28.3 (5.)
 Trefferlage 0.29 mm links, 0.29 mm hoch
 Streuwert 1.24, horizontal: 1.47, vertikal: 0.95




Serie 1:
 10.1 ↘ 10.4 * 10.1 ↘ 9.9 ↘ 10.8 *
 10.6 * 10.6 * 10.0 ↘ 10.3 * 10.1 ←
 beste Teiler 28.3 (5.) 79.8 (6.) 83.9 (7.)
 Trefferlage 0.81 mm links, 0.27 mm hoch
 Streuwert 1.20, horizontal: 1.36, vertikal: 1.01



Serie 2:
 10.5 * 10.4 * 10.6 * 10.9 * 9.9 ↘
 10.6 * 9.6 ↗ 10.1 ↗ 10.6 * 10.1 ←
 beste Teiler 21.5 (14.) 76.6 (16.) 94.5 (19.)
 Trefferlage 0.21 mm links, 0.22 mm hoch
 Streuwert 1.33, horizontal: 1.54, vertikal: 1.07



Serie 3:
 10.5 * 10.2 * 10.7 * 10.0 ↘ 10.6 *
 10.4 * 10.6 * 10.3 * 9.9 ↘ 10.4 *
 beste Teiler 66.5 (23.) 76.0 (25.) 93.3 (27.)
 Trefferlage 0.12 mm links, 0.31 mm hoch
 Streuwert 1.17, horizontal: 1.37, vertikal: 0.91





Serie 4:
 10.3 * 10.3 * 10.7 * 10.6 * 10.9 *
 9.7 ← 10.3 * 10.6 * 9.9 ↘ 9.9 →
 beste Teiler 22.2 (35.) 61.3 (33.) 88.2 (34.)
 Trefferlage 0.03 mm links, 0.34 mm hoch
 Streuwert 1.36, horizontal: 1.68, vertikal: 0.94


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **366.8** (349)
 Serien: 94.1 91.0 91.9 89.8
 Zaehler: 7 20 9 3 1 0 0 0 0 0
 Innenzehner: 5
 weiteste: 1212 (36), 827 (14), 819 (30)
 beste Teiler 92.3 (8.) 164.6 (16.) 185.0 (15.)
 Trefferlage 1.11 mm links, 0.22 mm tief
 Streuwert 3.42, horizontal: 4.06, vertikal: 2.63




Serie 1:
 8.8 ← 9.0 ↓ 9.3 → 9.4 ↖ 9.2 →
 9.4 ↙ 10.0 ↓ 10.6 * 9.2 ↓ 9.2 ↙
 beste Teiler 92.3 (8.) 232.1 (7.) 376.6 (6.)
 Trefferlage 0.48 mm links, 1.82 mm tief
 Streuwert 2.67, horizontal: 3.27, vertikal: 1.87



Serie 2:
 9.0 → 8.8 → 9.0 → 7.6 ← 10.2 *
 10.3 * 9.4 ← 9.0 ← 7.8 ← 9.9 ←
 beste Teiler 164.6 (16.) 185.0 (15.) 251.7 (20.)
 Trefferlage 1.49 mm links, 0.11 mm hoch
 Streuwert 3.63, horizontal: 5.00, vertikal: 1.16



Serie 3:
 10.2 * 8.9 ↘ 9.5 ↓ 9.9 ↙ 8.6 ←
 8.8 ↗ 9.3 ← 8.8 ← 10.2 * 7.7 ←
 beste Teiler 185.6 (29.) 198.1 (21.) 275.1 (24.)
 Trefferlage 1.90 mm links, 0.94 mm tief
 Streuwert 3.22, horizontal: 4.19, vertikal: 1.79



Serie 4:
 9.8 ↓ 9.5 ↓ 8.9 ↘ 8.7 ↗ 9.2 ↑
 6.1 ↘ 9.7 → 10.0 ↗ 9.1 ↘ 8.8 ↘
 beste Teiler 227.7 (38.) 285.8 (31.) 301.1 (37.)
 Trefferlage 0.57 mm links, 1.74 mm hoch
 Streuwert 3.93, horizontal: 4.08, vertikal: 3.76

Unterschrift des Schuetzen

Meyton Elektronik