





Ergebnis: **599.6** (575)
 Serien: 100.5 100.1 101.0 100.8 98.1 99.1
 Zähler: 35 25 0 0 0 0 0 0 0
 Innenzehner: 21
 weiteste: 1597 (14), 1532 (47), 1433 (15)
 beste Teiler 194.2 (34.) 235.2 (16.) 288.4 (45.)
 Trefferlage 0.11 mm rechts, 1.61 mm tief
 Streuwert 5.98, horizontal: 5.98, vertikal: 5.98




Serie 1:
 10.4 * 10.5 * 9.3 ↓ 9.4 ↓ 9.7 ↓
 10.1 ↙ 10.4 * 10.4 * 10.5 * 9.8 ←
 beste Teiler 386.1 (2.) 394.1 (9.) 430.6 (7.)
 Trefferlage 2.31 mm links, 3.83 mm tief
 Streuwert 5.10, horizontal: 3.94, vertikal: 6.04




Serie 2:
 9.6 ↑ 10.5 * 9.9 ↗ 9.0 → 9.2 ↘
 10.7 * 10.5 * 10.2 ↘ 10.3 ↘ 10.2 ↘
 beste Teiler 235.2 (16.) 368.4 (12.) 370.2 (17.)
 Trefferlage 1.60 mm rechts, 2.45 mm hoch
 Streuwert 6.21, horizontal: 7.45, vertikal: 4.66




Serie 3:
 10.3 * 9.9 → 10.4 * 10.5 * 9.7 ←
 10.0 ↑ 9.9 ↓ 10.3 → 10.4 * 9.6 ↘
 beste Teiler 329.1 (24.) 438.1 (29.) 442.9 (23.)
 Trefferlage 1.39 mm rechts, 0.15 mm tief
 Streuwert 5.35, horizontal: 5.94, vertikal: 4.69



Serie 4:
 10.0 ↗ 10.0 ↓ 9.8 ↘ 10.7 * 10.5 *
 10.4 * 10.4 * 9.8 → 10.0 ↗ 9.2 ←
 beste Teiler 194.2 (34.) 338.6 (35.) 445.0 (36.)
 Trefferlage 1.75 mm rechts, 0.24 mm tief
 Streuwert 5.66, horizontal: 6.82, vertikal: 4.19



Serie 5:
 10.0 ← 10.1 ← 9.7 ↓ 9.7 ← 10.6 *
 9.7 ← 9.0 ↓ 10.5 * 9.5 ↓ 9.3 ↓
 beste Teiler 288.4 (45.) 349.8 (48.) 679.5 (42.)
 Trefferlage 2.86 mm links, 6.09 mm tief
 Streuwert 5.37, horizontal: 5.56, vertikal: 5.17



Serie 6:
 9.7 ↑ 9.3 ↘ 10.1 ↓ 9.2 ↓ 10.4 *
 10.1 ↓ 10.3 * 10.1 → 9.5 ↓ 10.4 *
 beste Teiler 423.3 (60.) 424.0 (55.) 495.3 (57.)
 Trefferlage 1.12 mm rechts, 1.80 mm tief
 Streuwert 6.54, horizontal: 5.10, vertikal: 7.71

Meyton Elektronik

KK liegend – Wertung – **Jungschützen**

StandNr: 4

Isser, Samuel #285

StartNr: 4



15. August 2020 12:56

T – SG Absam


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **585.6** (560)
 Serien: 100.2 96.8 96.6 97.9 97.6 96.5
 Zähler: 24 32 4 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 1756 (27), 1659 (35), 1658 (12)
 beste Teiler 179.1 (13.) 340.8 (38.) 375.3 (42.)
 Trefferlage 0.25 mm links, 0.12 mm hoch
 Streuwert 7.36, horizontal: 6.84, vertikal: 7.85




Serie 1:
 10.2 ↑ 10.0 ↗ 10.3 * 10.0 ↘ 10.1 ←
 9.8 ↙ 10.4 * 9.7 ↘ 10.3 * 9.4 ↓
 beste Teiler 480.5 (7.) 492.1 (3.) 522.3 (9.)
 Trefferlage 0.05 mm links, 0.19 mm tief
 Streuwert 5.85, horizontal: 5.00, vertikal: 6.60




Serie 2:
 10.1 ↓ 8.9 ↓ 10.7 * 10.5 * 9.0 ↑
 9.6 → 10.0 → 10.1 ↓ 9.0 ↓ 8.9 →
 beste Teiler 179.1 (13.) 386.3 (14.) 666.0 (18.)
 Trefferlage 3.44 mm rechts, 3.74 mm tief
 Streuwert 7.75, horizontal: 6.49, vertikal: 8.83




Serie 3:
 9.4 → 9.0 → 10.1 ← 9.6 ↖ 9.2 ↗
 10.3 * 8.8 ↓ 9.8 ↖ 10.5 * 9.9 ←
 beste Teiler 399.4 (29.) 515.6 (26.) 650.7 (23.)
 Trefferlage 1.52 mm rechts, 0.03 mm tief
 Streuwert 8.19, horizontal: 8.66, vertikal: 7.70




Serie 4:
 9.2 ↓ 10.1 ↙ 10.2 ↓ 9.7 ↘ 8.9 ↓
 9.8 ← 10.2 ↘ 10.5 * 9.4 ↘ 9.9 ←
 beste Teiler 340.8 (38.) 564.8 (37.) 614.2 (33.)
 Trefferlage 1.79 mm links, 3.27 mm tief
 Streuwert 6.92, horizontal: 6.71, vertikal: 7.13



Serie 5:
 9.7 ↑ 10.5 * 9.8 ↘ 9.2 ↑ 10.2 ↖
 9.7 ← 9.0 ↗ 9.3 ↘ 10.3 * 9.9 ←
 beste Teiler 375.3 (42.) 509.3 (49.) 601.6 (45.)
 Trefferlage 2.10 mm links, 4.46 mm hoch
 Streuwert 6.66, horizontal: 6.78, vertikal: 6.53



Serie 6:
 9.6 ↖ 10.4 * 9.7 ↖ 9.0 ↑ 10.0 ↓
 9.2 ↑ 9.5 ↘ 9.5 ↙ 9.7 ↖ 9.9 ↑
 beste Teiler 434.2 (52.) 769.0 (55.) 844.5 (60.)
 Trefferlage 2.55 mm links, 3.51 mm hoch
 Streuwert 7.36, horizontal: 6.49, vertikal: 8.14



KK liegend – Wertung – **Jungschützen**

StandNr: 26

Wirtenberger, Matteo #202

StartNr: 26

15. August 2020 12:43

T – SG Absam

Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **587.0** (556)

Serien: 97.6 98.6 101.7 99.0 93.9 96.2

Zähler: 20 36 4 0 0 0 0 0 0



Innenzehner: 12

weiteste: 2237 (4), 1796 (44), 1754 (41)

beste Teiler 80.0 (10.) 132.2 (40.) 198.1 (24.)

Trefferlage 0.64 mm links, 0.50 mm tief

Streuwert 7.39, horizontal: 7.54, vertikal: 7.24




Serie 1:

9.9 ↖	9.5 →	10.4 *	8.2 ↙	9.5 ↗
9.9 ↘	9.8 ←	9.5 ↑	10.0 ↘	10.9 *

beste Teiler 80.0 (10.) 472.2 (3.) 746.5 (9.)

Trefferlage 1.89 mm links, 0.05 mm tief

Streuwert 8.10, horizontal: 7.24, vertikal: 8.87




Serie 2:

9.8 ↙	10.2 ←	10.6 *	9.9 ↓	9.9 ↘
9.5 →	10.5 *	9.6 ↙	9.2 ↘	9.4 ↖

beste Teiler 319.5 (13.) 338.2 (17.) 610.7 (12.)

Trefferlage 2.66 mm links, 3.84 mm tief

Streuwert 6.17, horizontal: 7.52, vertikal: 4.42




Serie 3:

9.5 ↖	10.1 ↖	9.8 ←	10.7 *	10.5 *
9.6 ↓	10.1 ↘	10.5 *	10.7 *	10.2 ↘

beste Teiler 198.1 (24.) 231.8 (29.) 344.4 (28.)

Trefferlage 2.07 mm links, 0.23 mm tief

Streuwert 5.09, horizontal: 5.06, vertikal: 5.12




Serie 4:

9.9 ←	10.4 *	9.7 ↖	10.1 ↓	9.8 →
9.4 ↘	8.9 ↘	9.5 ↑	10.5 *	10.8 *

beste Teiler 132.2 (40.) 394.1 (39.) 414.9 (32.)

Trefferlage 0.23 mm rechts, 2.64 mm tief

Streuwert 6.84, horizontal: 6.07, vertikal: 7.53




Serie 5:

8.8 ↗	9.8 →	9.0 ↘	8.7 ↘	9.8 ↓
9.7 ↖	9.8 ↑	9.7 ↘	9.6 ↖	9.0 ↖

beste Teiler 919.9 (47.) 947.1 (45.) 947.3 (42.)

Trefferlage 3.79 mm rechts, 1.08 mm hoch

Streuwert 9.30, horizontal: 10.81, vertikal: 7.50



Serie 6:

9.2 ↑	9.6 ↑	10.0 ↖	9.9 ↑	9.3 ↖
10.0 ↑	9.7 ↙	10.3 *	9.1 →	9.1 ↓

beste Teiler 518.0 (58.) 753.6 (56.) 755.4 (53.)

Trefferlage 1.28 mm links, 2.66 mm hoch

Streuwert 7.95, horizontal: 7.23, vertikal: 8.62

Meyton Elektronik

KK liegend – Wertung – **Jungschützen**

StandNr: 27

Weiss, Florian #770208415

StartNr: 27



15. August 2020 12:46

S – SG Zell am See / Salzburg 1


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **611.1** (583)
 Serien: 100.9 102.1 100.9 101.9 102.1 103.2
 Zähler: 44 15 1 0 0 0 0 0 0
 Innenzehner: 29
 weiteste: 1680 (23), 1239 (9), 1236 (24)
 beste Teiler 109.2 (60.) 137.1 (21.) 194.6 (18.)
 Trefferlage 1.51 mm links, 0.86 mm hoch
 Streuwert 4.81, horizontal: 5.07, vertikal: 4.53




Serie 1:
 10.5 * 10.1 ↑ 10.1 ↘ 9.7 ↗ 10.4 *
 10.0 → 10.0 ← 10.1 ↙ 9.4 ↖ 10.6 *
 beste Teiler 286.5 (10.) 351.6 (1.) 415.6 (5.)
 Trefferlage 0.99 mm links, 2.19 mm hoch
 Streuwert 5.28, horizontal: 5.73, vertikal: 4.78




Serie 2:
 9.9 ↘ 10.4 * 9.9 ↙ 9.5 ↖ 10.4 *
 10.3 * 10.4 * 10.7 * 10.6 * 10.0 ↖
 beste Teiler 194.6 (18.) 257.1 (19.) 478.1 (17.)
 Trefferlage 1.03 mm links, 0.59 mm tief
 Streuwert 4.84, horizontal: 5.74, vertikal: 3.73




Serie 3:
 10.8 * 10.4 * 8.9 ← 9.4 ↖ 10.2 ↖
 10.3 * 10.2 ↖ 10.3 ↖ 10.5 * 9.9 ↑
 beste Teiler 137.1 (21.) 348.1 (29.) 460.0 (22.)
 Trefferlage 3.10 mm links, 1.99 mm hoch
 Streuwert 5.45, horizontal: 5.67, vertikal: 5.23




Serie 4:
 10.6 * 10.3 ← 9.8 ↑ 10.5 * 10.2 ↙
 10.6 * 10.1 ↙ 9.6 ↑ 9.8 ← 10.4 *
 beste Teiler 270.1 (36.) 309.0 (31.) 345.4 (34.)
 Trefferlage 2.16 mm links, 0.59 mm hoch
 Streuwert 4.67, horizontal: 3.61, vertikal: 5.53



Serie 5:
 10.6 * 10.0 ↑ 10.0 ↗ 10.4 * 9.9 →
 10.5 * 10.5 * 9.5 ↖ 10.2 ← 10.5 *
 beste Teiler 251.8 (41.) 357.5 (46.) 374.8 (47.)
 Trefferlage 0.05 mm links, 3.29 mm hoch
 Streuwert 4.26, horizontal: 5.35, vertikal: 2.78



Serie 6:
 10.6 * 10.3 * 10.6 * 9.5 ← 9.9 ←
 10.5 * 9.9 ↓ 10.6 * 10.5 * 10.8 *
 beste Teiler 109.2 (60.) 257.7 (53.) 309.0 (58.)
 Trefferlage 1.74 mm links, 2.30 mm tief
 Streuwert 3.95, horizontal: 4.79, vertikal: 2.87



KK liegend – Wertung – **Jungschützen**

StandNr: 28

Weiler, Kevin #201

StartNr: 28



15. August 2020 12:56

T – SG Hochpustertal / Tirol 2


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **603.5** (575)
 Serien: 103.1 98.9 101.6 99.1 101.8 99.0
 Zähler: 35 25 0 0 0 0 0 0 0
 Innenzehner: 21
 weiteste: 1594 (20), 1500 (58), 1342 (49)
 beste Teiler 57.2 (26.) 175.6 (5.) 187.2 (2.)
 Trefferlage 0.34 mm rechts, 1.57 mm tief
 Streuwert 5.62, horizontal: 5.57, vertikal: 5.68




Serie 1:
 10.6 * 10.7 * 10.4 * 10.6 * 10.7 *
 9.9 ↙ 9.6 ↘ 10.6 * 10.3 ↗ 9.7 ↓
 beste Teiler 175.6 (5.) 187.2 (2.) 249.0 (1.)
 Trefferlage 0.66 mm rechts, 2.38 mm tief
 Streuwert 4.17, horizontal: 3.60, vertikal: 4.66




Serie 2:
 10.2 ↖ 10.0 ↗ 9.8 ↘ 10.2 → 9.5 ↙
 10.6 * 10.0 ↘ 9.7 → 9.9 ↘ 9.0 ↓
 beste Teiler 273.9 (16.) 624.2 (14.) 628.9 (11.)
 Trefferlage 1.80 mm rechts, 3.37 mm tief
 Streuwert 6.21, horizontal: 5.56, vertikal: 6.80




Serie 3:
 9.7 ↖ 9.7 ← 10.6 * 10.0 ↓ 10.3 *
 10.9 * 10.1 → 9.8 ↘ 9.8 → 10.7 *
 beste Teiler 57.2 (26.) 199.0 (30.) 318.0 (23.)
 Trefferlage 1.73 mm rechts, 0.12 mm tief
 Streuwert 5.26, horizontal: 6.23, vertikal: 4.05



Serie 4:
 9.6 ↗ 9.5 ↘ 10.1 ↓ 10.1 ↓ 10.3 *
 10.4 * 10.3 ↑ 9.4 ↓ 10.0 ↖ 9.4 ↘
 beste Teiler 479.1 (36.) 514.7 (35.) 549.0 (37.)
 Trefferlage 0.76 mm rechts, 2.19 mm tief
 Streuwert 6.37, horizontal: 5.46, vertikal: 7.17



Serie 5:
 10.2 ↓ 10.5 * 10.5 * 10.2 ↘ 10.4 *
 10.4 * 10.5 * 10.4 * 9.3 ↓ 9.4 ←
 beste Teiler 331.4 (42.) 361.6 (43.) 400.6 (47.)
 Trefferlage 1.05 mm links, 2.92 mm tief
 Streuwert 4.82, horizontal: 5.11, vertikal: 4.51



Serie 6:
 9.6 ← 9.7 → 9.9 ← 9.5 ↖ 9.8 ↖
 10.2 ↓ 10.7 * 9.1 ↗ 9.9 ↓ 10.6 *
 beste Teiler 203.2 (57.) 288.8 (60.) 637.5 (56.)
 Trefferlage 1.86 mm links, 1.53 mm hoch
 Streuwert 6.63, horizontal: 7.24, vertikal: 5.95

KK liegend – Wertung – **Jungschützen**

StandNr: 30

Kuen, Johannes #199

StartNr: 30

15. August 2020 12:45

T – SG Absam / Tirol 1

Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **597.0** (571)

Serien: 98.7 101.5 98.6 99.2 99.4 99.6

Zähler: 34 23 3 0 0 0 0 0 0 0



Innenzehner: 20

weiteste: 1771 (18), 1727 (8), 1637 (55)

beste Teiler 114.7 (15.) 144.5 (5.) 162.3 (54.)

Trefferlage 1.43 mm links, 1.39 mm hoch

Streuwert 6.29, horizontal: 6.16, vertikal: 6.42




Serie 1:

9.5 ↑	10.7 *	9.3 ↘	9.0 ↘	10.8 *
9.3 ↑	10.6 *	8.8 ↓	10.3 *	10.4 *

beste Teiler 144.5 (5.) 183.8 (2.) 262.6 (7.)

Trefferlage 2.70 mm links, 2.79 mm hoch

Streuwert 7.22, horizontal: 5.04, vertikal: 8.88




Serie 2:

10.3 *	9.7 ←	10.5 *	10.2 ←	10.8 *
10.4 *	10.6 *	8.7 ↘	10.1 ↑	10.2 ↗

beste Teiler 114.7 (15.) 288.3 (17.) 357.0 (13.)

Trefferlage 2.55 mm links, 3.38 mm hoch

Streuwert 4.86, horizontal: 6.13, vertikal: 3.12




Serie 3:

9.8 ↗	10.1 ↑	10.5 *	9.8 ↑	10.3 *
9.4 ↑	9.4 ↑	10.2 ↑	9.2 ←	9.9 ↗

beste Teiler 322.8 (23.) 515.1 (25.) 620.0 (28.)

Trefferlage 0.48 mm rechts, 6.19 mm hoch

Streuwert 5.12, horizontal: 5.20, vertikal: 5.04




Serie 4:

9.8 ↘	9.8 ←	9.7 ↗	9.6 ↗	10.0 →
9.6 ↘	9.1 ↘	10.6 *	10.5 *	10.5 *

beste Teiler 289.6 (38.) 361.6 (39.) 375.5 (40.)

Trefferlage 2.98 mm links, 1.05 mm hoch

Streuwert 6.22, horizontal: 7.18, vertikal: 5.08




Serie 5:

10.1 →	9.6 ↓	10.0 ↗	10.4 *	9.5 ↘
10.1 ↘	10.2 →	10.7 *	9.6 ↘	9.2 ↘

beste Teiler 197.2 (48.) 425.6 (44.) 635.0 (47.)

Trefferlage 0.79 mm rechts, 2.03 mm tief

Streuwert 6.37, horizontal: 7.02, vertikal: 5.65



Serie 6:

10.4 *	10.0 ↗	10.1 ↗	10.7 *	8.9 ↗
9.9 ←	10.1 ↗	10.0 →	9.2 ↓	10.3 *

beste Teiler 162.3 (54.) 473.0 (51.) 492.3 (60.)

Trefferlage 1.62 mm links, 3.04 mm tief

Streuwert 6.06, horizontal: 6.50, vertikal: 5.59

Meyton Elektronik

KK liegend – Wertung – **Jungschützen**

StandNr: 31

Schippel, Pascal #76

StartNr: 31

15. August 2020 12:52

V – USG Hard / Vorarlberg 1

Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **598.3** (568)

Serien: 100.7 99.5 99.3 101.5 99.9 97.4

Zähler: 33 22 5 0 0 0 0 0 0 0



Innenzehner: 20

weiteste: 2150 (51), 1909 (57), 1713 (2)

beste Teiler 116.2 (43.) 134.8 (28.) 192.0 (53.)

Trefferlage 1.43 mm links, 0.85 mm hoch

Streuwert 6.35, horizontal: 5.89, vertikal: 6.78




Serie 1:

10.3 *	8.8 ↑	10.6 *	10.7 *	10.6 *
10.3 *	9.7 ↙	9.3 ↓	10.2 ↗	10.2 ↘

beste Teiler 195.4 (4.) 290.4 (5.) 313.1 (3.)

Trefferlage 1.52 mm links, 0.42 mm hoch

Streuwert 6.22, horizontal: 3.82, vertikal: 7.92




Serie 2:

10.1 ↗	10.1 ↙	9.8 ↖	9.8 ↑	9.9 ←
9.8 ↘	10.6 *	9.1 ↑	10.0 ↘	10.3 *

beste Teiler 273.9 (17.) 501.5 (20.) 662.8 (11.)

Trefferlage 0.90 mm links, 2.40 mm hoch

Streuwert 6.04, horizontal: 6.06, vertikal: 6.02




Serie 3:

9.9 ↘	9.4 →	10.4 *	9.9 ↗	9.9 ↓
10.4 *	9.5 ↓	10.8 *	8.9 ↙	10.2 ↑

beste Teiler 134.8 (28.) 435.8 (26.) 471.0 (23.)

Trefferlage 0.32 mm rechts, 1.34 mm tief

Streuwert 6.69, horizontal: 6.21, vertikal: 7.15




Serie 4:

9.9 ↗	10.2 ↘	10.7 *	10.1 ↘	10.5 *
10.4 *	9.7 ↓	9.5 ↘	10.3 *	10.2 ↗

beste Teiler 223.1 (33.) 360.8 (35.) 462.0 (36.)

Trefferlage 0.08 mm links, 1.72 mm hoch

Streuwert 5.00, horizontal: 4.31, vertikal: 5.61




Serie 5:

9.2 ↑	9.9 ←	10.8 *	10.4 *	9.9 →
9.9 ↓	10.2 ↓	9.8 →	9.2 ←	10.6 *

beste Teiler 116.2 (43.) 288.2 (50.) 463.2 (44.)

Trefferlage 1.64 mm links, 0.22 mm tief

Streuwert 6.40, horizontal: 6.84, vertikal: 5.92




Serie 6:

8.3 ↖	10.1 ↘	10.7 *	10.6 *	10.1 ↑
8.9 ↓	8.6 ↘	9.6 ↑	10.0 ←	10.5 *

beste Teiler 192.0 (53.) 246.9 (54.) 393.9 (60.)

Trefferlage 4.79 mm links, 2.12 mm hoch

Streuwert 7.94, horizontal: 7.33, vertikal: 8.51



KK liegend – Wertung – **Jungschützen**

StandNr: 32

Hohenhofer, Nico #770208416

StartNr: 32



15. August 2020 12:33

ST– Kapfenberger SV

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	582.4	(554)							
Serien:	98.4	93.5	94.9	96.6	98.1	100.9			
Zähler:	21	33	5	1	0	0	0	0	0
Innenzehner:	9								
weiteste:	2471	(26),	2178	(14),	2153	(7)			
beste Teiler	173.9	(54.)	203.1	(4.)	242.8	(32.)			
Trefferlage	2.09	mm rechts,	4.27	mm tief					
Streuwert	7.16,	horizontal:	7.14,	vertikal:	7.18				




Serie 1:

9.9 ↓	10.0 ↗	10.3 ↘	10.7 *	9.8 ↙	
10.3 *	8.3 ↘	9.6 ↓	9.2 ↓	10.3 *	
beste Teiler	203.1 (4.)	516.0 (6.)	526.5 (10.)		
Trefferlage	1.01	mm rechts,	5.71	mm tief	
Streuwert	6.45,	horizontal:	5.72,	vertikal:	7.11




Serie 2:

9.4 ↓	8.5 ↘	9.3 →	8.2 ↘	9.2 →	
9.9 ←	8.8 ↘	10.2 ↘	9.8 ↘	10.2 →	
beste Teiler	583.3 (18.)	599.2 (20.)	825.3 (16.)		
Trefferlage	7.51	mm rechts,	7.55	mm tief	
Streuwert	6.64,	horizontal:	7.69,	vertikal:	5.38




Serie 3:

10.0 ↖	9.5 ←	9.0 ↘	10.0 ↓	9.9 ↓	
7.9 ↘	9.5 →	9.6 ↓	10.2 ↓	9.3 →	
beste Teiler	581.5 (29.)	721.1 (21.)	791.0 (24.)		
Trefferlage	3.87	mm rechts,	5.52	mm tief	
Streuwert	8.07,	horizontal:	10.00,	vertikal:	5.48




Serie 4:

9.1 ↓	10.6 *	9.5 ↙	8.4 ↓	9.8 ↓	
9.6 →	9.5 ↓	9.9 ↓	10.2 ↙	10.0 ↙	
beste Teiler	242.8 (32.)	611.6 (39.)	733.7 (40.)		
Trefferlage	0.17	mm rechts,	8.38	mm tief	
Streuwert	5.69,	horizontal:	4.66,	vertikal:	6.56



Serie 5:

9.7 ↓	9.9 ↓	10.2 ↑	9.8 ↙	9.9 ↖	
9.3 →	9.3 ↖	10.3 ↓	10.0 →	9.7 ↑	
beste Teiler	554.3 (48.)	564.5 (43.)	776.9 (49.)		
Trefferlage	0.14	mm rechts,	0.35	mm hoch	
Streuwert	7.14,	horizontal:	7.01,	vertikal:	7.27



Serie 6:

9.7 ↖	9.7 ↘	9.8 →	10.7 *	9.9 ↑	
10.3 *	10.4 *	10.3 *	9.6 ↖	10.5 *	
beste Teiler	173.9 (54.)	365.9 (60.)	402.6 (57.)		
Trefferlage	0.15	mm links,	1.18	mm hoch	
Streuwert	5.48,	horizontal:	4.45,	vertikal:	6.35

Meyton Elektronik

KK liegend – Wertung – **Jungschützen**

StandNr: 33

Rauer, Dominik #77

StartNr: 33



15. August 2020 12:46

V – SG Hohenems / Vorarlberg 2


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	597.8	(572)
Serien:	100.8 98.4 98.4 100.9 100.7 98.6	
Zähler:	35 22 3 0 0 0 0 0 0 0	
Innenzehner:	17	
weiteste:	2056 (57), 1748 (56), 1730 (23)	
beste Teiler	53.4 (29.) 111.8 (7.) 119.3 (59.)	
Trefferlage	1.83 mm rechts, 3.02 mm hoch	
Streuwert	5.99, horizontal: 4.94, vertikal: 6.88	




Serie 1:					
	10.5 *	9.2 ↗	9.2 ↑	10.5 *	10.6 *
	10.4 *	10.8 *	10.2 →	9.1 ↘	10.3 ↑
beste Teiler	111.8 (7.)	245.4 (5.)	329.6 (1.)		
Trefferlage	2.46 mm rechts, 1.22 mm hoch				
Streuwert	5.95, horizontal: 4.93, vertikal: 6.83				




Serie 2:					
	9.9 ↓	10.0 ↗	9.0 ↑	9.8 ↗	10.1 ↘
	9.6 ↖	9.4 ↑	10.2 →	10.2 ↗	10.2 ↗
beste Teiler	612.9 (20.)	625.2 (18.)	630.1 (19.)		
Trefferlage	1.59 mm rechts, 4.71 mm hoch				
Streuwert	5.98, horizontal: 5.46, vertikal: 6.46				




Serie 3:					
	9.7 ↙	10.3 *	8.8 ↑	9.3 →	9.8 ↗
	10.7 *	9.1 ↑	9.6 ↗	10.9 *	10.2 ↗
beste Teiler	53.4 (29.)	201.7 (26.)	514.8 (22.)		
Trefferlage	2.94 mm rechts, 5.26 mm hoch				
Streuwert	6.19, horizontal: 5.75, vertikal: 6.59				



Serie 4:					
	10.1 ↓	10.3 *	10.4 *	10.7 *	9.4 ↑
	10.3 ↙	9.6 ↑	10.1 ↗	10.2 →	9.8 ↗
beste Teiler	236.3 (34.)	403.1 (33.)	510.5 (32.)		
Trefferlage	1.08 mm rechts, 2.69 mm hoch				
Streuwert	5.14, horizontal: 4.07, vertikal: 6.03				



Serie 5:					
	9.9 →	9.2 →	10.1 ↙	10.1 ↑	9.6 ↓
	10.1 ↓	10.7 *	10.7 *	10.7 *	9.6 ↖
beste Teiler	169.0 (49.)	182.1 (48.)	183.5 (47.)		
Trefferlage	1.22 mm rechts, 1.82 mm tief				
Streuwert	5.75, horizontal: 6.52, vertikal: 4.87				



Serie 6:					
	10.2 ↗	10.4 *	10.4 *	10.3 ↑	9.4 ↑
	8.8 ↑	8.4 ↑	10.0 ↘	10.8 *	9.9 →
beste Teiler	119.3 (59.)	436.5 (52.)	475.3 (53.)		
Trefferlage	1.69 mm rechts, 6.08 mm hoch				
Streuwert	6.34, horizontal: 3.26, vertikal: 8.35				

Meyton Elektronik

KK liegend – Wertung – **Jungschützen**

StandNr: 34

Berthold, Maximilian #73

StartNr: 34



15. August 2020 12:48

V – USG Kloostertal / Vorarlberg 2


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **603.4** (581)
 Serien: 98.5 102.4 98.1 101.6 102.4 100.4
 Zähler: 42 17 1 0 0 0 0 0 0 0
 Innenzehner: 19
 weiteste: 1861 (9), 1574 (6), 1521 (54)
 beste Teiler 96.5 (18.) 159.4 (56.) 161.0 (11.)
 Trefferlage 0.17 mm links, 0.49 mm hoch
 Streuwert 5.72, horizontal: 6.08, vertikal: 5.35




Serie 1:
 10.5 * 10.2 → 9.1 ← 10.3 * 10.2 ↗
 9.0 ↗ 10.2 ↗ 10.1 ↗ 8.6 ↘ 10.3 ↗
 beste Teiler 381.1 (1.) 524.2 (4.) 533.8 (10.)
 Trefferlage 0.10 mm links, 3.04 mm hoch
 Streuwert 7.29, horizontal: 8.92, vertikal: 5.18




Serie 2:
 10.7 * 10.2 ↘ 10.4 * 9.5 ← 9.5 ↑
 10.6 * 10.2 ↘ 10.8 * 10.1 ↗ 10.4 *
 beste Teiler 96.5 (18.) 161.0 (11.) 243.5 (16.)
 Trefferlage 0.63 mm links, 0.68 mm hoch
 Streuwert 4.84, horizontal: 4.70, vertikal: 4.98




Serie 3:
 9.7 ← 9.3 → 10.1 ← 9.8 → 10.3 ↗
 10.0 ↓ 9.4 ↓ 9.9 → 10.0 ↑ 9.6 ↘
 beste Teiler 556.2 (25.) 647.2 (23.) 728.5 (29.)
 Trefferlage 1.72 mm rechts, 0.35 mm tief
 Streuwert 6.84, horizontal: 7.34, vertikal: 6.31



Serie 4:
 10.4 * 10.2 ← 10.3 * 9.8 ↗ 10.5 *
 9.6 ↘ 10.5 * 9.6 ↓ 10.7 * 10.0 →
 beste Teiler 195.0 (39.) 348.4 (37.) 377.0 (35.)
 Trefferlage 1.26 mm links, 0.56 mm hoch
 Streuwert 5.06, horizontal: 4.37, vertikal: 5.66



Serie 5:
 10.3 * 10.0 ← 10.6 * 10.4 * 10.6 *
 10.2 ↗ 10.1 → 9.8 ↓ 10.1 ↗ 10.3 ↗
 beste Teiler 266.5 (43.) 286.5 (45.) 401.8 (44.)
 Trefferlage 0.92 mm links, 0.61 mm tief
 Streuwert 4.39, horizontal: 4.47, vertikal: 4.32



Serie 6:
 9.7 ↗ 10.2 → 10.4 * 9.0 ↓ 10.4 *
 10.8 * 10.2 ↘ 10.2 ← 9.3 ← 10.2 ↗
 beste Teiler 159.4 (56.) 411.8 (53.) 473.2 (55.)
 Trefferlage 0.13 mm rechts, 0.37 mm tief
 Streuwert 6.18, horizontal: 6.40, vertikal: 5.94

KK liegend – Wertung – **Jungschützen**

StandNr: 35

Mörth, Sebastian #770208417

StartNr: 35



15. August 2020 12:40

ST– SG Trofaiach


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **590.8** (563)
 Serien: 92.1 98.7 98.8 98.9 100.3 102.0
 Zähler: 30 24 5 1 0 0 0 0 0
 Innenzehner: 20
 weiteste: 2529 (10), 2179 (8), 2020 (9)
 beste Teiler 111.5 (21.) 199.4 (58.) 229.5 (4.)
 Trefferlage 2.75 mm rechts, 1.04 mm hoch
 Streuwert 6.95, horizontal: 7.95, vertikal: 5.79




Serie 1:
 9.5 ↘ 9.9 ↙ 8.8 → 10.7 * 9.7 →
 10.5 * 8.6 → 8.2 → 8.4 ↘ 7.8 →
 beste Teiler 229.5 (4.) 373.2 (6.) 830.1 (2.)
 Trefferlage 11.59 mm rechts, 2.74 mm tief
 Streuwert 7.76, horizontal: 9.65, vertikal: 5.24




Serie 2:
 8.8 ↘ 10.2 ↗ 10.1 ↙ 10.0 ← 10.3 *
 9.8 ← 10.3 * 9.8 ↘ 10.0 ↓ 9.4 →
 beste Teiler 489.8 (17.) 508.8 (15.) 579.7 (12.)
 Trefferlage 0.27 mm links, 0.76 mm tief
 Streuwert 6.87, horizontal: 8.09, vertikal: 5.39




Serie 3:
 10.8 * 9.4 ↑ 9.3 ↑ 9.6 ↘ 9.4 ↘
 10.6 * 10.2 ↗ 9.8 ↘ 9.4 ↑ 10.3 *
 beste Teiler 111.5 (21.) 281.4 (26.) 512.0 (30.)
 Trefferlage 1.18 mm links, 7.17 mm hoch
 Streuwert 4.53, horizontal: 3.87, vertikal: 5.12




Serie 4:
 9.6 ↘ 10.5 * 10.3 * 10.3 * 9.6 →
 9.4 ↙ 9.2 ↘ 9.8 ← 10.3 * 9.9 ↑
 beste Teiler 329.2 (32.) 493.3 (34.) 501.7 (39.)
 Trefferlage 1.65 mm links, 1.75 mm hoch
 Streuwert 6.59, horizontal: 6.63, vertikal: 6.55



Serie 5:
 10.1 → 9.6 ↘ 10.0 ↘ 9.8 ↗ 10.4 *
 10.4 * 10.6 * 9.8 ↗ 9.0 → 10.6 *
 beste Teiler 302.3 (50.) 306.3 (47.) 429.8 (46.)
 Trefferlage 6.62 mm rechts, 0.66 mm tief
 Streuwert 3.77, horizontal: 3.78, vertikal: 3.77



Serie 6:
 10.2 ← 10.6 * 10.1 ↘ 10.3 * 10.3 *
 10.2 → 10.3 * 10.7 * 9.8 ↑ 9.5 →
 beste Teiler 199.4 (58.) 282.6 (52.) 487.2 (57.)
 Trefferlage 1.40 mm rechts, 1.53 mm hoch
 Streuwert 4.61, horizontal: 5.30, vertikal: 3.79



KK liegend – Wertung – **Jungschützen**

StandNr: 36

Mathis, Elias #79

StartNr: 36



15. August 2020 12:53

V – SG Hohenems / Vorarlberg 1


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	610.3	(585)
Serien:	101.2 102.4 99.9 101.9 102.3 102.6	
Zähler:	45 15 0 0 0 0 0 0 0 0	
Innenzehner:	28	
weiteste:	1560 (1), 1500 (26), 1456 (35)	
beste Teiler	86.3 (34.) 99.8 (47.) 103.2 (33.)	
Trefferlage	1.74 mm links, 0.97 mm tief	
Streuwert	4.90, horizontal: 3.77, vertikal: 5.81	




Serie 1:	9.0 ↙	10.3 *	10.2 ↙	10.7 *	10.6 *
	10.5 *	10.3 *	10.5 *	9.6 ←	9.5 ↑
beste Teiler	229.1 (4.) 302.4 (5.) 332.1 (8.)				
Trefferlage	2.72 mm links, 0.01 mm hoch				
Streuwert	5.55, horizontal: 4.78, vertikal: 6.22				




Serie 2:	10.4 *	10.3 *	10.3 *	10.3 *	10.2 ↖
	10.1 ↓	10.6 *	10.3 *	10.1 ←	9.8 ↙
beste Teiler	276.7 (17.) 410.2 (11.) 503.1 (18.)				
Trefferlage	1.16 mm links, 2.00 mm tief				
Streuwert	4.05, horizontal: 4.51, vertikal: 3.53				




Serie 3:	10.0 ↖	10.2 ←	10.5 *	9.9 ←	10.0 ↘
	9.1 ↑	10.1 ←	10.2 ↘	9.6 ↑	10.3 *
beste Teiler	344.0 (23.) 516.1 (30.) 562.3 (22.)				
Trefferlage	2.11 mm links, 1.36 mm hoch				
Streuwert	5.87, horizontal: 5.21, vertikal: 6.46				



Serie 4:	9.8 ↙	10.0 ↖	10.8 *	10.8 *	9.1 ↓
	10.7 *	10.2 ↘	9.7 ↓	10.1 ↑	10.7 *
beste Teiler	86.3 (34.) 103.2 (33.) 208.5 (40.)				
Trefferlage	1.20 mm links, 2.04 mm tief				
Streuwert	5.19, horizontal: 2.50, vertikal: 6.90				



Serie 5:	10.3 *	9.8 ↖	10.7 *	10.5 *	9.8 ↓
	10.1 ↑	10.8 *	9.3 ↓	10.7 *	10.3 *
beste Teiler	99.8 (47.) 192.0 (49.) 230.2 (43.)				
Trefferlage	1.01 mm links, 0.78 mm tief				
Streuwert	5.02, horizontal: 2.72, vertikal: 6.56				



Serie 6:	10.6 *	10.5 *	10.3 ↖	10.8 *	10.1 ↓
	9.4 ↙	10.2 ↙	10.2 ↘	10.6 *	9.9 ↓
beste Teiler	143.9 (54.) 292.0 (51.) 292.2 (59.)				
Trefferlage	2.24 mm links, 2.36 mm tief				
Streuwert	4.05, horizontal: 2.59, vertikal: 5.10				

Meyton Elektronik

KK liegend – Wertung – **Jungschützen**

StandNr: 37

Einwaller, Dominic #17

StartNr: 37



15. August 2020 12:55

T – SG Scheffau / Tirol 2


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **585.5** (551)
 Serien: 93.8 98.1 101.5 101.8 91.0 99.3
 Zähler: 21 31 6 2 0 0 0 0 0 0
 Innenzehner: 15
 weiteste: 2537 (48), 2471 (2), 2167 (4)
 beste Teiler 104.0 (30.) 122.4 (34.) 125.1 (8.)
 Trefferlage 0.30 mm rechts, 0.28 mm tief
 Streuwert 7.84, horizontal: 7.24, vertikal: 8.39




Serie 1:
 9.8 ← 7.9 ↗ 9.6 ↑ 8.2 ↓ 8.9 ↑
 9.9 ↑ 10.3 * 10.8 * 9.1 ↓ 9.3 ←
 beste Teiler 125.1 (8.) 529.4 (7.) 874.2 (6.)
 Trefferlage 1.33 mm links, 2.04 mm hoch
 Streuwert 10.52, horizontal: 6.01, vertikal: 13.61




Serie 2:
 10.6 * 9.7 ← 9.7 ← 10.0 ↖ 9.9 ↗
 9.6 → 8.9 ↓ 10.5 * 9.7 ↖ 9.5 ↓
 beste Teiler 269.3 (11.) 381.1 (18.) 734.7 (14.)
 Trefferlage 2.68 mm links, 1.38 mm tief
 Streuwert 7.02, horizontal: 7.00, vertikal: 7.05




Serie 3:
 9.8 ← 10.4 * 10.0 ← 9.6 ↗ 10.6 *
 10.4 * 9.4 ↘ 9.9 → 10.6 * 10.8 *
 beste Teiler 104.0 (30.) 248.1 (29.) 288.5 (25.)
 Trefferlage 0.09 mm links, 0.66 mm hoch
 Streuwert 5.47, horizontal: 5.65, vertikal: 5.30




Serie 4:
 10.1 ↘ 10.6 * 9.8 ↓ 10.8 * 10.5 *
 9.7 ↘ 9.6 ↘ 10.2 ↓ 10.6 * 9.9 ↓
 beste Teiler 122.4 (34.) 261.9 (32.) 284.6 (39.)
 Trefferlage 0.42 mm rechts, 3.53 mm tief
 Streuwert 4.53, horizontal: 3.41, vertikal: 5.43



Serie 5:
 9.9 ↘ 9.4 ↓ 9.3 ← 8.5 ↘ 9.7 ↓
 9.0 → 8.9 → 7.8 ↑ 9.7 → 8.8 ↘
 beste Teiler 810.9 (41.) 1027.9 (45.) 1032.2 (49.)
 Trefferlage 5.81 mm rechts, 1.17 mm tief
 Streuwert 10.75, horizontal: 10.06, vertikal: 11.40



Serie 6:
 9.3 → 9.8 ↖ 9.8 ↘ 10.7 * 9.6 ←
 9.5 ↖ 10.5 * 10.2 ↘ 10.0 ← 9.9 →
 beste Teiler 161.6 (54.) 354.0 (57.) 624.5 (58.)
 Trefferlage 0.27 mm links, 1.70 mm hoch
 Streuwert 6.34, horizontal: 8.19, vertikal: 3.62



KK liegend – Wertung – **Jungschützen**

StandNr: 38

Gugele, Florian #220

StartNr: 38



15. August 2020 12:41

V – USG Hard / Vorarlberg 1


Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **610.9** (583)
 Serien: 100.1 100.7 102.1 103.0 101.8 103.2
 Zähler: 43 17 0 0 0 0 0 0 0
 Innenzehner: 24
 weiteste: 1577 (14), 1213 (28), 1136 (9)
 beste Teiler 64.8 (37.) 201.4 (52.) 208.2 (51.)
 Trefferlage 0.43 mm links, 2.11 mm hoch
 Streuwert 4.60, horizontal: 4.25, vertikal: 4.92




Serie 1:
 9.9 ↓ 10.0 ↓ 10.4 * 9.9 ↑ 9.9 ↘
 10.1 ↗ 10.2 ↖ 10.4 * 9.5 ↘ 9.8 ↖
 beste Teiler 469.6 (3.) 476.8 (8.) 640.4 (7.)
 Trefferlage 2.62 mm links, 2.74 mm hoch
 Streuwert 5.13, horizontal: 4.49, vertikal: 5.70




Serie 2:
 9.9 ↙ 10.6 * 10.2 ↗ 9.0 ↑ 9.8 ↑
 10.6 * 10.6 * 10.1 ↖ 10.2 ↘ 9.7 ←
 beste Teiler 254.4 (12.) 280.8 (16.) 307.6 (17.)
 Trefferlage 2.27 mm links, 4.09 mm hoch
 Streuwert 4.81, horizontal: 4.28, vertikal: 5.28




Serie 3:
 10.2 → 10.5 * 10.3 * 10.6 * 10.2 ←
 9.9 ↑ 10.5 * 9.4 ↗ 10.2 ↙ 10.3 ↘
 beste Teiler 281.1 (24.) 372.1 (27.) 394.2 (22.)
 Trefferlage 0.40 mm rechts, 1.11 mm hoch
 Streuwert 4.73, horizontal: 5.07, vertikal: 4.36



Serie 4:
 10.5 * 10.1 ↗ 10.2 ↑ 10.4 * 10.6 *
 10.3 ↙ 10.9 * 10.0 ↘ 10.4 * 9.6 ↘
 beste Teiler 64.8 (37.) 304.1 (35.) 385.3 (31.)
 Trefferlage 0.68 mm links, 3.37 mm hoch
 Streuwert 3.55, horizontal: 3.26, vertikal: 3.82



Serie 5:
 9.9 ↙ 10.6 * 9.9 → 10.4 * 10.5 *
 9.7 ↘ 10.1 ↓ 10.5 * 10.0 ↓ 10.2 ↘
 beste Teiler 270.1 (42.) 367.0 (48.) 371.6 (45.)
 Trefferlage 1.21 mm rechts, 2.41 mm tief
 Streuwert 4.40, horizontal: 4.66, vertikal: 4.12



Serie 6:
 10.7 * 10.7 * 9.7 ↑ 10.6 * 10.1 ↑
 10.3 * 9.9 ↗ 10.7 * 10.1 ↑ 10.4 *
 beste Teiler 201.4 (52.) 208.2 (51.) 222.7 (58.)
 Trefferlage 1.36 mm rechts, 3.76 mm hoch
 Streuwert 3.16, horizontal: 2.36, vertikal: 3.80

Meyton Elektronik

KK liegend – Wertung – **Jungschützen**

StandNr: 39

Greber, Alexander #194

StartNr: 39

15. August 2020 12:45

T – SG Fügenberg / Tirol 2

Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **580.3** (555)

Serien: 96.6 95.6 96.0 95.0 97.4 99.7

Zähler: 22 32 5 1 0 0 0 0 0 0



Innenzehner: 7

weiteste: 2496 (18), 1925 (40), 1900 (46)

beste Teiler 190.5 (54.) 222.4 (20.) 389.4 (29.)

Trefferlage 0.52 mm links, 0.65 mm hoch

Streuwert 7.97, horizontal: 8.21, vertikal: 7.72




Serie 1:

9.3 ↗	9.4 ↑	9.8 ↗	9.9 ↗	10.1 ↗
9.7 ↓	9.7 ↗	10.3 *	9.0 ↘	9.4 ↗

beste Teiler 515.6 (8.) 696.9 (5.) 842.9 (4.)

Trefferlage 5.31 mm rechts, 4.12 mm hoch

Streuwert 6.20, horizontal: 5.22, vertikal: 7.05




Serie 2:

9.1 ↘	9.9 ↗	8.9 ↓	10.1 ↓	10.4 *
9.5 ↗	10.0 ←	7.8 ↑	9.2 ↑	10.7 *

beste Teiler 222.4 (20.) 448.0 (15.) 657.3 (14.)

Trefferlage 2.56 mm rechts, 2.46 mm hoch

Streuwert 9.16, horizontal: 6.98, vertikal: 10.91




Serie 3:

9.2 ←	9.0 ↑	8.8 ↓	10.2 ↓	8.9 ↘
10.1 ↘	10.2 ←	9.2 ↗	10.5 *	9.9 ↘

beste Teiler 389.4 (29.) 573.9 (27.) 631.5 (24.)

Trefferlage 3.54 mm links, 0.24 mm tief

Streuwert 8.37, horizontal: 6.70, vertikal: 9.76




Serie 4:

10.0 ←	10.2 →	9.6 ↗	9.2 ←	9.1 ↗
10.3 ←	9.1 ←	9.6 ←	9.4 ←	8.5 ←

beste Teiler 553.8 (36.) 631.2 (32.) 724.2 (31.)

Trefferlage 8.03 mm links, 0.81 mm tief

Streuwert 7.00, horizontal: 8.89, vertikal: 4.34




Serie 5:

9.4 ↓	9.7 ↑	9.9 ↓	9.6 ↗	10.2 ↑
8.6 →	10.0 ↘	9.9 ←	10.0 ↓	10.1 ↗

beste Teiler 587.6 (45.) 719.7 (50.) 721.4 (49.)

Trefferlage 0.01 mm rechts, 1.72 mm tief

Streuwert 7.64, horizontal: 8.46, vertikal: 6.72




Serie 6:

9.8 ↓	10.2 ↑	10.4 *	10.7 *	9.4 ↗
9.4 ↗	9.8 ↘	10.4 *	9.4 ←	10.2 ↓

beste Teiler 190.5 (54.) 411.4 (58.) 450.4 (53.)

Trefferlage 0.51 mm rechts, 0.13 mm hoch

Streuwert 6.46, horizontal: 6.89, vertikal: 5.99



KK liegend – Wertung – **Jungschützen**

StandNr: 40

Gopp, Manuel #74

StartNr: 40

15. August 2020 12:44

V – SG Hohenems / Vorarlberg 2

Unterschrift des Schützen

Meyton Elektronik