





Ergebnis:	594.5	(569)
Serien:	99.3 97.8 98.7 100.7 99.4 98.6	
Zähler:	33 23 4 0 0 0 0 0 0 0	
Innenzehner:	15	
weiteste:	1904 (29), 1698 (13), 1661 (45)	
beste Teiler	123.1 (28.) 126.1 (4.) 134.0 (35.)	
Trefferlage	0.64 mm links, 0.86 mm hoch	
Streuwert	6.74, horizontal: 6.43, vertikal: 7.04	




Serie 1:	10.2 ↘	10.3 →	9.7 ↖	10.8 *	8.9 ↙
	9.4 ←	10.0 ↓	10.3 ←	9.2 ←	10.5 *
beste Teiler	126.1 (4.)	383.2 (10.)	533.3 (2.)		
Trefferlage	4.01 mm links, 2.43 mm tief				
Streuwert	6.11, horizontal: 7.41, vertikal: 4.43				




Serie 2:	9.3 ←	9.3 ↗	8.8 ↖	10.1 ↑	9.2 →
	10.6 *	10.4 *	10.0 ↘	10.3 ↓	9.8 ↑
beste Teiler	241.8 (16.)	441.2 (17.)	550.2 (19.)		
Trefferlage	2.09 mm links, 1.39 mm hoch				
Streuwert	7.46, horizontal: 7.65, vertikal: 7.28				




Serie 3:	9.8 ↘	10.0 ↓	9.6 ↗	9.8 ↑	10.1 ↓
	9.4 ↓	10.7 *	10.8 *	8.6 ↑	9.9 →
beste Teiler	123.1 (28.)	227.3 (27.)	685.1 (25.)		
Trefferlage	2.49 mm rechts, 0.14 mm tief				
Streuwert	7.15, horizontal: 4.41, vertikal: 9.09				



Serie 4:	9.8 ↗	10.2 ↗	10.1 ↑	9.8 →	10.8 *
	10.4 *	10.7 *	10.0 ↘	9.4 ↑	9.5 ↘
beste Teiler	134.0 (35.)	236.3 (37.)	449.5 (36.)		
Trefferlage	2.21 mm rechts, 3.92 mm hoch				
Streuwert	4.82, horizontal: 4.27, vertikal: 5.32				



Serie 5:	10.4 *	9.2 ↑	9.4 ←	10.0 ↑	8.9 ↑
	10.0 ↖	10.0 ↙	10.1 ↓	10.7 *	10.7 *
beste Teiler	191.6 (50.)	213.7 (49.)	431.6 (41.)		
Trefferlage	0.95 mm links, 2.47 mm hoch				
Streuwert	6.67, horizontal: 5.10, vertikal: 7.93				



Serie 6:	9.0 ←	9.3 ↗	9.0 ↙	10.6 *	10.2 ↘
	10.4 *	9.6 ↖	10.3 →	10.6 *	9.6 ↓
beste Teiler	262.7 (54.)	272.2 (59.)	467.6 (56.)		
Trefferlage	1.50 mm links, 0.04 mm tief				
Streuwert	7.38, horizontal: 7.62, vertikal: 7.12				

Meyton Elektronik

ISSF Prone Men – Wertung – Jungschützen

StandNr: 5

Weiler,, Kevin #70605105

StartNr: 1



15. Juli 2018 9:54

SG_Hochpustertal


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	594.3	(567)
Serien:	99.1 97.0 97.5 98.6 99.2 102.9	
Zähler:	29 29 2 0 0 0 0 0 0 0	
Innenzehner:	22	
weiteste:	2122 (20), 1933 (5), 1567 (17)	
beste Teiler	121.5 (41.) 128.9 (8.) 226.2 (52.)	
Trefferlage	0.51 mm rechts, 0.34 mm hoch	
Streuwert	6.79, horizontal: 6.40, vertikal: 7.16	




Serie 1:					
9.3 ↙	10.0 ↑	9.7 ↓	10.2 ↘	8.5 ↑	
10.3 *	10.5 *	10.8 *	10.5 *	9.3 ↓	
beste Teiler	128.9 (8.)	359.2 (7.)	389.8 (9.)		
Trefferlage	0.24 mm rechts, 1.06 mm tief				
Streuwert	7.29, horizontal: 4.16, vertikal: 9.43				




Serie 2:					
9.1 ↖	10.2 ↓	10.3 *	10.6 *	10.4 *	
9.9 ↙	9.0 ↖	9.5 ↑	9.7 ↓	8.3 ↘	
beste Teiler	316.5 (14.)	430.8 (15.)	516.2 (13.)		
Trefferlage	0.23 mm rechts, 1.38 mm hoch				
Streuwert	8.49, horizontal: 7.97, vertikal: 8.99				




Serie 3:					
9.3 →	9.7 ←	10.6 *	9.8 ↓	9.1 →	
10.4 *	10.5 *	9.6 ↖	9.3 ↓	9.2 ↑	
beste Teiler	263.9 (23.)	344.3 (27.)	467.1 (26.)		
Trefferlage	0.80 mm rechts, 1.26 mm hoch				
Streuwert	7.72, horizontal: 7.92, vertikal: 7.51				



Serie 4:					
9.5 →	9.7 ←	10.6 *	9.6 ↓	10.2 →	
9.8 →	10.1 →	9.9 ↘	9.6 ←	9.6 ↖	
beste Teiler	291.1 (33.)	561.3 (35.)	707.8 (37.)		
Trefferlage	1.59 mm rechts, 0.15 mm tief				
Streuwert	6.69, horizontal: 7.52, vertikal: 5.73				



Serie 5:					
10.8 *	9.6 ↗	10.5 *	9.8 ↗	9.2 ↗	
9.0 ↙	10.6 *	9.3 ↗	10.3 *	10.1 ↙	
beste Teiler	121.5 (41.)	242.7 (47.)	370.6 (43.)		
Trefferlage	1.58 mm rechts, 1.54 mm hoch				
Streuwert	6.83, horizontal: 7.21, vertikal: 6.42				



Serie 6:					
9.4 ↓	10.7 *	10.7 *	10.3 *	10.5 *	
10.4 *	10.1 ↑	10.4 *	10.6 *	9.8 ↙	
beste Teiler	226.2 (52.)	235.4 (53.)	260.8 (59.)		
Trefferlage	1.40 mm links, 0.92 mm tief				
Streuwert	4.34, horizontal: 3.07, vertikal: 5.32				

Meyton Elektronik

ISSF Prone Men – Wertung – Jungschützen

StandNr: 7

Greber,, Alexander #70804097

StartNr: 2



15. Juli 2018 9:39

SG_Fügenberg


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	576.4	(549)
Serien:	93.2 97.0 96.1 95.1 98.7 96.3	
Zähler:	19 31 10 0 0 0 0 0 0 0	
Innenzehner:	9	
weiteste:	2361 (2), 2220 (1), 1785 (55)	
beste Teiler	53.3 (50.) 272.0 (54.) 322.4 (28.)	
Trefferlage	1.38 mm rechts, 2.28 mm hoch	
Streuwert	8.19, horizontal: 7.56, vertikal: 8.77	




Serie 1:					
	8.2 ↗	8.0 ↑	8.9 ↘	9.6 →	10.2 ↘
	9.5 ↘	9.3 ←	9.8 ↘	9.7 ↑	10.0 ↘
beste Teiler	596.6 (5.)	759.3 (10.)	900.2 (8.)		
Trefferlage	5.95 mm links, 8.09 mm hoch				
Streuwert	7.46, horizontal: 6.91, vertikal: 7.98				




Serie 2:					
	9.0 ↗	10.0 ↘	9.6 ↗	10.1 →	8.8 ↗
	9.8 ↗	10.5 *	9.5 ↗	10.3 *	9.4 ↘
beste Teiler	369.7 (17.)	515.0 (19.)	713.0 (14.)		
Trefferlage	4.53 mm rechts, 5.81 mm hoch				
Streuwert	6.00, horizontal: 5.42, vertikal: 6.52				




Serie 3:					
	10.1 ↑	9.6 ↘	9.8 ↘	10.1 ↘	9.6 →
	8.8 ↗	8.8 ↘	10.5 *	9.6 ↘	9.2 ↓
beste Teiler	322.4 (28.)	701.3 (21.)	713.7 (24.)		
Trefferlage	0.60 mm rechts, 1.82 mm tief				
Streuwert	8.51, horizontal: 8.03, vertikal: 8.95				



Serie 4:					
	9.9 ↑	9.8 ↗	9.3 ↑	9.5 ↗	8.9 ↓
	10.1 ↗	10.4 *	9.3 ↓	9.1 →	8.8 →
beste Teiler	404.4 (37.)	682.4 (36.)	808.3 (31.)		
Trefferlage	4.66 mm rechts, 0.38 mm tief				
Streuwert	8.30, horizontal: 6.92, vertikal: 9.49				



Serie 5:					
	9.8 ↘	10.4 *	9.2 ↘	9.2 ↘	9.6 ↓
	9.2 ↘	10.1 ←	10.5 *	9.8 ←	10.9 *
beste Teiler	53.3 (50.)	353.3 (48.)	428.7 (42.)		
Trefferlage	0.27 mm rechts, 2.27 mm tief				
Streuwert	7.03, horizontal: 6.40, vertikal: 7.61				



Serie 6:					
	9.0 ↑	10.5 *	9.3 →	10.6 *	8.7 ↘
	10.2 ↘	9.9 →	10.2 ↑	8.8 ↑	9.1 ↗
beste Teiler	272.0 (54.)	338.6 (52.)	600.3 (56.)		
Trefferlage	4.19 mm rechts, 4.25 mm hoch				
Streuwert	7.59, horizontal: 7.12, vertikal: 8.03				

Meyton Elektronik

ISSF Prone Men – Wertung – Jungschützen

StandNr: 9

Wirtenberger,, Matteo #70201088

StartNr: 3



15. Juli 2018 9:53

SG_Absam


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **602.2** (573)
 Serien: 98.9 101.6 100.4 102.7 101.0 97.6
 Zähler: 35 23 2 0 0 0 0 0 0
 Innenzehner: 21
 weiteste: 1755 (7), 1651 (57), 1383 (24)
 beste Teiler 108.3 (37.) 171.0 (50.) 196.3 (12.)
 Trefferlage 0.55 mm links, 1.11 mm tief
 Streuwert 5.81, horizontal: 4.77, vertikal: 6.68




Serie 1:
 10.2 ↑ 9.8 ↘ 9.9 ↙ 9.7 ↖ 10.6 *
 9.6 ↑ 8.8 ↓ 9.9 ↖ 10.0 ← 10.4 *
 beste Teiler 291.1 (5.) 413.6 (10.) 625.0 (1.)
 Trefferlage 3.66 mm links, 0.98 mm hoch
 Streuwert 6.40, horizontal: 3.41, vertikal: 8.39




Serie 2:
 9.6 ↑ 10.7 * 10.5 * 10.4 * 10.1 ↖
 10.5 * 10.0 ↘ 10.3 ↓ 9.9 ↓ 9.6 ↓
 beste Teiler 196.3 (12.) 333.6 (16.) 385.0 (13.)
 Trefferlage 0.57 mm links, 0.24 mm tief
 Streuwert 5.21, horizontal: 2.34, vertikal: 6.99




Serie 3:
 9.7 ↑ 10.4 * 10.2 ↘ 9.2 ↙ 10.6 *
 9.9 ↗ 10.0 ↓ 10.4 * 10.6 * 9.4 ↘
 beste Teiler 278.3 (29.) 293.1 (25.) 413.4 (22.)
 Trefferlage 1.79 mm rechts, 1.83 mm tief
 Streuwert 5.76, horizontal: 4.79, vertikal: 6.59



Serie 4:
 10.0 ↓ 10.5 * 10.7 * 10.3 → 10.6 *
 10.3 * 10.8 * 9.3 ↖ 10.3 ↓ 9.9 ↓
 beste Teiler 108.3 (37.) 203.6 (33.) 302.3 (35.)
 Trefferlage 0.30 mm links, 1.02 mm tief
 Streuwert 4.68, horizontal: 4.37, vertikal: 4.97



Serie 5:
 10.3 ↙ 10.6 * 9.7 ↑ 9.7 ↑ 10.4 *
 10.1 ↙ 10.5 * 9.5 ↙ 9.5 ↘ 10.7 *
 beste Teiler 171.0 (50.) 305.1 (42.) 324.2 (47.)
 Trefferlage 0.34 mm rechts, 0.91 mm tief
 Streuwert 5.65, horizontal: 4.78, vertikal: 6.40



Serie 6:
 10.3 * 10.2 ↗ 10.4 * 9.9 ← 9.3 →
 9.9 ← 8.9 ↓ 9.4 ↙ 9.3 ↙ 10.0 ↘
 beste Teiler 459.6 (53.) 501.9 (51.) 591.7 (52.)
 Trefferlage 0.92 mm links, 3.65 mm tief
 Streuwert 7.08, horizontal: 7.02, vertikal: 7.14

Meyton Elektronik

ISSF Prone Men – Wertung – Jungschützen

StandNr: 37

Rudigier,, Manuel #1000000078

StartNr: 25

15. Juli 2018 9:34

SG_Kappl

Unterschrift des Schützen

Meyton Elektronik