





Ergebnis: **321** (336.5)
 Serien: 81 79 84 77
 Zähler: 3 14 12 6 3 1 1 0 0 0
 Innenzehner: 1
 weiteste: 5071 (20), 4634 (36), 3533 (39)
 beste Teiler 435.1 (12.) 705.2 (3.) 733.1 (22.)
 Trefferlage 1.62 mm rechts, 3.15 mm tief
 Streuwert 16.13, horizontal: 15.86, vertikal: 16.39




Serie 1:
 7.5 ← 9.3 ↓ 10.1 ↓ 9.2 ↘ 9.0 ↓
 9.6 → 6.6 ↓ 6.9 ↘ 7.4 → 9.9 ↑
 beste Teiler 705.2 (3.) 824.7 (10.) 1053.2 (6.)
 Trefferlage 3.64 mm rechts, 7.00 mm tief
 Streuwert 15.02, horizontal: 15.33, vertikal: 14.70



Serie 2:
 7.6 ↓ 10.4 * 7.7 ↘ 9.9 ↑ 8.3 ↘
 9.8 ↓ 9.3 ↓ 7.0 ← 9.5 ↘ 4.6 →
 beste Teiler 435.1 (12.) 866.3 (14.) 902.5 (16.)
 Trefferlage 0.94 mm links, 4.27 mm tief
 Streuwert 17.87, horizontal: 21.33, vertikal: 13.55



Serie 3:
 8.0 → 10.0 ↘ 8.2 ↓ 9.7 ← 8.0 ↑
 9.1 ← 8.2 ↑ 7.3 ↗ 9.0 ↘ 8.4 →
 beste Teiler 733.1 (22.) 1006.8 (24.) 1443.8 (26.)
 Trefferlage 5.84 mm rechts, 2.50 mm hoch
 Streuwert 14.12, horizontal: 13.84, vertikal: 14.39





Serie 4:
 8.8 ↘ 8.3 → 8.9 ↙ 8.7 ↙ 8.0 ↙
 5.2 ↓ 9.3 ↘ 8.2 ↑ 6.5 ↑ 9.1 ↘
 beste Teiler 1309.3 (37.) 1476.5 (40.) 1627.9 (33.)
 Trefferlage 2.05 mm links, 3.85 mm tief
 Streuwert 18.25, horizontal: 12.72, vertikal: 22.45


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **334** (352.8)
 Serien: 90 79 82 83
 Zähler: 6 14 11 6 3 0 0 0 0 0
 Innenzehner: 4
 weiteste: 3937 (32), 3493 (23), 3318 (17)
 beste Teiler 331.4 (8.) 363.7 (3.) 386.3 (22.)
 Trefferlage 6.40 mm links, 0.59 mm hoch
 Streuwert 13.00, horizontal: 14.63, vertikal: 11.13




Serie 1:
 9.4 ↗ 10.2 ↙ 10.5 * 8.3 → 9.7 ↑
 9.8 ↘ 9.5 ↘ 10.5 * 8.7 ↙ 8.7 ↘
 beste Teiler 331.4 (8.) 363.7 (3.) 622.4 (2.)
 Trefferlage 0.25 mm links, 0.62 mm tief
 Streuwert 9.60, horizontal: 9.60, vertikal: 9.59



Serie 2:
 8.1 ↑ 9.2 → 8.7 ↗ 8.3 ↗ 8.2 ↘
 8.8 ↙ 6.8 ← 8.1 ↑ 7.7 ↗ 9.2 ←
 beste Teiler 1383.0 (20.) 1433.8 (12.) 1736.0 (16.)
 Trefferlage 0.13 mm rechts, 8.49 mm hoch
 Streuwert 15.04, horizontal: 18.34, vertikal: 10.77





Serie 3:
 9.6 ↙ 10.5 * 6.6 ↙ 7.5 ↑ 10.4 *
 7.9 ↙ 9.6 ↘ 8.1 ↙ 9.6 ↓ 7.6 ↙
 beste Teiler 386.3 (22.) 432.8 (25.) 1063.3 (27.)
 Trefferlage 11.52 mm links, 3.66 mm tief
 Streuwert 12.38, horizontal: 11.37, vertikal: 13.32




Serie 4:
 7.9 ↘ 6.0 ← 9.2 ← 9.1 ← 7.6 ↙
 9.7 ↘ 9.8 ↓ 9.2 ← 8.2 ↙ 10.3 ←
 beste Teiler 524.4 (40.) 921.2 (37.) 996.2 (36.)
 Trefferlage 13.96 mm links, 1.81 mm tief
 Streuwert 10.99, horizontal: 13.71, vertikal: 7.32

Unterschrift des Schützen


Ergebnis: **334** (351.3)
 Serien: 84 81 91 78
 Zähler: 13 6 10 6 4 0 1 0 0 0
 Innenzehner: 2
 weiteste: 4949 (34), 3570 (32), 3552 (13)
 beste Teiler 445.2 (2.) 449.3 (31.) 479.6 (33.)
 Trefferlage 4.62 mm rechts, 5.16 mm hoch
 Streuwert 13.79, horizontal: 14.47, vertikal: 13.08




Serie 1:
 7.2 ↗ 10.4 * 9.5 ↖ 10.1 ↘ 7.7 ↓
 6.9 ↑ 10.2 ↓ 8.4 → 9.8 ↖ 8.5 ↘
 beste Teiler 445.2 (2.) 639.5 (7.) 675.5 (4.)
 Trefferlage 2.75 mm rechts, 3.25 mm hoch
 Streuwert 13.99, horizontal: 12.75, vertikal: 15.14



Serie 2:
 10.0 → 8.0 ↘ 6.5 ↗ 6.7 ↓ 8.8 ↗
 10.0 → 10.1 ↑ 8.8 ↖ 7.8 ↑ 8.9 ↘
 beste Teiler 708.2 (17.) 732.7 (11.) 748.7 (16.)
 Trefferlage 9.41 mm rechts, 1.85 mm hoch
 Streuwert 14.30, horizontal: 11.37, vertikal: 16.72



Serie 3:
 10.0 ↘ 9.3 ↗ 9.9 ↘ 9.2 ↖ 10.2 →
 8.1 → 10.3 ↑ 8.0 ↖ 10.3 ↗ 8.5 ↗
 beste Teiler 482.0 (29.) 503.0 (27.) 593.6 (25.)
 Trefferlage 3.76 mm rechts, 4.63 mm hoch
 Streuwert 9.78, horizontal: 11.29, vertikal: 7.99





Serie 4:
 10.4 * 6.5 ↗ 10.4 ↗ 4.8 → 8.4 ↖
 10.2 ↘ 7.9 ↑ 7.8 ↖ 9.3 ↑ 7.5 ↖
 beste Teiler 449.3 (31.) 479.6 (33.) 580.6 (36.)
 Trefferlage 2.57 mm rechts, 10.90 mm hoch
 Streuwert 16.85, horizontal: 21.28, vertikal: 10.74


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **374** (392.6)
 Serien: 94 94 92 94
 Zähler: 17 20 3 0 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 2241 (21), 1691 (39), 1651 (11)
 beste Teiler 76.6 (12.) 112.5 (36.) 133.6 (18.)
 Trefferlage 1.01 mm links, 2.90 mm tief
 Streuwert 7.18, horizontal: 6.61, vertikal: 7.71




Serie 1:
 9.0 ↓ 9.0 ↘ 9.4 ↓ 10.1 ↗ 9.2 ↓
 10.1 ↑ 9.8 ↓ 10.2 ↙ 9.4 ↓ 10.8 *
 beste Teiler 137.8 (10.) 568.7 (8.) 678.6 (6.)
 Trefferlage 2.26 mm links, 7.81 mm tief
 Streuwert 5.59, horizontal: 3.52, vertikal: 7.08



Serie 2:
 8.9 ↘ 10.9 * 9.6 ↓ 10.0 ↑ 9.1 ↗
 9.9 ↑ 9.9 ↖ 10.8 * 10.0 ← 10.0 ↙
 beste Teiler 76.6 (12.) 133.6 (18.) 730.6 (20.)
 Trefferlage 1.83 mm links, 0.28 mm tief
 Streuwert 7.01, horizontal: 6.17, vertikal: 7.75



Serie 3:
 8.1 ← 9.0 → 10.8 * 9.0 ↘ 10.6 *
 9.8 ↓ 9.8 ↓ 9.5 ↓ 9.8 ↖ 10.0 ↑
 beste Teiler 139.3 (23.) 311.5 (25.) 774.8 (30.)
 Trefferlage 0.11 mm links, 2.32 mm tief
 Streuwert 8.81, horizontal: 10.15, vertikal: 7.22





Serie 4:
 10.1 ↓ 9.6 ↓ 10.4 * 10.8 * 10.5 *
 10.8 * 9.5 ↙ 9.8 ↓ 8.8 ↗ 9.8 ↗
 beste Teiler 112.5 (36.) 134.6 (34.) 371.9 (35.)
 Trefferlage 0.13 mm rechts, 1.17 mm tief
 Streuwert 6.64, horizontal: 5.55, vertikal: 7.56


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **370** (385.9)
 Serien: 92 89 97 92
 Zähler: 19 15 3 3 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 3048 (8), 2986 (17), 2451 (13)
 beste Teiler 117.7 (24.) 283.0 (14.) 313.2 (21.)
 Trefferlage 1.57 mm links, 0.83 mm tief
 Streuwert 8.81, horizontal: 7.39, vertikal: 10.04




Serie 1:
 10.2 ↓ 9.9 ↙ 10.0 ↗ 9.7 ← 10.3 ↘
 9.5 ← 10.0 → 7.1 ↓ 8.6 ↓ 10.5 *
 beste Teiler 341.1 (10.) 516.9 (5.) 568.0 (1.)
 Trefferlage 3.69 mm links, 5.49 mm tief
 Streuwert 8.60, horizontal: 5.67, vertikal: 10.76



Serie 2:
 10.2 ↘ 9.3 ← 7.9 ↙ 10.6 * 9.8 ↗
 10.3 ↑ 7.2 ↙ 10.1 ↘ 9.1 ↓ 8.9 ↑
 beste Teiler 283.0 (14.) 543.1 (16.) 564.3 (11.)
 Trefferlage 4.24 mm links, 2.98 mm tief
 Streuwert 10.73, horizontal: 8.68, vertikal: 12.45



Serie 3:
 10.6 * 9.1 ↗ 10.1 ↗ 10.8 * 10.2 →
 9.5 ↙ 10.5 * 10.3 ↘ 9.0 ↑ 10.1 ↙
 beste Teiler 117.7 (24.) 313.2 (21.) 371.5 (27.)
 Trefferlage 0.79 mm rechts, 1.49 mm hoch
 Streuwert 6.48, horizontal: 4.38, vertikal: 8.05



Serie 4:
 9.9 ← 8.7 → 10.4 * 9.1 ↘ 10.4 *
 9.6 ↙ 9.6 ↑ 10.0 ↗ 9.8 ↘ 9.0 ↗
 beste Teiler 417.3 (33.) 473.3 (35.) 787.4 (38.)
 Trefferlage 0.85 mm rechts, 3.64 mm hoch
 Streuwert 7.98, horizontal: 9.18, vertikal: 6.57

Unterschrift des Schützen

Meyton Elektronik