





Ergebnis: **334** (351.5)
 Serien: 88 82 84 80
 Zähler: 8 15 8 5 0 4 0 0 0 0
 Innenzehner: 2
 weiteste: 4659 (7), 4623 (36), 4150 (15)
 beste Teiler 286.4 (4.) 438.7 (25.) 511.2 (34.)
 Trefferlage 1.31 mm rechts, 6.46 mm tief
 Streuwert 13.94, horizontal: 13.14, vertikal: 14.70




Serie 1:
 9.0 ↙ 10.2 ↗ 8.4 ↗ 10.6 * 9.6 ↘
 10.0 ↓ 5.1 ↓ 9.7 ↖ 9.1 ↓ 9.6 ←
 beste Teiler 286.4 (4.) 624.4 (2.) 794.1 (6.)
 Trefferlage 1.68 mm links, 6.42 mm tief
 Streuwert 12.98, horizontal: 6.11, vertikal: 17.32



Serie 2:
 7.2 ↗ 9.3 ↘ 9.5 ↓ 8.9 → 5.8 ←
 8.7 ↓ 8.6 ↗ 10.3 ← 9.4 ↓ 9.1 ↓
 beste Teiler 557.5 (18.) 1165.3 (13.) 1224.7 (19.)
 Trefferlage 0.05 mm rechts, 2.92 mm tief
 Streuwert 15.32, horizontal: 15.94, vertikal: 14.67



Serie 3:
 7.9 ↗ 8.6 → 10.1 ↘ 5.8 ↙ 10.4 *
 9.6 ↖ 9.0 ↘ 9.2 ↑ 9.6 ↙ 8.4 ↗
 beste Teiler 438.7 (25.) 711.0 (23.) 1052.5 (26.)
 Trefferlage 2.38 mm rechts, 2.59 mm tief
 Streuwert 14.32, horizontal: 14.93, vertikal: 13.69





Serie 4:
 9.8 ↙ 8.8 ↓ 7.5 → 10.3 ↗ 7.7 ↓
 5.2 ↘ 7.8 ↓ 8.1 ↓ 9.3 ↘ 10.3 ←
 beste Teiler 511.2 (34.) 526.1 (40.) 887.3 (31.)
 Trefferlage 4.52 mm rechts, 13.90 mm tief
 Streuwert 13.26, horizontal: 14.47, vertikal: 11.93


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **310** (328.7)
 Serien: 83 78 75 74
 Zaehler: 6 7 9 11 4 2 1 0 0 0
 Innenzehner: 3
 weiteste: 5373 (34), 4587 (35), 4142 (23)
 beste Teiler 147.5 (4.) 164.2 (40.) 247.0 (26.)
 Trefferlage 12.40 mm links, 1.07 mm tief
 Streuwert 15.47, horizontal: 16.21, vertikal: 14.69




Serie 1:
 7.9 ↙ 7.7 ↙ 9.6 ↙ 10.8 * 8.4 ↙
 9.7 ↗ 7.5 ↘ 10.0 ↙ 9.6 ↗ 7.7 ↗
 beste Teiler 147.5 (4.) 770.1 (8.) 1009.4 (6.)
 Trefferlage 7.79 mm links, 0.01 mm hoch
 Streuwert 12.71, horizontal: 12.59, vertikal: 12.81



Serie 2:
 8.0 ← 9.7 ↙ 6.0 ↘ 7.3 → 8.9 ↑
 10.2 ← 9.0 ← 7.5 ↙ 8.5 ← 6.9 ↙
 beste Teiler 620.3 (16.) 1011.3 (12.) 1590.1 (17.)
 Trefferlage 10.01 mm links, 0.26 mm tief
 Streuwert 16.38, horizontal: 16.43, vertikal: 16.32





Serie 3:
 8.0 ← 8.0 ↘ 5.8 ↙ 6.4 ← 7.9 ↓
 10.6 * 8.7 ↙ 7.3 ↙ 7.4 ↙ 9.5 ↘
 beste Teiler 247.0 (26.) 1185.4 (30.) 1771.8 (27.)
 Trefferlage 15.61 mm links, 7.71 mm tief
 Streuwert 14.67, horizontal: 14.36, vertikal: 14.97



Serie 4:
 9.1 ↓ 6.7 ← 10.1 ↓ 4.2 ← 5.2 ←
 7.4 ↘ 7.9 ↘ 8.3 ↙ 8.6 ↗ 10.7 *
 beste Teiler 164.2 (40.) 661.4 (33.) 1496.4 (31.)
 Trefferlage 16.18 mm links, 3.68 mm hoch
 Streuwert 18.05, horizontal: 21.14, vertikal: 14.29


Unterschrift des Schuetzen

Ergebnis:	343	(359.3)			
Serien:	88	86	86	83	
Zähler:	11	12	9	6	1 1 0 0 0 0
Innenzehner:	1				
weiteste:	4176 (30), 3298 (9), 3136 (33)				
beste Teiler	261.5 (5.) 490.4 (26.) 503.5 (14.)				
Trefferlage	1.45 mm rechts, 0.12 mm tief				
Streuwert	12.88, horizontal: 13.69, vertikal: 12.02				




Serie 1:

7.8 ↘	8.8 ↘	10.0 ↓	10.1 →	10.6 *
10.1 ←	9.1 ↗	9.0 ↘	6.8 →	9.8 ↑
beste Teiler	261.5 (5.) 697.3 (4.) 712.1 (6.)			
Trefferlage	8.06 mm rechts, 1.81 mm tief			
Streuwert	10.70, horizontal: 11.78, vertikal: 9.49			




Serie 2:

9.3 ↑	9.2 ↗	8.4 ↗	10.3 ↘	8.9 →
7.8 →	9.8 ↘	9.0 ↓	8.7 ↘	9.9 →
beste Teiler	503.5 (14.) 880.4 (20.) 958.9 (17.)			
Trefferlage	8.36 mm rechts, 1.20 mm hoch			
Streuwert	9.86, horizontal: 9.48, vertikal: 10.22			



Serie 3:

8.2 ↗	8.7 ↘	10.0 ↗	9.3 ↘	8.7 ↓
10.3 →	10.2 ←	10.0 ↓	8.0 ↖	5.7 ↘
beste Teiler	490.4 (26.) 571.2 (27.) 738.5 (23.)			
Trefferlage	2.20 mm links, 0.98 mm hoch			
Streuwert	14.42, horizontal: 14.01, vertikal: 14.82			





Serie 4:


9.2 ↑	9.0 ↓	7.0 ←	9.7 ↑	10.3 ↘
7.8 ↗	10.1 ←	7.5 ↖	7.8 ↖	8.4 ↖
beste Teiler	515.9 (35.) 672.3 (37.) 992.6 (34.)			
Trefferlage	8.38 mm links, 0.87 mm tief			
Streuwert	13.57, horizontal: 12.79, vertikal: 14.30			

Unterschrift des Schuetzen


Ergebnis: **286** (301.8)
 Serien: 82 71 69 64
 Zaehler: 2 7 15 3 6 3 1 2 0 1
 Innenzehner: 1
 weiteste: 7202 (31), 5996 (34), 5868 (20)
 beste Teiler 409.9 (40.) 754.8 (29.) 826.7 (1.)
 Trefferlage 6.31 mm links, 13.62 mm tief
 Streuwert 19.73, horizontal: 19.94, vertikal: 19.52




Serie 1:
 9.9 ↗ 8.6 ↘ 8.6 ↙ 8.3 → 9.7 ↓
 7.0 ↓ 9.5 ↓ 8.8 ↑ 8.7 ← 8.5 ↑
 beste Teiler 826.7 (1.) 966.3 (5.) 1189.7 (7.)
 Trefferlage 2.41 mm links, 0.07 mm tief
 Streuwert 13.74, horizontal: 11.76, vertikal: 15.47



Serie 2:
 8.4 ↘ 8.4 ↗ 9.0 → 6.1 ↙ 8.2 ↓
 7.6 ↘ 8.1 ↘ 5.3 ↙ 9.4 ↙ 3.6 ←
 beste Teiler 1254.0 (19.) 1521.4 (13.) 2041.3 (12.)
 Trefferlage 8.75 mm links, 10.42 mm tief
 Streuwert 21.23, horizontal: 25.74, vertikal: 15.45



Serie 3:
 8.3 ↓ 6.2 ↓ 5.3 ↙ 9.7 → 8.2 ↓
 4.8 ↙ 6.2 ← 7.1 ↙ 10.0 → 6.6 ↓
 beste Teiler 754.8 (29.) 1020.8 (24.) 2144.6 (21.)
 Trefferlage 11.80 mm links, 19.22 mm tief
 Streuwert 17.54, horizontal: 20.34, vertikal: 14.21





Serie 4:
 1.9 ↓ 5.1 → 6.0 ↓ 3.5 ↓ 6.6 ←
 8.3 ↙ 9.2 ↓ 8.1 ↓ 8.6 ↓ 10.4 *
 beste Teiler 409.9 (40.) 1436.3 (37.) 1915.9 (39.)
 Trefferlage 2.27 mm links, 24.75 mm tief
 Streuwert 22.55, horizontal: 20.82, vertikal: 24.15


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **318** (337.5)
 Serien: 83 77 75 83
 Zaehler: 7 8 12 5 7 0 0 1 0 0
 Innenzehner: 1
 weiteste: 5620 (5), 3914 (37), 3799 (27)
 beste Teiler 236.2 (7.) 487.1 (12.) 513.8 (6.)
 Trefferlage 3.50 mm links, 3.39 mm tief
 Streuwert 16.22, horizontal: 17.91, vertikal: 14.32




Serie 1:
 8.8 → 9.7 ↗ 8.4 ↓ 8.8 → 3.9 ←
 10.3 ↖ 10.7 * 9.3 → 8.5 ↓ 10.1 ←
 beste Teiler 236.2 (7.) 513.8 (6.) 692.3 (10.)
 Trefferlage 1.00 mm links, 2.54 mm tief
 Streuwert 16.37, horizontal: 20.99, vertikal: 9.78



Serie 2:
 8.3 → 10.3 ↘ 6.5 ↗ 8.8 ↑ 6.7 ↙
 10.2 ↘ 6.9 ↓ 7.9 ↑ 8.7 ↓ 8.1 ↙
 beste Teiler 487.1 (12.) 585.8 (16.) 1700.6 (14.)
 Trefferlage 1.62 mm rechts, 2.49 mm tief
 Streuwert 17.65, horizontal: 16.05, vertikal: 19.11



Serie 3:
 8.2 ↓ 6.8 ↖ 9.1 ← 8.0 ← 7.5 ←
 8.2 ↓ 6.2 ← 7.7 ↗ 7.6 ↘ 9.9 ↓
 beste Teiler 829.0 (30.) 1456.5 (23.) 2204.0 (21.)
 Trefferlage 9.30 mm links, 5.62 mm tief
 Streuwert 17.21, horizontal: 20.19, vertikal: 13.61





Serie 4:
 9.3 ↓ 6.7 ↑ 9.8 ← 9.6 ↘ 9.2 ←
 10.1 ← 6.1 ← 7.6 ↓ 8.8 ↓ 10.2 ↖
 beste Teiler 611.8 (40.) 694.0 (36.) 938.4 (33.)
 Trefferlage 5.33 mm links, 2.92 mm tief
 Streuwert 14.88, horizontal: 14.40, vertikal: 15.34


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **322** (340.5)
 Serien: 76 88 86 72
 Zaehler: 7 12 10 5 1 3 2 0 0 0
 Innenzehner: 3
 weiteste: 4879 (34), 4825 (35), 4555 (32)
 beste Teiler 228.2 (39.) 309.1 (18.) 459.5 (11.)
 Trefferlage 7.35 mm links, 0.59 mm hoch
 Streuwert 15.85, horizontal: 15.79, vertikal: 15.92




Serie 1:
 8.5 ↓ 9.8 → 5.7 ↘ 7.1 ↙ 5.3 ←
 9.4 ← 10.3 → 7.3 ↙ 7.5 ↘ 9.2 ↘
 beste Teiler 490.2 (7.) 909.9 (2.) 1238.6 (6.)
 Trefferlage 14.22 mm links, 0.33 mm tief
 Streuwert 16.85, horizontal: 17.00, vertikal: 16.69



Serie 2:
 10.4 * 9.5 ↗ 9.1 ← 8.1 ↑ 8.0 ↗
 10.3 ↗ 9.8 ← 10.6 * 6.5 ↘ 9.5 ←
 beste Teiler 309.1 (18.) 459.5 (11.) 529.3 (16.)
 Trefferlage 2.40 mm links, 7.77 mm hoch
 Streuwert 11.28, horizontal: 10.87, vertikal: 11.67



Serie 3:
 9.5 ↘ 10.3 ← 8.4 ↙ 7.6 ↘ 8.1 ↓
 8.4 → 8.8 ↗ 10.2 ↘ 9.6 ↘ 9.6 ←
 beste Teiler 505.6 (22.) 595.8 (28.) 1042.5 (30.)
 Trefferlage 1.88 mm links, 0.63 mm hoch
 Streuwert 12.34, horizontal: 10.44, vertikal: 13.99



Serie 4:
 7.6 ↙ 5.3 ↙ 8.5 ↙ 4.9 ↙ 4.9 ↗
 8.3 ↙ 8.9 ← 9.9 ↘ 10.7 * 9.1 ↑
 beste Teiler 228.2 (39.) 867.0 (38.) 1451.1 (40.)
 Trefferlage 10.90 mm links, 5.68 mm tief
 Streuwert 20.28, horizontal: 20.91, vertikal: 19.62

Unterschrift des Schuetzen