





Ergebnis: **400.1** (380)
 Serien: 96.9 100.6 103.1 99.5
 Zähler: 23 15 1 1 0 0 0 0 0 0
 Innenzehner: 18
 weiteste: 760 (1), 606 (3), 383 (40)
 beste Teiler 11.0 (22.) 16.6 (27.) 29.1 (37.)
 Trefferlage 0.07 mm rechts, 0.02 mm tief
 Streuwert 2.00, horizontal: 2.41, vertikal: 1.47




Serie 1:
 7.9 → 10.2 * 8.5 ← 10.0 ↑ 10.2 *
 10.7 * 10.0 → 10.3 * 9.5 ↘ 9.6 ↙
 beste Teiler 57.2 (6.) 172.1 (8.) 182.4 (5.)
 Trefferlage 0.75 mm rechts, 0.22 mm tief
 Streuwert 2.74, horizontal: 3.42, vertikal: 1.84



Serie 2:
 10.5 * 9.8 ← 9.8 ← 10.3 * 9.4 ↙
 10.8 * 9.9 → 9.7 → 9.9 → 10.5 *
 beste Teiler 45.1 (16.) 104.2 (20.) 116.8 (11.)
 Trefferlage 0.06 mm rechts, 0.44 mm tief
 Streuwert 1.79, horizontal: 2.16, vertikal: 1.32



Serie 3:
 9.8 ← 10.9 * 10.0 ↑ 9.9 ↑ 10.2 *
 10.0 ← 10.9 * 10.3 * 10.4 * 10.7 *
 beste Teiler 11.0 (22.) 16.6 (27.) 73.7 (30.)
 Trefferlage 0.44 mm links, 0.57 mm hoch
 Streuwert 1.30, horizontal: 1.35, vertikal: 1.25





Serie 4:
 9.7 ↘ 10.2 * 10.3 * 9.5 ← 9.4 →
 9.8 ↑ 10.8 * 10.4 * 10.0 → 9.4 ←
 beste Teiler 29.1 (37.) 132.1 (38.) 162.9 (33.)
 Trefferlage 0.08 mm links, 0.00 mm
 Streuwert 2.03, horizontal: 2.49, vertikal: 1.45


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **387.9** (371)
 Serien: 96.5 98.2 97.3 95.9
 Zähler: 14 23 3 0 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 574 (18), 522 (29), 518 (16)
 beste Teiler 73.2 (11.) 103.7 (20.) 145.0 (2.)
 Trefferlage 0.68 mm rechts, 0.17 mm hoch
 Streuwert 2.38, horizontal: 2.68, vertikal: 2.03




Serie 1:
 9.8 ↗ 10.4 * 9.2 ↑ 9.0 → 9.8 ↘
 9.0 ↗ 9.4 ↓ 9.4 ↙ 10.2 * 10.3 *
 beste Teiler 145.0 (2.) 165.6 (10.) 184.6 (9.)
 Trefferlage 0.57 mm rechts, 1.04 mm hoch
 Streuwert 2.42, horizontal: 2.47, vertikal: 2.37



Serie 2:
 10.7 * 10.4 * 9.9 ↘ 9.1 → 10.1 ↙
 8.9 ↘ 9.9 ↓ 8.7 → 10.0 → 10.5 *
 beste Teiler 73.2 (11.) 103.7 (20.) 146.3 (12.)
 Trefferlage 1.26 mm rechts, 0.49 mm tief
 Streuwert 2.23, horizontal: 2.50, vertikal: 1.92



Serie 3:
 9.9 ↑ 9.6 → 9.6 ↓ 10.1 ↙ 9.4 →
 9.6 ↘ 9.8 ↑ 10.2 * 8.9 → 10.2 *
 beste Teiler 189.0 (30.) 198.8 (28.) 216.3 (24.)
 Trefferlage 1.23 mm rechts, 0.17 mm tief
 Streuwert 2.22, horizontal: 2.34, vertikal: 2.09





Serie 4:
 9.5 ↘ 10.1 ↓ 9.1 → 9.0 → 9.3 ←
 9.9 ↗ 10.2 * 9.5 ← 10.0 ← 9.3 ←
 beste Teiler 186.6 (37.) 218.0 (32.) 226.5 (39.)
 Trefferlage 0.33 mm links, 0.32 mm hoch
 Streuwert 2.66, horizontal: 3.37, vertikal: 1.67


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **389.0** (370)
 Serien: 95.9 98.1 99.1 95.9
 Zähler: 15 20 5 0 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 611 (8), 563 (36), 542 (6)
 beste Teiler 46.0 (14.) 51.7 (25.) 59.4 (23.)
 Trefferlage 0.30 mm rechts, 0.42 mm hoch
 Streuwert 2.39, horizontal: 2.65, vertikal: 2.11




Serie 1:
 10.0 ↖ 10.1 ↗ 10.6 * 9.5 ↖ 9.7 →
 8.8 ↑ 9.3 → 8.5 ↑ 9.9 ↖ 9.5 ↗
 beste Teiler 95.5 (3.) 218.4 (2.) 231.8 (1.)
 Trefferlage 0.37 mm rechts, 1.97 mm hoch
 Streuwert 2.32, horizontal: 2.52, vertikal: 2.12



Serie 2:
 9.1 ↖ 9.3 → 9.8 → 10.8 * 10.0 ↖
 9.5 → 10.1 ↑ 10.1 ↓ 9.3 ↖ 10.1 ↓
 beste Teiler 46.0 (14.) 211.8 (18.) 212.1 (20.)
 Trefferlage 0.10 mm rechts, 0.33 mm hoch
 Streuwert 2.29, horizontal: 2.85, vertikal: 1.55



Serie 3:
 9.2 ↗ 10.1 ↖ 10.7 * 9.1 ↘ 10.7 *
 9.8 ↗ 9.9 ↗ 9.5 ↗ 10.2 * 9.9 ←
 beste Teiler 51.7 (25.) 59.4 (23.) 194.2 (29.)
 Trefferlage 1.01 mm rechts, 0.42 mm hoch
 Streuwert 1.99, horizontal: 2.03, vertikal: 1.95





Serie 4:
 10.5 * 9.6 ↘ 9.7 ← 10.4 * 10.2 *
 8.7 → 8.9 ↙ 9.9 ↖ 9.1 ↘ 8.9 ←
 beste Teiler 121.5 (31.) 141.1 (34.) 197.7 (35.)
 Trefferlage 0.27 mm links, 1.02 mm tief
 Streuwert 2.68, horizontal: 3.30, vertikal: 1.88


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **402.8** (384)
 Serien: 100.0 100.8 99.7 102.3
 Zähler: 25 14 1 0 0 0 0 0 0 0
 Innenzehner: 19
 weiteste: 525 (28), 414 (13), 389 (3)
 beste Teiler 51.7 (25.) 56.8 (14.) 63.4 (20.)
 Trefferlage 0.75 mm rechts, 0.58 mm hoch
 Streuwert 1.64, horizontal: 1.62, vertikal: 1.67




Serie 1:
 9.5 ↗ 10.1 ↑ 9.4 ↗ 9.6 ↘ 10.4 *
 10.0 ↗ 10.3 * 10.6 * 9.9 ↘ 10.2 *
 beste Teiler 89.8 (8.) 142.8 (5.) 170.7 (7.)
 Trefferlage 1.58 mm rechts, 0.46 mm hoch
 Streuwert 1.47, horizontal: 1.09, vertikal: 1.77



Serie 2:
 10.5 * 9.7 ↑ 9.3 ↗ 10.7 * 10.4 *
 10.4 * 9.7 ↘ 10.0 ↑ 9.4 → 10.7 *
 beste Teiler 56.8 (14.) 63.4 (20.) 105.9 (11.)
 Trefferlage 0.41 mm rechts, 1.22 mm hoch
 Streuwert 1.59, horizontal: 1.78, vertikal: 1.37





Serie 3:
 9.7 ← 10.6 * 10.2 * 10.7 * 10.7 *
 10.1 ↑ 9.5 ↑ 8.9 ↗ 9.7 ↗ 9.6 ↙
 beste Teiler 51.7 (25.) 65.9 (24.) 81.0 (22.)
 Trefferlage 0.24 mm rechts, 0.52 mm hoch
 Streuwert 2.08, horizontal: 2.19, vertikal: 1.96




Serie 4:
 9.8 ↘ 10.0 ↘ 9.8 ↑ 10.5 * 10.4 *
 10.6 * 10.5 * 10.2 * 10.0 → 10.5 *
 beste Teiler 89.2 (36.) 105.0 (34.) 109.6 (37.)
 Trefferlage 0.75 mm rechts, 0.12 mm hoch
 Streuwert 1.32, horizontal: 0.98, vertikal: 1.59

Unterschrift des Schützen


Ergebnis: **408.1** (389)
 Serien: 102.1 101.9 101.0 103.1
 Zähler: 29 11 0 0 0 0 0 0 0 0
 Innenzehner: 23
 weiteste: 419 (15), 411 (23), 369 (12)
 beste Teiler 25.0 (8.) 32.5 (24.) 45.2 (18.)
 Trefferlage 0.03 mm links, 0.10 mm hoch
 Streuwert 1.51, horizontal: 1.62, vertikal: 1.39




Serie 1:
 10.1 ↖ 10.0 ↘ 10.3 * 10.1 → 10.4 *
 9.9 → 10.4 * 10.9 * 10.2 * 9.8 ↘
 beste Teiler 25.0 (8.) 136.8 (5.) 141.6 (7.)
 Trefferlage 0.09 mm links, 0.64 mm hoch
 Streuwert 1.40, horizontal: 1.67, vertikal: 1.04



Serie 2:
 10.3 * 9.5 ↘ 10.2 * 10.5 * 9.3 ↙
 9.9 ↗ 10.8 * 10.8 * 10.1 → 10.5 *
 beste Teiler 45.2 (18.) 50.5 (17.) 112.7 (20.)
 Trefferlage 0.13 mm links, 0.22 mm hoch
 Streuwert 1.67, horizontal: 1.60, vertikal: 1.75



Serie 3:
 10.1 → 10.0 → 9.3 ↙ 10.8 * 9.9 ↙
 10.2 * 10.7 * 10.5 * 9.7 ↘ 9.8 ↘
 beste Teiler 32.5 (24.) 54.0 (27.) 115.0 (28.)
 Trefferlage 0.04 mm links, 0.37 mm tief
 Streuwert 1.78, horizontal: 2.05, vertikal: 1.46





Serie 4:
 10.5 * 9.8 ↗ 10.4 * 10.4 * 10.4 *
 10.5 * 10.3 * 10.4 * 10.5 * 9.9 ↙
 beste Teiler 101.2 (31.) 115.1 (39.) 115.6 (36.)
 Trefferlage 0.11 mm rechts, 0.06 mm tief
 Streuwert 1.28, horizontal: 1.33, vertikal: 1.22


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **408.8** (391)
 Serien: 101.4 104.3 101.3 101.8
 Zähler: 31 9 0 0 0 0 0 0 0 0
 Innenzehner: 28
 weiteste: 448 (22), 361 (37), 356 (4)
 beste Teiler 54.7 (18.) 60.9 (32.) 66.6 (19.)
 Trefferlage 0.09 mm links, 0.19 mm hoch
 Streuwert 1.45, horizontal: 1.82, vertikal: 0.96




Serie 1:
 10.2 * 10.0 → 10.4 * 9.5 ← 10.0 ↖
 10.6 * 10.4 * 10.1 ← 10.4 * 9.8 ←
 beste Teiler 98.0 (6.) 128.3 (7.) 138.6 (3.)
 Trefferlage 0.72 mm links, 0.18 mm hoch
 Streuwert 1.50, horizontal: 1.89, vertikal: 0.98



Serie 2:
 10.2 * 10.6 * 10.7 * 10.3 * 10.5 *
 10.5 * 10.4 * 10.7 * 10.7 * 9.7 →
 beste Teiler 54.7 (18.) 66.6 (19.) 73.1 (13.)
 Trefferlage 0.22 mm rechts, 0.63 mm hoch
 Streuwert 0.98, horizontal: 1.22, vertikal: 0.66



Serie 3:
 9.9 ↗ 9.2 ↖ 10.5 * 9.9 ← 10.3 *
 10.5 * 10.6 * 10.4 * 9.8 → 10.2 *
 beste Teiler 84.3 (27.) 105.7 (23.) 121.0 (26.)
 Trefferlage 0.00 mm , 0.01 mm hoch
 Streuwert 1.73, horizontal: 2.16, vertikal: 1.15





Serie 4:
 10.3 * 10.7 * 10.3 * 10.2 * 10.2 *
 10.4 * 9.5 ← 10.2 * 10.5 * 9.5 →
 beste Teiler 60.9 (32.) 103.5 (39.) 148.6 (36.)
 Trefferlage 0.10 mm rechts, 0.04 mm tief
 Streuwert 1.58, horizontal: 2.01, vertikal: 0.98


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **411.5** (392)
 Serien: 101.7 102.6 103.0 104.2
 Zähler: 32 8 0 0 0 0 0 0 0 0
 Innenzehner: 27
 weiteste: 405 (28), 327 (5), 300 (18)
 beste Teiler 4.4 (25.) 25.0 (33.) 32.6 (32.)
 Trefferlage 0.11 mm links, 0.24 mm hoch
 Streuwert 1.34, horizontal: 1.51, vertikal: 1.13




Serie 1:
 10.1 → 9.9 ↗ 10.4 * 9.8 → 9.6 ↑
 10.5 * 10.6 * 10.4 * 10.3 * 10.1 ↑
 beste Teiler 89.8 (7.) 124.0 (6.) 129.3 (8.)
 Trefferlage 0.84 mm rechts, 0.95 mm hoch
 Streuwert 1.25, horizontal: 1.42, vertikal: 1.05



Serie 2:
 10.5 * 10.5 * 10.4 * 10.2 * 10.4 *
 9.9 ↘ 10.8 * 9.8 ← 10.2 * 9.9 ←
 beste Teiler 40.4 (17.) 114.8 (12.) 124.6 (11.)
 Trefferlage 1.19 mm links, 0.06 mm hoch
 Streuwert 1.12, horizontal: 1.10, vertikal: 1.13



Serie 3:
 9.8 ↓ 10.8 * 10.4 * 10.4 * 10.9 *
 10.5 * 10.4 * 9.3 ↗ 10.5 * 10.0 ↖
 beste Teiler 4.4 (25.) 44.1 (22.) 117.9 (26.)
 Trefferlage 0.14 mm rechts, 0.01 mm hoch
 Streuwert 1.46, horizontal: 1.66, vertikal: 1.24





Serie 4:
 10.1 ↖ 10.8 * 10.9 * 10.2 * 10.2 *
 10.1 ↗ 10.5 * 10.6 * 10.2 * 10.6 *
 beste Teiler 25.0 (33.) 32.6 (32.) 89.4 (38.)
 Trefferlage 0.25 mm links, 0.05 mm tief
 Streuwert 1.11, horizontal: 1.25, vertikal: 0.95


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **388.2** (369)
 Serien: 94.8 97.3 99.1 97.0
 Zähler: 16 18 5 1 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 773 (2), 646 (15), 611 (14)
 beste Teiler 29.7 (33.) 65.9 (6.) 121.4 (16.)
 Trefferlage 0.50 mm links, 0.36 mm tief
 Streuwert 2.47, horizontal: 2.99, vertikal: 1.81




Serie 1:
 9.4 ↙ 7.9 ↘ 9.0 ← 9.5 ↑ 9.8 ↑
 10.7 * 8.8 → 9.6 ↙ 10.2 * 9.9 ↙
 beste Teiler 65.9 (6.) 191.7 (9.) 267.0 (10.)
 Trefferlage 0.12 mm rechts, 0.96 mm tief
 Streuwert 2.98, horizontal: 3.23, vertikal: 2.71



Serie 2:
 10.1 ↗ 10.0 ↑ 9.6 ← 8.5 ← 8.4 →
 10.5 * 10.4 * 9.3 ← 10.1 ↖ 10.4 *
 beste Teiler 121.4 (16.) 132.5 (20.) 136.8 (17.)
 Trefferlage 0.60 mm links, 0.26 mm hoch
 Streuwert 2.60, horizontal: 3.43, vertikal: 1.33



Serie 3:
 10.2 * 10.0 → 9.2 ↙ 9.8 ↘ 10.1 ↙
 10.0 ← 10.2 * 9.6 ↘ 9.9 ↘ 10.1 →
 beste Teiler 195.3 (21.) 196.8 (27.) 203.1 (25.)
 Trefferlage 0.41 mm rechts, 0.80 mm tief
 Streuwert 1.93, horizontal: 2.24, vertikal: 1.55





Serie 4:
 9.7 ← 9.1 ← 10.8 * 8.9 ← 9.8 ←
 9.8 ↘ 9.8 ↘ 10.4 * 8.9 ↖ 9.8 ↖
 beste Teiler 29.7 (33.) 142.4 (38.) 279.7 (36.)
 Trefferlage 1.96 mm links, 0.04 mm hoch
 Streuwert 2.14, horizontal: 2.79, vertikal: 1.18


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **406.2** (390)
 Serien: 100.5 99.0 104.0 102.7
 Zähler: 31 8 1 0 0 0 0 0 0
 Innenzehner: 23
 weiteste: 549 (1), 420 (34), 361 (16)
 beste Teiler 58.6 (37.) 73.2 (36.) 78.6 (24.)
 Trefferlage 0.41 mm links, 0.65 mm hoch
 Streuwert 1.50, horizontal: 1.61, vertikal: 1.39




Serie 1:
 8.8 ↑ 9.7 ↑ 10.0 ↑ 10.0 ↗ 10.5 *
 10.4 * 10.1 ↗ 10.4 * 10.0 ← 10.6 *
 beste Teiler 85.4 (10.) 124.0 (5.) 131.2 (6.)
 Trefferlage 0.55 mm rechts, 1.47 mm hoch
 Streuwert 1.52, horizontal: 1.32, vertikal: 1.69



Serie 2:
 10.2 * 10.0 ↘ 9.9 ↗ 10.5 * 9.7 ↖
 9.5 ← 9.7 ← 10.0 ↑ 9.8 ← 9.7 ↘
 beste Teiler 120.3 (14.) 189.1 (11.) 235.5 (18.)
 Trefferlage 1.48 mm links, 0.88 mm hoch
 Streuwert 1.56, horizontal: 1.82, vertikal: 1.24



Serie 3:
 10.6 * 10.4 * 10.5 * 10.6 * 10.2 *
 10.2 * 10.2 * 10.6 * 10.2 * 10.5 *
 beste Teiler 78.6 (24.) 84.9 (21.) 93.1 (28.)
 Trefferlage 0.17 mm rechts, 0.04 mm hoch
 Streuwert 1.07, horizontal: 0.98, vertikal: 1.15





Serie 4:
 10.1 ↙ 10.4 * 10.4 * 9.3 ↖ 10.0 ←
 10.7 * 10.7 * 10.2 * 10.5 * 10.4 *
 beste Teiler 58.6 (37.) 73.2 (36.) 121.0 (39.)
 Trefferlage 0.91 mm links, 0.22 mm hoch
 Streuwert 1.31, horizontal: 1.49, vertikal: 1.10


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **403.2** (385)
 Serien: 101.2 99.7 101.1 101.2
 Zähler: 27 11 2 0 0 0 0 0 0 0
 Innenzehner: 24
 weiteste: 618 (28), 569 (12), 482 (39)
 beste Teiler 25.7 (22.) 50.5 (25.) 60.1 (37.)
 Trefferlage 0.05 mm rechts, 0.02 mm hoch
 Streuwert 1.87, horizontal: 2.30, vertikal: 1.30




Serie 1:
 9.8 ← 10.1 ↙ 9.9 → 10.7 * 10.5 *
 9.5 ↘ 9.4 ↖ 10.4 * 10.6 * 10.3 *
 beste Teiler 68.0 (4.) 94.2 (9.) 113.2 (5.)
 Trefferlage 0.00 mm , 0.03 mm tief
 Streuwert 1.76, horizontal: 1.87, vertikal: 1.64



Serie 2:
 10.7 * 8.7 → 9.3 ← 10.3 * 10.2 *
 10.4 * 9.4 ← 10.6 * 9.7 ↑ 10.4 *
 beste Teiler 70.4 (11.) 95.1 (18.) 141.8 (16.)
 Trefferlage 0.09 mm links, 0.31 mm tief
 Streuwert 2.16, horizontal: 2.64, vertikal: 1.55



Serie 3:
 10.2 * 10.9 * 10.7 * 10.4 * 10.8 *
 10.0 → 10.2 * 8.5 ← 9.4 → 10.0 ↙
 beste Teiler 25.7 (22.) 50.5 (25.) 67.1 (23.)
 Trefferlage 0.12 mm rechts, 0.09 mm tief
 Streuwert 2.03, horizontal: 2.65, vertikal: 1.09





Serie 4:
 9.7 → 10.3 * 10.4 * 10.2 * 10.4 *
 10.3 * 10.7 * 9.8 → 9.0 ← 10.4 *
 beste Teiler 60.1 (37.) 132.7 (35.) 137.6 (33.)
 Trefferlage 0.21 mm rechts, 0.54 mm hoch
 Streuwert 1.73, horizontal: 2.31, vertikal: 0.80


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **391.9** (373)
 Serien: 94.9 97.2 99.0 100.8
 Zähler: 17 20 2 1 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 850 (8), 572 (17), 539 (25)
 beste Teiler 67.4 (29.) 70.3 (28.) 72.9 (36.)
 Trefferlage 0.15 mm links, 0.54 mm hoch
 Streuwert 2.35, horizontal: 2.38, vertikal: 2.32




Serie 1:
 10.2 * 9.8 ↗ 9.1 ↑ 9.7 ↘ 9.0 →
 9.0 ← 9.9 ↑ 7.6 ↓ 10.0 ↖ 10.6 *
 beste Teiler 100.2 (10.) 192.5 (1.) 236.7 (9.)
 Trefferlage 0.13 mm rechts, 0.42 mm hoch
 Streuwert 3.12, horizontal: 2.83, vertikal: 3.38



Serie 2:
 9.6 ↘ 10.0 ↘ 10.4 * 9.4 ← 9.9 →
 9.9 ← 8.7 ↑ 10.0 ↘ 10.0 ↘ 9.3 →
 beste Teiler 145.6 (13.) 244.2 (18.) 244.6 (12.)
 Trefferlage 0.16 mm links, 0.77 mm hoch
 Streuwert 2.39, horizontal: 2.64, vertikal: 2.11



Serie 3:
 9.5 ← 9.8 ↑ 9.3 ↑ 9.4 ↙ 8.8 ↖
 10.4 * 9.8 ↘ 10.7 * 10.7 * 10.6 *
 beste Teiler 67.4 (29.) 70.3 (28.) 97.0 (30.)
 Trefferlage 1.09 mm links, 1.22 mm hoch
 Streuwert 1.95, horizontal: 1.63, vertikal: 2.22





Serie 4:
 10.3 * 10.5 * 10.3 * 9.6 → 9.5 →
 10.7 * 9.8 ↙ 10.6 * 9.4 ← 10.1 →
 beste Teiler 72.9 (36.) 98.0 (38.) 114.4 (32.)
 Trefferlage 0.51 mm rechts, 0.25 mm tief
 Streuwert 1.81, horizontal: 2.32, vertikal: 1.07


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **392.3** (378)
 Serien: 96.7 101.2 97.1 97.3
 Zähler: 21 16 3 0 0 0 0 0 0 0
 Innenzehner: 16
 weiteste: 638 (2), 584 (38), 583 (27)
 beste Teiler 29.8 (13.) 112.3 (11.) 115.8 (25.)
 Trefferlage 0.13 mm rechts, 0.56 mm hoch
 Streuwert 2.26, horizontal: 2.86, vertikal: 1.42




Serie 1:
 9.6 ↙ 8.4 ↖ 10.4 * 10.2 * 9.2 →
 9.0 ↗ 9.7 → 9.8 ↖ 10.2 * 10.2 *
 beste Teiler 139.0 (3.) 179.6 (9.) 180.0 (10.)
 Trefferlage 0.06 mm links, 0.70 mm hoch
 Streuwert 2.61, horizontal: 3.29, vertikal: 1.65



Serie 2:
 10.5 * 10.2 * 10.8 * 10.1 ↘ 10.0 ↙
 10.3 * 9.9 ↖ 10.0 ↘ 9.5 ↗ 9.9 ↗
 beste Teiler 29.8 (13.) 112.3 (11.) 172.4 (16.)
 Trefferlage 0.37 mm rechts, 0.95 mm hoch
 Streuwert 1.52, horizontal: 1.74, vertikal: 1.26



Serie 3:
 9.3 ↖ 10.2 * 10.2 * 9.4 ↖ 10.5 *
 9.1 ↖ 8.6 ↘ 9.6 ↗ 10.3 * 9.9 ↑
 beste Teiler 115.8 (25.) 166.9 (29.) 186.4 (22.)
 Trefferlage 0.92 mm links, 0.03 mm tief
 Streuwert 2.46, horizontal: 3.05, vertikal: 1.66





Serie 4:
 10.4 * 10.2 * 9.2 → 10.0 ↗ 10.3 *
 10.0 → 9.4 → 8.6 → 10.2 * 9.0 ↖
 beste Teiler 136.1 (31.) 155.6 (35.) 181.4 (39.)
 Trefferlage 1.17 mm rechts, 0.62 mm hoch
 Streuwert 2.34, horizontal: 3.13, vertikal: 1.06


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **402.3** (382)
 Serien: 102.7 101.1 99.7 98.8
 Zähler: 22 18 0 0 0 0 0 0 0 0
 Innenzehner: 19
 weiteste: 449 (35), 427 (28), 405 (21)
 beste Teiler 38.2 (29.) 48.0 (4.) 50.0 (23.)
 Trefferlage 0.98 mm rechts, 0.20 mm hoch
 Streuwert 1.70, horizontal: 2.13, vertikal: 1.12




Serie 1:
 10.6 * 10.8 * 10.6 * 10.8 * 9.7 ↖
 9.9 ↘ 9.9 → 9.5 → 10.2 * 10.7 *
 beste Teiler 48.0 (4.) 50.8 (2.) 57.7 (10.)
 Trefferlage 0.26 mm rechts, 0.32 mm hoch
 Streuwert 1.53, horizontal: 1.97, vertikal: 0.90



Serie 2:
 10.2 * 9.8 ↖ 9.6 ↘ 10.2 * 10.6 *
 9.4 → 10.1 ↘ 10.7 * 10.0 → 10.5 *
 beste Teiler 59.2 (18.) 100.2 (15.) 123.9 (20.)
 Trefferlage 0.69 mm rechts, 0.34 mm tief
 Streuwert 1.64, horizontal: 2.06, vertikal: 1.07



Serie 3:
 9.3 → 9.6 ↖ 10.8 * 10.6 * 9.8 ↗
 9.4 → 10.7 * 9.2 → 10.8 * 9.5 →
 beste Teiler 38.2 (29.) 50.0 (23.) 75.8 (27.)
 Trefferlage 1.49 mm rechts, 0.54 mm hoch
 Streuwert 1.83, horizontal: 2.50, vertikal: 0.64





Serie 4:
 10.3 * 10.2 * 10.3 * 10.1 → 9.2 →
 9.6 ↗ 9.8 ↑ 9.5 → 9.4 → 10.4 *
 beste Teiler 146.7 (40.) 162.4 (33.) 171.1 (31.)
 Trefferlage 1.48 mm rechts, 0.30 mm hoch
 Streuwert 1.82, horizontal: 2.02, vertikal: 1.60


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **393.9** (374)
 Serien: 96.0 98.7 98.3 100.9
 Zähler: 19 17 3 1 0 0 0 0 0 0
 Innenzehner: 14
 weiteste: 887 (6), 542 (9), 542 (29)
 beste Teiler 36.7 (7.) 50.0 (21.) 70.5 (12.)
 Trefferlage 0.44 mm links, 0.29 mm tief
 Streuwert 2.27, horizontal: 2.54, vertikal: 1.97




Serie 1:
 10.0 ↙ 9.7 ↗ 9.9 ↗ 10.5 * 9.9 ↘
 7.4 ↙ 10.8 * 10.2 * 8.8 ← 8.8 ↓
 beste Teiler 36.7 (7.) 121.6 (4.) 199.8 (8.)
 Trefferlage 1.36 mm links, 0.78 mm tief
 Streuwert 2.86, horizontal: 3.36, vertikal: 2.25



Serie 2:
 9.3 ↗ 10.7 * 10.5 * 9.9 ↓ 9.9 ↘
 9.5 → 10.1 ↘ 9.2 → 10.0 ↖ 9.6 ←
 beste Teiler 70.5 (12.) 116.2 (13.) 220.0 (17.)
 Trefferlage 0.13 mm links, 0.36 mm tief
 Streuwert 2.17, horizontal: 2.64, vertikal: 1.56



Serie 3:
 10.8 * 9.3 ↘ 10.6 * 9.6 ↓ 10.2 *
 10.2 * 9.8 ← 9.1 ← 8.8 ↑ 9.9 ↓
 beste Teiler 50.0 (21.) 99.4 (23.) 194.2 (26.)
 Trefferlage 0.37 mm links, 0.35 mm hoch
 Streuwert 2.37, horizontal: 2.26, vertikal: 2.47





Serie 4:
 9.7 ↙ 10.5 * 10.0 → 9.8 ↓ 10.4 *
 10.3 * 9.5 ↓ 10.4 * 10.2 * 10.1 ←
 beste Teiler 113.1 (32.) 127.1 (35.) 144.2 (38.)
 Trefferlage 0.10 mm rechts, 0.40 mm tief
 Streuwert 1.68, horizontal: 1.79, vertikal: 1.56


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **389.9** (375)
 Serien: 97.7 101.5 94.0 96.7
 Zähler: 20 15 5 0 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 665 (3), 665 (33), 581 (26)
 beste Teiler 49.3 (32.) 62.2 (16.) 77.0 (6.)
 Trefferlage 0.12 mm links, 0.66 mm hoch
 Streuwert 2.40, horizontal: 2.87, vertikal: 1.81




Serie 1:
 9.3 ↖ 10.0 ↘ 8.3 ↗ 10.1 ↗ 9.8 ↘
 10.6 * 10.3 * 10.2 * 9.0 ↖ 10.1 ↓
 beste Teiler 77.0 (6.) 151.7 (7.) 187.0 (8.)
 Trefferlage 0.36 mm links, 0.55 mm hoch
 Streuwert 2.51, horizontal: 2.94, vertikal: 1.98



Serie 2:
 10.3 * 10.2 * 10.0 ← 9.7 ↖ 10.1 ↖
 10.7 * 10.4 * 9.7 ← 10.1 ↗ 10.3 *
 beste Teiler 62.2 (16.) 145.3 (17.) 152.9 (20.)
 Trefferlage 0.79 mm links, 0.97 mm hoch
 Streuwert 1.28, horizontal: 1.63, vertikal: 0.78



Serie 3:
 9.5 ↗ 9.3 ↘ 9.4 ↗ 9.2 ↗ 8.7 ↘
 8.6 → 9.4 ↘ 9.7 ← 10.2 * 10.0 ↘
 beste Teiler 195.9 (29.) 244.8 (30.) 305.0 (28.)
 Trefferlage 1.39 mm rechts, 0.44 mm hoch
 Streuwert 2.84, horizontal: 2.91, vertikal: 2.76





Serie 4:
 8.8 ↖ 10.8 * 8.3 → 10.4 * 10.0 ←
 9.4 → 9.9 ↘ 10.5 * 9.1 ← 9.5 ↘
 beste Teiler 49.3 (32.) 119.8 (38.) 149.6 (34.)
 Trefferlage 0.74 mm links, 0.67 mm hoch
 Streuwert 2.67, horizontal: 3.53, vertikal: 1.36


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **406.4** (388)
 Serien: 100.0 102.6 102.0 101.8
 Zähler: 29 10 1 0 0 0 0 0 0 0
 Innenzehner: 23
 weiteste: 630 (1), 460 (24), 353 (37)
 beste Teiler 63.0 (25.) 70.0 (26.) 70.9 (7.)
 Trefferlage 0.48 mm rechts, 0.15 mm hoch
 Streuwert 1.61, horizontal: 1.90, vertikal: 1.25




Serie 1:
 8.4 → 9.7 → 9.9 ↑ 10.6 * 10.2 *
 10.5 * 10.7 * 9.9 ↑ 10.4 * 9.7 ←
 beste Teiler 70.9 (7.) 77.8 (4.) 119.3 (6.)
 Trefferlage 0.71 mm rechts, 0.59 mm hoch
 Streuwert 2.00, horizontal: 2.43, vertikal: 1.45



Serie 2:
 10.0 ← 10.4 * 10.4 * 10.0 † 10.7 *
 10.1 † 9.9 → 10.4 * 10.5 * 10.2 *
 beste Teiler 72.6 (15.) 123.4 (19.) 132.3 (18.)
 Trefferlage 0.07 mm rechts, 0.21 mm hoch
 Streuwert 1.38, horizontal: 1.53, vertikal: 1.21



Serie 3:
 9.7 ↓ 10.5 * 9.7 → 9.1 → 10.7 *
 10.7 * 10.3 * 10.6 * 10.4 * 10.3 *
 beste Teiler 63.0 (25.) 70.0 (26.) 87.0 (28.)
 Trefferlage 0.83 mm rechts, 0.05 mm tief
 Streuwert 1.58, horizontal: 1.71, vertikal: 1.44





Serie 4:
 10.3 * 10.0 ← 9.7 → 10.1 † 10.5 *
 10.5 * 9.5 → 10.5 * 10.0 † 10.7 *
 beste Teiler 75.1 (40.) 104.7 (36.) 107.3 (35.)
 Trefferlage 0.31 mm rechts, 0.12 mm tief
 Streuwert 1.57, horizontal: 2.03, vertikal: 0.90


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **360.6** (344)
 Serien: 92.4 91.4 89.1 87.7
 Zähler: 9 17 6 5 3 0 0 0 0 0
 Innenzehner: 8
 weiteste: 1125 (36), 1078 (32), 1062 (5)
 beste Teiler 95.5 (33.) 132.9 (16.) 136.0 (9.)
 Trefferlage 2.30 mm rechts, 0.32 mm hoch
 Streuwert 3.65, horizontal: 3.86, vertikal: 3.43




Serie 1:
 10.2 * 9.7 ↙ 8.7 ↗ 9.8 ↗ 6.7 ↗
 10.3 * 9.0 ↘ 7.3 → 10.4 * 10.3 *
 beste Teiler 136.0 (9.) 160.3 (10.) 171.3 (6.)
 Trefferlage 1.95 mm rechts, 1.18 mm hoch
 Streuwert 3.56, horizontal: 3.49, vertikal: 3.63



Serie 2:
 7.2 → 9.0 ↙ 9.1 → 10.2 * 9.0 →
 10.4 * 7.6 ↘ 9.7 → 9.8 ↗ 9.4 ↗
 beste Teiler 132.9 (16.) 178.0 (14.) 286.2 (19.)
 Trefferlage 3.09 mm rechts, 0.97 mm tief
 Streuwert 2.97, horizontal: 3.22, vertikal: 2.68



Serie 3:
 8.3 ← 8.5 ↘ 7.4 ↘ 10.1 ↖ 9.0 →
 9.3 ↘ 9.4 ↗ 8.9 ↗ 9.0 ↑ 9.2 ↓
 beste Teiler 222.1 (24.) 392.9 (27.) 424.0 (26.)
 Trefferlage 0.32 mm rechts, 0.68 mm hoch
 Streuwert 3.96, horizontal: 3.74, vertikal: 4.18





Serie 4:
 9.8 ↗ 6.6 → 10.6 * 8.4 ↗ 9.4 ↘
 6.5 → 7.9 ↗ 10.4 * 8.3 ↘ 9.8 ↙
 beste Teiler 95.5 (33.) 150.4 (38.) 297.8 (31.)
 Trefferlage 3.82 mm rechts, 0.39 mm hoch
 Streuwert 3.90, horizontal: 4.49, vertikal: 3.21


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **376.1** (356)
 Serien: 93.2 99.2 93.7 90.0
 Zähler: 11 18 8 2 1 0 0 0 0 0
 Innenzehner: 9
 weiteste: 1063 (24), 867 (21), 757 (34)
 beste Teiler 53.0 (18.) 58.8 (22.) 61.3 (1.)
 Trefferlage 1.85 mm links, 0.16 mm hoch
 Streuwert 2.96, horizontal: 3.65, vertikal: 2.06




Serie 1:
 10.7 * 8.4 ↘ 10.1 ↖ 9.6 ↘ 10.5 *
 8.3 ↙ 9.5 ↗ 8.4 ↘ 8.1 ↙ 9.6 ↙
 beste Teiler 61.3 (1.) 123.2 (5.) 209.2 (3.)
 Trefferlage 1.71 mm links, 0.34 mm hoch
 Streuwert 3.27, horizontal: 4.12, vertikal: 2.11



Serie 2:
 10.3 * 9.9 ↗ 9.5 ↙ 10.5 * 9.6 ↙
 9.8 ↗ 10.0 ↙ 10.7 * 9.3 ↙ 9.6 ↙
 beste Teiler 53.0 (18.) 122.5 (14.) 163.3 (11.)
 Trefferlage 1.31 mm links, 0.19 mm tief
 Streuwert 1.84, horizontal: 1.86, vertikal: 1.82



Serie 3:
 7.5 ↙ 10.7 * 10.3 * 6.7 ↙ 9.4 ↖
 9.7 ↘ 10.5 * 9.7 → 9.7 ↙ 9.5 ↓
 beste Teiler 58.8 (22.) 118.0 (27.) 174.6 (23.)
 Trefferlage 1.97 mm links, 0.29 mm tief
 Streuwert 3.42, horizontal: 4.48, vertikal: 1.83





Serie 4:
 8.3 ↘ 9.5 ↖ 10.3 * 7.9 ↙ 9.3 ↙
 8.5 ↘ 8.6 ↙ 9.2 ↗ 8.5 ↘ 9.9 ↖
 beste Teiler 155.6 (33.) 274.3 (40.) 365.1 (32.)
 Trefferlage 2.42 mm links, 0.79 mm hoch
 Streuwert 3.37, horizontal: 4.05, vertikal: 2.52


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **387.3** (366)
 Serien: 94.4 97.4 98.6 96.9
 Zähler: 14 18 8 0 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 628 (40), 611 (9), 588 (7)
 beste Teiler 51.4 (20.) 62.4 (2.) 100.1 (32.)
 Trefferlage 0.02 mm rechts, 0.95 mm hoch
 Streuwert 2.44, horizontal: 3.11, vertikal: 1.49




Serie 1:
 9.0 ← 10.7 * 9.4 ← 9.4 ↗ 10.1 ↑
 9.9 ↗ 8.6 → 8.9 ↗ 8.5 → 9.9 ↖
 beste Teiler 62.4 (2.) 220.4 (5.) 255.8 (6.)
 Trefferlage 0.81 mm rechts, 1.36 mm hoch
 Streuwert 2.85, horizontal: 3.81, vertikal: 1.32



Serie 2:
 8.7 ← 9.8 ↖ 10.5 * 9.2 → 10.4 *
 9.5 ↑ 9.9 ← 8.9 ↖ 9.8 ↘ 10.7 *
 beste Teiler 51.4 (20.) 124.4 (13.) 129.6 (15.)
 Trefferlage 0.49 mm links, 1.14 mm hoch
 Streuwert 2.37, horizontal: 2.70, vertikal: 1.98



Serie 3:
 8.9 ↖ 9.6 → 10.0 ← 9.2 → 10.2 *
 10.3 * 10.5 * 9.8 ↘ 10.2 * 9.9 ↗
 beste Teiler 111.3 (27.) 174.2 (26.) 193.1 (25.)
 Trefferlage 0.18 mm rechts, 0.32 mm hoch
 Streuwert 2.20, horizontal: 2.75, vertikal: 1.44



Serie 4:
 9.2 ← 10.6 * 8.9 ↖ 10.2 * 10.4 *
 10.1 ↗ 9.8 ← 9.7 ↖ 9.6 ↖ 8.4 →
 beste Teiler 100.1 (32.) 141.1 (35.) 178.9 (34.)
 Trefferlage 0.43 mm links, 0.98 mm hoch
 Streuwert 2.50, horizontal: 3.35, vertikal: 1.13

Unterschrift des Schützen

Meyton Elektronik