





Ergebnis:	<b>603.4</b>	(577)
Serien:	102.2 99.5 99.5 99.2 100.3 102.7	
Zähler:	38 21 1 0 0 0 0 0 0 0	
Innenzehner:	20	
weiteste:	1832 (28), 1486 (36), 1423 (12)	
beste Teiler	122.3 (21.) 123.6 (7.) 150.7 (19.)	
Trefferlage	0.34 mm rechts, 3.14 mm hoch	
Streuwert	5.36, horizontal: 4.69, vertikal: 5.95	




Serie 1:	10.4 *	10.2 ↑	10.6 *	10.6 *	9.4 ↘
	9.7 ↑	10.8 *	10.3 *	9.9 ↗	10.3 ↑
beste Teiler	123.6 (7.)	249.4 (4.)	258.0 (3.)		
Trefferlage	0.55 mm rechts, 3.31 mm hoch				
Streuwert	4.42, horizontal: 3.00, vertikal: 5.48				




Serie 2:	9.7 ↘	9.2 ↘	10.0 ↗	10.7 *	10.2 ↑
	9.5 ↙	9.3 ↘	10.4 *	10.8 *	9.7 ↘
beste Teiler	150.7 (19.)	195.1 (14.)	447.1 (18.)		
Trefferlage	0.94 mm links, 1.16 mm hoch				
Streuwert	6.79, horizontal: 7.01, vertikal: 6.55				




Serie 3:	10.8 *	9.7 ↑	10.1 ↘	10.2 ↗	9.7 ↘
	10.2 ↘	9.9 ↘	8.7 ↑	10.2 →	10.0 ↗
beste Teiler	122.3 (21.)	568.8 (24.)	593.5 (26.)		
Trefferlage	0.66 mm rechts, 4.94 mm hoch				
Streuwert	5.71, horizontal: 5.62, vertikal: 5.80				



Serie 4:	9.8 ↘	10.7 *	9.3 ↑	10.0 ↗	10.4 *
	9.1 ↗	9.5 ↗	10.0 ↓	10.0 ↑	10.4 *
beste Teiler	206.5 (32.)	442.4 (40.)	476.6 (35.)		
Trefferlage	2.56 mm rechts, 5.05 mm hoch				
Streuwert	5.32, horizontal: 5.16, vertikal: 5.47				



Serie 5:	9.9 ↑	9.3 ↑	9.9 ↓	10.4 *	10.7 *
	10.0 ↓	9.8 ↙	10.0 ↘	9.7 ↑	10.6 *
beste Teiler	162.6 (45.)	279.2 (50.)	430.7 (44.)		
Trefferlage	0.34 mm links, 1.12 mm hoch				
Streuwert	5.86, horizontal: 3.33, vertikal: 7.59				



Serie 6:	10.6 *	10.2 ←	9.5 ↑	10.6 *	10.2 ↑
	10.0 ↑	10.2 ↑	10.5 *	10.4 *	10.5 *
beste Teiler	267.8 (51.)	306.8 (54.)	347.2 (58.)		
Trefferlage	0.38 mm links, 3.26 mm hoch				
Streuwert	3.83, horizontal: 2.88, vertikal: 4.59				

Meyton Elektronik

**ISSF Prone Men – Wertung – Jungschützinnen**

StandNr: 4

**Hafner,, Lisa** #70119027

**StartNr: 4**

30. Juli 2017 9:50



70119 / 0

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>589.0</b>	(561)
Serien:	93.7 99.0 101.0 97.6 100.2 97.5	
Zähler:	26 29 5 0 0 0 0 0 0 0	
Innenzehner:	13	
weiteste:	1988 (57), 1777 (2), 1637 (3)	
beste Teiler	187.9 (26.) 196.9 (41.) 199.0 (50.)	
Trefferlage	0.59 mm links, 1.87 mm hoch	
Streuwert	6.98, horizontal: 6.45, vertikal: 7.48	




Serie 1:					
	9.5 ↘	8.7 ↓	8.9 ↗	9.4 ←	9.9 ↖
	9.2 ↘	9.1 ↙	10.5 *	9.6 ↖	8.9 ↑
beste Teiler	383.3 (8.) 803.6 (5.) 1042.1 (9.)				
Trefferlage	4.99 mm links, 0.72 mm tief				
Streuwert	9.03, horizontal: 4.81, vertikal: 11.83				




Serie 2:					
	9.7 ↖	10.3 ↓	9.8 ↖	9.6 ↗	9.6 ↗
	10.2 ↘	9.5 →	10.3 *	9.4 ↑	10.6 *
beste Teiler	293.2 (20.) 520.2 (18.) 557.0 (12.)				
Trefferlage	1.64 mm rechts, 3.34 mm hoch				
Streuwert	6.06, horizontal: 6.39, vertikal: 5.71				




Serie 3:					
	10.5 *	10.3 ↘	9.6 →	10.4 *	10.4 *
	10.7 *	9.8 ↖	9.0 ↖	10.1 ↖	10.2 ↑
beste Teiler	187.9 (26.) 374.9 (21.) 445.6 (24.)				
Trefferlage	0.92 mm links, 1.95 mm hoch				
Streuwert	5.69, horizontal: 6.16, vertikal: 5.19				



Serie 4:					
	10.2 ↑	10.5 *	9.6 ↗	10.0 ↖	10.5 *
	9.3 ↑	9.2 ↑	9.5 ↖	8.9 ↖	9.9 ↖
beste Teiler	325.2 (35.) 348.6 (32.) 630.8 (31.)				
Trefferlage	1.43 mm links, 8.16 mm hoch				
Streuwert	4.57, horizontal: 3.50, vertikal: 5.43				



Serie 5:					
	10.7 *	10.1 ↖	10.6 *	9.5 →	9.7 ↑
	9.7 ↗	9.4 ↘	9.7 ↘	10.1 ↘	10.7 *
beste Teiler	196.9 (41.) 199.0 (50.) 272.3 (43.)				
Trefferlage	3.50 mm rechts, 0.19 mm tief				
Streuwert	5.62, horizontal: 5.71, vertikal: 5.53				



Serie 6:					
	9.4 ←	9.4 ↘	10.3 *	10.1 ↘	10.0 ↓
	10.0 ↘	8.5 ↖	9.9 ↖	9.9 →	10.0 →
beste Teiler	508.7 (53.) 671.0 (54.) 751.9 (55.)				
Trefferlage	1.37 mm links, 1.31 mm tief				
Streuwert	7.61, horizontal: 8.86, vertikal: 6.12				

Meyton Elektronik

**ISSF Prone Men – Wertung – Jungschützinnen**

StandNr: 6

**Wachtler,, Manuela** #70804069

**StartNr: 6**

30. Juli 2017 9:38



70804 / 0

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **592.5** (570)  
 Serien: 97.8 99.1 98.9 101.5 95.1 100.1  
 Zähler: 35 22 1 2 0 0 0 0 0 0  
 Innenzehner: 17  
 weiteste: 2720 (44), 2648 (30), 1760 (15)  
 beste Teiler 86.4 (40.) 120.9 (32.) 196.4 (17.)  
 Trefferlage 0.81 mm links, 0.24 mm hoch  
 Streuwert 7.12, horizontal: 7.94, vertikal: 6.19




Serie 1:  
 10.0 ↗ 10.3 ↗ 9.8 ↘ 10.0 → 9.7 ←  
 9.0 ↗ 10.0 → 10.3 \* 9.5 ↘ 9.2 ↘  
 beste Teiler 488.3 (8.) 548.0 (2.) 735.7 (7.)  
 Trefferlage 1.30 mm rechts, 0.49 mm tief  
 Streuwert 7.32, horizontal: 7.94, vertikal: 6.64




Serie 2:  
 9.4 ↓ 10.4 \* 10.0 ← 10.3 → 8.8 →  
 10.0 → 10.7 \* 9.3 ↑ 9.8 ↑ 10.4 \*  
 beste Teiler 196.4 (17.) 471.6 (20.) 472.4 (12.)  
 Trefferlage 3.92 mm rechts, 1.95 mm hoch  
 Streuwert 6.36, horizontal: 6.24, vertikal: 6.48




Serie 3:  
 9.9 ↓ 10.4 \* 10.3 \* 10.2 ↓ 10.4 \*  
 9.3 ↘ 10.2 ↘ 10.2 ↘ 10.4 \* 7.6 ↘  
 beste Teiler 414.3 (29.) 430.8 (25.) 437.0 (22.)  
 Trefferlage 0.60 mm links, 0.42 mm tief  
 Streuwert 7.91, horizontal: 8.86, vertikal: 6.84



Serie 4:  
 9.4 ← 10.8 \* 10.0 ↘ 9.7 ← 10.1 ↓  
 9.8 ← 10.3 \* 10.3 ↓ 10.3 \* 10.8 \*  
 beste Teiler 86.4 (40.) 120.9 (32.) 515.1 (39.)  
 Trefferlage 3.91 mm links, 0.88 mm tief  
 Streuwert 4.59, horizontal: 5.10, vertikal: 4.01



Serie 5:  
 9.3 ← 9.2 ↘ 10.1 ← 7.6 ← 9.7 ↓  
 10.5 \* 10.5 \* 9.6 ↘ 9.0 ← 9.6 ↓  
 beste Teiler 338.1 (47.) 394.4 (46.) 718.1 (43.)  
 Trefferlage 5.28 mm links, 1.73 mm tief  
 Streuwert 8.98, horizontal: 10.90, vertikal: 6.53



Serie 6:  
 10.1 ↘ 10.2 ↘ 10.0 ↑ 9.3 ↗ 10.4 \*  
 10.5 \* 9.1 ↘ 9.8 ↓ 10.6 \* 10.1 ↑  
 beste Teiler 271.4 (59.) 395.8 (56.) 405.0 (55.)  
 Trefferlage 0.29 mm links, 3.07 mm hoch  
 Streuwert 5.75, horizontal: 5.01, vertikal: 6.41

**ISSF Prone Men – Wertung – Jungschützinnen**

StandNr: 7

**Hausegger,, Daniela** #70103186

**StartNr: 7**

30. Juli 2017 9:30



70103 / 0

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>601.3</b>	(572)
Serien:	100.3 102.9 97.1	100.8 100.6 99.6
Zähler:	34 24 2 0 0 0 0 0 0 0	
Innenzehner:	22	
weiteste:	2007 (8), 1731 (27), 1515 (43)	
beste Teiler	70.4 (49.) 89.0 (41.) 294.4 (6.)	
Trefferlage	0.03 mm rechts, 2.10 mm hoch	
Streuwert	5.84, horizontal: 6.10, vertikal: 5.57	




Serie 1:	10.3 *	10.5 *	10.5 *	9.6 ↘	10.5 *
	10.6 *	9.9 ↑	8.4 ↘	9.6 ↑	10.4 *
beste Teiler	294.4 (6.)	327.3 (5.)	357.3 (2.)		
Trefferlage	2.25 mm links, 4.57 mm hoch				
Streuwert	5.54, horizontal: 4.99, vertikal: 6.03				




Serie 2:	10.2 ↓	10.5 *	10.6 *	10.4 *	9.9 ↗
	10.6 *	10.3 *	10.5 *	10.1 →	9.8 ↘
beste Teiler	299.7 (16.)	302.6 (13.)	328.6 (12.)		
Trefferlage	0.72 mm rechts, 1.13 mm hoch				
Streuwert	4.15, horizontal: 3.81, vertikal: 4.47				




Serie 3:	10.5 *	9.4 ↘	9.4 ↘	9.7 →	10.1 ↘
	9.8 ↙	8.8 ←	10.3 ↘	9.2 ↖	9.9 ↖
beste Teiler	386.3 (21.)	539.4 (28.)	679.2 (25.)		
Trefferlage	1.09 mm links, 0.48 mm tief				
Streuwert	7.95, horizontal: 9.88, vertikal: 5.35				



Serie 4:	10.5 *	10.2 ↗	9.6 ↗	9.8 →	10.2 ↙
	9.9 ↘	10.2 ↙	9.8 ↗	10.3 *	10.3 ↘
beste Teiler	358.2 (31.)	502.1 (39.)	542.3 (40.)		
Trefferlage	2.30 mm rechts, 1.53 mm hoch				
Streuwert	5.04, horizontal: 5.45, vertikal: 4.60				



Serie 5:	10.8 *	10.5 *	9.1 ↖	9.9 ↑	9.9 ↗
	10.3 ↖	9.1 ↘	9.7 ↘	10.9 *	10.4 *
beste Teiler	70.4 (49.)	89.0 (41.)	339.0 (42.)		
Trefferlage	1.41 mm links, 2.44 mm hoch				
Streuwert	6.08, horizontal: 6.23, vertikal: 5.92				



Serie 6:	10.2 ↓	9.9 →	10.1 ↗	9.2 ↑	10.3 ↑
	9.6 ↘	9.3 ↑	10.4 *	10.3 *	10.3 *
beste Teiler	455.5 (58.)	503.6 (60.)	519.8 (59.)		
Trefferlage	1.96 mm rechts, 3.44 mm hoch				
Streuwert	5.62, horizontal: 4.29, vertikal: 6.68				

Meyton Elektronik

**ISSF Prone Men – Wertung – Jungschützinnen**

StandNr: 8

**Thum,, Julia** #70804065

**StartNr: 8**

30. Juli 2017 9:40

70804 / 0



---

\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik




Ergebnis:	<b>595.8</b>	(573)
Serien:	99.4 99.1 100.0 98.3 100.6 98.4	
Zähler:	33 27 0 0 0 0 0 0 0 0	
Innenzehner:	19	
weiteste:	1586 (46), 1565 (60), 1544 (57)	
beste Teiler	53.4 (48.) 137.9 (55.) 186.1 (20.)	
Trefferlage	2.07 mm rechts, 1.76 mm hoch	
Streuwert	6.21, horizontal: 6.49, vertikal: 5.91	




Serie 1:

10.1 →	9.1 →	10.0 ↓	9.5 ↑	9.4 →
10.0 ↑	10.3 ↖	10.1 ←	10.3 *	10.6 *
beste Teiler	297.1 (10.)	513.1 (9.)	548.4 (7.)	
Trefferlage	2.10 mm rechts, 1.29 mm hoch			
Streuwert	6.40, horizontal: 7.22, vertikal: 5.46			




Serie 2:

10.2 ↗	10.1 ↓	9.6 ↑	10.4 *	9.9 ↑
10.0 ↗	9.0 ↑	10.0 ↓	9.2 ↓	10.7 *
beste Teiler	186.1 (20.)	406.7 (14.)	639.3 (11.)	
Trefferlage	3.13 mm rechts, 1.98 mm hoch			
Streuwert	6.23, horizontal: 2.71, vertikal: 8.39			




Serie 3:

9.5 ↓	9.8 ↖	9.9 ↗	10.2 ↓	10.3 *
9.9 ↘	10.3 *	9.4 ←	10.3 ↖	10.4 *
beste Teiler	443.8 (30.)	490.5 (27.)	493.5 (25.)	
Trefferlage	2.21 mm links, 2.79 mm tief			
Streuwert	5.36, horizontal: 5.25, vertikal: 5.47			




Serie 4:

9.4 →	9.4 ↗	10.5 *	9.7 ↑	10.3 *
9.5 →	9.4 ↑	9.2 →	10.6 *	10.3 *
beste Teiler	315.4 (39.)	338.0 (33.)	506.1 (35.)	
Trefferlage	5.06 mm rechts, 3.97 mm hoch			
Streuwert	5.59, horizontal: 6.30, vertikal: 4.77			



Serie 5:

10.5 *	9.7 ↗	10.5 *	9.6 →	10.7 *
9.0 ↑	9.3 ↗	10.9 *	10.4 *	10.0 ↑
beste Teiler	53.4 (48.)	221.6 (45.)	384.9 (41.)	
Trefferlage	2.01 mm rechts, 4.24 mm hoch			
Streuwert	5.34, horizontal: 5.19, vertikal: 5.49			



Serie 6:

10.1 ↑	10.0 →	9.3 ←	9.7 ←	10.8 *
10.4 *	9.0 →	9.7 ↗	10.4 *	9.0 →
beste Teiler	137.9 (55.)	416.3 (56.)	427.9 (59.)	
Trefferlage	2.33 mm rechts, 1.86 mm hoch			
Streuwert	7.10, horizontal: 9.52, vertikal: 3.18			

Meyton Elektronik

**ISSF Prone Men – Wertung – Jungschützinnen**

StandNr: 9

**Leopold,, Magdalena** #70802029

**StartNr: 9**

30. Juli 2017 9:46

70802 / 0

---

\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik