





Ergebnis: **402.6** (384)  
 Serien: 101.0 102.4 101.0 98.2  
 Zähler: 25 14 1 0 0 0 0 0 0 0  
 Innenzehner: 22  
 weiteste: 522 (22), 489 (37), 473 (30)  
 beste Teiler 50.1 (11.) 62.4 (9.) 66.3 (26.)  
 Trefferlage 0.17 mm rechts, 0.17 mm tief  
 Streuwert 1.83, horizontal: 2.20, vertikal: 1.35




Serie 1:  
 9.5 → 10.5 \* 9.1 ← 10.1 ✓ 10.3 \*  
 10.1 ↘ 10.5 \* 9.8 ↖ 10.7 \* 10.4 \*  
 beste Teiler 62.4 (9.) 105.6 (7.) 121.5 (2.)  
 Trefferlage 0.05 mm links, 0.32 mm hoch  
 Streuwert 1.80, horizontal: 2.23, vertikal: 1.22



Serie 2:  
 10.8 \* 9.9 ✓ 10.5 \* 10.5 \* 10.4 \*  
 10.0 ← 10.6 \* 9.9 → 9.4 ✓ 10.4 \*  
 beste Teiler 50.1 (11.) 79.5 (17.) 102.0 (13.)  
 Trefferlage 0.28 mm links, 0.43 mm tief  
 Streuwert 1.47, horizontal: 1.55, vertikal: 1.37



Serie 3:  
 10.4 \* 8.9 → 10.2 \* 10.4 \* 10.3 \*  
 10.7 \* 10.7 \* 10.4 \* 9.9 → 9.1 ←  
 beste Teiler 66.3 (26.) 70.7 (27.) 136.6 (28.)  
 Trefferlage 0.48 mm rechts, 0.07 mm tief  
 Streuwert 1.94, horizontal: 2.59, vertikal: 0.93





Serie 4:  
 9.3 → 9.5 → 10.3 \* 9.9 → 9.8 →  
 9.8 ← 9.0 ✓ 10.2 \* 10.2 \* 10.2 \*  
 beste Teiler 168.1 (33.) 188.4 (40.) 195.7 (38.)  
 Trefferlage 0.56 mm rechts, 0.49 mm tief  
 Streuwert 2.18, horizontal: 2.52, vertikal: 1.78


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **388.9** (372)  
 Serien: 98.5 99.2 94.6 96.6  
 Zähler: 21 11 7 1 0 0 0 0 0 0  
 Innenzehner: 11  
 weiteste: 775 (25), 661 (10), 643 (17)  
 beste Teiler 14.0 (11.) 45.7 (4.) 80.8 (8.)  
 Trefferlage 0.31 mm rechts, 0.31 mm tief  
 Streuwert 2.54, horizontal: 2.85, vertikal: 2.18




Serie 1:  
 9.6 ↖ 10.6 \* 10.0 ↘ 10.8 \* 9.4 ↗  
 8.8 ↙ 10.2 \* 10.6 \* 10.2 \* 8.3 ↘  
 beste Teiler 45.7 (4.) 80.8 (8.) 93.1 (2.)  
 Trefferlage 0.51 mm rechts, 0.65 mm tief  
 Streuwert 2.42, horizontal: 2.57, vertikal: 2.27



Serie 2:  
 10.9 \* 9.1 ↘ 10.4 \* 10.0 ↘ 10.1 ↘  
 10.1 ↑ 8.4 → 10.5 \* 10.0 ↖ 9.7 ←  
 beste Teiler 14.0 (11.) 101.1 (18.) 132.0 (13.)  
 Trefferlage 0.91 mm rechts, 0.39 mm tief  
 Streuwert 2.19, horizontal: 2.61, vertikal: 1.66



Serie 3:  
 9.5 ← 8.7 → 10.4 \* 9.4 ↘ 7.9 ←  
 8.7 → 9.7 ↗ 10.3 \* 10.0 ↑ 10.0 ↑  
 beste Teiler 136.8 (23.) 160.6 (28.) 234.3 (29.)  
 Trefferlage 0.51 mm rechts, 0.09 mm hoch  
 Streuwert 3.10, horizontal: 4.01, vertikal: 1.79





Serie 4:  
 10.1 ↘ 9.7 ↘ 9.7 ↑ 9.7 ↖ 8.8 ↓  
 10.6 \* 8.8 ← 10.1 ↑ 10.0 ↖ 9.1 ↓  
 beste Teiler 88.1 (36.) 219.4 (31.) 225.0 (38.)  
 Trefferlage 0.68 mm links, 0.31 mm tief  
 Streuwert 2.57, horizontal: 2.02, vertikal: 3.02


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **392.2** (377)  
 Serien: 97.6 100.0 99.9 94.7  
 Zähler: 24 11 4 0 1 0 0 0 0 0  
 Innenzehner: 15  
 weiteste: 1172 (34), 730 (3), 678 (32)  
 beste Teiler 6.0 (23.) 67.0 (20.) 98.4 (17.)  
 Trefferlage 0.84 mm rechts, 0.04 mm tief  
 Streuwert 2.48, horizontal: 2.54, vertikal: 2.42




Serie 1:  
 10.5 \*                      8.9 ↓                      8.0 ↖                      10.1 ↘                      9.9 →  
 10.4 \*                      10.2 \*                      9.2 ↖                      10.4 \*                      10.0 →  
 beste Teiler 124.8 (1.) 127.5 (9.) 148.4 (6.)  
 Trefferlage 0.19 mm links, 0.13 mm tief  
 Streuwert 2.64, horizontal: 2.94, vertikal: 2.31



Serie 2:  
 10.5 \*                      10.0 ↗                      9.3 ↘                      9.3 →                      9.4 ↘  
 10.0 ↓                      10.6 \*                      10.4 \*                      9.8 →                      10.7 \*  
 beste Teiler 67.0 (20.) 98.4 (17.) 124.6 (11.)  
 Trefferlage 1.71 mm rechts, 0.61 mm tief  
 Streuwert 1.50, horizontal: 1.59, vertikal: 1.40



Serie 3:  
 8.7 ←                      9.9 ↗                      10.9 \*                      10.0 ↗                      10.5 \*  
 10.2 \*                      9.6 ↗                      10.0 →                      10.1 →                      10.0 ↘  
 beste Teiler 6.0 (23.) 117.2 (25.) 178.8 (26.)  
 Trefferlage 0.19 mm rechts, 0.26 mm hoch  
 Streuwert 2.02, horizontal: 2.46, vertikal: 1.44





Serie 4:  
 9.5 ↘                      8.2 ↘                      10.3 \*                      6.3 ↗                      9.7 ↗  
 10.2 \*                      9.7 ↙                      10.5 \*                      10.2 \*                      10.1 ←  
 beste Teiler 106.4 (38.) 158.4 (33.) 183.8 (36.)  
 Trefferlage 1.67 mm rechts, 0.29 mm hoch  
 Streuwert 3.37, horizontal: 2.71, vertikal: 3.92


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **415.8** (398)  
 Serien: 105.3 103.7 104.0 102.8  
 Zähler: 38 2 0 0 0 0 0 0 0 0  
 Innenzehner: 32  
 weiteste: 320 (16), 254 (38), 239 (24)  
 beste Teiler 9.0 (20.) 13.0 (5.) 42.2 (9.)  
 Trefferlage 0.01 mm links, 0.00 mm  
 Streuwert 1.11, horizontal: 1.04, vertikal: 1.18




Serie 1:  
 10.2 \*                      10.3 \*                      10.6 \*                      10.7 \*                      10.9 \*  
 10.8 \*                      10.6 \*                      10.0 ↓                      10.8 \*                      10.4 \*  
 beste Teiler 13.0 (5.) 42.2 (9.) 47.3 (6.)  
 Trefferlage 0.39 mm rechts, 0.09 mm hoch  
 Streuwert 0.90, horizontal: 0.65, vertikal: 1.09



Serie 2:  
 10.4 \*                      10.6 \*                      10.5 \*                      10.0 ←                      10.2 \*  
 9.7 ↖                      10.4 \*                      10.4 \*                      10.6 \*                      10.9 \*  
 beste Teiler 9.0 (20.) 84.0 (19.) 90.4 (12.)  
 Trefferlage 0.50 mm links, 0.08 mm hoch  
 Streuwert 1.16, horizontal: 1.13, vertikal: 1.19



Serie 3:  
 10.6 \*                      10.3 \*                      10.4 \*                      10.0 ✓                      10.5 \*  
 10.2 \*                      10.4 \*                      10.5 \*                      10.4 \*                      10.7 \*  
 beste Teiler 66.1 (30.) 86.9 (21.) 120.9 (25.)  
 Trefferlage 0.42 mm links, 0.51 mm tief  
 Streuwert 0.98, horizontal: 1.09, vertikal: 0.87





Serie 4:  
 10.7 \*                      10.0 ↑                      10.1 →                      10.5 \*                      10.3 \*  
 10.1 ↑                      10.2 \*                      9.9 ↓                      10.4 \*                      10.6 \*  
 beste Teiler 61.7 (31.) 96.1 (40.) 125.2 (34.)  
 Trefferlage 0.44 mm rechts, 0.33 mm hoch  
 Streuwert 1.26, horizontal: 0.97, vertikal: 1.49


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **398.3** (377)  
 Serien: 98.0 98.2 104.2 97.9  
 Zähler: 20 18 1 1 0 0 0 0 0 0  
 Innenzehner: 19  
 weiteste: 757 (14), 541 (34), 460 (5)  
 beste Teiler 20.6 (22.) 62.6 (26.) 65.0 (25.)  
 Trefferlage 0.18 mm rechts, 0.56 mm hoch  
 Streuwert 2.03, horizontal: 2.35, vertikal: 1.64




Serie 1:  
 9.7 → 9.9 ↓ 10.2 \* 10.2 \* 9.1 ←  
 9.9 ← 9.9 ← 10.0 ← 9.3 ↗ 9.8 ↘  
 beste Teiler 183.7 (4.) 193.5 (3.) 249.1 (8.)  
 Trefferlage 0.60 mm links, 0.03 mm tief  
 Streuwert 2.20, horizontal: 2.50, vertikal: 1.84



Serie 2:  
 10.3 \* 9.8 → 10.3 \* 7.9 ↘ 10.3 \*  
 10.3 \* 9.4 → 9.4 ↑ 10.6 \* 9.9 ↑  
 beste Teiler 100.4 (19.) 152.1 (15.) 164.1 (13.)  
 Trefferlage 0.30 mm rechts, 1.85 mm hoch  
 Streuwert 2.11, horizontal: 2.58, vertikal: 1.51





Serie 3:  
 10.5 \* 10.9 \* 10.4 \* 9.7 ← 10.7 \*  
 10.7 \* 10.5 \* 10.4 \* 10.2 \* 10.2 \*  
 beste Teiler 20.6 (22.) 62.6 (26.) 65.0 (25.)  
 Trefferlage 0.08 mm links, 0.22 mm hoch  
 Streuwert 1.17, horizontal: 1.47, vertikal: 0.78




Serie 4:  
 9.5 ↑ 9.8 ↘ 10.4 \* 8.8 → 10.4 \*  
 9.9 ← 9.2 → 9.6 ↘ 9.8 → 10.5 \*  
 beste Teiler 116.6 (40.) 128.6 (35.) 143.6 (33.)  
 Trefferlage 1.13 mm rechts, 0.20 mm hoch  
 Streuwert 2.22, horizontal: 2.65, vertikal: 1.69

Unterschrift des Schützen


Ergebnis: **389.8** (370)  
 Serien: 97.6 97.9 95.2 99.1  
 Zähler: 15 21 3 1 0 0 0 0 0 0  
 Innenzehner: 14  
 weiteste: 935 (26), 652 (20), 593 (37)  
 beste Teiler 30.0 (14.) 85.7 (16.) 86.3 (19.)  
 Trefferlage 0.15 mm links, 0.05 mm tief  
 Streuwert 2.52, horizontal: 2.56, vertikal: 2.49




Serie 1:  
 9.2 ↓                      9.8 ↑                      9.7 ↓                      9.3 →                      9.7 ↑  
 9.3 ↘                      9.6 ↗                      10.5 \*                      10.3 \*                      10.2 \*  
 beste Teiler 108.3 (8.) 173.6 (9.) 178.8 (10.)  
 Trefferlage 0.35 mm rechts, 1.14 mm hoch  
 Streuwert 2.20, horizontal: 1.53, vertikal: 2.71



Serie 2:  
 9.9 ↘                      9.2 ↓                      10.5 \*                      10.8 \*                      9.6 ↑  
 10.6 \*                      8.6 ↘                      9.8 ←                      10.6 \*                      8.3 ←  
 beste Teiler 30.0 (14.) 85.7 (16.) 86.3 (19.)  
 Trefferlage 0.21 mm links, 0.01 mm hoch  
 Streuwert 2.66, horizontal: 3.10, vertikal: 2.12



Serie 3:  
 9.4 ←                      10.5 \*                      10.0 →                      9.5 ↙                      9.9 →  
 7.2 ↓                      10.5 \*                      9.4 ↙                      9.2 ↘                      9.6 →  
 beste Teiler 118.1 (22.) 123.4 (27.) 239.0 (23.)  
 Trefferlage 0.14 mm links, 1.36 mm tief  
 Streuwert 2.96, horizontal: 3.05, vertikal: 2.86



Serie 4:  
 10.2 \*                      10.6 \*                      10.5 \*                      9.6 ←                      10.4 \*  
 9.6 →                      8.6 ←                      9.5 ↘                      10.5 \*                      9.6 ↓  
 beste Teiler 86.6 (32.) 107.3 (33.) 119.4 (39.)  
 Trefferlage 0.59 mm links, 0.01 mm tief  
 Streuwert 2.22, horizontal: 2.57, vertikal: 1.80

Unterschrift des Schützen

Meyton Elektronik

**LG 40 ZR – Wertung – Jungschützinnen**

**StartNr: 7**



StandNr: 108

29. Februar 2020 16:56


**Nagl,, Selina** #70233081

SG\_Thaur / SG Thaur 1


Ergebnis: **400.6** (383)  
 Serien: 99.8 98.7 102.9 99.2  
 Zähler: 24 15 1 0 0 0 0 0 0 0  
 Innenzehner: 19  
 weiteste: 522 (14), 438 (11), 402 (9)  
 beste Teiler 57.4 (24.) 107.9 (5.) 109.2 (1.)  
 Trefferlage 0.38 mm links, 0.78 mm hoch  
 Streuwert 1.73, horizontal: 2.08, vertikal: 1.28




Serie 1:  
 10.5 \* 10.0 ↖ 9.7 ↗ 9.8 ↘ 10.5 \*  
 10.1 ↖ 10.4 \* 9.9 → 9.3 ↖ 9.6 ←  
 beste Teiler 107.9 (5.) 109.2 (1.) 138.9 (7.)  
 Trefferlage 0.78 mm links, 0.93 mm hoch  
 Streuwert 1.71, horizontal: 2.26, vertikal: 0.89



Serie 2:  
 9.2 ↖ 10.1 ↗ 9.7 ↗ 8.9 ↘ 10.3 \*  
 9.7 → 9.8 ↖ 10.3 \* 10.4 \* 10.3 \*  
 beste Teiler 130.7 (19.) 157.8 (15.) 164.2 (20.)  
 Trefferlage 0.24 mm links, 0.72 mm hoch  
 Streuwert 2.16, horizontal: 2.46, vertikal: 1.80



Serie 3:  
 9.6 ↗ 10.4 \* 10.5 \* 10.7 \* 10.3 \*  
 10.0 ↗ 10.4 \* 10.4 \* 10.4 \* 10.2 \*  
 beste Teiler 57.4 (24.) 117.3 (23.) 134.4 (22.)  
 Trefferlage 0.53 mm rechts, 0.50 mm hoch  
 Streuwert 1.21, horizontal: 1.42, vertikal: 0.94





Serie 4:  
 9.5 ↘ 9.5 ↖ 9.8 ↘ 10.0 ↑ 10.2 \*  
 10.2 \* 9.5 ↗ 10.4 \* 10.4 \* 9.7 ←  
 beste Teiler 127.1 (39.) 144.4 (38.) 186.3 (35.)  
 Trefferlage 1.05 mm links, 0.97 mm hoch  
 Streuwert 1.72, horizontal: 1.98, vertikal: 1.41


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **395.6** (377)  
 Serien: 98.4 98.3 98.6 100.3  
 Zähler: 19 19 2 0 0 0 0 0 0 0  
 Innenzehner: 15  
 weiteste: 609 (25), 544 (16), 442 (13)  
 beste Teiler 50.8 (38.) 53.8 (22.) 77.1 (23.)  
 Trefferlage 0.38 mm links, 0.68 mm tief  
 Streuwert 2.09, horizontal: 2.52, vertikal: 1.53




Serie 1:  
 9.9 ↘ 10.2 \* 10.2 \* 10.5 \* 9.6 ↘  
 9.4 ↗ 9.3 ↘ 9.8 ↙ 9.8 ← 9.7 ←  
 beste Teiler 114.6 (4.) 177.2 (2.) 198.6 (3.)  
 Trefferlage 0.45 mm rechts, 1.10 mm tief  
 Streuwert 2.02, horizontal: 2.49, vertikal: 1.39



Serie 2:  
 10.6 \* 10.3 \* 9.2 ← 10.6 \* 9.2 ↓  
 8.8 ← 10.3 \* 9.6 ↗ 9.2 → 10.5 \*  
 beste Teiler 87.0 (14.) 90.8 (11.) 123.2 (20.)  
 Trefferlage 0.53 mm links, 0.68 mm tief  
 Streuwert 2.34, horizontal: 3.02, vertikal: 1.34



Serie 3:  
 9.2 ← 10.7 \* 10.6 \* 9.7 ↓ 8.5 ←  
 9.9 ↘ 9.3 ↘ 9.7 ↙ 10.4 \* 10.6 \*  
 beste Teiler 53.8 (22.) 77.1 (23.) 92.8 (30.)  
 Trefferlage 1.61 mm links, 0.51 mm tief  
 Streuwert 2.05, horizontal: 2.30, vertikal: 1.76





Serie 4:  
 9.2 ↘ 10.0 ↖ 10.1 ↘ 9.3 ↘ 9.8 →  
 10.1 ↓ 10.4 \* 10.8 \* 10.1 ↙ 10.5 \*  
 beste Teiler 50.8 (38.) 122.0 (40.) 130.1 (37.)  
 Trefferlage 0.15 mm rechts, 0.42 mm tief  
 Streuwert 1.90, horizontal: 2.04, vertikal: 1.74


Unterschrift des Schützen




Ergebnis: **381.2** (365)  
 Serien: 95.9 96.0 93.4 95.9  
 Zähler: 14 18 7 1 0 0 0 0 0 0  
 Innenzehner: 8  
 weiteste: 829 (37), 722 (30), 716 (21)  
 beste Teiler 54.7 (29.) 70.8 (14.) 113.7 (17.)  
 Trefferlage 0.32 mm links, 0.25 mm hoch  
 Streuwert 2.85, horizontal: 2.98, vertikal: 2.72




Serie 1:  
 10.1 ↑                      10.2 \*                      9.8 ↗                      8.5 ←                      9.3 ↗  
 10.3 \*                      9.0 ↘                      9.8 ↘                      9.6 ↘                      9.3 ↓  
 beste Teiler 160.7 (6.) 190.6 (2.) 210.2 (1.)  
 Trefferlage 0.69 mm links, 0.59 mm hoch  
 Streuwert 2.65, horizontal: 2.92, vertikal: 2.35



Serie 2:  
 8.9 ←                      10.0 ↘                      8.3 →                      10.7 \*                      9.7 ↗  
 8.7 ↙                      10.5 \*                      10.0 ↓                      9.9 ↘                      9.3 ↑  
 beste Teiler 70.8 (14.) 113.7 (17.) 231.6 (12.)  
 Trefferlage 0.14 mm links, 0.39 mm tief  
 Streuwert 2.87, horizontal: 3.38, vertikal: 2.24



Serie 3:  
 8.1 ↘                      9.1 ↙                      10.0 ↘                      9.7 ↑                      9.5 ↘  
 9.1 ↑                      8.7 ←                      10.4 \*                      10.7 \*                      8.1 →  
 beste Teiler 54.7 (29.) 140.0 (28.) 245.6 (23.)  
 Trefferlage 0.63 mm links, 1.86 mm hoch  
 Streuwert 3.06, horizontal: 3.52, vertikal: 2.52





Serie 4:  
 10.0 ←                      10.3 \*                      9.2 ←                      9.6 ↘                      10.2 \*  
 9.5 →                      7.6 ↓                      10.0 ↘                      9.8 ↗                      9.7 ↓  
 beste Teiler 154.4 (32.) 183.0 (35.) 245.3 (38.)  
 Trefferlage 0.15 mm rechts, 1.05 mm tief  
 Streuwert 2.77, horizontal: 2.36, vertikal: 3.12


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **403.7** (387)  
 Serien: 100.7 100.0 101.5 101.5  
 Zähler: 28 11 1 0 0 0 0 0 0 0  
 Innenzehner: 17  
 weiteste: 570 (1), 401 (11), 381 (8)  
 beste Teiler 39.0 (23.) 40.4 (7.) 65.7 (9.)  
 Trefferlage 0.28 mm links, 0.17 mm hoch  
 Streuwert 1.72, horizontal: 1.92, vertikal: 1.51




Serie 1:  
 8.7 ↙ 10.0 ↘ 10.1 ↖ 10.2 \* 10.1 →  
 10.2 \* 10.8 \* 9.4 ← 10.7 \* 10.5 \*  
 beste Teiler 40.4 (7.) 65.7 (9.) 101.5 (10.)  
 Trefferlage 0.98 mm links, 0.03 mm tief  
 Streuwert 1.85, horizontal: 2.04, vertikal: 1.64



Serie 2:  
 9.3 ↗ 10.5 \* 10.6 \* 10.3 \* 10.6 \*  
 9.6 ↓ 9.5 ↘ 10.0 ← 9.8 ← 9.8 ←  
 beste Teiler 76.8 (15.) 99.0 (13.) 114.1 (12.)  
 Trefferlage 0.79 mm links, 0.08 mm tief  
 Streuwert 1.86, horizontal: 2.01, vertikal: 1.69





Serie 3:  
 9.7 ↘ 9.9 ↑ 10.8 \* 10.4 \* 10.0 →  
 10.0 ↗ 9.9 ↑ 10.2 \* 10.1 ↓ 10.5 \*  
 beste Teiler 39.0 (23.) 101.5 (30.) 145.3 (24.)  
 Trefferlage 0.45 mm rechts, 0.48 mm hoch  
 Streuwert 1.56, horizontal: 1.44, vertikal: 1.67




Serie 4:  
 10.1 ← 10.0 ↑ 10.7 \* 9.5 ↗ 9.8 →  
 10.6 \* 10.0 ← 10.5 \* 10.3 \* 10.0 ←  
 beste Teiler 65.7 (33.) 83.7 (36.) 108.1 (38.)  
 Trefferlage 0.19 mm rechts, 0.34 mm hoch  
 Streuwert 1.61, horizontal: 1.99, vertikal: 1.12

Unterschrift des Schützen


Ergebnis: **409.1** (391)  
 Serien: 104.8 102.0 99.8 102.5  
 Zähler: 31 9 0 0 0 0 0 0 0 0  
 Innenzehner: 25  
 weiteste: 399 (30), 381 (21), 335 (20)  
 beste Teiler 18.6 (15.) 37.5 (36.) 57.3 (1.)  
 Trefferlage 0.06 mm links, 0.38 mm hoch  
 Streuwert 1.44, horizontal: 1.62, vertikal: 1.24




Serie 1:  
 10.7 \*                      10.2 \*                      10.6 \*                      10.3 \*                      10.4 \*  
 10.5 \*                      10.4 \*                      10.4 \*                      10.6 \*                      10.7 \*  
 beste Teiler 57.3 (1.) 62.2 (10.) 91.0 (9.)  
 Trefferlage 0.02 mm links, 0.49 mm hoch  
 Streuwert 0.86, horizontal: 0.84, vertikal: 0.88



Serie 2:  
 10.5 \*                      9.7 ←                      9.9 →                      10.7 \*                      10.9 \*  
 10.2 \*                      10.1 ↑                      10.0 ↘                      10.4 \*                      9.6 ↖  
 beste Teiler 18.6 (15.) 66.7 (14.) 111.8 (11.)  
 Trefferlage 0.93 mm links, 0.46 mm hoch  
 Streuwert 1.39, horizontal: 1.68, vertikal: 1.02



Serie 3:  
 9.4 →                      10.0 ↑                      10.2 \*                      10.0 ↑                      10.6 \*  
 9.9 ↘                      10.1 ↗                      10.5 \*                      9.7 ↘                      9.4 ↖  
 beste Teiler 84.0 (25.) 106.0 (28.) 187.7 (23.)  
 Trefferlage 0.06 mm rechts, 0.82 mm hoch  
 Streuwert 1.87, horizontal: 2.20, vertikal: 1.45





Serie 4:  
 10.3 \*                      10.3 \*                      10.6 \*                      9.8 →                      9.7 ↘  
 10.8 \*                      10.0 ↓                      10.4 \*                      10.3 \*                      10.3 \*  
 beste Teiler 37.5 (36.) 96.4 (33.) 141.4 (38.)  
 Trefferlage 0.61 mm rechts, 0.24 mm tief  
 Streuwert 1.35, horizontal: 1.27, vertikal: 1.43


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **402.8** (381)  
 Serien: 101.5 99.6 100.9 100.8  
 Zähler: 22 17 1 0 0 0 0 0 0 0  
 Innenzehner: 15  
 weiteste: 588 (40), 478 (8), 397 (15)  
 beste Teiler 48.1 (2.) 48.8 (7.) 55.2 (5.)  
 Trefferlage 0.12 mm links, 0.46 mm hoch  
 Streuwert 1.76, horizontal: 2.06, vertikal: 1.40




Serie 1:  
 10.4 \*                      10.8 \*                      9.8 ↗                      10.0 ↑                      10.7 \*  
 10.1 ↘                      10.8 \*                      9.0 →                      9.8 ↑                      10.1 →  
 beste Teiler 48.1 (2.) 48.8 (7.) 55.2 (5.)  
 Trefferlage 0.59 mm rechts, 0.67 mm hoch  
 Streuwert 1.67, horizontal: 1.76, vertikal: 1.58



Serie 2:  
 10.0 ↘                      10.3 \*                      10.0 ↘                      9.8 ↑                      9.4 →  
 10.7 \*                      9.7 ↗                      9.7 ↖                      9.9 ↗                      10.1 ↖  
 beste Teiler 61.9 (16.) 155.5 (12.) 208.8 (20.)  
 Trefferlage 0.34 mm rechts, 0.81 mm hoch  
 Streuwert 1.85, horizontal: 2.13, vertikal: 1.53



Serie 3:  
 9.8 ↓                      10.0 ↖                      9.9 ↖                      9.7 →                      10.6 \*  
 10.6 \*                      9.9 ←                      9.9 ↑                      10.6 \*                      9.9 →  
 beste Teiler 76.0 (26.) 77.1 (25.) 98.8 (29.)  
 Trefferlage 0.10 mm links, 0.06 mm hoch  
 Streuwert 1.69, horizontal: 1.91, vertikal: 1.45





Serie 4:  
 9.9 →                      10.4 \*                      10.2 \*                      9.7 ↖                      10.7 \*  
 10.4 \*                      10.6 \*                      10.6 \*                      9.7 ←                      8.6 ←  
 beste Teiler 72.1 (35.) 81.3 (38.) 97.5 (37.)  
 Trefferlage 1.32 mm links, 0.31 mm hoch  
 Streuwert 1.71, horizontal: 2.17, vertikal: 1.07


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **382.7** (363)  
 Serien: 99.0 94.6 92.3 96.8  
 Zähler: 13 19 6 2 0 0 0 0 0 0  
 Innenzehner: 9  
 weiteste: 993 (11), 928 (28), 593 (33)  
 beste Teiler 30.4 (15.) 41.4 (8.) 78.9 (6.)  
 Trefferlage 1.21 mm links, 1.13 mm hoch  
 Streuwert 2.61, horizontal: 2.94, vertikal: 2.24




Serie 1:  
 10.4 \* 9.4 ← 10.4 \* 9.4 ↑ 8.9 ↘  
 10.6 \* 9.5 → 10.8 \* 10.5 \* 9.1 ↗  
 beste Teiler 41.4 (8.) 78.9 (6.) 120.4 (9.)  
 Trefferlage 0.18 mm links, 0.43 mm hoch  
 Streuwert 2.30, horizontal: 2.63, vertikal: 1.91



Serie 2:  
 7.0 ↘ 9.9 ↗ 10.0 ↗ 9.8 ↗ 10.8 \*  
 8.8 ← 10.0 ← 9.7 ↘ 9.3 ↘ 9.3 ↑  
 beste Teiler 30.4 (15.) 231.8 (17.) 237.8 (13.)  
 Trefferlage 0.74 mm links, 1.84 mm hoch  
 Streuwert 2.98, horizontal: 3.23, vertikal: 2.70





Serie 3:  
 9.7 ↘ 9.3 ← 9.3 ↘ 9.8 ← 9.1 ↑  
 10.2 \* 8.8 ↗ 7.2 ↘ 10.1 ↓ 8.8 ←  
 beste Teiler 179.9 (26.) 211.3 (29.) 290.9 (24.)  
 Trefferlage 2.20 mm links, 1.52 mm hoch  
 Streuwert 2.93, horizontal: 3.34, vertikal: 2.45




Serie 4:  
 9.9 ← 9.2 ↑ 8.6 ← 9.9 ↘ 9.9 ↑  
 9.7 ← 10.3 \* 8.9 ← 10.1 → 10.3 \*  
 beste Teiler 155.9 (37.) 160.3 (40.) 219.2 (39.)  
 Trefferlage 1.71 mm links, 0.74 mm hoch  
 Streuwert 2.18, horizontal: 2.48, vertikal: 1.83

Unterschrift des Schützen


Ergebnis: **401.4** (384)  
 Serien: 100.4 100.2 102.1 98.7  
 Zähler: 24 16 0 0 0 0 0 0 0 0  
 Innenzehner: 21  
 weiteste: 428 (39), 426 (33), 398 (10)  
 beste Teiler 67.8 (16.) 85.8 (5.) 90.6 (27.)  
 Trefferlage 0.02 mm links, 0.34 mm hoch  
 Streuwert 1.80, horizontal: 1.91, vertikal: 1.69




Serie 1:  
 10.0 ↙ 9.4 ↑ 10.4 \* 10.6 \* 10.6 \*  
 10.0 ↓ 10.5 \* 9.6 → 9.9 ↘ 9.4 ↖  
 beste Teiler 85.8 (5.) 96.4 (4.) 116.0 (7.)  
 Trefferlage 0.42 mm links, 0.20 mm hoch  
 Streuwert 1.88, horizontal: 1.85, vertikal: 1.90



Serie 2:  
 9.7 ↗ 10.2 \* 9.7 ↙ 9.6 → 10.6 \*  
 10.7 \* 9.5 ↘ 10.5 \* 10.0 ↑ 9.7 ↖  
 beste Teiler 67.8 (16.) 93.4 (15.) 118.5 (18.)  
 Trefferlage 0.26 mm rechts, 0.00 mm  
 Streuwert 1.93, horizontal: 2.11, vertikal: 1.74



Serie 3:  
 10.3 \* 9.7 → 10.3 \* 10.2 \* 10.5 \*  
 10.5 \* 10.6 \* 10.2 \* 10.3 \* 9.5 ↘  
 beste Teiler 90.6 (27.) 110.0 (26.) 117.5 (25.)  
 Trefferlage 0.01 mm links, 0.49 mm hoch  
 Streuwert 1.47, horizontal: 1.69, vertikal: 1.22





Serie 4:  
 9.8 ↖ 9.5 ↙ 9.2 → 10.3 \* 10.4 \*  
 10.2 \* 10.4 \* 10.2 \* 9.2 ↑ 9.5 →  
 beste Teiler 131.5 (35.) 146.1 (37.) 159.9 (34.)  
 Trefferlage 0.06 mm rechts, 0.70 mm hoch  
 Streuwert 2.09, horizontal: 2.18, vertikal: 1.99


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **393.0** (375)  
 Serien: 97.4 97.2 99.0 99.4  
 Zähler: 16 23 1 0 0 0 0 0 0 0  
 Innenzehner: 10  
 weiteste: 568 (2), 468 (4), 461 (13)  
 beste Teiler 56.5 (8.) 94.0 (36.) 101.6 (22.)  
 Trefferlage 0.30 mm rechts, 0.10 mm hoch  
 Streuwert 2.17, horizontal: 2.46, vertikal: 1.85




Serie 1:  
 10.2 \* 8.7 → 9.8 ↓ 9.1 → 9.8 ←  
 9.9 ↙ 9.2 ↘ 10.7 \* 9.9 ↑ 10.1 ↑  
 beste Teiler 56.5 (8.) 178.9 (1.) 218.7 (10.)  
 Trefferlage 1.03 mm rechts, 0.36 mm tief  
 Streuwert 2.36, horizontal: 2.70, vertikal: 1.95



Serie 2:  
 9.9 ↖ 9.3 ← 9.1 → 10.1 ↑ 9.5 ↗  
 10.2 \* 9.8 ↓ 9.3 ↓ 9.7 ↘ 10.3 \*  
 beste Teiler 172.8 (20.) 185.0 (16.) 208.1 (14.)  
 Trefferlage 0.85 mm rechts, 0.02 mm hoch  
 Streuwert 2.31, horizontal: 2.36, vertikal: 2.26





Serie 3:  
 9.8 ↘ 10.5 \* 10.1 ↗ 9.7 ↓ 10.1 ↗  
 9.6 ↘ 10.2 \* 9.2 ↘ 10.3 \* 9.5 ←  
 beste Teiler 101.6 (22.) 174.1 (29.) 200.2 (27.)  
 Trefferlage 0.21 mm rechts, 0.64 mm hoch  
 Streuwert 2.04, horizontal: 2.27, vertikal: 1.78




Serie 4:  
 10.2 \* 9.6 ↙ 10.5 \* 9.3 ↗ 9.9 ←  
 10.6 \* 10.1 ← 9.2 ← 10.1 ↗ 9.9 ←  
 beste Teiler 94.0 (36.) 115.3 (33.) 177.4 (31.)  
 Trefferlage 0.87 mm links, 0.13 mm hoch  
 Streuwert 1.97, horizontal: 2.37, vertikal: 1.45

Unterschrift des Schützen


Ergebnis: **404.0** (384)  
 Serien: 103.8 101.5 100.9 97.8  
 Zähler: 27 10 3 0 0 0 0 0 0 0  
 Innenzehner: 21  
 weiteste: 649 (40), 612 (20), 505 (37)  
 beste Teiler 15.0 (9.) 33.8 (13.) 62.2 (12.)  
 Trefferlage 0.03 mm links, 0.52 mm hoch  
 Streuwert 1.81, horizontal: 1.74, vertikal: 1.86




Serie 1:  
 10.4 \* 10.4 \* 10.7 \* 9.4 ↗ 10.3 \*  
 10.5 \* 10.5 \* 10.1 → 10.9 \* 10.6 \*  
 beste Teiler 15.0 (9.) 74.0 (3.) 94.4 (10.)  
 Trefferlage 0.63 mm rechts, 0.45 mm hoch  
 Streuwert 1.17, horizontal: 0.91, vertikal: 1.38



Serie 2:  
 10.5 \* 10.7 \* 10.8 \* 9.9 ↗ 10.5 \*  
 10.4 \* 9.9 ↘ 10.4 \* 9.9 → 8.5 ↑  
 beste Teiler 33.8 (13.) 62.2 (12.) 109.7 (15.)  
 Trefferlage 0.27 mm rechts, 1.47 mm hoch  
 Streuwert 1.54, horizontal: 1.20, vertikal: 1.81



Serie 3:  
 10.2 \* 9.7 ↗ 9.9 ↗ 10.0 ↘ 9.8 ↓  
 10.5 \* 10.3 \* 9.8 ↑ 10.1 ↘ 10.6 \*  
 beste Teiler 86.8 (30.) 124.8 (26.) 175.0 (27.)  
 Trefferlage 0.51 mm rechts, 0.37 mm hoch  
 Streuwert 1.64, horizontal: 1.18, vertikal: 2.00





Serie 4:  
 10.0 ↘ 9.1 ↙ 9.9 ↘ 10.4 \* 10.0 ↓  
 10.0 ↘ 8.9 ↘ 10.5 \* 10.6 \* 8.4 ↖  
 beste Teiler 100.1 (39.) 114.4 (38.) 130.7 (34.)  
 Trefferlage 1.53 mm links, 0.20 mm tief  
 Streuwert 2.28, horizontal: 2.47, vertikal: 2.07

Unterschrift des Schützen


Meyton Elektronik




Ergebnis: **374.4** (357)  
 Serien: 93.4 93.7 93.1 94.2  
 Zähler: 10 19 9 2 0 0 0 0 0 0  
 Innenzehner: 6  
 weiteste: 909 (10), 909 (39), 721 (1)  
 beste Teiler 94.2 (34.) 121.0 (2.) 134.6 (6.)  
 Trefferlage 0.33 mm rechts, 0.04 mm tief  
 Streuwert 3.21, horizontal: 3.41, vertikal: 2.99




Serie 1:  
 8.1 ↗ 10.5 \* 9.2 ↖ 9.9 ↓ 9.9 ↖  
 10.4 \* 9.8 ↘ 8.3 ↘ 10.0 ↖ 7.3 ↗  
 beste Teiler 121.0 (2.) 134.6 (6.) 243.9 (9.)  
 Trefferlage 1.26 mm rechts, 1.11 mm hoch  
 Streuwert 3.35, horizontal: 3.60, vertikal: 3.09



Serie 2:  
 8.9 ↓ 9.6 ↘ 8.7 → 10.2 \* 9.6 ↓  
 9.8 ↑ 8.7 ↖ 9.6 ↖ 9.3 ↓ 9.3 ←  
 beste Teiler 186.2 (14.) 284.7 (16.) 343.1 (12.)  
 Trefferlage 0.10 mm rechts, 0.71 mm tief  
 Streuwert 3.07, horizontal: 3.18, vertikal: 2.95



Serie 3:  
 9.8 ↖ 9.5 ↗ 9.1 ← 8.3 ↘ 10.0 ↗  
 9.4 ↖ 9.3 ↖ 9.2 ↑ 10.1 ↓ 8.4 ↘  
 beste Teiler 207.9 (29.) 242.3 (25.) 297.2 (21.)  
 Trefferlage 0.24 mm rechts, 0.40 mm tief  
 Streuwert 3.27, horizontal: 3.89, vertikal: 2.49



Serie 4:  
 10.2 \* 9.4 ↘ 10.2 \* 10.6 \* 10.1 ↗  
 9.4 ↑ 9.9 ↖ 8.2 ← 7.3 ↓ 8.9 ←  
 beste Teiler 94.2 (34.) 181.6 (31.) 199.6 (33.)  
 Trefferlage 0.29 mm links, 0.19 mm tief  
 Streuwert 3.39, horizontal: 3.29, vertikal: 3.48

Unterschrift des Schützen