





Ergebnis: **608.9** (584)  
 Serien: 102.2 102.6 100.8 99.6 100.8 102.9  
 Zähler: 44 16 0 0 0 0 0 0 0  
 Innenzehner: 21  
 weiteste: 1555 (31), 1528 (27), 1275 (32)  
 beste Teiler 76.5 (28.) 115.1 (8.) 123.3 (12.)  
 Trefferlage 0.60 mm rechts, 2.28 mm tief  
 Streuwert 4.85, horizontal: 4.85, vertikal: 4.85




Serie 1:  
 10.0 → 10.5 \* 9.9 → 10.1 ↘ 10.0 ↗  
 10.2 ↙ 10.5 \* 10.8 \* 9.9 ↗ 10.3 ←  
 beste Teiler 115.1 (8.) 323.3 (7.) 376.2 (2.)  
 Trefferlage 0.09 mm rechts, 1.75 mm tief  
 Streuwert 4.48, horizontal: 4.81, vertikal: 4.12




Serie 2:  
 10.1 → 10.8 \* 10.6 \* 10.6 \* 9.9 ↘  
 9.8 ← 10.3 ↙ 10.7 \* 9.9 ↙ 9.9 ↘  
 beste Teiler 123.3 (12.) 214.4 (18.) 281.6 (13.)  
 Trefferlage 0.41 mm rechts, 2.75 mm tief  
 Streuwert 4.16, horizontal: 5.07, vertikal: 2.99




Serie 3:  
 10.1 ↗ 10.0 ↘ 10.4 \* 10.6 \* 10.1 ←  
 10.0 ↘ 9.0 ↘ 10.9 \* 9.6 ↘ 10.1 →  
 beste Teiler 76.5 (28.) 266.8 (24.) 438.6 (23.)  
 Trefferlage 2.34 mm rechts, 0.48 mm tief  
 Streuwert 5.68, horizontal: 6.36, vertikal: 4.91



Serie 4:  
 9.0 ↓ 9.4 ↓ 10.3 ↙ 10.3 \* 10.7 \*  
 10.3 \* 9.6 ↓ 9.7 ↙ 10.5 \* 9.8 ↘  
 beste Teiler 230.2 (35.) 351.4 (39.) 499.2 (34.)  
 Trefferlage 0.47 mm links, 5.16 mm tief  
 Streuwert 5.41, horizontal: 3.67, vertikal: 6.72



Serie 5:  
 10.1 → 10.3 \* 9.6 ↓ 10.2 ↖ 10.5 \*  
 9.5 ↘ 10.2 → 10.0 ↓ 9.8 ↗ 10.6 \*  
 beste Teiler 314.5 (50.) 354.2 (45.) 498.6 (42.)  
 Trefferlage 0.15 mm rechts, 3.22 mm tief  
 Streuwert 5.13, horizontal: 5.24, vertikal: 5.02



Serie 6:  
 10.4 \* 10.8 \* 10.0 ↘ 10.7 \* 10.5 \*  
 10.1 ↘ 10.1 ↗ 10.1 ↘ 10.2 ↙ 10.0 ↘  
 beste Teiler 152.0 (52.) 221.3 (54.) 386.3 (55.)  
 Trefferlage 1.07 mm rechts, 0.34 mm tief  
 Streuwert 4.12, horizontal: 4.30, vertikal: 3.93

Meyton Elektronik

**KK liegend** – Wertung – **Junioren**

StandNr: 7

**Stogmeyer, Alexander** #770208407

**StartNr: 7**

15. August 2020 12:47



OÖ – SG Marchtrenk / Oberösterreich 1

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **621.6** (592)  
 Serien: 105.4 102.5 103.2 105.2 102.8 102.5  
 Zähler: 52 8 0 0 0 0 0 0 0  
 Innenzehner: 38  
 weiteste: 1023 (57), 957 (49), 950 (44)  
 beste Teiler 79.6 (37.) 82.3 (1.) 104.4 (38.)  
 Trefferlage 0.20 mm links, 0.33 mm hoch  
 Streuwert 3.82, horizontal: 4.41, vertikal: 3.12




Serie 1:  
 10.8 \*                      10.6 \*                      10.7 \*                      10.5 \*                      10.6 \*  
 10.5 \*                      10.6 \*                      10.2 ↖                      10.4 \*                      10.5 \*  
 beste Teiler 82.3 (1.) 199.4 (3.) 246.4 (7.)  
 Trefferlage 0.09 mm links, 0.00 mm  
 Streuwert 2.55, horizontal: 2.79, vertikal: 2.28




Serie 2:  
 9.9 ↖                      10.5 \*                      10.4 \*                      10.4 \*                      10.5 \*  
 10.3 ↗                      9.8 ↗                      10.4 \*                      10.1 ↘                      10.2 ↙  
 beste Teiler 352.8 (15.) 399.8 (12.) 413.5 (13.)  
 Trefferlage 0.33 mm links, 1.05 mm hoch  
 Streuwert 4.39, horizontal: 4.62, vertikal: 4.15




Serie 3:  
 10.0 ↑                      10.4 \*                      10.2 ↗                      10.3 \*                      10.7 \*  
 10.7 \*                      9.9 ←                      10.3 \*                      10.6 \*                      10.1 ←  
 beste Teiler 163.5 (25.) 229.2 (26.) 310.2 (29.)  
 Trefferlage 1.56 mm links, 1.73 mm hoch  
 Streuwert 3.75, horizontal: 4.22, vertikal: 3.21



Serie 4:  
 10.1 ←                      10.4 \*                      10.5 \*                      10.6 \*                      10.5 \*  
 10.8 \*                      10.9 \*                      10.8 \*                      10.0 ↗                      10.6 \*  
 beste Teiler 79.6 (37.) 104.4 (38.) 152.3 (36.)  
 Trefferlage 0.20 mm links, 1.45 mm hoch  
 Streuwert 2.91, horizontal: 3.59, vertikal: 2.01



Serie 5:  
 10.4 \*                      10.0 ↘                      10.6 \*                      9.8 ↖                      10.3 ↗  
 10.3 \*                      10.4 \*                      10.6 \*                      9.8 ←                      10.6 \*  
 beste Teiler 288.9 (43.) 289.5 (48.) 299.0 (50.)  
 Trefferlage 1.16 mm links, 0.43 mm tief  
 Streuwert 4.41, horizontal: 5.60, vertikal: 2.76



Serie 6:  
 10.2 ←                      10.8 \*                      10.4 \*                      9.9 →                      10.5 \*  
 10.8 \*                      9.7 →                      10.1 ↙                      9.9 ↘                      10.2 ↘  
 beste Teiler 109.8 (56.) 124.4 (52.) 384.3 (55.)  
 Trefferlage 2.12 mm rechts, 1.78 mm tief  
 Streuwert 4.29, horizontal: 5.20, vertikal: 3.13

Meyton Elektronik

**KK liegend** – Wertung – **Junioren**

StandNr: 8

**Mair, Tobias** #5

**StartNr: 8**

15. August 2020 12:56



T – SG Hochpustertal / Tirol 1

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>588.6</b>	(563)
Serien:	99.3	103.6 98.2 96.0 95.9 95.6
Zähler:	29 25 6 0 0 0 0 0 0	
Innenzehner:	17	
weiteste:	1995 (31), 1847 (44), 1814 (60)	
beste Teiler	124.5 (13.) 148.7 (45.) 156.9 (52.)	
Trefferlage	0.07 mm rechts, 2.96 mm hoch	
Streuwert	7.12, horizontal: 7.50, vertikal: 6.73	




Serie 1:					
	9.4 ↗	9.2 →	10.1 ↗	10.4 *	10.3 *
	9.2 ↑	10.7 *	10.7 *	9.6 ↗	9.7 ↘
beste Teiler	199.9 (7.) 210.6 (8.) 469.6 (4.)				
Trefferlage	3.68 mm rechts, 4.33 mm hoch				
Streuwert	5.53, horizontal: 6.33, vertikal: 4.59				




Serie 2:					
	10.6 *	10.6 *	10.8 *	10.3 *	10.3 *
	10.2 →	9.6 ↙	10.5 *	10.6 *	10.1 ←
beste Teiler	124.5 (13.) 246.0 (11.) 288.1 (19.)				
Trefferlage	1.63 mm links, 0.27 mm hoch				
Streuwert	3.88, horizontal: 4.37, vertikal: 3.31				




Serie 3:					
	8.9 →	10.5 *	10.5 *	9.4 ↑	10.2 ↘
	9.7 ↑	10.0 ↙	9.7 ↑	9.1 ↘	10.2 →
beste Teiler	363.0 (23.) 371.1 (22.) 561.3 (30.)				
Trefferlage	0.98 mm rechts, 5.67 mm hoch				
Streuwert	6.03, horizontal: 7.00, vertikal: 4.86				



Serie 4:					
	8.5 ↓	9.9 →	10.0 ↙	9.7 ↘	10.1 ↙
	9.6 ↓	10.1 ←	9.2 ↙	9.1 →	9.8 ↑
beste Teiler	671.5 (35.) 714.3 (37.) 764.3 (33.)				
Trefferlage	1.82 mm links, 2.82 mm tief				
Streuwert	8.21, horizontal: 7.89, vertikal: 8.51				



Serie 5:					
	9.6 →	8.8 ↙	9.1 ↘	8.6 ↘	10.8 *
	10.3 *	9.3 ↗	10.1 ↑	9.2 ↘	10.1 ↘
beste Teiler	148.7 (45.) 485.7 (46.) 676.4 (50.)				
Trefferlage	2.83 mm links, 2.31 mm hoch				
Streuwert	8.61, horizontal: 10.12, vertikal: 6.76				



Serie 6:					
	9.2 ↘	10.8 *	9.3 ↑	8.7 ↘	9.0 ↑
	10.6 *	10.0 ↗	9.5 ↑	9.8 ↗	8.7 →
beste Teiler	156.9 (52.) 295.2 (56.) 774.4 (57.)				
Trefferlage	2.09 mm rechts, 8.04 mm hoch				
Streuwert	6.98, horizontal: 7.69, vertikal: 6.18				

**KK liegend** – Wertung – **Junioren**

StandNr: 9

**Kokoll, Peter** #770208408

**StartNr: 9**

15. August 2020 12:57



OÖ – SG Enns / Oberösterreich 1

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **617.3** (591)  
 Serien: 101.6 102.5 102.1 102.0 103.9 105.2  
 Zähler: 51 9 0 0 0 0 0 0 0  
 Innenzehner: 33  
 weiteste: 1510 (1), 1104 (6), 1023 (35)  
 beste Teiler 109.0 (52.) 132.3 (60.) 143.2 (47.)  
 Trefferlage 0.40 mm links, 0.01 mm tief  
 Streuwert 4.26, horizontal: 4.11, vertikal: 4.39




Serie 1:  
 9.1 ↖ 10.3 ← 9.8 ↓ 10.7 \* 10.3 \*  
 9.6 ↘ 10.7 \* 10.0 ↑ 10.4 \* 10.7 \*  
 beste Teiler 169.6 (4.) 205.4 (7.) 207.1 (10.)  
 Trefferlage 1.12 mm links, 0.15 mm hoch  
 Streuwert 5.58, horizontal: 5.60, vertikal: 5.56




Serie 2:  
 10.2 ↖ 10.7 \* 10.2 → 10.2 ↙ 9.9 ←  
 10.5 \* 10.3 \* 9.8 ↑ 10.4 \* 10.3 \*  
 beste Teiler 172.4 (12.) 355.7 (16.) 403.5 (19.)  
 Trefferlage 0.13 mm rechts, 1.38 mm hoch  
 Streuwert 4.30, horizontal: 4.33, vertikal: 4.27




Serie 3:  
 10.4 \* 10.8 \* 10.4 \* 10.3 \* 9.7 ↑  
 10.2 ↙ 10.2 ↑ 9.8 ↘ 10.3 \* 10.0 ↙  
 beste Teiler 145.8 (22.) 434.6 (23.) 451.8 (21.)  
 Trefferlage 0.28 mm links, 0.83 mm tief  
 Streuwert 4.75, horizontal: 3.46, vertikal: 5.76



Serie 4:  
 10.4 \* 10.1 ↓ 10.4 \* 10.5 \* 9.7 ↙  
 9.9 ↘ 10.4 \* 10.0 ↖ 10.2 ↓ 10.4 \*  
 beste Teiler 367.9 (34.) 408.5 (33.) 433.9 (40.)  
 Trefferlage 1.49 mm links, 1.63 mm tief  
 Streuwert 4.44, horizontal: 4.12, vertikal: 4.73



Serie 5:  
 10.7 \* 10.3 ↖ 10.1 → 10.5 \* 10.0 →  
 10.6 \* 10.8 \* 10.2 ← 10.0 → 10.7 \*  
 beste Teiler 143.2 (47.) 183.2 (41.) 239.7 (50.)  
 Trefferlage 0.99 mm rechts, 0.30 mm hoch  
 Streuwert 3.68, horizontal: 4.78, vertikal: 2.04



Serie 6:  
 10.4 \* 10.8 \* 10.3 ↖ 10.1 ↓ 10.6 \*  
 10.3 \* 10.5 \* 10.8 \* 10.6 \* 10.8 \*  
 beste Teiler 109.0 (52.) 132.3 (60.) 153.3 (58.)  
 Trefferlage 0.64 mm links, 0.55 mm hoch  
 Streuwert 2.82, horizontal: 2.14, vertikal: 3.37

Meyton Elektronik

**KK liegend** – Wertung – **Junioren**

StandNr: 10

**Wadlegger, Stefan** #13

**StartNr: 10**

15. August 2020 12:48

T – SG Absam / Tirol 1



---

\_\_\_\_\_  
Unterschrift des Schützen


Meyton Elektronik




Ergebnis:	<b>593.4</b>	(566)						
Serien:	98.6	94.6	99.5	101.6	98.5	100.6		
Zähler:	30	26	4	0	0	0	0	0
Innenzehner:	21							
weiteste:	2024 (20), 1879 (11), 1814 (8)							
beste Teiler	111.4 (30.) 200.7 (60.) 215.2 (10.)							
Trefferlage	2.20 mm links, 0.03 mm hoch							
Streuwert	6.72, horizontal: 5.30, vertikal: 7.89							




Serie 1:					
	10.3 *	10.3 *	9.9 ←	9.4 ↑	9.7 ↘
	10.2 ←	10.0 ↘	8.7 ↓	9.4 ↙	10.7 *
beste Teiler	215.2 (10.) 489.6 (2.) 503.6 (1.)				
Trefferlage	0.81 mm links, 2.71 mm tief				
Streuwert	6.99, horizontal: 6.03, vertikal: 7.83				




Serie 2:					
	8.6 ↓	9.9 ←	9.9 ↗	9.0 ←	9.4 ↘
	10.4 *	9.0 ↓	10.6 *	9.4 ↘	8.4 ↑
beste Teiler	308.0 (18.) 472.0 (16.) 835.3 (12.)				
Trefferlage	0.32 mm links, 2.60 mm tief				
Streuwert	9.59, horizontal: 7.78, vertikal: 11.11				




Serie 3:					
	10.6 *	9.4 ↖	10.4 *	10.4 *	9.8 ↖
	9.3 ↖	10.3 ↙	9.4 ↑	9.1 ↑	10.8 *
beste Teiler	111.4 (30.) 282.8 (21.) 435.0 (24.)				
Trefferlage	3.89 mm links, 3.86 mm hoch				
Streuwert	5.60, horizontal: 4.88, vertikal: 6.24				



Serie 4:					
	10.2 ↓	10.5 *	10.3 *	10.5 *	9.3 ↙
	9.4 ↖	10.4 *	10.5 *	9.9 ↓	10.6 *
beste Teiler	279.3 (40.) 354.5 (34.) 365.3 (32.)				
Trefferlage	2.50 mm links, 1.35 mm tief				
Streuwert	4.91, horizontal: 3.20, vertikal: 6.16				



Serie 5:					
	9.5 ↖	10.5 *	10.5 *	8.9 ↑	10.1 →
	9.5 ↙	9.6 ↖	9.7 ↓	10.2 ↖	10.0 ↖
beste Teiler	322.0 (43.) 386.5 (42.) 591.8 (49.)				
Trefferlage	2.80 mm links, 2.73 mm hoch				
Streuwert	6.50, horizontal: 4.65, vertikal: 7.93				



Serie 6:					
	9.9 ←	10.5 *	10.6 *	9.2 ↖	10.0 ↓
	9.8 ↑	10.6 *	9.3 ↓	10.0 ↖	10.7 *
beste Teiler	200.7 (60.) 315.3 (53.) 318.2 (57.)				
Trefferlage	2.86 mm links, 0.30 mm hoch				
Streuwert	5.60, horizontal: 4.63, vertikal: 6.43				

Meyton Elektronik

**KK liegend** – Wertung – **Junioren**

StandNr: 11

**Kienberger, Dominik** #770208409

**StartNr: 11**

15. August 2020 12:35



ST– Kapfenberger SV / Steiermark 1

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **613.4** (582)  
 Serien: 103.2 102.0 102.2 103.5 102.2 100.3  
 Zähler: 42 18 0 0 0 0 0 0 0  
 Innenzehner: 32  
 weiteste: 1338 (17), 1300 (39), 1276 (56)  
 beste Teiler 98.3 (18.) 127.3 (38.) 142.5 (40.)  
 Trefferlage 1.22 mm links, 1.91 mm tief  
 Streuwert 4.52, horizontal: 4.71, vertikal: 4.31




Serie 1:  
 10.4 \*                      10.4 \*                      10.7 \*                      10.6 \*                      9.8 ↓  
 10.2 ↙                      10.4 \*                      10.6 \*                      9.9 ↘                      10.2 ↘  
 beste Teiler 182.8 (3.) 289.9 (8.) 291.5 (4.)  
 Trefferlage 0.03 mm links, 3.56 mm tief  
 Streuwert 3.14, horizontal: 3.57, vertikal: 2.64




Serie 2:  
 10.7 \*                      10.1 ↓                      9.9 ←                      10.5 \*                      10.4 \*  
 9.8 ↘                      9.3 ↙                      10.8 \*                      10.7 \*                      9.8 ↖  
 beste Teiler 98.3 (18.) 188.7 (11.) 191.4 (19.)  
 Trefferlage 0.85 mm links, 1.79 mm tief  
 Streuwert 5.08, horizontal: 5.71, vertikal: 4.37




Serie 3:  
 10.5 \*                      9.7 ↓                      10.7 \*                      10.3 \*                      10.1 ←  
 9.9 ↘                      10.3 ←                      10.7 \*                      9.5 ↓                      10.5 \*  
 beste Teiler 196.7 (23.) 200.5 (28.) 378.0 (21.)  
 Trefferlage 0.72 mm links, 3.52 mm tief  
 Streuwert 4.23, horizontal: 4.35, vertikal: 4.10



Serie 4:  
 10.6 \*                      10.6 \*                      10.6 \*                      9.7 ↖                      10.4 \*  
 10.0 ←                      10.7 \*                      10.8 \*                      9.3 ←                      10.8 \*  
 beste Teiler 127.3 (38.) 142.5 (40.) 225.8 (37.)  
 Trefferlage 3.18 mm links, 0.26 mm hoch  
 Streuwert 3.96, horizontal: 4.66, vertikal: 3.09



Serie 5:  
 9.9 ↗                      10.0 ↖                      9.9 ←                      10.7 \*                      9.6 ↘  
 10.4 \*                      10.5 \*                      10.3 \*                      10.4 \*                      10.5 \*  
 beste Teiler 226.1 (44.) 321.7 (50.) 380.3 (47.)  
 Trefferlage 0.41 mm links, 0.54 mm tief  
 Streuwert 4.75, horizontal: 5.12, vertikal: 4.34



Serie 6:  
 10.6 \*                      10.3 \*                      9.5 ↓                      10.6 \*                      9.6 ↖  
 9.4 ↗                      9.8 ↓                      10.2 ↖                      10.1 ↗                      10.2 ↓  
 beste Teiler 282.7 (51.) 305.5 (54.) 506.0 (52.)  
 Trefferlage 2.12 mm links, 2.35 mm tief  
 Streuwert 5.61, horizontal: 5.05, vertikal: 6.11

Meyton Elektronik

**KK liegend** – Wertung – **Junioren**

StandNr: 29

**Waibel, Kiano** #9

**StartNr: 29**

15. August 2020 13:00

V – SG Hohenems / Vorarlberg 1

---

\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik