

Ergebnis: **599.8** (571)

Serien: 100.6 98.9 98.7 100.1 100.0 101.5

Zähler: 32 27 1 0 0 0 0 0 0 0



Innenzehner: 16

weiteste: 1916 (3), 1549 (12), 1469 (25)

beste Teiler 80.6 (8.) 102.8 (5.) 142.0 (48.)

Trefferlage 1.78 mm links, 0.17 mm tief

Streuwert 5.90, horizontal: 5.98, vertikal: 5.82




Serie 1:

| | | | | |
|--------|-------|--------|--------|--------|
| 10.1 ↓ | 9.9 ↘ | 8.6 ↘ | 10.2 ↑ | 10.8 * |
| 9.8 → | 9.7 ↘ | 10.9 * | 9.9 ↓ | 10.7 * |

beste Teiler 80.6 (8.) 102.8 (5.) 185.5 (10.)

Trefferlage 0.34 mm links, 0.46 mm hoch

Streuwert 6.52, horizontal: 5.91, vertikal: 7.08




Serie 2:

| | | | | |
|-------|-------|--------|--------|--------|
| 9.7 ← | 9.0 ← | 10.4 * | 10.0 ← | 9.8 ↘ |
| 9.6 ↓ | 9.9 ← | 9.9 ↓ | 10.6 * | 10.0 ← |

beste Teiler 301.3 (19.) 425.9 (13.) 777.8 (20.)

Trefferlage 4.72 mm links, 1.57 mm tief

Streuwert 5.65, horizontal: 6.37, vertikal: 4.82




Serie 3:

| | | | | |
|--------|--------|--------|-------|--------|
| 9.6 ← | 10.2 ↙ | 9.6 ↑ | 9.4 ↗ | 9.1 ↓ |
| 10.1 ↗ | 10.2 ↙ | 10.7 * | 9.6 ↙ | 10.2 ↘ |

beste Teiler 168.1 (28.) 592.0 (30.) 628.4 (22.)

Trefferlage 1.24 mm links, 0.35 mm tief

Streuwert 6.98, horizontal: 6.49, vertikal: 7.44




Serie 4:

| | | | | |
|--------|--------|--------|--------|--------|
| 10.1 ↖ | 10.3 * | 10.4 * | 9.6 ↗ | 10.3 * |
| 10.2 ↓ | 9.6 ↙ | 10.1 ↙ | 10.0 → | 9.5 ← |

beste Teiler 432.7 (33.) 491.7 (32.) 500.7 (35.)

Trefferlage 2.39 mm links, 0.74 mm tief

Streuwert 5.56, horizontal: 5.95, vertikal: 5.14




Serie 5:

| | | | | |
|-------|-------|--------|--------|-------|
| 9.8 ↘ | 9.8 ↗ | 10.5 * | 10.4 * | 9.8 ↓ |
| 9.8 ↘ | 9.5 ↘ | 10.8 * | 9.7 → | 9.9 ↘ |

beste Teiler 142.0 (48.) 339.1 (43.) 429.1 (44.)

Trefferlage 0.02 mm rechts, 1.60 mm hoch

Streuwert 5.89, horizontal: 5.82, vertikal: 5.96



Serie 6:

| | | | | |
|--------|--------|--------|--------|--------|
| 10.0 ↑ | 10.7 * | 9.6 → | 10.1 ↓ | 10.4 * |
| 10.7 * | 9.3 ← | 10.0 ↓ | 10.5 * | 10.2 ← |

beste Teiler 164.8 (56.) 184.9 (52.) 374.4 (59.)

Trefferlage 2.02 mm links, 0.45 mm tief

Streuwert 5.30, horizontal: 5.56, vertikal: 5.02

Meyton Elektronik

ISSF Prone Men – Wertung – Juniorinnen

StandNr: 16

Rangger, Patricia #207

StartNr: 9



15. Juli 2018 9:43

SG_Mieming


Unterschrift des Schützen

Meyton Elektronik


| | | |
|--------------|--|-------|
| Ergebnis: | 595.8 | (568) |
| Serien: | 100.5 99.8 97.7 99.4 99.9 98.5 | |
| Zähler: | 31 26 3 0 0 0 0 0 0 0 | |
| Innenzehner: | 21 | |
| weiteste: | 2136 (21), 1785 (59), 1761 (27) | |
| beste Teiler | 131.7 (7.) 145.2 (26.) 176.4 (52.) | |
| Trefferlage | 1.38 mm links, 1.23 mm hoch | |
| Streuwert | 6.51, horizontal: 6.46, vertikal: 6.56 | |




| | | | | |
|--------------|--|--------|-------|--------|
| Serie 1: | | | | |
| 10.4 * | 9.7 ↘ | 9.9 ↘ | 9.7 ↓ | 9.6 ↗ |
| 10.3 ↘ | 10.8 * | 10.3 * | 9.3 ↗ | 10.5 * |
| beste Teiler | 131.7 (7.) 327.2 (10.) 431.1 (1.) | | | |
| Trefferlage | 0.89 mm rechts, 2.56 mm hoch | | | |
| Streuwert | 5.60, horizontal: 4.43, vertikal: 6.56 | | | |




| | | | | |
|--------------|--|--------|--------|--------|
| Serie 2: | | | | |
| 9.4 ↑ | 10.0 ↓ | 10.4 * | 10.0 ↘ | 9.9 ↗ |
| 10.5 * | 10.5 * | 9.0 ↙ | 10.1 ↑ | 10.0 ↗ |
| beste Teiler | 363.4 (16.) 380.7 (17.) 445.4 (13.) | | | |
| Trefferlage | 3.68 mm links, 2.13 mm hoch | | | |
| Streuwert | 5.39, horizontal: 4.63, vertikal: 6.05 | | | |




| | | | | |
|--------------|--|--------|--------|--------|
| Serie 3: | | | | |
| 8.3 ↘ | 10.1 ↙ | 9.2 ↙ | 10.4 * | 9.4 ← |
| 10.8 * | 8.7 ↗ | 10.1 ↘ | 10.4 * | 10.3 ↓ |
| beste Teiler | 145.2 (26.) 443.8 (24.) 460.3 (29.) | | | |
| Trefferlage | 5.48 mm links, 2.66 mm hoch | | | |
| Streuwert | 7.12, horizontal: 7.26, vertikal: 6.98 | | | |



| | | | | |
|--------------|--|--------|-------|--------|
| Serie 4: | | | | |
| 9.4 ↘ | 9.9 ↘ | 10.5 * | 9.6 ↓ | 9.7 ↓ |
| 10.4 * | 9.1 ↗ | 10.5 * | 9.7 ↗ | 10.6 * |
| beste Teiler | 259.3 (40.) 335.2 (33.) 341.1 (38.) | | | |
| Trefferlage | 1.43 mm links, 1.50 mm tief | | | |
| Streuwert | 6.61, horizontal: 5.81, vertikal: 7.33 | | | |



| | | | | |
|--------------|--|--------|-------|-------|
| Serie 5: | | | | |
| 10.5 * | 9.5 ↗ | 10.0 ↓ | 9.7 ↗ | 9.2 ↓ |
| 10.6 * | 10.6 * | 10.3 * | 9.7 ↗ | 9.8 ↓ |
| beste Teiler | 267.4 (47.) 291.3 (46.) 386.3 (41.) | | | |
| Trefferlage | 2.20 mm rechts, 0.30 mm tief | | | |
| Streuwert | 6.11, horizontal: 4.47, vertikal: 7.40 | | | |



| | | | | |
|--------------|--|-------|--------|--------|
| Serie 6: | | | | |
| 9.6 → | 10.7 * | 9.4 ↘ | 10.5 * | 9.8 ← |
| 10.1 → | 9.2 → | 9.9 ↘ | 8.7 ↘ | 10.6 * |
| beste Teiler | 176.4 (52.) 312.1 (60.) 360.4 (54.) | | | |
| Trefferlage | 0.81 mm links, 1.83 mm hoch | | | |
| Streuwert | 7.41, horizontal: 8.99, vertikal: 5.40 | | | |

Meyton Elektronik

ISSF Prone Men – Wertung – Juniorinnen

StandNr: 18

Leopold,, Magdalena #70802029

StartNr: 11



15. Juli 2018 9:41

SG_Aschau


Unterschrift des Schützen

Meyton Elektronik


| | | | | | | | | | |
|--------------|--------------------------------|----------------|-------------|-------|-------|-------|---|---|---|
| Ergebnis: | 612.6 | (586) | | | | | | | |
| Serien: | 101.8 | 101.5 | 102.0 | 101.1 | 103.0 | 103.2 | | | |
| Zähler: | 46 | 14 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Innenzehner: | 25 | | | | | | | | |
| weiteste: | 1381 (36), 1111 (54), 1087 (4) | | | | | | | | |
| beste Teiler | 43.8 (59.) | 128.3 (56.) | 217.4 (47.) | | | | | | |
| Trefferlage | 1.62 mm rechts, | 1.97 mm hoch | | | | | | | |
| Streuwert | 4.30, horizontal: 4.86, | vertikal: 3.66 | | | | | | | |




| | | | | | |
|--------------|-------------------------|----------------|------------|-------|--------|
| Serie 1: | 10.0 ↘ | 10.3 * | 10.5 * | 9.6 → | 10.1 → |
| | 10.5 * | 10.6 * | 10.6 * | 9.6 ↑ | 10.0 → |
| beste Teiler | 288.7 (8.) | 296.7 (7.) | 366.0 (6.) | | |
| Trefferlage | 4.31 mm rechts, | 1.32 mm hoch | | | |
| Streuwert | 3.78, horizontal: 3.37, | vertikal: 4.15 | | | |




| | | | | | |
|--------------|-------------------------|----------------|-------------|--------|--------|
| Serie 2: | 9.8 ↗ | 10.0 ↗ | 10.4 * | 9.7 → | 9.9 ← |
| | 10.1 ↘ | 10.4 * | 10.2 ↘ | 10.4 * | 10.6 * |
| beste Teiler | 314.0 (20.) | 431.7 (17.) | 444.1 (19.) | | |
| Trefferlage | 0.98 mm rechts, | 2.88 mm hoch | | | |
| Streuwert | 4.60, horizontal: 5.51, | vertikal: 3.45 | | | |




| | | | | | |
|--------------|-------------------------|----------------|-------------|--------|--------|
| Serie 3: | 10.3 → | 10.0 ↑ | 10.2 ↗ | 10.2 → | 10.6 * |
| | 10.0 → | 10.1 ← | 9.8 ↗ | 10.5 * | 10.3 → |
| beste Teiler | 251.3 (25.) | 323.1 (29.) | 533.4 (21.) | | |
| Trefferlage | 3.67 mm rechts, | 2.16 mm hoch | | | |
| Streuwert | 3.36, horizontal: 3.96, | vertikal: 2.63 | | | |



| | | | | | |
|--------------|-------------------------|----------------|-------------|--------|--------|
| Serie 4: | 10.5 * | 9.9 ← | 10.5 * | 10.5 * | 10.2 ↗ |
| | 9.2 ↘ | 10.6 * | 10.1 ↑ | 9.7 → | 9.9 ↗ |
| beste Teiler | 290.0 (37.) | 334.0 (31.) | 386.0 (34.) | | |
| Trefferlage | 0.87 mm rechts, | 2.77 mm hoch | | | |
| Streuwert | 5.12, horizontal: 5.97, | vertikal: 4.09 | | | |



| | | | | | |
|--------------|-------------------------|----------------|-------------|--------|--------|
| Serie 5: | 9.9 ↘ | 9.9 ↑ | 10.4 * | 10.2 → | 10.7 * |
| | 9.9 → | 10.7 * | 10.6 * | 10.2 → | 10.5 * |
| beste Teiler | 217.4 (47.) | 230.9 (45.) | 289.5 (48.) | | |
| Trefferlage | 2.30 mm rechts, | 1.06 mm hoch | | | |
| Streuwert | 3.87, horizontal: 3.96, | vertikal: 3.78 | | | |



| | | | | | |
|--------------|-------------------------|----------------|-------------|--------|--------|
| Serie 6: | 10.3 * | 10.1 ← | 10.5 * | 9.6 ↑ | 10.6 * |
| | 10.8 * | 10.0 ↘ | 10.1 ← | 10.9 * | 10.3 ← |
| beste Teiler | 43.8 (59.) | 128.3 (56.) | 317.8 (55.) | | |
| Trefferlage | 2.42 mm links, | 1.61 mm hoch | | | |
| Streuwert | 3.93, horizontal: 3.66, | vertikal: 4.18 | | | |

Meyton Elektronik

ISSF Prone Men – Wertung – Junioren

StandNr: 33

Mair,, Tobias #1000000111

StartNr: 26

15. Juli 2018 9:46

SG_Innervillgraten

Unterschrift des Schützen

Meyton Elektronik