





Ergebnis:	560.0	(534)
Serien:	92.2 93.3 95.7 94.9 93.2 90.7	
Zähler:	16 29 11 2 1 1 0 0 0 0	
Innenzehner:	12	
weiteste:	1436 (55), 1108 (57), 987 (4)	
beste Teiler	76.4 (51.) 96.1 (3.) 98.0 (29.)	
Trefferlage	0.27 mm rechts, 0.37 mm hoch	
Streuwert	3.37, horizontal: 3.73, vertikal: 2.96	




Serie 1:	9.7 ↘	9.7 ↘	10.6 *	7.0 →	9.8 ←
	8.3 ↗	8.6 ↖	9.7 ↙	9.3 ↗	9.5 ↘
beste Teiler	96.1 (3.)	293.6 (5.)	301.0 (2.)		
Trefferlage	0.21 mm rechts, 1.09 mm hoch				
Streuwert	3.58, horizontal: 4.14, vertikal: 2.91				




Serie 2:	9.4 ←	8.4 ↙	9.4 ↘	9.3 ←	9.5 ↗
	10.1 →	9.6 ↗	9.8 ↘	9.0 ←	8.8 ↗
beste Teiler	220.9 (16.)	284.1 (18.)	327.2 (17.)		
Trefferlage	0.32 mm links, 0.30 mm hoch				
Streuwert	3.14, horizontal: 3.56, vertikal: 2.66				




Serie 3:	8.7 →	9.5 ↘	10.4 *	7.8 ↗	10.1 ↓
	10.2 *	10.2 *	8.7 ↓	10.6 *	9.5 ↓
beste Teiler	98.0 (29.)	145.6 (23.)	183.2 (26.)		
Trefferlage	1.47 mm rechts, 0.37 mm tief				
Streuwert	2.84, horizontal: 2.80, vertikal: 2.89				



Serie 4:	8.8 ←	9.5 ↙	10.3 *	9.0 ↙	9.0 ↓
	10.2 *	9.3 ↖	10.2 *	8.7 ↙	9.9 ←
beste Teiler	171.9 (33.)	190.7 (36.)	193.1 (38.)		
Trefferlage	1.54 mm links, 0.96 mm tief				
Streuwert	2.62, horizontal: 2.81, vertikal: 2.42				



Serie 5:	9.4 ↗	8.4 →	9.5 ↓	9.7 ←	9.7 ←
	10.0 ↓	10.5 *	8.4 ↗	9.6 ↙	8.0 ←
beste Teiler	111.0 (47.)	242.2 (46.)	308.3 (44.)		
Trefferlage	0.32 mm links, 0.01 mm tief				
Streuwert	3.33, horizontal: 3.86, vertikal: 2.71				



Serie 6:	10.6 *	10.3 *	9.7 ↙	9.1 ↗	5.2 →
	10.4 *	6.5 ↗	10.0 ↗	9.7 ↘	9.2 ↘
beste Teiler	76.4 (51.)	146.4 (56.)	173.9 (52.)		
Trefferlage	2.12 mm rechts, 2.21 mm hoch				
Streuwert	4.12, horizontal: 4.57, vertikal: 3.62				

Meyton Elektronik



ISSF AR Men – Wertung – **Junioren**
StandNr: 129
Luchessa, Aris #70817250

StartNr: 76
21. Juli 2017 11:24
Tessin / Tessin

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	585.7	(557)
Serien:	100.9 99.4 96.0 94.4 98.7 96.3	
Zähler:	23 31 6 0 0 0 0 0 0	
Innenzehner:	13	
weiteste:	671 (34), 578 (17), 560 (36)	
beste Teiler	29.0 (12.) 50.2 (9.) 70.1 (10.)	
Trefferlage	0.09 mm rechts, 0.73 mm tief	
Streuwert	2.29, horizontal: 2.69, vertikal: 1.81	




Serie 1:

9.9 ↑	9.1 →	10.4 *	9.6 ✓	10.0 ↗
10.0 ↗	10.4 *	10.0 →	10.8 *	10.7 *
beste Teiler	50.2 (9.) 70.1 (10.) 135.3 (7.)			
Trefferlage	0.74 mm rechts, 0.56 mm hoch			
Streuwert	1.71, horizontal: 1.75, vertikal: 1.66			




Serie 2:

10.6 *	10.8 *	9.2 ←	9.7 ✓	9.9 →
10.4 *	8.6 ←	10.1 ↗	9.8 ←	10.3 *
beste Teiler	29.0 (12.) 90.4 (11.) 146.1 (16.)			
Trefferlage	0.86 mm links, 0.11 mm tief			
Streuwert	2.11, horizontal: 2.59, vertikal: 1.46			




Serie 3:

9.6 →	9.9 →	9.5 ↓	10.5 *	9.0 ←
8.9 →	9.7 ←	10.0 →	9.4 ✓	9.5 ↓
beste Teiler	116.9 (24.) 241.1 (28.) 275.5 (22.)			
Trefferlage	0.16 mm rechts, 1.38 mm tief			
Streuwert	2.44, horizontal: 3.06, vertikal: 1.60			




Serie 4:

10.0 ↓	10.3 *	9.9 →	8.3 ←	9.2 →
8.7 ←	9.7 ↓	8.9 ←	9.5 ✓	9.9 ↗
beste Teiler	165.5 (32.) 242.8 (31.) 263.2 (40.)			
Trefferlage	1.19 mm links, 1.49 mm tief			
Streuwert	2.71, horizontal: 3.50, vertikal: 1.54			



Serie 5:

9.9 →	9.7 ✓	10.7 *	10.0 ↓	8.7 →
9.8 ←	10.1 ↓	10.0 ↗	10.0 ←	9.8 ←
beste Teiler	72.8 (43.) 221.0 (47.) 244.1 (49.)			
Trefferlage	0.09 mm rechts, 0.86 mm tief			
Streuwert	2.11, horizontal: 2.61, vertikal: 1.45			



Serie 6:

10.2 *	9.2 ↓	9.7 ↓	10.5 *	9.4 ↓
9.8 ↓	9.2 ↓	9.3 →	9.5 →	9.5 ↑
beste Teiler	120.9 (54.) 190.4 (51.) 289.2 (56.)			
Trefferlage	1.61 mm rechts, 1.11 mm tief			
Streuwert	2.15, horizontal: 1.83, vertikal: 2.43			

Meyton Elektronik

ISSF AR Men – Wertung – Junioren

StandNr: 130

Petschen, Leandro #70817251

StartNr: 77

21. Juli 2017 11:36

Graubünden / Graubünden

Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **577.0** (553)

Serien: 95.6 97.4 97.4 100.2 94.0 92.4

Zähler: 24 28 5 3 0 0 0 0 0 0



Innenzehner: 14

weiteste: 955 (57), 899 (59), 795 (4)

beste Teiler 42.2 (39.) 89.0 (53.) 93.2 (1.)

Trefferlage 0.01 mm rechts, 0.31 mm hoch

Streuwert 2.72, horizontal: 3.08, vertikal: 2.31




Serie 1:

10.6 *	8.6 ←	9.4 ↖	7.8 ↗	8.7 ↗
10.5 *	10.1 ↑	9.3 →	10.1 ↑	10.5 *

beste Teiler 93.2 (1.) 120.9 (6.) 125.1 (10.)

Trefferlage 0.27 mm links, 2.19 mm hoch

Streuwert 2.62, horizontal: 2.86, vertikal: 2.35




Serie 2:

10.0 ↖	10.1 ↓	10.0 ↖	9.8 ↖	9.0 →
9.8 →	9.8 ←	9.7 ↓	10.2 *	9.0 ↖

beste Teiler 188.0 (19.) 206.9 (12.) 238.3 (13.)

Trefferlage 0.31 mm links, 0.74 mm hoch

Streuwert 2.32, horizontal: 2.57, vertikal: 2.03




Serie 3:

10.0 ↖	9.7 ↗	10.2 *	9.8 ↓	10.6 *
9.4 →	9.3 ↓	9.3 ↗	9.5 ↗	9.6 ←

beste Teiler 100.8 (25.) 198.4 (23.) 250.2 (21.)

Trefferlage 0.74 mm rechts, 0.49 mm hoch

Streuwert 2.29, horizontal: 2.42, vertikal: 2.15




Serie 4:

10.1 ↖	10.2 *	9.9 ←	10.3 *	10.5 *
8.9 →	9.7 →	10.1 ↓	10.8 *	9.7 ↖

beste Teiler 42.2 (39.) 108.3 (35.) 161.5 (34.)

Trefferlage 0.69 mm rechts, 0.68 mm tief

Streuwert 1.81, horizontal: 2.21, vertikal: 1.28




Serie 5:

10.3 *	9.2 ↓	10.2 *	8.8 ↘	9.5 ↓
9.3 ↓	8.1 ←	10.0 ↓	9.6 ↗	9.0 →

beste Teiler 155.7 (41.) 196.1 (43.) 245.7 (48.)

Trefferlage 0.17 mm rechts, 1.70 mm tief

Streuwert 2.88, horizontal: 3.35, vertikal: 2.31



Serie 6:

10.2 *	9.4 ←	10.6 *	10.1 ↓	9.4 →
9.4 ↗	7.1 ←	9.2 ↗	7.4 ←	9.6 ↗

beste Teiler 89.0 (53.) 200.6 (51.) 222.0 (54.)

Trefferlage 0.92 mm links, 0.82 mm hoch

Streuwert 3.67, horizontal: 4.82, vertikal: 1.93

Meyton Elektronik

ISSF AR Men – Wertung – Junioren

StandNr: 131

Gianoni, Mario #70817252

StartNr: 78



21. Juli 2017 11:34

Tessin / Tessin

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	605.6	(577)
Serien:	99.6	101.2 101.2 102.0 101.3 100.3
Zähler:	37	23 0 0 0 0 0 0 0 0
Innenzehner:	28	
weiteste:	460 (59), 427 (8), 413 (56)	
beste Teiler	34.0 (38.)	56.5 (50.) 59.2 (4.)
Trefferlage	0.63 mm rechts, 0.02 mm hoch	
Streuwert	1.64, horizontal: 1.75, vertikal: 1.53	




Serie 1:

9.8 ↘	9.7 ↖	10.3 *	10.7 *	10.4 *
10.1 ↘	9.9 ↑	9.2 ↗	9.5 →	10.0 →
beste Teiler	59.2 (4.) 127.2 (5.) 153.3 (3.)			
Trefferlage	1.35 mm rechts, 0.82 mm hoch			
Streuwert	1.59, horizontal: 1.73, vertikal: 1.44			




Serie 2:

9.6 ↖	10.0 →	10.6 *	9.8 →	10.5 *
10.2 *	9.9 ↗	9.9 ↗	10.1 →	10.6 *
beste Teiler	94.3 (13.) 98.8 (20.) 122.7 (15.)			
Trefferlage	0.92 mm rechts, 1.19 mm hoch			
Streuwert	1.27, horizontal: 1.66, vertikal: 0.69			




Serie 3:

10.5 *	9.6 ↖	10.5 *	9.6 ↖	10.1 ↓
9.8 ↘	9.6 ↘	10.6 *	10.3 *	10.6 *
beste Teiler	89.2 (30.) 96.4 (28.) 103.6 (23.)			
Trefferlage	0.13 mm rechts, 0.16 mm hoch			
Streuwert	1.73, horizontal: 1.76, vertikal: 1.69			




Serie 4:

10.5 *	10.3 *	10.2 *	9.5 ↖	9.9 ↖
10.1 ↓	10.2 *	10.8 *	10.3 *	10.2 *
beste Teiler	34.0 (38.) 102.8 (31.) 154.7 (39.)			
Trefferlage	0.17 mm rechts, 0.17 mm tief			
Streuwert	1.50, horizontal: 1.56, vertikal: 1.44			



Serie 5:

10.7 *	10.1 ↗	9.5 ↘	9.9 ←	10.1 →
9.3 ←	10.6 *	10.5 *	9.9 ↘	10.7 *
beste Teiler	56.5 (50.) 68.6 (41.) 99.5 (47.)			
Trefferlage	0.03 mm links, 0.69 mm tief			
Streuwert	1.68, horizontal: 2.10, vertikal: 1.11			



Serie 6:

10.6 *	10.6 *	10.2 *	10.4 *	10.3 *
9.3 ↘	10.1 →	9.8 ↘	9.1 ↓	9.9 →
beste Teiler	83.8 (51.) 84.3 (52.) 135.9 (54.)			
Trefferlage	1.23 mm rechts, 1.13 mm tief			
Streuwert	1.48, horizontal: 1.50, vertikal: 1.47			

Meyton Elektronik

ISSF AR Men – Wertung – **Junioren**

StandNr: 132

Sohm, Jodok #103

StartNr: 79



21. Juli 2017 11:27

Vorarlberg / Vorarlberg


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	566.0	(539)
Serien:	97.5 92.4 92.4 97.5 93.6 92.6	
Zähler:	18 25 16 0 1 0 0 0 0 0	
Innenzehner:	14	
weiteste:	1051 (30), 730 (60), 723 (47)	
beste Teiler	20.1 (35.) 69.4 (43.) 101.8 (20.)	
Trefferlage	0.30 mm links, 0.12 mm tief	
Streuwert	3.08, horizontal: 3.33, vertikal: 2.82	




Serie 1:	10.0 ↖	10.5 *	10.0 ↑	9.9 ←	10.2 *
	8.3 ↘	10.5 *	9.8 ↘	9.5 →	8.8 →
beste Teiler	118.2 (2.)	123.0 (7.)	196.7 (5.)		
Trefferlage	0.41 mm rechts, 0.25 mm hoch				
Streuwert	2.54, horizontal: 2.95, vertikal: 2.05				




Serie 2:	8.2 ↗	10.3 *	8.3 ←	8.2 ↓	9.3 ↘
	9.9 ↘	9.8 ←	8.1 ←	9.8 ↘	10.5 *
beste Teiler	101.8 (20.)	158.2 (12.)	268.7 (16.)		
Trefferlage	2.19 mm links, 1.58 mm tief				
Streuwert	2.99, horizontal: 3.16, vertikal: 2.81				




Serie 3:	9.7 ↑	9.7 ↑	9.8 ↘	9.3 ↘	8.5 →
	9.5 ↖	10.4 *	8.9 ↖	9.9 ↖	6.7 →
beste Teiler	142.4 (27.)	265.6 (29.)	278.1 (23.)		
Trefferlage	0.66 mm rechts, 0.72 mm hoch				
Streuwert	3.60, horizontal: 4.29, vertikal: 2.74				



Serie 4:	9.9 ↗	10.3 *	9.0 ↖	9.5 ↘	10.9 *
	10.1 ↘	9.8 ←	9.0 ↓	8.8 ↖	10.2 *
beste Teiler	20.1 (35.)	161.6 (32.)	178.2 (40.)		
Trefferlage	1.09 mm links, 0.05 mm tief				
Streuwert	2.40, horizontal: 2.52, vertikal: 2.28				



Serie 5:	10.0 ←	9.0 ↖	10.7 *	9.8 ↘	9.1 ←
	9.6 ↑	8.1 ↗	8.3 ↗	10.3 *	8.7 ↓
beste Teiler	69.4 (43.)	165.4 (49.)	236.5 (41.)		
Trefferlage	0.26 mm rechts, 0.70 mm hoch				
Streuwert	3.32, horizontal: 3.44, vertikal: 3.19				



Serie 6:	10.3 *	8.8 ↘	10.2 *	9.0 ↑	8.7 ↑
	8.6 ←	9.8 ↗	10.2 *	9.0 →	8.0 ↓
beste Teiler	158.6 (51.)	188.1 (53.)	200.0 (58.)		
Trefferlage	0.10 mm rechts, 0.81 mm tief				
Streuwert	3.39, horizontal: 3.25, vertikal: 3.53				

Meyton Elektronik

ISSF AR Men – Wertung – **Junioren**

StandNr: 133

Coccia, Tino #70817253

StartNr: 80



21. Juli 2017 11:24

Graubünden / Graubünden


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	585.6	(560)
Serien:	94.4	97.9 97.5 97.2 99.1 99.5
Zähler:	26 28 6 0 0 0 0 0 0	
Innenzehner:	11	
weiteste:	585 (9), 577 (35), 555 (10)	
beste Teiler	50.1 (2.) 87.5 (53.) 101.4 (12.)	
Trefferlage	0.19 mm rechts, 0.39 mm hoch	
Streuwert	2.29, horizontal: 2.66, vertikal: 1.86	




Serie 1:	10.0 ↗	10.8 *	9.8 ↑	9.3 ↗	9.5 →
	8.8 ←	9.9 ←	9.0 ↘	8.6 ↖	8.7 ↖
beste Teiler	50.1 (2.)	232.4 (1.)	263.6 (7.)		
Trefferlage	1.35 mm links, 1.64 mm hoch				
Streuwert	2.59, horizontal: 3.26, vertikal: 1.69				




Serie 2:	10.4 *	10.5 *	9.7 →	10.0 ↗	9.4 →
	10.0 ↙	9.5 ↖	9.7 ↖	8.9 ↗	9.8 ↘
beste Teiler	101.4 (12.)	136.4 (11.)	235.8 (14.)		
Trefferlage	0.14 mm rechts, 1.07 mm hoch				
Streuwert	2.20, horizontal: 2.82, vertikal: 1.31				




Serie 3:	10.3 *	9.6 ↓	9.4 ↘	9.9 ↘	9.5 →
	8.9 ↖	9.7 ↓	10.3 *	10.5 *	9.4 ↓
beste Teiler	107.9 (29.)	152.9 (21.)	153.8 (28.)		
Trefferlage	0.49 mm rechts, 0.53 mm tief				
Streuwert	2.33, horizontal: 2.52, vertikal: 2.13				



Serie 4:	10.1 ↗	9.2 ↘	10.5 *	9.5 ↘	8.6 →
	10.0 ↓	10.1 ↖	10.0 ↓	9.1 ←	10.1 →
beste Teiler	114.2 (33.)	205.2 (37.)	211.3 (40.)		
Trefferlage	1.03 mm rechts, 0.56 mm tief				
Streuwert	2.34, horizontal: 2.74, vertikal: 1.85				



Serie 5:	10.5 *	9.6 ↘	10.1 ↑	9.7 ↙	9.8 →
	9.7 ↘	10.5 *	9.0 →	10.1 ↓	10.1 ←
beste Teiler	115.6 (41.)	123.5 (47.)	209.8 (50.)		
Trefferlage	0.12 mm links, 0.38 mm hoch				
Streuwert	2.08, horizontal: 2.33, vertikal: 1.79				



Serie 6:	10.1 ↗	9.2 ↗	10.6 *	10.0 ↖	10.4 *
	9.8 →	10.1 ↘	9.6 ↙	9.7 →	10.0 ↗
beste Teiler	87.5 (53.)	150.4 (55.)	201.8 (51.)		
Trefferlage	0.96 mm rechts, 0.38 mm hoch				
Streuwert	1.85, horizontal: 2.03, vertikal: 1.66				

ISSF AR Men – Wertung – **Junioren**

StandNr: 134

Stricker, Stefan #70817254

StartNr: 81



21. Juli 2017 11:29

Südtirol / Südtirol


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	592.7	(566)						
Serien:	98.0	98.4	100.1	99.2	100.2	96.8		
Zähler:	30	26	4	0	0	0	0	
Innenzehner:	22							
weiteste:	733 (32), 605 (56), 564 (42)							
beste Teiler	41.1 (58.) 56.3 (30.) 73.0 (55.)							
Trefferlage	0.52 mm links, 0.43 mm hoch							
Streuwert	2.11, horizontal: 2.25, vertikal: 1.96							




Serie 1:	10.5 *	9.3 ↖	9.8 ←	9.6 ↗	9.9 ↘
	8.9 ↓	10.0 ↗	9.8 ↘	10.0 ↘	10.2 *
beste Teiler	112.6 (1.) 188.1 (10.) 228.2 (9.)				
Trefferlage	0.09 mm links, 0.17 mm tief				
Streuwert	2.27, horizontal: 1.80, vertikal: 2.65				




Serie 2:	9.7 ↓	9.6 ↗	10.6 *	9.5 ←	9.7 ↖
	10.0 ↗	9.3 ↑	10.3 *	10.1 ↖	9.6 ↗
beste Teiler	90.7 (13.) 166.5 (18.) 214.6 (19.)				
Trefferlage	0.02 mm rechts, 0.62 mm hoch				
Streuwert	2.16, horizontal: 2.26, vertikal: 2.05				




Serie 3:	9.8 ↖	10.7 *	10.2 *	10.0 ↓	10.3 *
	10.0 ↑	9.1 ↗	10.0 ↘	9.3 ↖	10.7 *
beste Teiler	56.3 (30.) 73.3 (22.) 163.5 (25.)				
Trefferlage	0.03 mm links, 0.14 mm hoch				
Streuwert	1.98, horizontal: 2.07, vertikal: 1.89				



Serie 4:	10.6 *	8.0 ←	10.4 *	9.6 ↖	10.0 ↓
	10.3 *	10.3 *	9.8 ↗	10.3 *	9.9 ←
beste Teiler	97.0 (31.) 129.2 (33.) 164.5 (36.)				
Trefferlage	1.10 mm links, 0.36 mm hoch				
Streuwert	2.15, horizontal: 2.66, vertikal: 1.49				



Serie 5:	10.5 *	8.7 ↖	9.8 ↖	9.9 ↓	9.7 ←
	10.4 *	10.2 *	10.2 *	10.4 *	10.4 *
beste Teiler	107.8 (41.) 126.0 (49.) 134.5 (50.)				
Trefferlage	1.32 mm links, 0.50 mm hoch				
Streuwert	1.65, horizontal: 1.44, vertikal: 1.83				



Serie 6:	10.6 *	9.2 ↖	9.7 ↗	9.4 ↖	10.7 *
	8.5 ←	9.1 ↘	10.8 *	9.7 ↗	9.1 ↖
beste Teiler	41.1 (58.) 73.0 (55.) 94.0 (51.)				
Trefferlage	0.64 mm links, 1.14 mm hoch				
Streuwert	2.56, horizontal: 3.06, vertikal: 1.93				

Meyton Elektronik

ISSF AR Men – Wertung – Junioren

StandNr: 135

Pisoni, Kevin #70817255

StartNr: 82

21. Juli 2017 11:47

Tessin / Tessin

Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **513.9** (494)

Serien: 85.6 89.4 74.2 89.4 84.3 91.0

Zähler: 11 19 12 13 3 0 2 0 0 0



Innenzehner: 4

weiteste: 1701 (21), 1577 (24), 1217 (3)

beste Teiler 103.0 (41.) 107.8 (55.) 153.0 (11.)

Trefferlage 2.47 mm links, 0.71 mm hoch

Streuwert 4.55, horizontal: 5.39, vertikal: 3.51




Serie 1:

8.2 ↙	8.8 ↘	6.1 ←	9.7 ↑	7.8 ↓
8.9 ←	8.3 ↗	10.1 ↑	9.8 ←	7.9 ↘

beste Teiler 207.1 (8.) 287.8 (9.) 314.8 (4.)

Trefferlage 3.21 mm links, 0.61 mm hoch

Streuwert 4.31, horizontal: 4.41, vertikal: 4.20




Serie 2:

10.3 *	9.6 ↘	9.1 ↘	10.0 →	9.3 ↙
9.0 →	9.2 ↗	9.1 ↑	7.5 →	6.3 ↘

beste Teiler 153.0 (11.) 231.7 (14.) 336.2 (12.)

Trefferlage 0.04 mm rechts, 1.41 mm hoch

Streuwert 4.16, horizontal: 5.21, vertikal: 2.74




Serie 3:

4.1 ↘	9.6 ↘	8.6 ←	4.6 ←	7.7 ←
6.3 ↙	7.4 ←	8.4 ←	7.4 ↘	10.1 ↑

beste Teiler 221.0 (30.) 334.1 (22.) 591.2 (23.)

Trefferlage 8.08 mm links, 1.21 mm hoch

Streuwert 4.20, horizontal: 4.90, vertikal: 3.35




Serie 4:

9.9 ↘	10.0 ↑	8.7 ↑	7.1 ↘	7.1 ←
10.2 *	9.0 ↑	9.5 ↙	8.3 ↓	9.6 ↙

beste Teiler 184.1 (36.) 232.6 (32.) 256.5 (31.)

Trefferlage 2.06 mm links, 0.14 mm hoch

Streuwert 3.95, horizontal: 4.12, vertikal: 3.78




Serie 5:

10.5 *	8.2 ↘	7.1 →	8.5 ↓	7.0 ↘
8.7 ←	9.0 ↑	7.2 →	8.1 ↘	10.0 ↑

beste Teiler 103.0 (41.) 236.2 (50.) 499.7 (47.)

Trefferlage 0.11 mm links, 1.10 mm hoch

Streuwert 5.07, horizontal: 5.97, vertikal: 3.97



Serie 6:

9.7 →	9.0 ↗	7.0 ↘	10.1 →	10.5 *
9.0 ↓	9.0 ↓	10.1 ←	7.6 ↙	9.0 ↘

beste Teiler 107.8 (55.) 205.4 (54.) 218.0 (58.)

Trefferlage 1.41 mm links, 0.21 mm tief

Streuwert 3.80, horizontal: 4.11, vertikal: 3.46

Meyton Elektronik

ISSF AR Men – Wertung – **Junioren**

StandNr: 136

Scalet, René #120

StartNr: 83



21. Juli 2017 11:31

Vorarlberg / Vorarlberg


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	568.9	(540)
Serien:	96.6 98.3 90.0 96.1 90.3 97.6	
Zähler:	19 27 9 5 0 0 0 0 0 0	
Innenzehner:	11	
weiteste:	974 (2), 802 (50), 794 (23)	
beste Teiler	22.3 (55.) 36.4 (4.) 72.1 (34.)	
Trefferlage	0.34 mm rechts, 0.05 mm hoch	
Streuwert	3.01, horizontal: 3.50, vertikal: 2.42	




Serie 1:	10.5 *	7.1 ↘	10.1 →	10.8 *	10.0 ↙
	10.4 *	10.1 ↗	9.7 ↗	9.6 ↘	8.3 ↘
beste Teiler	36.4 (4.)	101.0 (1.)	137.3 (6.)		
Trefferlage	0.42 mm rechts, 0.07 mm tief				
Streuwert	3.13, horizontal: 3.54, vertikal: 2.66				




Serie 2:	9.0 ↙	9.1 ↑	9.6 ↙	10.4 *	10.5 *
	9.9 ↙	10.3 *	9.5 ↘	10.1 →	9.9 ↑
beste Teiler	114.2 (15.)	126.4 (14.)	157.2 (17.)		
Trefferlage	0.63 mm links, 0.50 mm hoch				
Streuwert	2.18, horizontal: 2.16, vertikal: 2.21				




Serie 3:	10.3 *	8.6 ←	7.8 ↗	8.1 →	9.5 ↑
	10.0 ←	8.5 →	9.8 ↙	7.8 ↙	9.6 ←
beste Teiler	159.3 (21.)	239.1 (26.)	286.5 (28.)		
Trefferlage	0.02 mm links, 0.23 mm tief				
Streuwert	4.00, horizontal: 4.89, vertikal: 2.85				



Serie 4:	10.1 →	10.3 *	10.0 ↖	10.7 *	9.6 ↗
	8.1 ↙	9.1 ↙	9.1 ↓	9.9 ↓	9.2 →
beste Teiler	72.1 (34.)	163.2 (32.)	208.3 (31.)		
Trefferlage	0.44 mm links, 0.85 mm tief				
Streuwert	2.72, horizontal: 3.27, vertikal: 2.03				



Serie 5:	8.9 ↑	9.4 ↗	8.7 ↘	9.5 ↗	10.1 ↘
	9.5 ↖	9.9 ↙	8.7 →	7.9 →	7.7 →
beste Teiler	222.6 (45.)	261.6 (47.)	351.5 (44.)		
Trefferlage	1.44 mm rechts, 1.11 mm hoch				
Streuwert	3.57, horizontal: 4.49, vertikal: 2.30				



Serie 6:	10.2 *	9.4 ↘	9.6 →	9.9 →	10.9 *
	9.8 →	9.9 ↓	9.7 ↓	9.7 ↑	8.5 ↗
beste Teiler	22.3 (55.)	196.9 (51.)	254.3 (54.)		
Trefferlage	1.28 mm rechts, 0.14 mm tief				
Streuwert	2.27, horizontal: 1.99, vertikal: 2.52				

Meyton Elektronik

ISSF AR Men – Wertung – **Junioren**

StandNr: 137

Rütti, Noel #70817256

StartNr: 84



21. Juli 2017 11:43

St. Gallen / St. Gallen


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	590.1	(560)
Serien:	99.4 93.7 100.7 98.5 100.3 97.5	
Zähler:	28 26 4 2 0 0 0 0 0 0	
Innenzehner:	18	
weiteste:	873 (18), 770 (38), 629 (14)	
beste Teiler	48.8 (43.) 52.4 (5.) 55.9 (30.)	
Trefferlage	0.45 mm rechts, 0.22 mm tief	
Streuwert	2.28, horizontal: 2.71, vertikal: 1.74	




Serie 1:	9.9 →	10.0 ↗	9.3 ↓	10.2 *	10.7 *
	9.9 ↑	9.8 ↓	10.4 *	9.7 ↗	9.5 ↘
beste Teiler	52.4 (5.)	129.2 (8.)	196.5 (4.)		
Trefferlage	0.13 mm rechts, 0.05 mm hoch				
Streuwert	2.03, horizontal: 1.64, vertikal: 2.35				




Serie 2:	9.8 ↗	9.9 ↓	9.9 →	8.4 →	9.6 ↗
	9.7 →	8.7 ←	7.5 →	10.1 →	10.1 ↗
beste Teiler	224.1 (20.)	225.1 (19.)	251.1 (13.)		
Trefferlage	1.78 mm rechts, 0.04 mm tief				
Streuwert	3.04, horizontal: 4.05, vertikal: 1.42				




Serie 3:	10.4 *	10.3 *	10.2 *	9.6 ↗	10.4 *
	10.0 ↑	10.1 ↓	9.3 ↘	9.7 ↓	10.7 *
beste Teiler	55.9 (30.)	127.6 (21.)	150.0 (25.)		
Trefferlage	0.48 mm rechts, 0.08 mm tief				
Streuwert	1.77, horizontal: 1.62, vertikal: 1.91				



Serie 4:	9.9 ←	9.2 ↖	9.9 ↗	9.8 →	10.5 *
	10.5 *	10.1 ←	7.9 →	10.0 →	10.7 *
beste Teiler	72.8 (40.)	112.6 (35.)	121.2 (36.)		
Trefferlage	0.62 mm rechts, 0.42 mm hoch				
Streuwert	2.47, horizontal: 3.32, vertikal: 1.10				



Serie 5:	10.3 *	10.0 ↘	10.8 *	10.5 *	10.0 ↘
	10.0 ↓	10.3 *	8.9 ↓	8.8 ↖	10.7 *
beste Teiler	48.8 (43.)	57.0 (50.)	104.0 (44.)		
Trefferlage	0.09 mm rechts, 1.39 mm tief				
Streuwert	1.83, horizontal: 1.92, vertikal: 1.74				



Serie 6:	10.4 *	9.5 ↖	9.9 ↓	9.3 ←	9.8 ↖
	9.4 →	10.5 *	9.9 ↘	9.5 →	9.3 ↖
beste Teiler	124.4 (57.)	132.5 (51.)	253.6 (53.)		
Trefferlage	0.41 mm links, 0.30 mm tief				
Streuwert	2.32, horizontal: 2.92, vertikal: 1.51				

Meyton Elektronik



ISSF AR Men – Wertung – Junioren
StandNr: 139
Gruber, Andreas #70817257

StartNr: 86
21. Juli 2017 11:23
Südtirol / Südtirol

Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	545.8	(523)
Serien:	90.0 91.7 91.8 88.4 91.9 92.0	
Zähler:	15 20 19 5 1 0 0 0 0 0	
Innenzehner:	8	
weiteste:	1237 (34), 979 (46), 824 (44)	
beste Teiler	41.1 (43.) 117.8 (52.) 166.6 (23.)	
Trefferlage	1.05 mm links, 0.06 mm hoch	
Streuwert	3.62, horizontal: 3.98, vertikal: 3.21	



Serie 1:

9.2 ↙	8.0 ↙	10.0 ↘	9.1 ←	8.1 ←
7.9 ↗	8.9 ↓	10.0 ←	9.2 ↓	9.6 ←


beste Teiler 227.6 (8.) 249.0 (3.) 334.0 (10.)
 Trefferlage 2.59 mm links, 0.58 mm tief
 Streuwert 3.31, horizontal: 3.29, vertikal: 3.32



Serie 2:

9.6 ↘	8.8 ←	9.1 →	8.5 ↓	7.9 ↓
9.4 →	8.6 ↘	10.2 *	10.1 →	9.5 →


beste Teiler 179.6 (18.) 207.0 (19.) 335.4 (11.)
 Trefferlage 0.95 mm rechts, 1.39 mm tief
 Streuwert 3.30, horizontal: 3.76, vertikal: 2.77



Serie 3:

7.7 ←	10.0 ↓	10.3 *	9.0 ↓	8.9 ←
10.3 *	9.8 ←	9.0 →	8.0 ↗	8.8 ↗


beste Teiler 166.6 (23.) 175.8 (26.) 248.1 (22.)
 Trefferlage 1.14 mm links, 0.45 mm hoch
 Streuwert 3.59, horizontal: 4.26, vertikal: 2.76



Serie 4:

9.3 ↗	10.2 *	9.1 ↓	6.0 ↑	8.2 ↘
8.9 ↙	8.4 ↘	9.8 ↗	10.2 *	8.3 →


beste Teiler 185.4 (32.) 198.1 (39.) 299.6 (38.)
 Trefferlage 0.04 mm links, 0.99 mm hoch
 Streuwert 4.46, horizontal: 4.19, vertikal: 4.71



Serie 5:

9.4 ↓	10.2 *	10.8 *	7.7 ↘	9.3 ↓
7.0 ←	10.1 ↘	8.9 ←	8.9 →	9.6 ↘

beste Teiler 41.1 (43.) 176.0 (42.) 216.6 (47.)
 Trefferlage 1.81 mm links, 0.31 mm tief
 Streuwert 3.61, horizontal: 4.39, vertikal: 2.61



Serie 6:

8.5 ↘	10.5 *	8.3 →	8.3 ↘	10.1 ↙
10.0 ↑	9.4 ↑	9.8 ↙	9.0 ←	8.1 ←

beste Teiler 117.8 (52.) 202.4 (55.) 230.0 (56.)
 Trefferlage 1.69 mm links, 1.21 mm hoch
 Streuwert 3.25, horizontal: 3.81, vertikal: 2.58

Meyton Elektronik

ISSF AR Men – Wertung – Junioren

StandNr: 140

Aemisegger, Colin #70817258

StartNr: 87



21. Juli 2017 11:45

St. Gallen / St. Gallen


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	598.6	(573)
Serien:	98.0	100.6 100.7 99.8 100.1 99.4
Zähler:	35	23 2 0 0 0 0 0 0 0
Innenzehner:	23	
weiteste:	620 (33), 510 (2), 461 (34)	
beste Teiler	55.5 (15.)	62.0 (13.) 72.0 (49.)
Trefferlage	0.07 mm links, 0.31 mm hoch	
Streuwert	1.92, horizontal: 2.16, vertikal: 1.66	




Serie 1:	10.0 ↘	8.9 ←	10.1 →	9.7 ↗	9.4 ↑
	9.8 ↙	10.6 *	10.1 ←	9.9 ↓	9.5 ↘
beste Teiler	90.0 (7.)	207.7 (8.)	209.0 (3.)		
Trefferlage	0.80 mm links, 0.33 mm hoch				
Streuwert	2.21, horizontal: 2.26, vertikal: 2.16				




Serie 2:	9.9 ↑	10.1 →	10.7 *	10.3 *	10.7 *
	9.7 ↗	9.2 →	10.2 *	10.0 ↗	9.8 ↗
beste Teiler	55.5 (15.)	62.0 (13.)	171.1 (14.)		
Trefferlage	0.99 mm rechts, 0.65 mm hoch				
Streuwert	1.61, horizontal: 1.72, vertikal: 1.50				




Serie 3:	9.9 →	9.2 ↑	10.4 *	10.1 ↘	9.9 ←
	10.4 *	10.6 *	10.3 *	10.5 *	9.4 ↖
beste Teiler	89.8 (27.)	104.8 (29.)	127.5 (23.)		
Trefferlage	0.38 mm links, 0.39 mm hoch				
Streuwert	1.79, horizontal: 1.87, vertikal: 1.71				



Serie 4:	10.2 *	10.2 *	8.5 ↘	9.1 →	10.6 *
	10.2 *	10.7 *	9.5 →	10.6 *	10.2 *
beste Teiler	74.8 (37.)	89.2 (35.)	95.5 (39.)		
Trefferlage	1.67 mm rechts, 0.58 mm tief				
Streuwert	1.80, horizontal: 2.13, vertikal: 1.40				



Serie 5:	9.6 ↗	9.7 ←	9.5 ↘	10.4 *	10.0 ←
	10.2 *	10.0 ←	9.5 ←	10.7 *	10.5 *
beste Teiler	72.0 (49.)	123.1 (50.)	136.8 (44.)		
Trefferlage	1.24 mm links, 0.41 mm hoch				
Streuwert	1.63, horizontal: 1.78, vertikal: 1.46				



Serie 6:	10.4 *	10.0 ↘	10.0 ↓	9.6 ↑	9.9 ↑
	9.5 ↗	10.5 *	10.1 ←	9.3 ←	10.1 ↑
beste Teiler	109.7 (57.)	139.5 (51.)	203.1 (58.)		
Trefferlage	0.67 mm links, 0.70 mm hoch				
Streuwert	1.85, horizontal: 1.98, vertikal: 1.71				

Meyton Elektronik

ISSF AR Men – Wertung – Junioren

StandNr: 141

Prugger, Stefan #70817259

StartNr: 88



21. Juli 2017 11:23

Südtirol / Südtirol


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	590.3	(563)							
Serien:	96.9	98.0	102.1	96.9	96.6	99.8			
Zähler:	28	27	5	0	0	0	0	0	0
Innenzehner:	19								
weiteste:	652 (31), 605 (49), 595 (48)								
beste Teiler	16.0 (12.) 42.4 (16.) 61.2 (36.)								
Trefferlage	0.48 mm rechts, 0.33 mm tief								
Streuwert	2.22, horizontal: 2.60, vertikal: 1.75								




Serie 1:	9.6 ↗	9.8 ↘	10.1 ↗	9.5 ↘	9.2 ↘
	9.2 ↘	10.2 *	8.9 →	9.8 ↗	10.6 *
beste Teiler	85.7 (10.) 200.2 (7.) 202.2 (3.)				
Trefferlage	2.09 mm rechts, 0.05 mm tief				
Streuwert	1.99, horizontal: 1.89, vertikal: 2.08				




Serie 2:	9.7 ↑	10.9 *	9.7 ←	9.5 →	8.8 →
	10.8 *	9.6 ↓	9.0 ↘	9.6 ↘	10.4 *
beste Teiler	16.0 (12.) 42.4 (16.) 130.9 (20.)				
Trefferlage	1.59 mm rechts, 0.63 mm tief				
Streuwert	2.12, horizontal: 2.48, vertikal: 1.69				




Serie 3:	10.3 *	9.5 ↗	10.0 ↙	10.3 *	10.5 *
	10.1 ↓	10.7 *	10.5 *	10.5 *	9.7 →
beste Teiler	72.3 (27.) 107.0 (29.) 107.7 (25.)				
Trefferlage	0.45 mm rechts, 0.61 mm tief				
Streuwert	1.42, horizontal: 1.53, vertikal: 1.31				



Serie 4:	8.3 ↖	10.4 *	9.1 ↓	9.2 ↓	10.0 →
	10.7 *	9.1 ↘	10.5 *	9.8 ←	9.8 ←
beste Teiler	61.2 (36.) 123.0 (38.) 134.2 (32.)				
Trefferlage	0.28 mm links, 1.05 mm tief				
Streuwert	2.56, horizontal: 2.88, vertikal: 2.19				



Serie 5:	10.7 *	9.9 ↗	9.5 ←	10.1 ↗	9.8 →
	9.3 ←	10.4 *	8.6 ↙	8.5 ↖	9.8 →
beste Teiler	72.5 (41.) 139.6 (47.) 215.0 (44.)				
Trefferlage	0.92 mm links, 0.38 mm hoch				
Streuwert	2.61, horizontal: 3.31, vertikal: 1.64				



Serie 6:	9.1 ↘	9.8 ↙	10.0 →	10.1 ↑	10.1 ↑
	10.6 *	10.1 ↘	10.4 *	9.3 ←	10.3 *
beste Teiler	88.4 (56.) 142.2 (58.) 173.7 (60.)				
Trefferlage	0.05 mm links, 0.01 mm tief				
Streuwert	2.00, horizontal: 2.38, vertikal: 1.52				

Meyton Elektronik

ISSF AR Men – Wertung – **Junioren**

StandNr: 142

Stadler, Luca #85

StartNr: 89



21. Juli 2017 11:37

Salzburg


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	598.7	(571)
Serien:	102.2	101.0 101.3 99.6 96.9 97.7
Zähler:	35	21 4 0 0 0 0 0 0 0
Innenzehner:	28	
weiteste:	653	(42), 510 (51), 505 (55)
beste Teiler	15.0	(3.) 39.5 (6.) 60.2 (14.)
Trefferlage	0.01 mm	rechts, 0.05 mm hoch
Streuwert	1.98,	horizontal: 2.29, vertikal: 1.63




Serie 1:	10.2 *	10.0 ↓	10.9 *	10.5 *	9.8 ←
	10.8 *	10.2 *	9.7 →	10.0 ←	10.1 ↖
beste Teiler	15.0 (3.)	39.5 (6.)	103.0 (4.)		
Trefferlage	0.63 mm links, 0.12 mm hoch				
Streuwert	1.46, horizontal: 1.78, vertikal: 1.03				




Serie 2:	10.2 *	10.6 *	10.2 *	10.7 *	10.7 *
	9.6 ←	10.1 ↘	9.3 ↘	9.8 ↑	9.8 ↖
beste Teiler	60.2 (14.)	73.7 (15.)	87.3 (12.)		
Trefferlage	0.04 mm rechts, 0.00 mm				
Streuwert	1.82, horizontal: 1.82, vertikal: 1.83				




Serie 3:	10.5 *	9.2 ←	10.5 *	10.2 *	10.5 *
	9.3 →	10.4 *	10.6 *	9.8 ↑	10.3 *
beste Teiler	83.8 (28.)	114.9 (21.)	120.0 (23.)		
Trefferlage	0.14 mm links, 0.98 mm hoch				
Streuwert	1.64, horizontal: 2.18, vertikal: 0.79				



Serie 4:	9.2 →	10.3 *	10.4 *	9.8 ↖	10.2 *
	10.3 *	10.3 *	9.3 ↗	9.8 ↘	10.0 →
beste Teiler	126.0 (33.)	152.2 (36.)	172.4 (32.)		
Trefferlage	1.32 mm rechts, 0.69 mm hoch				
Streuwert	1.70, horizontal: 1.92, vertikal: 1.45				



Serie 5:	10.0 →	8.3 ↘	9.8 ↗	10.2 *	9.9 ←
	10.6 *	9.4 ←	10.4 *	9.4 →	8.9 ←
beste Teiler	99.0 (46.)	143.1 (48.)	181.4 (44.)		
Trefferlage	0.33 mm rechts, 0.71 mm tief				
Streuwert	2.57, horizontal: 3.18, vertikal: 1.76				



Serie 6:	8.9 ↘	9.9 ↓	10.0 ←	9.7 ←	8.9 ←
	9.4 ↓	10.2 *	10.4 *	10.4 *	9.9 ↖
beste Teiler	140.2 (59.)	147.4 (58.)	192.5 (57.)		
Trefferlage	0.85 mm links, 0.75 mm tief				
Streuwert	2.25, horizontal: 2.42, vertikal: 2.07				

Meyton Elektronik

ISSF AR Men – Wertung – Junioren

StandNr: 143

Schöfbeck, Marcel #102

StartNr: 90



21. Juli 2017 11:29

Tirol / Tirol


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	573.3	(547)
Serien:	92.2 96.8 93.6 92.5 98.9 99.3	
Zähler:	22 25 11 2 0 0 0 0 0 0	
Innenzehner:	13	
weiteste:	1000 (33), 800 (10), 726 (22)	
beste Teiler	52.0 (27.) 97.5 (50.) 117.9 (60.)	
Trefferlage	0.28 mm rechts, 0.13 mm tief	
Streuwert	2.83, horizontal: 3.36, vertikal: 2.18	




Serie 1:	10.1 ←	9.1 ↖	8.6 ←	9.5 ↗	9.3 →
	9.3 ↓	9.1 ←	9.7 →	9.7 ↖	7.8 ←
beste Teiler	220.0 (1.)	316.1 (9.)	318.1 (8.)		
Trefferlage	2.26 mm links, 0.90 mm tief				
Streuwert	2.92, horizontal: 3.74, vertikal: 1.77				




Serie 2:	9.7 ↖	10.4 *	10.4 *	9.3 ↑	10.5 *
	10.2 *	8.9 ←	9.9 →	9.2 →	8.3 ↑
beste Teiler	120.2 (15.)	137.6 (12.)	146.4 (13.)		
Trefferlage	0.39 mm rechts, 1.19 mm hoch				
Streuwert	2.53, horizontal: 2.59, vertikal: 2.47				




Serie 3:	10.0 →	8.0 →	9.8 ↘	8.4 ↘	8.6 ←
	8.7 →	10.7 *	9.4 ↖	10.0 ↑	10.0 ↑
beste Teiler	52.0 (27.)	227.0 (21.)	231.0 (30.)		
Trefferlage	1.24 mm rechts, 0.33 mm tief				
Streuwert	3.18, horizontal: 3.64, vertikal: 2.64				



Serie 4:	9.7 →	9.1 ←	7.0 →	8.8 ↘	9.9 ↖
	9.8 ↘	9.1 →	10.1 ↖	10.0 ←	9.0 →
beste Teiler	204.5 (38.)	232.5 (39.)	271.8 (35.)		
Trefferlage	1.61 mm rechts, 0.85 mm tief				
Streuwert	3.32, horizontal: 4.36, vertikal: 1.76				



Serie 5:	10.5 *	8.9 ↓	10.1 →	9.7 ↑	9.7 →
	10.4 *	10.2 *	8.6 ↗	10.2 *	10.6 *
beste Teiler	97.5 (50.)	119.5 (41.)	138.6 (46.)		
Trefferlage	0.90 mm rechts, 0.14 mm tief				
Streuwert	2.25, horizontal: 2.10, vertikal: 2.39				



Serie 6:	9.8 ↘	9.7 ↘	10.2 *	10.1 ↓	9.9 ↑
	10.4 *	10.0 ↖	8.8 ←	9.9 ↖	10.5 *
beste Teiler	117.9 (60.)	149.9 (56.)	199.7 (53.)		
Trefferlage	0.16 mm links, 0.20 mm hoch				
Streuwert	2.08, horizontal: 2.41, vertikal: 1.67				

Meyton Elektronik

ISSF AR Men – Wertung – **Junioren**

StandNr: 144

Wolf, Chris #70817260

StartNr: 91

21. Juli 2017 11:16

Graubünden / Graubünden

Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **563.9** (537)

Serien: 94.4 94.2 93.1 94.5 93.4 94.3

Zähler: 18 23 17 2 0 0 0 0 0 0



Innenzehner: 10

weiteste: 915 (58), 764 (29), 745 (24)

beste Teiler 28.6 (26.) 43.0 (17.) 43.7 (39.)

Trefferlage 0.29 mm links, 1.11 mm hoch

Streuwert 3.00, horizontal: 3.09, vertikal: 2.90




Serie 1:

9.2 ↙	10.3 *	10.1 ↗	9.9 ↘	8.9 ←
9.5 ↑	8.8 ↑	9.8 ↘	8.9 ↑	9.0 ↘

beste Teiler 170.0 (2.) 211.4 (3.) 264.0 (4.)

Trefferlage 0.31 mm links, 1.21 mm hoch

Streuwert 2.81, horizontal: 2.63, vertikal: 2.99




Serie 2:

9.3 ↘	8.6 ↘	8.5 ↗	9.5 ↑	9.3 ↗
10.6 *	10.8 *	9.3 ↑	10.2 *	8.1 →

beste Teiler 43.0 (17.) 94.9 (16.) 199.7 (19.)

Trefferlage 1.57 mm rechts, 1.00 mm hoch

Streuwert 2.94, horizontal: 2.95, vertikal: 2.92




Serie 3:

10.0 ↗	8.8 ↘	9.2 ←	8.0 ↗	9.9 ↑
10.8 *	8.8 ↘	9.9 ↘	7.9 ↑	9.8 ↑

beste Teiler 28.6 (26.) 234.3 (21.) 251.4 (28.)

Trefferlage 0.57 mm links, 2.39 mm hoch

Streuwert 2.96, horizontal: 3.12, vertikal: 2.78




Serie 4:

9.0 ←	10.2 *	10.1 ↙	8.6 ↘	9.3 ↓
8.4 ↑	8.4 ↗	9.4 ←	10.8 *	10.3 *

beste Teiler 43.7 (39.) 154.2 (40.) 193.5 (32.)

Trefferlage 0.66 mm links, 0.38 mm hoch

Streuwert 3.14, horizontal: 2.92, vertikal: 3.34




Serie 5:

9.8 ↗	8.6 ↘	8.7 ↘	8.6 ↘	10.1 ↑
9.5 ←	9.1 ↘	9.5 ↘	10.3 *	9.2 ←

beste Teiler 151.3 (49.) 222.0 (45.) 288.7 (41.)

Trefferlage 0.84 mm links, 0.89 mm hoch

Streuwert 3.06, horizontal: 3.60, vertikal: 2.40



Serie 6:

9.4 ↓	10.0 ↓	8.4 ↘	10.1 ↑	10.1 ↑
10.5 *	9.9 ↘	7.3 ←	10.1 ↘	8.5 ↗

beste Teiler 103.8 (56.) 201.8 (55.) 210.8 (54.)

Trefferlage 0.93 mm links, 0.76 mm hoch

Streuwert 3.26, horizontal: 3.28, vertikal: 3.24

Meyton Elektronik

ISSF AR Men – Wertung – Junioren

StandNr: 145

Hinteregger, Vinzenz #127

StartNr: 92

21. Juli 2017 11:35

Vorarlberg / Vorarlberg

Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **598.8** (571)

Serien: 100.7 100.6 99.9 99.7 100.0 97.9

Zähler: 34 23 3 0 0 0 0 0 0 0



Innenzehner: 25

weiteste: 711 (35), 621 (51), 509 (17)

beste Teiler 26.9 (2.) 57.2 (6.) 77.0 (16.)

Trefferlage 0.32 mm links, 0.00 mm

Streuwert 1.99, horizontal: 2.36, vertikal: 1.54




Serie 1:

9.4 ↗	10.8 *	9.9 ↑	9.7 ←	9.7 ←
10.7 *	9.7 ↖	10.6 *	10.2 *	10.0 ←

beste Teiler 26.9 (2.) 57.2 (6.) 88.5 (8.)

Trefferlage 0.75 mm links, 0.67 mm hoch

Streuwert 1.69, horizontal: 2.17, vertikal: 1.00




Serie 2:

10.6 *	10.1 ↙	9.5 ↙	10.0 ←	10.1 →
10.6 *	8.9 →	10.6 *	10.3 *	9.9 →

beste Teiler 77.0 (16.) 80.5 (11.) 82.7 (18.)

Trefferlage 0.23 mm rechts, 0.47 mm tief

Streuwert 1.88, horizontal: 2.46, vertikal: 1.00




Serie 3:

9.3 →	10.6 *	9.6 →	9.9 ←	10.0 ↘
10.2 *	10.5 *	10.1 ↘	9.5 ↗	10.2 *

beste Teiler 81.0 (22.) 124.0 (27.) 193.5 (26.)

Trefferlage 0.83 mm rechts, 0.07 mm tief

Streuwert 1.86, horizontal: 2.20, vertikal: 1.44




Serie 4:

10.5 *	9.9 ↙	10.6 *	10.1 ↘	8.1 ↖
10.6 *	10.4 *	9.8 ↙	10.6 *	9.1 ←

beste Teiler 94.3 (36.) 98.1 (39.) 98.7 (33.)

Trefferlage 1.52 mm links, 0.30 mm tief

Streuwert 2.03, horizontal: 2.49, vertikal: 1.44




Serie 5:

9.9 ←	10.1 ↗	9.2 ↙	10.5 *	10.4 *
10.6 *	10.3 *	9.4 ↗	9.9 ↗	9.7 →

beste Teiler 92.6 (46.) 120.8 (44.) 147.2 (45.)

Trefferlage 0.05 mm links, 0.33 mm hoch

Streuwert 1.94, horizontal: 1.90, vertikal: 1.97



Serie 6:

8.5 ↘	10.5 *	10.1 ↙	9.0 ↖	10.4 *
10.2 *	9.7 ↙	9.8 ←	9.3 ↗	10.4 *

beste Teiler 118.4 (52.) 130.3 (60.) 137.2 (55.)

Trefferlage 0.65 mm links, 0.16 mm tief

Streuwert 2.42, horizontal: 2.68, vertikal: 2.14

ISSF AR Men – Wertung – **Junioren**

StandNr: 147

Kaiser, René #70817262

StartNr: 94

21. Juli 2017 11:41

St. Gallen / St. Gallen

Unterschrift des Schützen

Meyton Elektronik