





Ergebnis: **618.9** (590)  
 Serien: 103.7 101.3 103.0 105.0 103.4 102.5  
 Zähler: 50 10 0 0 0 0 0 0 0  
 Innenzehner: 42  
 weiteste: 411 (4), 339 (3), 339 (17)  
 beste Teiler 24.0 (5.) 25.9 (19.) 39.2 (31.)  
 Trefferlage 0.22 mm links, 0.20 mm tief  
 Streuwert 1.28, horizontal: 1.23, vertikal: 1.32




Serie 1:  
 10.4 \*                      10.8 \*                      9.6 ↙                      9.3 ↗                      10.9 \*  
 10.7 \*                      10.2 \*                      10.7 \*                      10.4 \*                      10.7 \*  
 beste Teiler 24.0 (5.) 49.0 (2.) 62.5 (10.)  
 Trefferlage 0.24 mm links, 0.08 mm tief  
 Streuwert 1.42, horizontal: 1.38, vertikal: 1.47




Serie 2:  
 10.1 ↙                      10.7 \*                      10.1 ↓                      9.9 ↓                      10.6 \*  
 9.8 ↖                      9.6 ↙                      9.8 ↙                      10.9 \*                      9.8 →  
 beste Teiler 25.9 (19.) 59.0 (12.) 88.0 (15.)  
 Trefferlage 0.62 mm links, 0.86 mm tief  
 Streuwert 1.53, horizontal: 1.72, vertikal: 1.32




Serie 3:  
 10.5 \*                      10.1 ↑                      10.1 ↖                      10.5 \*                      10.0 ↘  
 10.1 ↓                      10.3 \*                      10.6 \*                      10.4 \*                      10.4 \*  
 beste Teiler 79.6 (28.) 102.8 (21.) 103.1 (24.)  
 Trefferlage 0.16 mm links, 0.29 mm hoch  
 Streuwert 1.22, horizontal: 1.01, vertikal: 1.41



Serie 4:  
 10.8 \*                      10.1 ↖                      10.4 \*                      10.4 \*                      10.7 \*  
 10.5 \*                      10.3 \*                      10.6 \*                      10.8 \*                      10.4 \*  
 beste Teiler 39.2 (31.) 43.3 (39.) 69.8 (35.)  
 Trefferlage 0.40 mm links, 0.63 mm hoch  
 Streuwert 0.75, horizontal: 0.85, vertikal: 0.64



Serie 5:  
 10.2 \*                      9.7 ↙                      10.6 \*                      10.3 \*                      10.5 \*  
 10.4 \*                      10.6 \*                      10.4 \*                      10.2 \*                      10.5 \*  
 beste Teiler 79.8 (47.) 90.3 (43.) 120.0 (45.)  
 Trefferlage 0.08 mm links, 0.42 mm tief  
 Streuwert 1.18, horizontal: 1.41, vertikal: 0.90



Serie 6:  
 10.0 ↓                      10.4 \*                      10.4 \*                      10.7 \*                      10.4 \*  
 9.9 ↑                      10.2 \*                      10.5 \*                      10.3 \*                      9.7 ↓  
 beste Teiler 62.0 (54.) 107.3 (58.) 128.2 (52.)  
 Trefferlage 0.19 mm rechts, 0.80 mm tief  
 Streuwert 1.26, horizontal: 0.97, vertikal: 1.50

Meyton Elektronik

**LG 60 ZR** – Wertung – **Junioren**

StandNr: 112

**Mair,, Tobias** #1000000111

**StartNr: 11**

4. März 2018 11:06

SG\_Innervillgraten

---

\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **593.6** (568)

Serien: 100.4 97.3 100.0 97.2 102.6 96.1

Zähler: 36 18 4 2 0 0 0 0 0 0



Innenzehner: 28

weiteste: 908 (59), 767 (23), 586 (31)

beste Teiler 6.0 (24.) 46.8 (53.) 62.0 (35.)

Trefferlage 0.30 mm links, 0.42 mm tief

Streuwert 2.26, horizontal: 2.80, vertikal: 1.55




Serie 1:

9.8 ↘	8.7 →	10.4 *	9.7 ✓	10.6 *
9.8 ←	10.5 *	10.4 *	10.1 ↓	10.4 *

beste Teiler 83.9 (5.) 104.0 (7.) 133.4 (10.)

Trefferlage 0.12 mm links, 0.27 mm tief

Streuwert 1.97, horizontal: 2.43, vertikal: 1.36




Serie 2:

8.7 ↓	9.7 →	9.0 →	10.0 ↗	9.1 ↖
10.1 ↓	10.4 *	10.6 *	9.3 ←	10.4 *

beste Teiler 91.3 (18.) 135.5 (17.) 144.0 (20.)

Trefferlage 0.30 mm rechts, 0.96 mm tief

Streuwert 2.46, horizontal: 2.81, vertikal: 2.06




Serie 3:

10.1 ↖	9.9 ↓	7.9 →	10.9 *	10.4 *
10.6 *	10.6 *	9.2 ←	10.0 ←	10.4 *

beste Teiler 6.0 (24.) 83.2 (27.) 90.4 (26.)

Trefferlage 0.12 mm links, 0.53 mm tief

Streuwert 2.33, horizontal: 3.11, vertikal: 1.11




Serie 4:

8.6 ←	9.6 ↙	10.2 *	10.4 *	10.7 *
10.6 *	9.3 →	9.1 →	9.2 ↙	9.5 ←

beste Teiler 62.0 (35.) 78.8 (36.) 143.9 (34.)

Trefferlage 0.94 mm links, 0.93 mm tief

Streuwert 2.44, horizontal: 3.28, vertikal: 1.07




Serie 5:

10.0 ✓	10.2 *	10.3 *	10.5 *	9.7 →
10.2 *	10.5 *	10.6 *	10.2 *	10.4 *

beste Teiler 85.7 (48.) 104.0 (47.) 121.8 (44.)

Trefferlage 0.22 mm rechts, 0.37 mm hoch

Streuwert 1.35, horizontal: 1.43, vertikal: 1.26



Serie 6:

8.7 ↘	9.5 ←	10.8 *	9.3 ↗	10.0 ↖
10.0 ←	9.7 ↓	10.2 *	7.3 ←	10.6 *

beste Teiler 46.8 (53.) 99.1 (60.) 183.0 (58.)

Trefferlage 1.19 mm links, 0.22 mm tief

Streuwert 2.93, horizontal: 3.59, vertikal: 2.06

Meyton Elektronik

**LG 60 ZR** – Wertung – **Junioren**

StandNr: 113

**Baliko,, Dominik** #1000000112

**StartNr: 12**

4. März 2018 11:33



SG\_Mayrhofen

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>591.7</b>	(567)
Serien:	98.0 101.0 97.5 98.5 97.3 99.4	
Zähler:	34 19 7 0 0 0 0 0 0 0	
Innenzehner:	28	
weiteste:	646 (3), 636 (7), 636 (38)	
beste Teiler	59.0 (56.) 64.4 (6.) 69.4 (31.)	
Trefferlage	0.18 mm links, 0.18 mm hoch	
Streuwert	2.25, horizontal: 2.63, vertikal: 1.81	




Serie 1:	10.0 ↙	9.5 ↘	8.4 ↘	10.1 ↑	9.8 ↘
	10.7 *	8.4 ↘	10.4 *	10.4 *	10.3 *
beste Teiler	64.4 (6.)	144.1 (8.)	144.2 (9.)		
Trefferlage	0.85 mm links, 0.58 mm hoch				
Streuwert	2.48, horizontal: 2.83, vertikal: 2.08				




Serie 2:	10.6 *	10.3 *	9.6 ↘	10.0 ↘	10.6 *
	9.5 ↘	10.6 *	10.4 *	10.1 ↑	9.3 ←
beste Teiler	88.0 (11.)	92.1 (15.)	92.6 (17.)		
Trefferlage	0.61 mm links, 0.64 mm hoch				
Streuwert	1.68, horizontal: 2.13, vertikal: 1.03				




Serie 3:	10.3 *	9.4 ↘	10.6 *	8.8 ←	9.4 ←
	8.9 ←	9.0 →	10.5 *	10.2 *	10.4 *
beste Teiler	86.3 (23.)	106.0 (28.)	128.0 (30.)		
Trefferlage	0.40 mm links, 0.52 mm hoch				
Streuwert	2.53, horizontal: 3.38, vertikal: 1.18				



Serie 4:	10.7 *	9.6 ↗	10.5 *	10.1 ↗	8.8 ↘
	10.4 *	9.1 ↘	8.4 ↘	10.6 *	10.3 *
beste Teiler	69.4 (31.)	93.6 (39.)	109.1 (33.)		
Trefferlage	0.68 mm rechts, 0.08 mm tief				
Streuwert	2.45, horizontal: 2.27, vertikal: 2.61				



Serie 5:	10.2 *	10.3 *	8.7 ←	9.2 ←	9.9 →
	10.2 *	9.4 ↘	9.3 ↘	10.2 *	9.9 ↓
beste Teiler	159.0 (42.)	183.8 (49.)	185.8 (46.)		
Trefferlage	1.29 mm links, 0.41 mm hoch				
Streuwert	2.25, horizontal: 2.47, vertikal: 2.00				



Serie 6:	10.3 *	10.0 →	9.1 ↘	10.3 *	10.4 *
	10.7 *	9.9 ↘	9.0 →	10.3 *	9.4 ↘
beste Teiler	59.0 (56.)	134.0 (55.)	154.4 (54.)		
Trefferlage	1.37 mm rechts, 0.97 mm tief				
Streuwert	1.73, horizontal: 2.09, vertikal: 1.27				

Meyton Elektronik

**LG 60 ZR – Wertung – Junioren**

StandNr: 114

**Lüthi,, Julius** #70421011

**StartNr: 13**

4. März 2018 11:06



SG\_Thierberger\_Schützen / Thierberg 1

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **615.4** (591)  
 Serien: 101.9 100.8 104.7 101.3 102.1 104.6  
 Zähler: 51 9 0 0 0 0 0 0 0  
 Innenzehner: 40  
 weiteste: 374 (13), 362 (14), 332 (43)  
 beste Teiler 15.0 (15.) 27.0 (46.) 40.0 (22.)  
 Trefferlage 0.01 mm links, 0.22 mm hoch  
 Streuwert 1.35, horizontal: 1.48, vertikal: 1.20




Serie 1:  
 10.2 \* 10.3 \* 10.7 \* 10.0 ↘ 10.1 ↑  
 10.5 \* 10.2 \* 10.3 \* 9.7 ↘ 9.9 ←  
 beste Teiler 70.8 (3.) 111.7 (6.) 165.3 (2.)  
 Trefferlage 0.50 mm links, 0.61 mm hoch  
 Streuwert 1.40, horizontal: 1.57, vertikal: 1.21




Serie 2:  
 9.8 ← 10.2 \* 9.5 ← 9.5 → 10.9 \*  
 10.5 \* 10.0 ← 10.3 \* 10.0 ↓ 10.1 ↓  
 beste Teiler 15.0 (15.) 116.0 (16.) 174.6 (18.)  
 Trefferlage 0.23 mm links, 0.29 mm tief  
 Streuwert 1.78, horizontal: 2.20, vertikal: 1.21




Serie 3:  
 10.3 \* 10.8 \* 10.5 \* 10.5 \* 10.5 \*  
 10.8 \* 10.5 \* 10.6 \* 10.3 \* 9.9 ↑  
 beste Teiler 40.0 (22.) 40.7 (26.) 79.2 (28.)  
 Trefferlage 0.02 mm rechts, 0.20 mm hoch  
 Streuwert 0.96, horizontal: 0.81, vertikal: 1.09



Serie 4:  
 10.4 \* 10.2 \* 10.0 ↑ 10.3 \* 10.3 \*  
 9.9 ← 10.2 \* 10.2 \* 10.1 ↓ 9.7 ↗  
 beste Teiler 149.0 (31.) 168.8 (34.) 175.0 (35.)  
 Trefferlage 0.14 mm links, 0.45 mm hoch  
 Streuwert 1.55, horizontal: 1.53, vertikal: 1.58



Serie 5:  
 10.2 \* 10.1 ↑ 9.6 ↗ 10.0 ← 10.5 \*  
 10.8 \* 10.1 ← 10.0 → 10.4 \* 10.4 \*  
 beste Teiler 27.0 (46.) 107.1 (45.) 131.3 (50.)  
 Trefferlage 0.32 mm rechts, 0.16 mm hoch  
 Streuwert 1.46, horizontal: 1.71, vertikal: 1.16



Serie 6:  
 10.2 \* 10.4 \* 10.3 \* 10.5 \* 10.6 \*  
 10.5 \* 10.3 \* 10.7 \* 10.7 \* 10.4 \*  
 beste Teiler 62.9 (59.) 71.5 (58.) 79.2 (55.)  
 Trefferlage 0.45 mm rechts, 0.23 mm hoch  
 Streuwert 0.86, horizontal: 0.72, vertikal: 0.98

Meyton Elektronik

**LG 60 ZR – Wertung – Junioren**

StandNr: 116

**Fankhauser,, Thomas** #70804016

**StartNr: 15**

4. März 2018 11:02

SG\_Fügenberg / Fügenberg 1



---

\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik




Ergebnis:	<b>585.1</b>	(556)
Serien:	96.7 93.8 100.2 97.2 98.1 99.1	
Zähler:	24 29 6 1 0 0 0 0 0 0	
Innenzehner:	18	
weiteste:	765 (13), 709 (34), 688 (7)	
beste Teiler	9.4 (14.) 20.3 (27.) 70.0 (38.)	
Trefferlage	0.41 mm rechts, 1.04 mm tief	
Streuwert	2.32, horizontal: 2.83, vertikal: 1.65	




Serie 1:

9.1 ←	10.0 ↖	10.2 *	9.7 ↘	10.0 ↓
9.9 ↙	8.2 ←	9.4 →	9.7 ↓	10.5 *
beste Teiler	108.1 (10.) 186.1 (3.) 229.4 (2.)			
Trefferlage	0.58 mm links, 1.10 mm tief			
Streuwert	2.48, horizontal: 3.17, vertikal: 1.50			




Serie 2:

8.8 ↙	8.4 →	7.9 →	10.9 *	9.0 ↓
9.1 →	10.0 →	10.6 *	9.2 ↓	9.9 →
beste Teiler	9.4 (14.) 87.8 (18.) 232.3 (17.)			
Trefferlage	1.94 mm rechts, 1.04 mm tief			
Streuwert	2.95, horizontal: 3.53, vertikal: 2.24			




Serie 3:

10.2 *	9.1 ↘	10.5 *	9.9 ↓	10.0 ↖
9.4 ←	10.9 *	10.5 *	10.3 *	9.4 ↙
beste Teiler	20.3 (27.) 110.5 (23.) 115.5 (28.)			
Trefferlage	0.79 mm links, 1.10 mm tief			
Streuwert	1.78, horizontal: 2.12, vertikal: 1.36			




Serie 4:

10.6 *	9.4 ↘	9.6 →	8.1 →	10.0 ↓
8.9 ↓	10.7 *	10.7 *	9.9 ↖	9.3 ↙
beste Teiler	70.0 (38.) 74.3 (37.) 77.1 (31.)			
Trefferlage	0.75 mm rechts, 1.00 mm tief			
Streuwert	2.55, horizontal: 3.12, vertikal: 1.81			



Serie 5:

9.9 ↓	9.9 ↘	9.6 ↓	9.9 →	10.2 *
9.7 ↘	8.8 →	9.9 ↖	10.0 ↓	10.2 *
beste Teiler	186.6 (45.) 191.9 (50.) 230.6 (49.)			
Trefferlage	1.18 mm rechts, 0.89 mm tief			
Streuwert	1.96, horizontal: 2.23, vertikal: 1.63			



Serie 6:

9.7 ↘	10.4 *	10.2 *	9.6 ↘	10.5 *
10.3 *	9.6 ↖	9.2 ↓	9.9 ↙	9.7 ↓
beste Teiler	120.0 (55.) 146.1 (52.) 171.4 (56.)			
Trefferlage	0.00 mm , 1.13 mm tief			
Streuwert	1.89, horizontal: 2.07, vertikal: 1.69			

**LG 60 ZR – Wertung – Junioren**

StandNr: 117

**Grain,, Markus** #1000000114

**StartNr: 16**

4. März 2018 11:19



SG\_Münster

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>577.7</b>	(551)
Serien:	96.4 96.5 96.4 94.2 96.1 98.1	
Zähler:	23 28 6 3 0 0 0 0 0 0	
Innenzehner:	12	
weiteste:	858 (52), 798 (23), 796 (6)	
beste Teiler	62.2 (54.) 74.0 (55.) 75.6 (17.)	
Trefferlage	0.09 mm rechts, 0.65 mm hoch	
Streuwert	2.64, horizontal: 3.07, vertikal: 2.12	




Serie 1:	9.3 ↘	9.5 →	9.7 →	10.1 ←	9.2 ↘
	7.8 ↖	10.1 ↖	10.4 *	9.9 →	10.4 *
beste Teiler	141.7 (10.) 144.1 (8.) 214.8 (4.)				
Trefferlage	0.31 mm rechts, 0.13 mm hoch				
Streuwert	2.81, horizontal: 3.56, vertikal: 1.77				




Serie 2:	8.4 ↖	10.4 *	9.6 →	8.7 →	10.1 ↓
	10.1 ↓	10.7 *	9.8 ↖	10.1 ↖	8.6 →
beste Teiler	75.6 (17.) 129.7 (12.) 207.6 (15.)				
Trefferlage	0.48 mm rechts, 0.40 mm hoch				
Streuwert	2.74, horizontal: 3.47, vertikal: 1.72				




Serie 3:	9.8 ↖	9.5 ↓	7.8 ↖	9.7 →	10.2 *
	9.1 ↖	9.8 ↖	10.4 *	9.6 ↖	10.5 *
beste Teiler	109.0 (30.) 133.4 (28.) 193.1 (25.)				
Trefferlage	1.38 mm links, 1.60 mm hoch				
Streuwert	2.35, horizontal: 2.48, vertikal: 2.22				



Serie 4:	9.8 ↖	9.1 ↖	9.4 ↑	9.2 →	9.5 ↖
	9.0 ↖	9.6 ↓	9.6 ↖	9.4 ↓	9.6 ↑
beste Teiler	279.6 (31.) 326.1 (38.) 343.3 (37.)				
Trefferlage	0.67 mm links, 1.27 mm hoch				
Streuwert	2.66, horizontal: 2.79, vertikal: 2.53				



Serie 5:	8.6 →	9.5 ↓	10.0 ↖	10.2 *	8.4 ↘
	9.1 ←	10.0 ↑	10.4 *	10.1 ↓	9.8 →
beste Teiler	132.8 (48.) 187.9 (44.) 205.1 (49.)				
Trefferlage	1.14 mm rechts, 0.08 mm tief				
Streuwert	2.65, horizontal: 3.04, vertikal: 2.19				



Serie 6:	9.9 ↘	7.5 →	10.1 ↖	10.7 *	10.7 *
	10.0 ↖	8.8 ↑	10.6 *	9.8 ↖	10.0 →
beste Teiler	62.2 (54.) 74.0 (55.) 94.5 (58.)				
Trefferlage	0.69 mm rechts, 0.63 mm hoch				
Streuwert	2.64, horizontal: 3.01, vertikal: 2.21				

Meyton Elektronik

**LG 60 ZR – Wertung – Junioren**

StandNr: 102

**Margreiter,, Mathias** #1000000104

**StartNr: 1**

4. März 2018 11:02



SG\_Bruckhäusl

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>557.3</b>	(528)
Serien:	94.3 89.7 95.5 93.1 93.1 91.6	
Zähler:	12 29 14 5 0 0 0 0 0 0	
Innenzehner:	8	
weiteste:	941 (60), 881 (20), 800 (54)	
beste Teiler	70.3 (32.) 124.4 (52.) 131.0 (6.)	
Trefferlage	1.94 mm rechts, 0.63 mm hoch	
Streuwert	2.98, horizontal: 3.35, vertikal: 2.56	




Serie 1:	8.9 →	9.8 ↑	9.8 ↙	9.0 ↖	10.3 *
	10.4 *	9.7 →	8.2 ↑	9.3 ↗	8.9 ↗
beste Teiler	131.0 (6.)	172.7 (5.)	276.7 (2.)		
Trefferlage	1.22 mm rechts, 1.61 mm hoch				
Streuwert	2.68, horizontal: 2.87, vertikal: 2.48				




Serie 2:	9.9 ↗	10.1 ↗	8.2 ↖	8.4 ↘	7.8 ↖
	9.9 ↓	8.8 ↘	9.1 ↗	10.1 ↘	7.4 →
beste Teiler	206.4 (12.)	215.1 (19.)	258.3 (16.)		
Trefferlage	0.49 mm rechts, 1.43 mm hoch				
Streuwert	3.93, horizontal: 4.80, vertikal: 2.79				




Serie 3:	9.4 ↑	8.9 →	10.4 *	9.0 →	9.6 →
	9.8 ↖	10.1 ↖	9.2 ↗	9.5 ↑	9.6 →
beste Teiler	132.0 (23.)	218.6 (27.)	294.8 (26.)		
Trefferlage	1.59 mm rechts, 0.96 mm hoch				
Streuwert	2.37, horizontal: 2.80, vertikal: 1.84				



Serie 4:	9.6 ↘	10.7 *	9.9 ↗	8.1 →	8.8 ↓
	9.9 ↗	9.1 ↖	8.8 →	8.4 ↘	9.8 ↘
beste Teiler	70.3 (32.)	258.3 (33.)	271.3 (36.)		
Trefferlage	2.46 mm rechts, 0.36 mm tief				
Streuwert	2.84, horizontal: 3.04, vertikal: 2.64				



Serie 5:	9.6 ↗	10.3 *	7.8 ↘	10.2 *	9.7 ↓
	9.3 →	8.9 →	8.1 ↘	9.6 ↑	9.6 ↘
beste Teiler	173.8 (42.)	199.4 (44.)	315.8 (45.)		
Trefferlage	2.62 mm rechts, 0.35 mm tief				
Streuwert	2.76, horizontal: 3.10, vertikal: 2.37				



Serie 6:	8.0 →	10.5 *	10.1 ↗	7.8 →	9.2 →
	10.4 *	9.0 ↗	9.6 ↗	9.8 ↑	7.2 ↘
beste Teiler	124.4 (52.)	141.0 (56.)	219.8 (53.)		
Trefferlage	3.26 mm rechts, 0.51 mm hoch				
Streuwert	3.05, horizontal: 3.12, vertikal: 2.97				

Meyton Elektronik

**LG 60 ZR – Wertung – Junioren**

StandNr: 103

**Reichegger,, Fabian** #1000000105

**StartNr: 2**

4. März 2018 11:14



SG\_Ellbögen

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>587.5</b>	(561)
Serien:	95.9 94.9 98.3 96.0 102.5 99.9	
Zähler:	28 25 7 0 0 0 0 0 0 0	
Innenzehner:	20	
weiteste:	648 (15), 612 (35), 577 (19)	
beste Teiler	50.6 (5.) 56.0 (23.) 60.0 (41.)	
Trefferlage	0.42 mm rechts, 0.04 mm tief	
Streuwert	2.32, horizontal: 2.78, vertikal: 1.73	




Serie 1:	9.3 ←	10.0 ↗	9.1 ↖	10.2 *	10.8 *
	9.1 ←	9.3 ↗	9.4 ↖	9.3 ←	9.4 →
beste Teiler	50.6 (5.)	178.1 (4.)	248.3 (2.)		
Trefferlage	0.78 mm links, 0.91 mm hoch				
Streuwert	2.57, horizontal: 2.99, vertikal: 2.07				




Serie 2:	9.5 ↘	9.8 ↖	9.1 ↖	9.8 →	8.4 →
	10.3 *	9.9 ↑	9.4 →	8.6 →	10.1 ↖
beste Teiler	169.3 (16.)	218.1 (20.)	275.7 (17.)		
Trefferlage	0.61 mm rechts, 0.05 mm tief				
Streuwert	2.91, horizontal: 3.47, vertikal: 2.23				




Serie 3:	9.7 ↖	10.0 ↖	10.7 *	9.6 ↗	8.8 →
	9.5 →	10.0 ↗	10.2 *	9.7 ↘	10.1 →
beste Teiler	56.0 (23.)	185.3 (28.)	202.6 (30.)		
Trefferlage	1.05 mm rechts, 0.27 mm tief				
Streuwert	2.12, horizontal: 2.54, vertikal: 1.58				



Serie 4:	10.2 *	8.7 →	9.2 →	10.3 *	8.5 →
	10.6 *	9.4 ↘	9.9 →	10.3 *	8.9 ←
beste Teiler	90.0 (36.)	165.8 (34.)	170.4 (39.)		
Trefferlage	1.85 mm rechts, 0.64 mm tief				
Streuwert	2.47, horizontal: 3.07, vertikal: 1.66				



Serie 5:	10.7 *	10.3 *	10.4 *	10.7 *	9.7 ↓
	10.3 *	10.5 *	10.1 ←	10.2 *	9.6 ←
beste Teiler	60.0 (41.)	66.3 (44.)	121.2 (47.)		
Trefferlage	0.69 mm links, 0.48 mm tief				
Streuwert	1.36, horizontal: 1.40, vertikal: 1.31				



Serie 6:	9.6 ↘	10.2 *	10.1 ↗	10.1 →	10.6 *
	8.9 →	10.5 *	9.9 ↖	9.6 ←	10.4 *
beste Teiler	100.0 (55.)	113.1 (57.)	144.5 (60.)		
Trefferlage	0.49 mm rechts, 0.27 mm hoch				
Streuwert	1.97, horizontal: 2.46, vertikal: 1.31				

Meyton Elektronik

**LG 60 ZR – Wertung – Junioren**

StandNr: 104

**Sommavilla, Manuel** #70225045

**StartNr: 3**

4. März 2018 11:25

SG\_Wattens–Rettenberg / Wattens 2



---

\_\_\_\_\_  
Unterschrift des Schützen


Meyton Elektronik




Ergebnis: **603.3** (574)  
 Serien: 99.6 100.7 100.5 98.0 103.4 101.1  
 Zähler: 36 22 2 0 0 0 0 0 0  
 Innenzehner: 32  
 weiteste: 746 (55), 552 (9), 491 (22)  
 beste Teiler 20.6 (44.) 21.2 (6.) 28.6 (19.)  
 Trefferlage 0.28 mm links, 0.79 mm hoch  
 Streuwert 1.83, horizontal: 2.22, vertikal: 1.32




Serie 1:  
 10.6 \* 10.8 \* 9.9 ↙ 9.2 ↗ 9.9 →  
 10.9 \* 9.6 ↖ 9.6 ↘ 8.7 ↖ 10.4 \*  
 beste Teiler 21.2 (6.) 34.3 (2.) 86.2 (1.)  
 Trefferlage 0.49 mm links, 0.99 mm hoch  
 Streuwert 2.07, horizontal: 2.47, vertikal: 1.56




Serie 2:  
 10.1 ↗ 9.8 ↘ 10.6 \* 9.7 ↑ 9.9 ←  
 10.5 \* 9.5 ← 9.9 ↗ 10.8 \* 9.9 ←  
 beste Teiler 28.6 (19.) 76.1 (13.) 101.1 (16.)  
 Trefferlage 0.67 mm links, 1.16 mm hoch  
 Streuwert 1.51, horizontal: 1.87, vertikal: 1.05




Serie 3:  
 10.7 \* 9.0 ← 10.1 ↘ 9.5 → 9.0 →  
 10.4 \* 10.8 \* 10.3 \* 10.2 \* 10.5 \*  
 beste Teiler 46.0 (27.) 58.5 (21.) 122.2 (30.)  
 Trefferlage 0.12 mm links, 0.28 mm hoch  
 Streuwert 2.03, horizontal: 2.70, vertikal: 0.96



Serie 4:  
 10.5 \* 10.3 \* 9.5 ↑ 9.5 ↑ 9.7 ←  
 10.3 \* 9.3 ↗ 9.6 ↘ 10.0 ↗ 9.3 →  
 beste Teiler 114.1 (31.) 158.0 (36.) 169.6 (32.)  
 Trefferlage 0.20 mm rechts, 1.69 mm hoch  
 Streuwert 1.90, horizontal: 2.25, vertikal: 1.47



Serie 5:  
 10.6 \* 10.2 \* 10.6 \* 10.9 \* 10.3 \*  
 9.4 → 10.4 \* 10.6 \* 10.0 ← 10.4 \*  
 beste Teiler 20.6 (44.) 79.3 (41.) 82.5 (48.)  
 Trefferlage 0.02 mm links, 0.34 mm hoch  
 Streuwert 1.36, horizontal: 1.80, vertikal: 0.67



Serie 6:  
 10.5 \* 10.7 \* 10.6 \* 10.7 \* 8.0 ↖  
 10.2 \* 10.3 \* 9.5 ↘ 10.4 \* 10.2 \*  
 beste Teiler 62.6 (52.) 75.5 (54.) 89.2 (53.)  
 Trefferlage 0.58 mm links, 0.26 mm hoch  
 Streuwert 2.09, horizontal: 2.52, vertikal: 1.55

Meyton Elektronik

**LG 60 ZR – Wertung – Junioren**

StandNr: 105

**Moser, Matthias** #1000000106

**StartNr: 4**

4. März 2018 11:30



SG\_Münster

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>593.1</b>	(565)							
Serien:	102.2	99.9	97.4	98.9	93.7	101.0			
Zähler:	29	28	2	1	0	0	0	0	0
Innenzehner:	23								
weiteste:	825	(43),	719	(46),	519	(30)			
beste Teiler	12.0	(26.)	23.3	(56.)	28.4	(54.)			
Trefferlage	0.90	mm links,	0.46	mm hoch					
Streuwert	2.09,	horizontal:	2.53,	vertikal:	1.52				




Serie 1:						
	9.3 →	10.0 ↘	10.7 *	10.4 *	10.0 ↗	
	10.3 *	10.2 *	10.7 *	10.4 *	10.2 *	
beste Teiler	58.3	(3.)	72.1	(8.)	136.4	(9.)
Trefferlage	0.28	mm links,	0.41	mm hoch		
Streuwert	1.50,	horizontal:	1.78,	vertikal:	1.16	




Serie 2:						
	9.8 ↗	10.6 *	9.4 →	9.9 →	9.3 →	
	10.3 *	10.5 *	10.2 *	10.4 *	9.5 ↖	
beste Teiler	78.0	(12.)	121.7	(17.)	136.6	(19.)
Trefferlage	1.21	mm rechts,	0.09	mm hoch		
Streuwert	1.78,	horizontal:	2.21,	vertikal:	1.21	




Serie 3:						
	9.9 →	9.5 ↙	9.2 ↗	9.7 ←	10.2 *	
	10.9 *	9.5 ←	10.0 ↘	9.6 ←	8.9 ↖	
beste Teiler	12.0	(26.)	181.4	(25.)	248.2	(28.)
Trefferlage	1.27	mm links,	1.02	mm hoch		
Streuwert	2.13,	horizontal:	2.54,	vertikal:	1.63	



Serie 4:						
	10.5 *	9.1 ←	9.9 ←	10.3 *	9.9 ←	
	9.6 ↘	9.5 ←	9.6 ↘	10.1 ↖	10.4 *	
beste Teiler	116.5	(31.)	128.4	(40.)	171.8	(34.)
Trefferlage	1.74	mm links,	0.36	mm hoch		
Streuwert	1.70,	horizontal:	1.74,	vertikal:	1.65	



Serie 5:						
	10.4 *	10.1 ↘	7.7 ←	9.1 ←	9.3 ↙	
	8.1 ←	9.6 ↖	9.9 ↘	9.7 ↘	9.8 →	
beste Teiler	132.2	(41.)	202.4	(42.)	255.6	(48.)
Trefferlage	2.73	mm links,	0.10	mm hoch		
Streuwert	2.65,	horizontal:	3.13,	vertikal:	2.05	



Serie 6:						
	9.0 ←	9.7 ↘	9.7 ↑	10.8 *	10.0 ↖	
	10.9 *	10.6 *	10.3 *	9.7 →	10.3 *	
beste Teiler	23.3	(56.)	28.4	(54.)	99.8	(57.)
Trefferlage	0.58	mm links,	0.79	mm hoch		
Streuwert	1.77,	horizontal:	2.08,	vertikal:	1.39	

Meyton Elektronik

**LG 60 ZR – Wertung – Junioren**

StandNr: 106

**Erler, Sebastian** #70225013

**StartNr: 5**

4. März 2018 11:17



SG\_Wattens–Rettenberg / Wattens 2

---

\_\_\_\_\_  
Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	<b>603.3</b>	(574)
Serien:	99.9 99.6 100.9 100.6 102.2 100.1	
Zähler:	35 24 1 0 0 0 0 0 0	
Innenzehner:	29	
weiteste:	585 (30), 419 (20), 410 (47)	
beste Teiler	7.8 (60.) 34.4 (28.) 47.7 (40.)	
Trefferlage	0.16 mm rechts, 0.56 mm hoch	
Streuwert	1.77, horizontal: 1.98, vertikal: 1.53	




Serie 1:

10.0 ↗	9.5 ↘	9.7 →	10.5 *	9.6 →
10.7 *	10.5 *	9.5 ←	9.7 →	10.2 *
beste Teiler	59.0 (6.)	105.6 (4.)	123.4 (7.)	
Trefferlage	0.58 mm rechts, 1.03 mm hoch			
Streuwert	1.76, horizontal: 2.21, vertikal: 1.16			




Serie 2:

10.2 *	9.7 ↑	10.0 ↙	9.4 ↖	10.1 ↑
9.7 →	10.2 *	10.5 *	10.5 *	9.3 ↖
beste Teiler	102.1 (19.)	112.0 (18.)	176.9 (11.)	
Trefferlage	0.72 mm links, 0.91 mm hoch			
Streuwert	1.81, horizontal: 2.21, vertikal: 1.28			




Serie 3:

10.7 *	9.9 ↑	10.2 *	9.7 →	10.0 ↘
10.1 ↘	10.3 *	10.8 *	10.6 *	8.6 ↘
beste Teiler	34.4 (28.)	61.4 (21.)	100.8 (29.)	
Trefferlage	0.26 mm rechts, 0.51 mm hoch			
Streuwert	1.93, horizontal: 1.79, vertikal: 2.05			




Serie 4:

10.1 ↑	9.6 ↑	10.3 *	9.8 ↑	10.4 *
10.3 *	9.7 ↘	9.4 ↙	10.2 *	10.8 *
beste Teiler	47.7 (40.)	144.1 (35.)	163.0 (33.)	
Trefferlage	0.04 mm links, 0.72 mm hoch			
Streuwert	1.72, horizontal: 1.27, vertikal: 2.08			



Serie 5:

9.5 ↙	10.5 *	10.4 *	10.7 *	9.9 ↑
10.3 *	9.3 →	10.7 *	10.3 *	10.6 *
beste Teiler	56.8 (44.)	59.9 (48.)	82.7 (50.)	
Trefferlage	0.15 mm rechts, 0.33 mm hoch			
Streuwert	1.58, horizontal: 1.85, vertikal: 1.26			



Serie 6:

9.6 ↘	9.7 ←	9.4 →	10.6 *	10.6 *
10.2 *	9.9 ←	9.6 ↗	9.6 →	10.9 *
beste Teiler	7.8 (60.)	81.2 (55.)	89.8 (54.)	
Trefferlage	0.72 mm rechts, 0.12 mm tief			
Streuwert	1.94, horizontal: 2.52, vertikal: 1.10			

**LG 60 ZR – Wertung – Junioren**

StandNr: 107

**Schöfbeck,, Marcel** #70423062

**StartNr: 6**

4. März 2018 11:12



SG\_Walchsee / Walchsee 1

---

\_\_\_\_\_  
Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	<b>587.1</b>	(560)
Serien:	94.1 98.0 99.3 98.9 97.6 99.2	
Zähler:	29 24 5 2 0 0 0 0 0 0	
Innenzehner:	19	
weiteste:	905 (10), 799 (18), 714 (11)	
beste Teiler	5.0 (30.) 36.1 (19.) 50.0 (31.)	
Trefferlage	0.06 mm links, 0.33 mm tief	
Streuwert	2.44, horizontal: 2.87, vertikal: 1.91	




Serie 1:

9.8 ↗	10.2 *	8.5 ↘	9.8 ↘	10.1 ↘
10.4 *	8.5 ↘	9.1 ↓	10.4 *	7.3 ←
beste Teiler	131.5 (9.)	136.3 (6.)	176.8 (2.)	
Trefferlage	0.16 mm rechts, 0.59 mm tief			
Streuwert	3.36, horizontal: 4.03, vertikal: 2.52			




Serie 2:

8.1 ←	10.4 *	10.6 *	10.2 *	9.6 ↘
10.4 *	10.0 ↓	7.8 ↘	10.8 *	10.1 ↓
beste Teiler	36.1 (19.)	84.2 (13.)	127.1 (16.)	
Trefferlage	1.23 mm links, 0.03 mm hoch			
Streuwert	2.67, horizontal: 3.21, vertikal: 1.98			




Serie 3:

9.9 ←	9.8 ↘	9.3 ←	10.7 *	9.1 →
9.5 ↘	9.5 ↘	10.5 *	10.1 ↗	10.9 *
beste Teiler	5.0 (30.)	58.8 (24.)	101.8 (28.)	
Trefferlage	0.30 mm links, 0.48 mm tief			
Streuwert	2.16, horizontal: 2.60, vertikal: 1.60			




Serie 4:

10.8 *	9.8 ↗	9.9 ↘	9.8 →	10.5 *
9.2 ↘	10.1 ↘	9.6 ↘	9.3 ↗	9.9 ↗
beste Teiler	50.0 (31.)	110.4 (35.)	209.0 (37.)	
Trefferlage	1.19 mm rechts, 0.17 mm tief			
Streuwert	1.98, horizontal: 2.06, vertikal: 1.90			



Serie 5:

9.5 ↘	9.8 ↘	10.6 *	10.4 *	8.9 ←
10.2 *	9.5 ↘	10.0 ↑	9.3 →	9.4 ↗
beste Teiler	84.0 (43.)	130.6 (44.)	182.6 (46.)	
Trefferlage	0.20 mm links, 0.16 mm tief			
Streuwert	2.37, horizontal: 2.79, vertikal: 1.86			



Serie 6:

9.9 ←	10.3 *	10.1 ↑	8.9 ↘	10.1 ←
10.2 *	10.5 *	10.0 ↓	10.1 ↑	9.1 ↘
beste Teiler	102.4 (57.)	170.3 (52.)	189.0 (56.)	
Trefferlage	0.00 mm , 0.61 mm tief			
Streuwert	2.10, horizontal: 2.28, vertikal: 1.91			

Meyton Elektronik

**LG 60 ZR** – Wertung – **Junioren**

StandNr: 108

**Junt,, Patrik** #1000000107

**StartNr: 7**

4. März 2018 11:14

SG\_Lermoos



---

\_\_\_\_\_  
Unterschrift des Schützen


Meyton Elektronik




Ergebnis: **604.2** (573)  
 Serien: 101.0 98.4 101.0 100.9 100.5 102.4  
 Zähler: 34 25 1 0 0 0 0 0 0  
 Innenzehner: 26  
 weiteste: 539 (49), 491 (33), 463 (29)  
 beste Teiler 13.3 (10.) 26.5 (52.) 36.4 (2.)  
 Trefferlage 0.27 mm rechts, 0.20 mm tief  
 Streuwert 1.76, horizontal: 1.98, vertikal: 1.52




Serie 1:  
 9.9 → 10.8 \* 9.4 ↖ 10.3 \* 10.3 \*  
 9.4 → 10.2 \* 9.7 ← 10.1 ↖ 10.9 \*  
 beste Teiler 13.3 (10.) 36.4 (2.) 161.4 (5.)  
 Trefferlage 0.45 mm links, 0.26 mm hoch  
 Streuwert 1.79, horizontal: 2.39, vertikal: 0.82




Serie 2:  
 9.9 ↓ 9.5 ↘ 10.2 \* 9.5 ↓ 9.9 ↘  
 9.9 → 9.8 ↖ 9.8 ↖ 10.0 ↖ 9.9 →  
 beste Teiler 189.7 (13.) 243.1 (19.) 251.4 (16.)  
 Trefferlage 0.51 mm rechts, 0.51 mm tief  
 Streuwert 2.03, horizontal: 2.12, vertikal: 1.94




Serie 3:  
 10.0 → 9.9 ↖ 10.0 ↑ 10.0 ↗ 9.9 →  
 10.6 \* 10.5 \* 10.5 \* 9.1 → 10.5 \*  
 beste Teiler 83.7 (26.) 111.8 (30.) 120.8 (28.)  
 Trefferlage 0.74 mm rechts, 0.72 mm hoch  
 Streuwert 1.59, horizontal: 1.91, vertikal: 1.19



Serie 4:  
 10.5 \* 10.6 \* 9.0 → 10.2 \* 10.1 →  
 9.9 ↘ 10.4 \* 9.9 ↓ 10.7 \* 9.6 ↘  
 beste Teiler 61.6 (39.) 79.3 (32.) 105.5 (31.)  
 Trefferlage 1.27 mm rechts, 0.70 mm tief  
 Streuwert 1.53, horizontal: 1.58, vertikal: 1.47



Serie 5:  
 10.2 \* 9.2 ↘ 9.9 ← 10.4 \* 9.9 ↓  
 10.8 \* 10.4 \* 10.8 \* 8.8 ← 10.1 ↑  
 beste Teiler 44.7 (46.) 50.0 (48.) 128.2 (47.)  
 Trefferlage 0.54 mm links, 0.66 mm tief  
 Streuwert 1.92, horizontal: 2.18, vertikal: 1.61



Serie 6:  
 9.9 → 10.8 \* 10.1 ↗ 10.6 \* 10.5 \*  
 10.3 \* 10.4 \* 9.6 ↓ 9.5 ↖ 10.7 \*  
 beste Teiler 26.5 (52.) 56.3 (60.) 84.9 (54.)  
 Trefferlage 0.10 mm rechts, 0.34 mm tief  
 Streuwert 1.50, horizontal: 1.35, vertikal: 1.63

Meyton Elektronik

**LG 60 ZR – Wertung – Junioren**

StandNr: 109

**Lintner,, Stefan** #1000000108

**StartNr: 8**

4. März 2018 11:25



SG\_Hötting-Ibk / Hötting 1

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>573.1</b>	(547)
Serien:	95.5 95.1 96.6 94.8 92.2 98.9	
Zähler:	22 25 11 2 0 0 0 0 0 0	
Innenzehner:	19	
weiteste:	944 (48), 778 (41), 740 (37)	
beste Teiler	39.2 (10.) 72.8 (42.) 72.9 (52.)	
Trefferlage	0.57 mm links, 0.74 mm hoch	
Streuwert	2.80, horizontal: 2.96, vertikal: 2.62	




Serie 1:	10.2 *	9.2 ↓	9.2 ↖	9.2 ↗	9.2 ←
	10.4 *	9.2 →	8.3 →	9.8 ↓	10.8 *
beste Teiler	39.2 (10.)	149.1 (6.)	189.1 (1.)		
Trefferlage	0.00 mm , 0.08 mm tief				
Streuwert	2.94, horizontal: 3.35, vertikal: 2.48				




Serie 2:	10.4 *	10.6 *	8.8 ↖	10.2 *	9.8 ↖
	8.7 ↑	9.1 ↖	10.2 *	8.7 ↑	8.6 ↖
beste Teiler	86.0 (12.)	131.5 (11.)	191.2 (18.)		
Trefferlage	1.00 mm links, 2.60 mm hoch				
Streuwert	2.21, horizontal: 2.09, vertikal: 2.33				




Serie 3:	10.3 *	9.2 →	10.6 *	10.2 *	8.2 ↖
	9.5 ←	8.4 ↑	10.3 *	9.9 ↗	10.0 →
beste Teiler	91.5 (23.)	159.6 (28.)	174.0 (21.)		
Trefferlage	0.19 mm rechts, 1.28 mm hoch				
Streuwert	2.61, horizontal: 2.62, vertikal: 2.60				



Serie 4:	10.6 *	9.5 →	8.6 ←	9.6 ↘	9.4 →
	9.8 ↗	8.0 ↖	10.3 *	9.8 ←	9.2 ←
beste Teiler	85.7 (31.)	168.3 (38.)	292.1 (36.)		
Trefferlage	0.95 mm links, 0.12 mm hoch				
Streuwert	2.98, horizontal: 3.50, vertikal: 2.36				



Serie 5:	7.8 ↗	10.7 *	10.0 ↑	9.0 ←	9.4 ←
	9.4 ↖	10.0 ↖	7.2 ↘	8.9 ↖	9.8 →
beste Teiler	72.8 (42.)	246.4 (47.)	248.2 (43.)		
Trefferlage	0.23 mm links, 0.48 mm hoch				
Streuwert	3.71, horizontal: 4.09, vertikal: 3.28				



Serie 6:	9.8 ↓	10.7 *	9.6 ↑	9.4 ←	10.5 *
	9.1 ←	10.2 *	8.9 ↖	10.3 *	10.4 *
beste Teiler	72.9 (52.)	110.4 (55.)	129.5 (60.)		
Trefferlage	1.41 mm links, 0.06 mm hoch				
Streuwert	2.01, horizontal: 1.97, vertikal: 2.06				

Meyton Elektronik

**LG 60 ZR – Wertung – Junioren**

StandNr: 110

**Kreidl, Mathias** #1000000109

**StartNr: 9**

4. März 2018 11:13



SG\_Kaltenbach-Ried

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>599.6</b>	(570)
Serien:	99.1	100.1 99.2 101.1 100.1 100.0
Zähler:	33 25 1 1 0 0 0 0 0 0	
Innenzehner:	23	
weiteste:	830 (45), 558 (16), 456 (15)	
beste Teiler	29.4 (54.) 39.8 (50.) 47.4 (53.)	
Trefferlage	0.50 mm rechts, 0.03 mm tief	
Streuwert	1.94, horizontal: 2.24, vertikal: 1.58	




Serie 1:	10.4 *	9.8 ←	9.5 ↘	9.7 ↙	9.8 ↘
	10.0 ↗	9.5 ←	10.3 *	10.0 ↓	10.1 ↓
beste Teiler	144.2 (1.)	153.2 (8.)	220.4 (10.)		
Trefferlage	0.07 mm rechts, 0.97 mm tief				
Streuwert	1.89, horizontal: 2.40, vertikal: 1.18				




Serie 2:	9.9 ↙	10.5 *	10.5 *	10.7 *	9.1 →
	8.7 ↘	10.2 *	10.3 *	10.4 *	9.8 ↖
beste Teiler	64.8 (14.)	101.5 (12.)	114.6 (13.)		
Trefferlage	0.72 mm rechts, 0.24 mm tief				
Streuwert	2.03, horizontal: 2.45, vertikal: 1.50				




Serie 3:	10.4 *	9.6 →	10.4 *	9.9 ↘	9.7 ↙
	9.7 ↘	10.1 ↓	10.1 ↓	10.0 →	9.3 ↗
beste Teiler	138.2 (21.)	139.0 (23.)	223.0 (28.)		
Trefferlage	1.22 mm rechts, 0.59 mm tief				
Streuwert	1.76, horizontal: 1.77, vertikal: 1.76				



Serie 4:	10.3 *	9.8 ↖	9.7 ↙	9.8 →	10.5 *
	10.7 *	10.1 →	10.3 *	9.8 ↗	10.1 →
beste Teiler	62.6 (36.)	109.0 (35.)	161.3 (38.)		
Trefferlage	0.23 mm rechts, 0.76 mm hoch				
Streuwert	1.58, horizontal: 1.83, vertikal: 1.28				



Serie 5:	10.2 *	9.9 ↗	10.6 *	10.5 *	7.6 →
	9.8 ↙	10.6 *	10.3 *	9.8 ↖	10.8 *
beste Teiler	39.8 (50.)	82.0 (43.)	85.9 (47.)		
Trefferlage	0.76 mm rechts, 0.68 mm hoch				
Streuwert	2.25, horizontal: 2.97, vertikal: 1.14				



Serie 6:	10.1 ↓	9.9 ↗	10.8 *	10.8 *	9.9 ↙
	9.4 →	10.0 ↓	9.2 ↖	9.4 ↑	10.5 *
beste Teiler	29.4 (54.)	47.4 (53.)	107.2 (60.)		
Trefferlage	0.00 mm , 0.16 mm hoch				
Streuwert	2.07, horizontal: 2.11, vertikal: 2.01				

Meyton Elektronik

**LG 60 ZR – Wertung – Junioren**

StandNr: 111

**Ruberto,, Marco** #1000000110

**StartNr: 10**

4. März 2018 11:08

SG\_Wörgl / Wörgl 1

---

\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik