




Ergebnis:	492						(518.4)
Serien:	86	90	83	78	75	80	
Zähler:	14	10	19	11	4	1 1 0 0 0	
Innenzehner:	1						
weiteste:	5220 (40), 4289 (46), 3766 (55)						
beste Teiler	466.6 (52.) 484.8 (14.) 498.6 (19.)						
Trefferlage	3.08 mm links, 0.17 mm hoch						
Streuwert	15.07, horizontal: 16.09, vertikal: 13.98						



Serie 1:

7.0 ←	9.8 →	8.4 ↑	10.1 ↖	10.0 ↘
10.1 ↙	8.4 ↘	8.8 ↓	8.8 ↘	8.4 ↑


beste Teiler 678.9 (4.) 681.4 (6.) 777.4 (5.)
 Trefferlage 2.23 mm links, 2.52 mm tief
 Streuwert 12.82, horizontal: 12.32, vertikal: 13.31



Serie 2:

8.4 ↖	10.1 ↑	7.9 ↗	10.3 →	10.1 ↘
8.9 ↗	8.0 →	9.2 ↘	10.3 ↘	10.3 →


beste Teiler 484.8 (14.) 498.6 (19.) 506.7 (20.)
 Trefferlage 5.29 mm rechts, 6.01 mm hoch
 Streuwert 9.47, horizontal: 10.84, vertikal: 7.88



Serie 3:

8.8 ↙	9.4 ←	7.1 ↘	8.7 ↖	8.7 ↑
8.9 ↓	7.8 ←	9.8 →	9.4 ↑	10.3 ↖


beste Teiler 549.2 (30.) 921.0 (28.) 1210.9 (29.)
 Trefferlage 3.92 mm links, 0.12 mm tief
 Streuwert 13.19, horizontal: 13.89, vertikal: 12.45



Serie 4:

9.9 ↗	7.1 ↘	10.0 ←	6.4 ←	9.0 ↙
9.8 ↙	7.9 ↘	8.6 ↖	9.1 ↖	4.4 ↙


beste Teiler 724.6 (33.) 866.6 (31.) 918.1 (36.)
 Trefferlage 5.73 mm links, 7.15 mm tief
 Streuwert 17.91, horizontal: 17.63, vertikal: 18.19



Serie 5:

7.8 ←	8.8 ↘	10.1 ↘	8.3 ↖	7.4 ↑
5.6 ↖	6.7 →	8.9 ↙	8.1 ↑	8.2 ↙

beste Teiler 649.2 (43.) 1672.2 (48.) 1707.6 (42.)
 Trefferlage 7.29 mm links, 2.93 mm hoch
 Streuwert 18.07, horizontal: 18.81, vertikal: 17.30



Serie 6:

7.9 ←	10.4 *	7.0 ←	6.3 ↗	6.2 ←
10.1 ←	10.2 →	7.9 ↓	9.8 ↑	8.3 ↗

beste Teiler 466.6 (52.) 604.6 (57.) 712.8 (56.)
 Trefferlage 4.62 mm links, 1.90 mm hoch
 Streuwert 17.33, horizontal: 21.44, vertikal: 11.85

Meyton Elektronik

LP 60 – Wertung – **Junioren**

StandNr: 145

Schiestl, Tobias #70420025

StartNr: 56



24. Februar 2018 13:35

SG_Söller_Sportschützen

Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	514						(541.9)
Serien:	78	84	83	86	90	93	
Zähler:	9	26	17	6	2	0	0 0 0 0 0
Innenzehner:	2						
weiteste:	3656 (5), 3375 (29), 2723 (40)						
beste Teiler	102.5 (30.) 327.0 (11.) 552.8 (53.)						
Trefferlage	1.52 mm rechts, 0.75 mm hoch						
Streuwert	12.12, horizontal: 13.61, vertikal: 10.42						



Serie 1:

8.6 ←	7.8 →	8.5 ↑	9.1 ↓	6.4 ←
9.9 ↓	7.8 ↘	8.8 ↗	8.0 ↑	8.0 ←


beste Teiler 843.8 (6.) 1451.2 (4.) 1724.8 (8.)
 Trefferlage 3.58 mm links, 7.16 mm hoch
 Streuwert 15.62, horizontal: 18.43, vertikal: 12.17



Serie 2:

10.5 *	10.2 ↙	9.7 →	7.7 ←	8.1 →
8.1 ↓	8.1 ↘	8.1 ↗	8.5 ↗	8.7 →


beste Teiler 327.0 (11.) 614.5 (12.) 1033.0 (13.)
 Trefferlage 3.17 mm rechts, 0.75 mm tief
 Streuwert 13.98, horizontal: 16.12, vertikal: 11.45



Serie 3:

7.7 →	10.0 ↘	7.9 ↑	9.9 ↘	8.9 ↓
8.8 →	9.9 ↓	9.2 ←	6.7 ↗	10.8 *


beste Teiler 102.5 (30.) 747.4 (22.) 809.8 (24.)
 Trefferlage 4.77 mm rechts, 2.56 mm hoch
 Streuwert 13.09, horizontal: 14.47, vertikal: 11.56



Serie 4:

9.1 ↘	9.8 ↓	8.1 ↗	9.7 ↗	9.2 ←
9.8 ↗	8.9 ↘	9.5 ↓	9.6 ↗	7.5 ←


beste Teiler 897.3 (32.) 908.3 (36.) 997.8 (34.)
 Trefferlage 0.50 mm links, 0.14 mm tief
 Streuwert 11.72, horizontal: 13.19, vertikal: 10.04



Serie 5:

8.4 ↙	9.6 ↑	9.2 →	9.3 →	9.2 →
10.2 ←	9.9 ↗	9.9 ↗	10.1 ↘	8.5 ↓

beste Teiler 630.3 (46.) 648.1 (49.) 858.1 (47.)
 Trefferlage 1.40 mm rechts, 2.04 mm tief
 Streuwert 9.65, horizontal: 9.39, vertikal: 9.90



Serie 6:

9.6 ↘	9.4 ←	10.3 ←	9.6 ↗	10.0 →
9.2 ↗	9.4 ↘	9.4 ↘	10.0 →	9.1 →

beste Teiler 552.8 (53.) 776.2 (59.) 787.5 (55.)
 Trefferlage 3.89 mm rechts, 2.24 mm tief
 Streuwert 7.68, horizontal: 9.46, vertikal: 5.34

Meyton Elektronik

LP 60 – Wertung – **Junioren**

StandNr: 128

Lackner,, Thomas #70420073

StartNr: 96



24. Februar 2018 13:57

SG_Söller_Sportschützen

Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	526	(553.2)				
Serien:	85	88	89	89	88	87
Zähler:	7	33	19	1	0	0
Innenzehner:	4					
weiteste:	2692 (4), 2308 (16), 2265 (20)					
beste Teiler	198.9 (24.) 236.7 (14.) 278.4 (31.)					
Trefferlage	3.42 mm links, 6.10 mm tief					
Streuwert	9.32, horizontal: 8.53, vertikal: 10.05					



Serie 1:

9.0 ↘	8.8 ↘	9.5 ↙	7.6 ↓	8.5 ↑
8.3 ↙	9.6 ↑	9.9 ↙	9.1 ↘	9.9 ↙


beste Teiler 814.4 (8.) 856.2 (10.) 1060.9 (7.)
 Trefferlage 4.59 mm links, 1.68 mm tief
 Streuwert 11.76, horizontal: 6.87, vertikal: 15.15



Serie 2:

9.3 ↑	9.5 ←	9.0 ↙	10.7 *	9.8 ↘
8.1 ↓	9.5 ↓	9.0 ↙	8.8 ↙	8.1 ↙


beste Teiler 236.7 (14.) 894.3 (15.) 1140.6 (12.)
 Trefferlage 6.06 mm links, 8.08 mm tief
 Streuwert 8.62, horizontal: 5.97, vertikal: 10.63



Serie 3:

8.7 ↙	8.6 ↓	10.4 *	10.7 *	9.8 →
9.3 ↙	9.6 →	9.5 ↘	9.1 ↓	8.8 ↙


beste Teiler 198.9 (24.) 469.2 (23.) 906.4 (25.)
 Trefferlage 2.47 mm links, 6.89 mm tief
 Streuwert 8.14, horizontal: 8.26, vertikal: 8.01



Serie 4:

10.6 *	9.0 ↓	10.0 ↑	9.7 ↓	9.5 ↗
8.3 ↘	9.0 ↙	8.8 ↙	9.8 ←	8.9 ↙


beste Teiler 278.4 (31.) 750.7 (33.) 913.4 (39.)
 Trefferlage 1.79 mm links, 6.13 mm tief
 Streuwert 9.04, horizontal: 8.59, vertikal: 9.48



Serie 5:

9.9 →	9.5 ↙	9.2 ←	9.0 ↘	9.4 ↙
8.4 ↙	9.4 ↙	9.0 ↓	9.5 ↘	8.5 ↙

beste Teiler 815.0 (41.) 1179.6 (49.) 1193.8 (42.)
 Trefferlage 3.55 mm links, 9.23 mm tief
 Streuwert 7.91, horizontal: 10.13, vertikal: 4.76



Serie 6:

8.7 ↘	8.3 ←	8.5 ↘	8.5 ↓	9.4 ↘
10.1 ↓	9.0 ←	10.4 ←	8.9 →	9.5 ↙

beste Teiler 476.2 (58.) 663.0 (56.) 1169.0 (60.)
 Trefferlage 2.06 mm links, 4.57 mm tief
 Streuwert 10.89, horizontal: 11.60, vertikal: 10.14

Meyton Elektronik

LP 60 – Wertung – **Junioren**

StandNr: 129

Mair., Manuel #70606015

StartNr: 97



24. Februar 2018 13:56

SG_Innervillgraten

Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	474	(502.3)				
Serien:	85	76	73	76	84	80
Zähler:	8	15	16	12	4	3
Innenzehner:	3					
weiteste:	5235 (23), 5000 (33), 4533 (59)					
beste Teiler	137.6 (21.) 404.6 (38.) 451.6 (60.)					
Trefferlage	2.54 mm links, 11.95 mm tief					
Streuwert	14.46, horizontal: 12.03, vertikal: 16.53					



Serie 1:

9.9 ↘	9.8 →	9.1 ↖	10.1 →	8.3 ↘
7.3 ↓	10.1 ↘	9.1 ↖	6.9 ↓	8.8 ↙


beste Teiler 680.3 (7.) 716.6 (4.) 845.8 (1.)
 Trefferlage 0.12 mm links, 7.07 mm tief
 Streuwert 12.63, horizontal: 10.73, vertikal: 14.27



Serie 2:

8.0 ←	9.1 ↓	7.9 ↘	8.3 ←	7.6 ↘
8.2 ↓	9.8 ↓	9.2 ↓	6.0 ↗	5.8 ↑


beste Teiler 886.8 (17.) 1363.5 (18.) 1463.9 (12.)
 Trefferlage 7.29 mm links, 8.60 mm tief
 Streuwert 17.05, horizontal: 13.11, vertikal: 20.25



Serie 3:

10.8 *	8.9 ↓	4.4 ↓	7.1 ↗	7.4 ↘
7.1 ↙	8.4 ↓	7.3 ↙	8.4 ↓	7.9 ↗


beste Teiler 137.6 (21.) 1634.7 (22.) 2006.2 (29.)
 Trefferlage 1.78 mm links, 13.85 mm tief
 Streuwert 18.24, horizontal: 16.17, vertikal: 20.10



Serie 4:

8.7 ↘	9.6 ↓	4.7 ↘	10.3 ↙	8.5 ↙
9.6 ↗	7.8 ↓	10.4 *	6.7 ↓	5.6 ↓


beste Teiler 404.6 (38.) 545.7 (34.) 1059.1 (32.)
 Trefferlage 0.00 mm , 17.45 mm tief
 Streuwert 15.00, horizontal: 12.43, vertikal: 17.19



Serie 5:

9.7 ↘	10.0 ↗	9.6 ↖	9.6 ↗	9.5 ↑
8.5 ↘	7.9 ↓	7.6 ↓	6.4 ↗	10.2 ↙


beste Teiler 635.5 (50.) 781.5 (42.) 1012.5 (41.)
 Trefferlage 4.12 mm links, 9.14 mm tief
 Streuwert 11.96, horizontal: 9.09, vertikal: 14.26



Serie 6:

8.3 ←	7.8 ↓	8.0 ↓	8.4 ↓	8.5 ↘
8.7 ↙	9.9 ↗	9.1 ↗	5.3 ↓	10.4 *

beste Teiler 451.6 (60.) 874.6 (57.) 1451.0 (58.)
 Trefferlage 1.98 mm links, 15.60 mm tief
 Streuwert 12.17, horizontal: 11.00, vertikal: 13.23



LP 60 – Wertung – **Junioren**

StandNr: 130

Prettenhofer,, Raphael #70415066

StartNr: 98



24. Februar 2018 13:55

SG_Münster

Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	433	(457.1)				
Serien:	60	78	66	76	73	80
Zähler:	6	7	16	13	8	6 2 1 1 0
Innenzehner:	3					
weiteste:	6987 (3), 6173 (42), 5274 (32)					
beste Teiler	212.5 (55.) 311.2 (31.) 398.8 (26.)					
Trefferlage	15.17 mm links, 13.30 mm tief					
Streuwert	16.15, horizontal: 19.09, vertikal: 12.54					



Serie 1:

4.4 ↙	7.6 ↙	2.2 ←	8.6 ↙	7.3 ↙
6.0 ↙	6.9 →	6.4 ↙	5.6 ←	9.2 →


beste Teiler 1427.9 (10.) 1868.0 (4.) 2655.3 (2.)
 Trefferlage 19.05 mm links, 17.25 mm tief
 Streuwert 22.23, horizontal: 27.84, vertikal: 14.59



Serie 2:

7.2 ↙	10.2 ↘	7.1 ←	8.3 ↙	9.1 ↙
7.7 ↓	8.3 ↙	8.5 ←	9.6 ↓	5.4 ↙


beste Teiler 629.2 (12.) 1053.9 (19.) 1495.9 (15.)
 Trefferlage 14.68 mm links, 14.51 mm tief
 Streuwert 10.33, horizontal: 10.84, vertikal: 9.79



Serie 3:

6.3 ←	8.0 ↘	5.8 ↙	6.4 ↙	7.0 ↙
10.5 *	5.7 ←	8.5 ←	5.3 ↙	6.1 ←


beste Teiler 398.8 (26.) 1996.8 (28.) 2370.9 (22.)
 Trefferlage 23.36 mm links, 15.64 mm tief
 Streuwert 14.59, horizontal: 11.72, vertikal: 16.97



Serie 4:

10.6 *	4.4 ←	10.3 ↓	7.3 →	9.8 ↙
5.4 ↙	7.4 ↙	6.1 ↓	9.6 ↑	9.9 →


beste Teiler 311.2 (31.) 551.3 (33.) 877.6 (40.)
 Trefferlage 7.16 mm links, 10.26 mm tief
 Streuwert 19.25, horizontal: 22.35, vertikal: 15.56



Serie 5:

7.4 ←	3.2 ←	8.1 ↙	8.0 ↓	9.5 →
7.3 ↙	7.2 ↓	8.5 ↙	8.6 →	8.1 ←

beste Teiler 1148.1 (45.) 1849.4 (49.) 1990.0 (48.)
 Trefferlage 15.34 mm links, 13.16 mm tief
 Streuwert 16.26, horizontal: 21.53, vertikal: 8.10



Serie 6:

6.4 ←	8.3 →	7.8 ↙	7.3 ←	10.7 *
8.9 ←	8.5 ↙	8.4 ↓	8.8 ↙	10.1 ↘

beste Teiler 212.5 (55.) 709.1 (60.) 1627.5 (56.)
 Trefferlage 11.46 mm links, 8.95 mm tief
 Streuwert 12.03, horizontal: 14.81, vertikal: 8.38

Meyton Elektronik

LP 60 – Wertung – **Junioren**

StandNr: 131

Steindl,, Florian #70406099

StartNr: 99



24. Februar 2018 13:36

SG_Bruckhäusl


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **501** (528.4)
 Serien: 81 82 78 84 89 87
 Zähler: 13 16 18 8 2 3 0 0 0 0
 Innenzehner: 0
 weiteste: 4211 (25), 4170 (12), 4150 (35)
 beste Teiler 482.4 (42.) 497.5 (57.) 508.1 (56.)
 Trefferlage 2.59 mm rechts, 0.66 mm tief
 Streuwert 13.91, horizontal: 11.69, vertikal: 15.81




Serie 1:
 8.6 ↑ 9.0 ↗ 8.7 ↓ 9.7 ← 8.4 →
 8.8 ↓ 8.4 ↘ 7.8 ↘ 9.8 ↑ 7.2 ↘
 beste Teiler 892.7 (9.) 1034.4 (4.) 1542.4 (2.)
 Trefferlage 7.39 mm rechts, 3.96 mm tief
 Streuwert 13.00, horizontal: 11.15, vertikal: 14.62




Serie 2:
 9.3 ← 5.7 ↘ 9.8 ← 8.9 ↘ 8.5 ↗
 8.3 ↘ 9.3 ← 9.6 ↘ 7.2 → 10.0 ↘
 beste Teiler 745.5 (20.) 953.7 (13.) 1049.0 (18.)
 Trefferlage 3.29 mm rechts, 7.24 mm tief
 Streuwert 14.37, horizontal: 16.67, vertikal: 11.62




Serie 3:
 7.7 ↓ 10.2 ↘ 6.2 ↑ 7.7 ↓ 5.7 ↑
 9.5 ↓ 8.6 ↘ 10.0 ↓ 8.4 ← 8.9 ↓
 beste Teiler 635.7 (22.) 781.6 (28.) 1149.5 (26.)
 Trefferlage 2.20 mm rechts, 2.52 mm tief
 Streuwert 17.88, horizontal: 9.51, vertikal: 23.43



Serie 4:
 10.2 ← 8.2 ↘ 7.3 ↘ 10.1 ↖ 5.8 ↑
 9.4 ↘ 10.0 ↑ 9.5 → 7.2 ↖ 9.7 ←
 beste Teiler 598.8 (31.) 695.1 (34.) 785.7 (37.)
 Trefferlage 2.26 mm links, 4.51 mm hoch
 Streuwert 15.27, horizontal: 13.18, vertikal: 17.11



Serie 5:
 10.3 ↘ 10.3 ↖ 9.2 ↑ 10.1 → 8.9 ↗
 8.6 ↗ 8.8 ↓ 10.1 → 8.9 ↗ 8.3 ↓
 beste Teiler 482.4 (42.) 509.1 (41.) 683.8 (44.)
 Trefferlage 5.09 mm rechts, 1.24 mm hoch
 Streuwert 9.73, horizontal: 7.31, vertikal: 11.66



Serie 6:
 9.1 ← 10.2 ← 7.8 ↖ 9.1 ↓ 8.9 ↗
 10.3 ↓ 10.3 ↖ 9.7 ↓ 9.7 ↗ 6.5 ↑
 beste Teiler 497.5 (57.) 508.1 (56.) 586.9 (52.)
 Trefferlage 0.12 mm links, 4.00 mm hoch
 Streuwert 12.24, horizontal: 10.42, vertikal: 13.82

LP 60 – Wertung – **Junioren**

StandNr: 132

Wolf,, Johannes #70512031

StartNr: 100

24. Februar 2018 13:38

SG_See

Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **521** (550.0)

Serien: 82 90 81 91 89 88

Zähler: 10 31 14 2 1 2 0 0 0 0



Innenzehner: 4

weiteste: 4417 (3), 4412 (27), 3337 (21)

beste Teiler 81.3 (14.) 387.4 (34.) 389.1 (33.)

Trefferlage 3.48 mm links, 0.14 mm hoch

Streuwert 11.51, horizontal: 11.45, vertikal: 11.57




Serie 1:

8.8 ↑	10.1 →	5.4 ←	8.7 ↑	8.8 ↑
8.7 ↙	9.6 →	9.2 ↓	9.6 ↘	8.6 ↙

beste Teiler 661.8 (2.) 1070.6 (7.) 1109.2 (9.)

Trefferlage 6.10 mm links, 1.06 mm hoch

Streuwert 14.27, horizontal: 15.59, vertikal: 12.82




Serie 2:

9.0 ↑	9.5 →	9.2 ↓	10.8 *	9.8 →
9.5 ↖	9.4 →	9.1 ←	8.5 ↓	9.1 ↖

beste Teiler 81.3 (14.) 892.4 (15.) 1166.9 (16.)

Trefferlage 0.38 mm links, 0.36 mm tief

Streuwert 10.02, horizontal: 10.00, vertikal: 10.03




Serie 3:

6.8 ↑	7.9 ↙	10.0 ↙	9.1 ↓	9.5 ↑
10.0 →	5.4 ↙	9.9 ↙	8.9 ↙	8.2 ↙

beste Teiler 733.0 (26.) 799.8 (23.) 873.0 (28.)

Trefferlage 9.73 mm links, 3.56 mm tief

Streuwert 14.67, horizontal: 13.15, vertikal: 16.04




Serie 4:

8.9 ↙	10.2 ←	10.5 *	10.5 *	9.0 ↓
9.7 ↑	8.1 ←	9.4 ↘	9.6 ←	9.3 ↗

beste Teiler 387.4 (34.) 389.1 (33.) 612.2 (32.)

Trefferlage 4.02 mm links, 0.27 mm tief

Streuwert 9.03, horizontal: 9.66, vertikal: 8.35




Serie 5:

8.9 ↑	9.6 ↓	9.7 ↑	10.1 ↓	9.7 ↖
8.7 ↑	9.9 ↖	9.0 ↓	9.5 ↓	9.7 ←

beste Teiler 688.2 (44.) 862.0 (47.) 1001.0 (43.)

Trefferlage 1.52 mm links, 1.17 mm hoch

Streuwert 9.12, horizontal: 6.06, vertikal: 11.38



Serie 6:

9.6 ←	9.9 ↑	10.4 *	9.9 ←	10.2 →
8.0 ↓	7.2 ↗	9.2 ←	8.8 ↗	9.7 ↗

beste Teiler 440.9 (53.) 613.0 (55.) 816.5 (54.)

Trefferlage 0.86 mm rechts, 2.86 mm hoch

Streuwert 11.31, horizontal: 11.20, vertikal: 11.42

Meyton Elektronik

LP 60 – Wertung – **Junioren**

StandNr: 133

Markl, Marco #70515044

StartNr: 101



24. Februar 2018 13:57

SG_Zams


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **484** (512.7)
 Serien: 79 75 85 81 76 88
 Zähler: 6 20 19 7 4 3 1 0 0 0
 Innenzehner: 0
 weiteste: 5046 (14), 4408 (42), 4307 (15)
 beste Teiler 503.5 (33.) 531.8 (57.) 662.9 (51.)
 Trefferlage 1.42 mm links, 3.10 mm tief
 Streuwert 15.30, horizontal: 14.45, vertikal: 16.11




Serie 1:
 8.1 ← 8.8 ↓ 7.9 ↓ 9.0 ↗ 8.9 ↘
 6.6 ↖ 8.8 ↙ 9.0 ↑ 7.8 ↙ 9.2 ↓
 beste Teiler 1376.7 (10.) 1539.7 (8.) 1597.2 (4.)
 Trefferlage 6.29 mm links, 4.55 mm tief
 Streuwert 14.70, horizontal: 11.65, vertikal: 17.22




Serie 2:
 8.3 ↓ 9.2 ↘ 7.7 ↓ 4.6 ↑ 5.6 ↓
 9.2 ↖ 7.8 ↙ 9.6 ↖ 8.7 ↘ 9.3 ↙
 beste Teiler 1103.4 (18.) 1344.9 (20.) 1382.9 (12.)
 Trefferlage 2.34 mm rechts, 4.64 mm tief
 Streuwert 19.61, horizontal: 14.52, vertikal: 23.63




Serie 3:
 8.2 ↘ 10.0 ↓ 8.9 ↙ 6.2 ↙ 10.0 ↘
 8.3 ↙ 9.7 ↙ 9.0 ↗ 8.6 ↓ 9.0 ↖
 beste Teiler 728.0 (22.) 759.6 (25.) 981.6 (27.)
 Trefferlage 2.71 mm links, 6.88 mm tief
 Streuwert 13.18, horizontal: 14.12, vertikal: 12.17



Serie 4:
 9.8 ↘ 9.5 ← 10.3 ↘ 7.9 ↙ 8.8 ↙
 8.3 ← 5.9 ↗ 9.9 ↓ 8.8 ↘ 8.0 ↙
 beste Teiler 503.5 (33.) 831.8 (38.) 954.1 (31.)
 Trefferlage 1.40 mm links, 5.94 mm tief
 Streuwert 14.51, horizontal: 17.54, vertikal: 10.65



Serie 5:
 6.2 ↗ 5.4 ← 8.9 ↙ 6.6 ↓ 8.8 ↖
 9.0 ↗ 9.4 ↘ 9.4 ↖ 9.0 ↓ 7.8 ↗
 beste Teiler 1213.5 (47.) 1233.2 (48.) 1529.3 (46.)
 Trefferlage 2.09 mm links, 0.67 mm tief
 Streuwert 19.02, horizontal: 19.19, vertikal: 18.84



Serie 6:
 10.1 ↖ 7.3 ↗ 8.8 → 9.6 ← 9.8 →
 8.8 ↓ 10.3 ↖ 9.8 ↖ 10.0 ↗ 8.5 ↑
 beste Teiler 531.8 (57.) 662.9 (51.) 724.7 (59.)
 Trefferlage 1.61 mm rechts, 4.04 mm hoch
 Streuwert 10.68, horizontal: 9.62, vertikal: 11.66

LP 60 – Wertung – **Junioren**

StandNr: 101

Cem, Duman #99999992

StartNr: 139

24. Februar 2018 13:38

SG_Tarrenz

Unterschrift des Schützen

Meyton Elektronik